

A Message Cannot Arrive Before It Is Sent

Physical-Consistency Auditing for Streaming Latency Benchmarks, and What It Left of a
Kafka-versus-Redis Comparison

GUSTAVO PEDRO RICOU, School of Computer Science and Statistics, Trinity College Dublin, Ireland

What we set out to do. Answer an ordinary question for anyone building a live sports feed: does the choice between Apache Kafka and Redis Streams change end-to-end delay, and does the answer shift as more matches run at once? We drove the benchmark with 3,315 real football matches on their recorded event schedule.

What we found instead. Our first answer was clean, significant, and impossible. Broker delay is a difference of two timestamps taken in two processes, so it admits one check no statistic supplies: it cannot be negative. Applying that check to *every* run rather than only to runs that looked wrong rejected 1,321 of 2,266, including every run behind the result we were about to publish. Nothing in the rejected data looks wrong in aggregate — medians stay positive, intervals stay narrow, effect sizes stay large.

What we think is happening. The failure is in the instrument, not the systems under test. An inversion occurs when a scheduling stall separates an event from the clock read that timestamps it, and outlasts the interval being measured: $\Pr[\text{inversion}] = \Pr[\text{stall} > T_{\text{true}}]$.

What the measurements say. We manipulate both sides. Raising the stamping threads to real-time priority at *fixed* utilisation cuts the inversion rate 7 to 80× across eight matched pairs spanning five load levels; lengthening the true transport 77× by padding the payload cuts it further, so a slower path is a *more reliable* measurement — a sign no account based on system stress predicts. Two loads at identical utilisation, differing only in how they spread across cores, give rates 2.07× apart, so utilisation is not the variable. A kernel trace closes the loop: the measured probability that a run-queue stall outlasts the true transport is 0.181 against an observed rate of 0.231, unfitted. The stall distribution’s tail index is near 0.34, so it has no finite mean, and instruments built on averages are structurally blind to this failure. We withdraw two claims of our own, including an M/G/1 form our own data refutes once measured where the candidates diverge. Because a failure only we have made is a cautionary tale rather than a finding, we instrumented a benchmark we did not write: under load the OpenMessaging Benchmark silently discarded 6,000 end-to-end samples, about 6.7% of the run, while reporting a healthy-looking latency summary. Of the original question, what survives is modest — the brokers sit within a millisecond, with a reproducible 0.41 ms advantage for Redis that is real and negligible beside a feed whose human annotation latency is measured in seconds. The general consequence is uncomfortable: this check binds hardest exactly where a benchmark’s measured effect is smallest, which is to say on the delicate comparisons such papers exist to make.

CCS Concepts: • **Computer systems organization** → **Distributed architectures**; • **Software and its engineering** → **Software performance**.

Additional Key Words and Phrases: streaming systems, latency benchmarking, measurement validity, Apache Kafka, Redis Streams, reproducibility

1 Introduction

Message brokers carry event data between producers and consumers in most real-time analytics pipelines, and two products dominate the role. Apache Kafka [14] stores messages in a partitioned, replicated log written to disk, designed for durability and high throughput. Redis Streams [26] keeps them in memory in an append-only structure, designed for minimum delay per operation. Practitioners choose between them largely on grey-literature comparisons that report Redis as several times faster [6, 12, 36], none of which is reproducible and none of which uses a workload from the domain the reader works in.

1.1 The original question

This work began as a straightforward attempt to fix that, for one domain:

Using the publicly available StatsBomb open dataset (2003–2023) and open-source load-generation scripts, compare end-to-end lag between Redis Streams and Apache Kafka for real-time sports data feeds, under varying concurrency.

The domain supplied something a synthetic benchmark cannot: a real arrival process, and a real answer to *how many feeds run at once*. Football match records carry kick-off times, so the number of simultaneous feeds is an empirical quantity rather than a swept parameter. We treat that workload throughout as the *setting* that produced our findings rather than as a contribution in itself, and Section 3 describes it only to the depth needed to interpret the results.

1.2 The answer we obtained first

Our first campaign returned a clean result. Replaying distinct real matches across one, five and ten concurrent feeds, Redis broker delay rose monotonically ($1.006 \rightarrow 1.197 \rightarrow 1.346$ ms) while Kafka stayed flat to within 0.3%. Every comparison was significant after Holm correction [10], the strongest at $p = 9.0 \times 10^{-11}$, and at five feeds and above the two systems' run distributions did not overlap at all.

The finding was not merely significant; it was explicable. A Redis server executes commands on a single thread, so concurrent streams contend for one execution context, whereas Kafka's partitioning admits genuine parallelism. The measurement appeared to reproduce the textbook architectural distinction between the two designs, in the predicted direction and at the predicted scale.

It was an artefact. Broker delay is computed as consumer receipt minus broker acknowledgement, two timestamps taken in two processes. A message cannot arrive before it is sent, so a negative value is not measurement noise but proof that the instrument has failed. Checking every run against that constraint — rather than only the runs whose results looked implausible — rejected 862 of 1,382 single-machine runs and 459 of 884 multi-machine runs, including every run behind the result above.

1.3 Why the failure is worth a paper

Timestamp inversion under load is invisible to the checks a reviewer would apply. Medians stay positive and plausible. Confidence intervals stay narrow. Effect sizes are large and the direction agrees with theory. Only 5 to 14% of individual events invert, which is enough to displace a median by a fraction of a millisecond in a measurement whose entire effect is a fraction of a millisecond, and far too little to make any aggregate look wrong.

A benchmark can therefore produce a complete, internally consistent and entirely false result set. No amount of statistical care exposes it, because the contamination is systematic rather than random: greater care produces tighter intervals around the wrong number. Only a check against a physical constraint exposes it, and it must be applied to every condition as a rule.

1.4 Contributions

- (1) **A physical-consistency audit for cross-process latency benchmarks** (Section 4.5), stated as a rule, applied uniformly to all 2,266 runs, with its threshold sensitivity reported rather than asserted (Section 6). We show the audit binds hardest exactly where the measured effect is smallest, which inverts the usual intuition that large clean effects are the trustworthy ones.

- (2) **A demonstration**, which we regard as the strongest of these: a complete, significant, theory-confirming result set that was physically impossible, reported in full so a reader can judge how convincing invalid data looks (Section 5).
- (3) **Four falsifiable rules, derived and measured** (Sections 4.6 and 7.1). From a model of the failure we derive that inversion probability is $F_{\Delta}(-T_{\text{true}})$ and test its consequences: it falls as the measured quantity grows, rises with concurrent process count, follows M/G/1 waiting time in utilisation, and — the rule that bears directly on our own first result — an asymmetric instrument leaves a between-system difference that a symmetric one removes. All four hold. This converts the central property from an observation into a measured law.
- (4) **Evidence that the exposure is not ours alone** (Section 6.7). A source-level audit of the OpenMessaging Benchmark, at a named commit and with file and line given, finds it computes end-to-end latency as the same cross-process — in a distributed deployment, cross-*host* — timestamp difference, and then admits a sample to its histogram only when that difference is positive, with no counter for what it discards. The failure mode is therefore designed into a widely used benchmark, and its output cannot reveal it. We then made that discard visible — one counter in the existing guard’s `else` branch, nothing else changed — and ran the benchmark under load. It discarded 6,000 end-to-end samples in three minutes, about 6.7% of the run, while reporting a healthy-looking latency summary. The exposure is therefore not ours alone, and it is not hypothetical.
- (5) **A correction to our own model** (Section 7.2), pre-registered before the campaign that tested it. The model above treats Δ as one distribution; it is two. A nine-level load sweep falsifies the scale-family form and measures the mixture instead: a narrow jitter core whose width grows 5× from idle to the knee, and a rare descheduling tail whose weight grows 60×. The consequence for a practitioner is sharper than the leading-order model suggests — a benchmark can sit where its measurements look tight while the tail that corrupts them is already growing.
- (6) **A second withdrawal, and a test that would have caught it** (Section 7.5): a twentyfold end-to-end gap we had reported, and built a recommendation on, turned out to be a per-run start-up cost read as a per-event constant, because the runs behind it matched a median of seven events. We give a controlled discriminator — sweep the observation window and count the affected events rather than averaging them, since a per-run cost holds that count fixed while a per-event one grows it — and trace the cost to a single blocking first `produce()` and the four events that queue behind it. The integrity check does *not* catch this, which is the point: causal consistency is necessary and not sufficient, and a percentile over single-digit samples describes the harness rather than the system.
- (7) **A configuration result** (Section 7.7): each system has exactly one client-side setting worth one to two orders of magnitude in delay, and both are free on a co-located testbed.

2 Background and Related Work

2.1 Streaming benchmarks

Stream processing has a mature benchmark literature. Linear Road [3] is the canonical application benchmark; NEXMark [34] models an online auction and has become the standard query suite for dataflow engines; ESPBench [8] constructs an enterprise workload; RIOTBench [30] supplies IoT dataflows; and the OpenMessaging Benchmark [24] measures broker throughput and delay directly across messaging systems. Stonebraker et al. [32] set the requirements these evaluate against.

Two properties of this body of work matter here. Each drives its system with a synthetic arrival process chosen for analytical tractability. And none, to our knowledge, reports what fraction of its runs it discarded on integrity grounds.

The specific comparison we began with is, as far as we can establish, unpublished in the peer-reviewed literature. Practitioner comparisons of Kafka against Redis Streams [6, 12, 36] are numerous and disagree with one another — some report Redis several times faster on throughput, others report Kafka better in the tail — and none states a replay rate, a rejection rule, or an equivalence margin. That absence is what made the original question look worth asking, and it is also why Section 7.4 reports both halves of our own answer rather than the flattering half.

There is precedent for the kind of result we report. Schroeder et al. [27] showed that whether a load generator is open or closed — a modelling choice most benchmarks make implicitly — changes measured behaviour so much that results obtained under one model do not transfer to the other. Their contribution was not a new system but a demonstration that a widespread methodological choice silently determined published conclusions. Ours is of that shape: an unexamined property of how benchmarks record time, shown to determine the result. Mohammad [23] surveys benchmark practice in Kafka event-streaming systems and finds reported results frequently not comparable, because client configuration, acknowledgement semantics and instrumentation differ between the systems under test. Our experience supports that critique and extends it: comparable configuration is not sufficient, because the instrument itself can fail silently under load.

2.2 Measuring time across processes

Lamport [17] established that a distributed system has no single physical time, only a partial order induced by causality. Our check is the simplest application of that principle: a broker’s acknowledgement causally precedes the consumer’s receipt, so a measurement in which receipt is timestamped earlier violates the causal order and supports no conclusion.

The engineering problem is well known and partially solved. Systems approximate physical time with synchronisation protocols, of which NTP [22] is the most widely deployed; Spanner [5] goes further and exposes clock *uncertainty* to the application, on the grounds that a system which pretends to know the time exactly will eventually be wrong undetectably. Closest to our setting, Cloudprofiler [35] addresses precisely the inadequacy we encountered — that millisecond-grade synchronisation is too coarse to profile modern streaming engines — by calibrating time-stamp counters across nodes during quiescent periods, reaching roughly 92 μ s accuracy.

Concurrent work reaches the same observable by a different route. While this study was in progress, Sharma et al. [29] reported the same failure in distributed AI inference pipelines, and their terminology converges with ours: they count *negative timing spans*, defined as timestamps implying that events were received before they were sent. They inject clock skew at the application level across a Kafka and a ZeroMQ pipeline and find a threshold — no violations at 0, 1, 2 or 3 ms of skew, clear violations from 5 ms upward. They also propose a binary *causality_health* signal that declares loss of causal trust when any violation occurs in a rolling window, which is independently the same instinct as the gate in Section 4.5. Two groups arriving at the same check from different directions is, we think, the strongest available argument that the practice is missing rather than merely unfashionable.

Our result qualifies theirs in one respect that matters for practice. Their baseline establishes that with clocks properly aligned, *no negative spans occur* — the finding that licenses reading their onset region as a safety threshold. We observe inversion rates near 23% with no clock skew available to blame: our transport measurement takes both stamps on a single host, and the inter-host offset on our testbed measures 0.067 ms, twenty times below their lowest tested skew and fifty times

below their onset. The difference is load. Their pipeline runs on hosts with “sufficient memory to support inference workloads without swapping or resource contention”; ours sit at 88% utilisation, where Section 7.3 shows the scheduler supplies stalls far longer than the interval being measured. A deployment that keeps skew under 3 ms and concludes it is safe would be wrong on a loaded machine, and the mechanism that makes it wrong needs no skew at all.

We therefore make a narrower claim than “nobody has considered this”. The accuracy problem is recognised and better instruments exist. What appears to be missing is the *practice*: an audit applied uniformly to every run of a campaign, with the rejection rate reported the way a survey reports its response rate. Cloudprofiler improves the instrument; we argue that whatever instrument is used, its output should be checked against causality and the check should be published. Our own failure is also not one of clock synchronisation — both processes read the same operating-system clock on one machine — but of *when the timestamp is taken*: a thread descheduled between the event and the call recording it stamps a time later than the event, and under CPU saturation that delay routinely exceeds the interval being measured.

Two 2026 results sit close to ours and we are explicit about what each already establishes. Chandrasekar and Kramberger [4] identify a systemic client-side measurement bias in production LLM inference benchmarks — a single-process client that cannot keep up under concurrency and inflates the latencies it reports — and model it as an M/G/1 queue, a framing we adopt in Section 4.6. Sharma et al. [29] go further in our direction: they report *negative timing spans* in a multi-node inference pipeline, including one built on Kafka, and show that causality violations emerge from a few milliseconds of clock skew while the system continues to function correctly.

We therefore do not claim that causality-violating measurements are a new observation. Three things remain open after that work, and they are what this paper supplies. First, Sharma et al. *inject* clock skew between nodes; our violations arise with no skew at all, on a single machine where both processes read the same clock, purely from scheduler delay in reaching the clock. That is a harder failure to defend against, because synchronising clocks does not remove it. Second, neither paper states a detection rule, applies it uniformly, or reports what fraction of a campaign it rejects. Third, and most importantly, neither relates violation probability to the magnitude of the quantity being measured. Section 4.6 derives that relation and Section 6.6 shows what follows from it: the check is least forgiving exactly where a benchmark is most delicate.

One further difference decides how each failure can be caught at all. A load-induced inflation is wrong but physically possible, so detecting it needs a better instrument or an independent reference. A causality violation is self-detecting, at no cost and with no reference. That property, rather than the existence of load-induced bias, is what we build on.

A third 2026 result approaches the same problem from the opposite direction and supports the premise we build on. Swami and Chougule [33] show, for edge inference systems, that deployment interference corrupts not only the timing being measured but the *timing observability infrastructure that measures it*, and that the two failures occur independently. They propose no detection rule and report no rejection rate, so the practice gap above is unaffected; what they establish is that a measurement instrument failing under exactly the load it is deployed to measure is not peculiar to our harness or our domain.

Jain [11] sets out the standard requirement that an instrument be validated on the system it will measure. The check in Section 4.5 is a cheap, specific instance of that for cross-process delay.

2.3 Where scheduling delay comes from, and why it is not one distribution

Our model treats the stamping delay δ as scheduler waiting time, and Section 7.2 finds it has two components rather than one. Both the framing and the correction are anticipated by the tail-latency literature.

Why the thread waits while cores look free. Section 7.3 finds that spread load starves the stamping thread more than concentrated load at identical utilisation, which presumes that a runnable thread does not simply migrate to whichever core is idle. That presumption is not ours: Lozi et al. [20] document four distinct Linux scheduler bugs under which cores stay idle *for seconds* while runnable threads sit in another core’s run queue, and note that conventional testing was ineffective at finding them because throughput looks healthy throughout. Our measurement is a consequence of that behaviour observed on the instrument rather than on the workload: if work conservation held exactly, a stamping thread would never wait while a core was free, and the geometry contrast of Table 12 would have to be flat. It is not flat, and it converges only where no core is free to migrate to.

That literature also supplies the shape. Section 7.3 measures a tail index near 0.34, meaning the stall distribution has neither a finite mean nor a finite variance, which is why the cumulative scheduler counters could not account for the effect — they estimate a quantity that does not exist. Interference-driven tails of this severity are consistent with what the tail-latency literature reports, though we know of no prior measurement of the index itself for run-queue delay, and we report ours as one fitted value from one campaign rather than as a constant of the system.

Li et al. [18] decompose the tail latency of three Linux servers into hardware, operating-system and application-level sources, and report the finding that matters most for us: measured tails are *substantially worse* than a queueing model alone predicts, with the excess traced to interference from background processes, request re-ordering under constrained concurrency, interrupt routing, power management and NUMA effects. A single-parameter M/G/1 description is therefore a leading-order account, not a complete one — which is precisely what Section 7.2 measures directly on the instrument rather than on the system under test. Their background-interference mechanism also predicts the temporal signature we observe: a core blocked by another task delays not one event but every event arriving in that interval, so the resulting failures should appear in consecutive bursts. Section 8.4 tests that prediction and finds exactly this clustering.

Our contribution here is therefore not the observation that scheduling delay is heavy-tailed, which is established, but that this shape propagates into the *measurement* of an unrelated quantity, and that load moves the tail’s weight far faster than the core’s width (Table 10). The practical consequence is specific: a benchmark can sit at a utilisation where its measurements look tight — the core is narrow — while the tail that actually corrupts them is already growing.

2.4 Statistical methods

Latency distributions are non-normal, so difference tests are rank-based: Mann–Whitney U [21] per condition and Kruskal–Wallis [15] across concurrency levels, with Holm’s correction [10]. Because several claims here are negative, we state them with two one-sided tests [16, 28] against a pre-specified margin rather than by failing to reject equality. As a point estimate of the difference between two systems we use the Hodges–Lehmann shift [9] with percentile bootstrap intervals [7]; Section 6.4 shows that this estimator’s breakdown point is what makes our main conclusion robust to the audit’s own side effects.

3 The Setting

The workload is a live football event feed, and we describe it only as far as the results require. Full characterisation of 3,315 matches from the StatsBomb open dataset [31], spanning 52 competition-seasons from 2003 to 2023, is available in the artefact; event data of this kind is collected by trained human operators, whose accuracy has been studied [19, 25].

Three properties of the workload drive every experimental choice (Table 1). We name, for each, the later result that depends on it, because a setting section that cannot say what it is for should not

Table 1. The workload, from 3,315 matches. Medians across matches; peak rate is the maximum over any sliding ten-second window.

Property	Value
Events per match	3,507
Match duration	8,412 s
Mean arrival rate	0.415 ev/s
Peak rate (10 s window)	2.70 ev/s
Peak-to-mean ratio	6.45
Median inter-arrival gap	1.0 s
Distinct kick-off instants	2,346
Max simultaneous kick-offs	12
Max matches in play at once	21

be in the paper. A reader who wants only the measurement contribution can note that the workload supplies three things a synthetic generator would not have supplied — a sparse arrival process, a burst at a known instant, and an empirically bounded concurrency — and skip to Section 4.

It is sparse. A match produces a median of 3,507 events over roughly 8,412 seconds, a mean rate of 0.415 events per second. This is four orders of magnitude below the rate at which either broker begins to strain, and it is the property that makes Section 7.5’s result possible.

It is bursty, and one burst has a known instant. Over a sliding ten-second window the same feeds peak at 2.70 events per second, a peak-to-mean ratio of 6.45; half of all inter-arrival gaps are one second or shorter. The feed is idle most of the time and busy in short bursts. One of those bursts is special: a kickoff is recorded as a pass, a ball receipt and a carry inside the same second, so *every* match in our corpus opens with at least five events sharing $t_{\text{sim}}=0$. That coincidence — the densest burst arriving when the producer is coldest — is what turns a one-off client start-up cost into the median of a short run, and it is the mechanism behind the withdrawal in Section 7.5. A synthetic Poisson generator has no kickoff, and would not have produced it.

Its concurrency is bounded and knowable. Match records carry kick-off times, so the number of simultaneous feeds is empirical rather than swept. Across 2,346 kick-off instants the largest carries 12 simultaneous matches, and at most 21 are in play at once. Domestic leagues schedule the final matchday simultaneously by rule, so a 20-team league plays ten concurrent matches. We therefore benchmark at $N \in \{1, 9, 10, 12\}$: the median slot, the upper quartile, the structural league bound, and the observed maximum. This is what keeps the concurrency axis of Section 7.4 from being an arbitrary sweep — the levels are measured facts about the domain, not round numbers. Two limits apply. The dataset is a sample, so observed simultaneity is a lower bound; and the bound is per league, so a platform serving many competitions faces their sum.

Taken together these also explain why the broker question turned out to be the least interesting thing we could have asked, and we would rather say so here than let a reader discover it in Section 7.4. At 0.415 events per second and at most a dozen concurrent feeds, this workload sits four orders of magnitude below where either broker strains. The domain that made the failure visible is the same domain in which the original question has a boring answer.

4 Method

4.1 Testbeds

Because several of our earlier numbers proved to be properties of a machine rather than of either broker, we state both testbeds and measure the floors that bound resolution.

Testbed A (single machine). Windows 11, 8-core AMD Ryzen, 31 GB RAM, CPython 3.9. Producer and consumer are native processes; Kafka 4.1.1 and Redis 7.2.4 run in Docker containers whose engine executes in a WSL2 virtual machine, reached through published ports. Two floors bound it: a requested 1 ms sleep takes a median of 15.6 ms (the Windows timer tick), and opening a TCP connection to a published port costs 5.6–9.9 ms.

Testbed B (four machines). Four Oracle Cloud VM. Standard.E5.Flex instances — three brokers and one driver — on Ubuntu 22.04, CPython 3.10, over a private network, with client libraries pinned identically to Testbed A. Both floors disappear: a 1 ms sleep takes 1.06 ms, and a broker round trip on an established connection is 0.22 ms locally and 0.24 ms across machines. A genuine two-machine network is thus *faster* than Testbed A’s co-located path, which is the sharpest statement we can offer of how much a testbed distorts a benchmark. Every result reported as a finding comes from Testbed B.

4.2 Measurements

Each match is preprocessed into a replay plan recording, per event, the time at which it should be emitted. A producer replays a plan at a configurable speed-up; a consumer records arrivals. In the concurrency experiment each of the N feeds carries a *distinct* real match at its true rate: an earlier design gave every feed the same merged ten-match plan, which made the concurrency axis covertly a throughput axis.

The primary measure is **Time-to-Insight (TTI)**, from an event’s scheduled emission to its availability at the consumer. We decompose it (Figure 2):

$$\text{TTI} = \underbrace{(t_{\text{send}} - t_{\text{sched}})}_{\text{scheduling lag}} + \underbrace{(t_{\text{recv}} - t_{\text{ack}})}_{\text{broker transport}} + \text{residual}.$$

Scheduling lag is measured entirely inside the producer and characterises the client. Transport spans the broker and characterises the product. The distinction is not cosmetic: for this workload the two have opposite answers, and reporting only the aggregate is what concealed the result in Section 7.5.

Critically, t_{ack} is stamped in the *producer* process (from Kafka’s send callback, or on return from Redis’s XADD) while t_{recv} is stamped in the *consumer*. That subtraction is the one that can go wrong.

4.3 The experiments, and what each one settles

Our campaigns accumulated over three months, each added in response to a defect or a question the previous one raised, so their names do not reveal their logic. Figure 1 states it in one place: what each campaign manipulates, what it holds fixed, and which claim it is the evidence for. Two properties of that map are deliberate. Every claim in Section 7 traces to exactly one row, so a reader can check that nothing is asserted without an experiment behind it. And no row both generates and tests the same hypothesis: where a pilot analysis suggested a hypothesis, a fresh campaign tests it, and Section 7.2 says so explicitly.

Campaign	Manipulated	Held fixed	What it settles
E1 concurrency	feeds N : 1, 9, 10, 12	rate, host, plan set	the original question: does broker choice matter?
E-B delay sweep	injected delay 0-50 ms	load, feeds	H1 effect size (direction only; confounded)
E-A / E-A3 load sweep	background load 0-12	rate, feeds, plan	H2 utilisation, H10 mixture, F_A recovery
E-A2 process count	processes at fixed rate	aggregate event rate	H4 oversubscription
E-C3 / E-C4 stamping	ack stamp: callback vs inline	load, in-flight, backend	H3 asymmetry (replicated)
window sweep	observation window 60-600 s	rate, host, match	start-up cost vs per-event constant
transport (x2)	feeds, powered	verified real-time rate	broker transport, equivalence + shift
E-A5/A5b/A7 stamping priority	SCHED_FIFO on the stamping threads	utilisation, to 0.003	scheduling, not utilisation (8 pairs, 7-80x)
E-A6 load geometry	cores free vs all duty-cycled	achieved utilisation	utilisation is not the variable (2.07x at identical load)
E-A9 run-queue trace	nothing: observation only	load, priority arm	$P(\text{stall} > \text{true transport})$ predicts the rate, unfitted
E-A10 transport sweep	payload size; true transport 77x	load, hosts, code path	the other side of the inequality; tail index
E-A8 co-location	broker on the driver	utilisation, to 0.002	nothing: transport did not move, so it is withheld
OMB external	instrumented discard counter	our broker, under load	the exposure is not ours alone

Every claim in Section 7 traces to one row. No row both generates and tests the same hypothesis, and a row that settled nothing says so.

Fig. 1. The experiment map. Each campaign manipulates one variable, holds the others fixed, and settles one claim. The delay sweep is marked confounded because injecting delay also inflates variance (Section 8.4), so we use it for direction only.

4.4 Configuration, and why each setting is what it is

Mohammad [23] finds that published Kafka comparisons are frequently not comparable because client configuration and acknowledgement semantics differ silently between the systems being compared. We therefore state every setting that can move a latency number, with the reason it holds the value it does (Table 2). Two of these were not chosen but *learned*: the pipelining setting and the acknowledgement-batching setting each cost us a result before we understood them, and both are the subject of Section 7.7.

The general principle is that the two clients must be equalised on *semantics*, not on parameter names. Kafka and Redis expose different knobs, and matching them syntactically is what produces the asymmetries this paper is about. Concretely, Kafka’s producer buffers and pipelines by default while our Redis producer dispatches to a worker pool; leaving `max-inflight` at 1 makes the Kafka client wait for a broker round trip per event while the Redis client does not, which is not a broker difference but a harness difference.

4.5 The consistency check

We implement the causal constraint as a stated rule, fixed before the final campaign and applied to every run including those whose results looked reasonable. A run is **rejected** if either

- (1) more than 1% of its events carry a negative value in any latency component, or
- (2) the median of any component is negative.

A condition is usable only if all of its runs survive. Where a condition is partly rejected we report the retention rate, and Section 6.4 bounds the selection this introduces. The tool exits non-zero when any run fails, so a campaign script can stop on it.

4.6 A model of the failure, and what it predicts

A rule that rejects runs is only useful if one can say *when* it will fire. This subsection states the model that makes that prediction, because it is what converts the check from a hygiene step into something a reader can apply to their own measurement without repeating our experiment.

Table 2. Every configuration that can move a latency number, and why it holds that value. Settings marked *learned* were discovered by a defect they caused, not chosen in advance.

Setting	Value	Why
<i>Kafka producer</i>		
acks	all	Durability semantics matched to Redis’s synchronous XADD; weaker acknowledgement would compare different guarantees.
linger.ms	0	No artificial batching delay; the workload is sparse, so any linger would dominate the quantity measured.
max-inflight	64	<i>Learned.</i> At the default 1 the client blocks on a round trip per event, making the comparison one of harnesses rather than brokers (Section 7.7).
compression	none	Football events are small JSON; compression would add CPU to the path being timed for no representative benefit.
ack-stamp	callback	Default, and deliberately asymmetric with Redis; Section 7.1 measures what the asymmetry costs by also running inline.
<i>Redis producer</i>		
send workers	pool	Non-blocking dispatch so the emission loop keeps schedule; send and acknowledgement are stamped in the worker, preserving a valid transport span.
<i>Consumers</i>		
Redis ack-batch	200	<i>Learned.</i> Acknowledging per message adds one network round trip per message, which at 20 ms of delay is the difference between 103 ms and 4,138 ms (Section 7.7).
Redis count	200	Read batch; matched to the acknowledgement batch so neither dominates.
Kafka poll-timeout	1000 ms	Client already amortises fetches; no per-record round trip exists to remove.
<i>Replay</i>		
speed-up	derived	<i>Learned.</i> Plans carry a baked-in 120× compression, so the flag is not the rate; it is derived from the plan and verified against wall time before every campaign (Section 6.5).
window	60–600 s	Swept deliberately: the number of events a run contains is itself a variable, and Section 7.5 is the reason.

Every timestamp is taken by software some interval after the physical event it claims to mark, because the thread that reads the clock must first be scheduled. Writing those stamping delays as δ_{ack} and δ_{recv} ,

$$T_{\text{measured}} = T_{\text{true}} + \Delta, \quad \Delta \equiv \delta_{\text{recv}} - \delta_{\text{ack}}, \quad (1)$$

so an inversion occurs exactly when $\Delta < -T_{\text{true}}$, and

$$\Pr[\text{inversion}] = F_{\Delta}(-T_{\text{true}}). \quad (2)$$

Figure 3 draws both halves of Equations 1 and 2. Panel (a) shows the mechanism: the acknowledgement is stamped late enough that the consumer’s receipt timestamp precedes it, even though




Fig. 2. The four timestamps and the intervals each measure spans. Scheduling lag is measured within one process. Broker transport subtracts a producer-side timestamp from a consumer-side one, and can therefore come out negative when either process is delayed.

the message plainly arrived after it was sent. Panel (b) shows the consequence that matters for benchmark design.

Equation 2 says something that is easy to miss and, we think, the most useful thing in this paper. **Inversion probability is a property of the quantity being measured, not only of the machine.** The same instrument, on the same host, under the same load, is more likely to be invalid when measuring a small latency than a large one, because a fixed distribution of Δ overlaps a small T_{true} almost entirely and a large one hardly at all. This is why our network-delay arm, where transport is tens of seconds, passes the check on every run while same-hardware arms measuring one millisecond fail wholesale.

Three further predictions follow – on utilisation, on process count, and on instrument asymmetry – and Section 7.1 reports the experiments that test them.

Utilisation, and what drives it. δ is the waiting time of a runnable thread. Treating the CPU as a server, the Pollaczek–Khinchine result for an M/G/1 queue gives mean waiting time growing as $\rho/(1 - \rho)$ in utilisation ρ . The spread of Δ should therefore be small and flat at low utilisation and grow sharply near saturation: a *knee*, not a linear ramp. This is the same framing Chandrasekar and Kramberger [4] apply to client-side bias in inference benchmarks. A corollary sharpens it into a second prediction: ρ is set by the number of *runnable threads* per core, not by the offered event rate, so at a *fixed* aggregate rate, adding concurrent producer/consumer processes should raise inversion rate – the failure follows process count, not load.

Asymmetry. It is $E[\Delta]$, not its variance, that biases a *comparison*. Symmetric instrumentation gives $E[\Delta] \approx 0$: noise, no systematic error. Asymmetric instrumentation does not – and if two systems under comparison stamp differently, the instrument manufactures a difference between them. This is precisely our situation: Kafka’s producer stamps the acknowledgement in an asynchronous callback, Redis’s on return from a blocking command. It is the most plausible account of how our first result set acquired a large, significant, entirely spurious effect.

4.7 What the check cannot catch

A paper about measurement validity should be explicit about the limits of the instrument it proposes, so we state them before reporting any result with it.




Fig. 3. (a) How a positive latency is measured as negative: each side stamps its clock some interval after the event, and if the producer’s delay exceeds the true transport plus the consumer’s delay, the difference inverts. (b) Why the check bites hardest on small effects. The same distribution of stamping asymmetry Δ inverts most of a small T_{true} and almost none of a large one.

Equation 2 makes the blind spot precise. The check fires only when $\Delta < -T_{true}$: it detects the tail of the asymmetry distribution that crosses zero, and nothing else. Three consequences follow, and the third is the serious one.

It cannot see bias smaller than the measurement. If Δ displaces every measurement by, say, 0.3 ms while T_{true} is 1 ms, no value goes negative and the check passes a corpus whose every number is 30% wrong. Passing is therefore evidence that the instrument did not fail *catastrophically*, not evidence that it was accurate. We use the word “sound” in this narrow sense throughout.

It says nothing about the tail it does not reach. A run just above the threshold and a run just below it may differ arbitrarily in bias. The rejection rate is a hygiene statistic, not an error bar.

It is blind to symmetric inflation. The failure Chandrasekar and Kramberger [4] describe — a saturated client inflating every latency it reports — keeps all measurements positive and passes our check completely. Their failure mode and ours are complementary, and neither instrument detects the other. A benchmark that applies only the check proposed here is still exposed to theirs.

This is why we frame the contribution as a *necessary* condition rather than a validation procedure. A corpus that fails the check is unusable. A corpus that passes it has cleared the cheapest available bar and nothing more.

4.8 Statistics

Margins are fixed before testing and proportionate to the quantity compared: $\delta = 1$ ms for broker transport, a quantity of order one millisecond, and $\delta = 40$ ms for end-to-end TTI, one video frame at 25 fps. Holm families are declared over the design actually executed: the four per- N transport comparisons form one family, the network-delay arm another; omnibus Kruskal–Wallis tests are uncorrected; equivalence tests are pre-specified and belong to no family. Surviving samples range from 8 to 35 runs per cell; the 8-run cell is treated as descriptive and flagged wherever it appears.

Because sample size differs sharply between the historical corpus and the campaigns that came after it, we state which claim rests on which rather than leaving a reader to infer it (Table 3). The distinction matters for one argument in particular: the retention-bound defence of Section 6.4 holds only while more than half a cell survives, and its tightest cell clears that line by 2.8 points. That argument is needed for the E1 corpus alone. Every campaign run after it retains all of its runs, so no later claim depends on the bound.

Table 3. What each claim rests on. E1 is the only corpus where retention is a live concern; the campaigns after it retain every run, so the breakdown-point argument of Section 6.4 is needed for one row only.

Claim (section)	Campaign	Runs per cell
Audit rejection rates (6)	all corpora	2,266 runs total
H1 effect size (7.1)	co-located vs network	15 per delay level
H2 utilisation shape (7.1)	E-A, E-A3	25 per load level
H4 process count (7.1)	E-A2	15 per level
H3 asymmetry (7.1)	E-C3, replicated E-C4	10, then 15 per arm
Mixture structure (7.2)	E-A3, nine levels	25 per level
Scheduling, not utilisation (7.3)	E-A5, E-A5b, E-A7	25 per arm
Load geometry (7.3)	E-A6, both geometries	25 per arm
Traced run-queue tail (7.3)	E-A9	25 per arm
T_{true} sweep (7.3)	E-A10, four payloads	25 per level
Broker transport (7.4)	powered, replicated	15, then 8 per cell
Start-up withdrawal (7.5)	window sweep, twice	3 per window
<i>Historical: E1 (7.4)</i>	E1	<i>8–35, 52.8–100% retained</i>

Table 4. **The first result set, later rejected.** Broker transport (median, ms) by concurrency, Testbed A, 10× replay. Every cell fails the check of Section 4.5.

N	Kafka	Redis	Difference	p_{Holm}
1	0.999	1.006	0.007	1.0×10^{-4}
5	1.001	1.197	0.196	6.5×10^{-6}
10	1.002	1.346	0.344	9.0×10^{-11}

Every inversion rate reported in Section 7 is a proportion over 2,985 matched events per cell — 25 runs of the same replay plan, and identical in every campaign and every arm. That uniformity is worth stating once rather than repeating in each table: it means every rate comparison in this paper, within a campaign or across two of them, is made at equal n , so a ratio between two cells cannot be an artefact of one resting on more data than the other. The per-cell counts are carried in the released artefacts alongside the rates, and the paper’s tables are regenerated from those files.

5 The Answer We Obtained First

We present the first result set in full rather than describing it, because a reader cannot otherwise judge how convincing an invalid corpus looks.

5.1 The result

On Testbed A, replaying distinct real matches at ten times real speed across one, five and ten feeds with 15–30 runs per cell and both producers pipelined, broker transport separated the two systems cleanly (Table 4). Every comparison was significant after correction and at $N \geq 5$ the run distributions did not overlap.

5.2 The checks it had already passed

The corpus was not naive. It was the product of five earlier corrections, each of which had reversed the apparent winner and each found by investigating a result that looked wrong:

Table 5. Consistency audit of every run in the study.

Corpus	Runs	Rejected	Conditions	Usable
A (single machine)	1,382	862 (62.4%)	76	8
B (four machines)	884	459 (51.9%)	40	13
Total	2,266	1,321 (58.3%)	116	21

- (1) *A process-relative clock.* Cross-process timestamps taken with `perf_counter_ns`, whose origin is per-process, injected each run’s consumer start-up offset into every measurement. Fixed with a shared wall-clock epoch.
- (2) *A saturating replay speed.* At 120× the producer could not keep pace, inflating scheduling lag to tens of seconds.
- (3) *An asymmetric load generator.* The Kafka producer blocked on a broker round trip per event while the Redis producer dispatched asynchronously. Median TTI at one feed fell from 1,644 ms to 16 ms once the Kafka producer was pipelined.
- (4) *A concurrency axis that was covertly a throughput axis,* from the merged-plan design described in Section 4.2.
- (5) *A heavy tail contaminating every mean.* Kafka’s end-to-end 95th percentile sat at 99–105 ms at every concurrency level while its median moved from 1.8 to 7.2 ms. A 95th percentile that ignores load is not system behaviour; decomposition located it in scheduling lag, not transport.

We also verified the comparison was not biased by message size or protocol: payloads are near-identical (median ≈ 170 bytes) and serialisation costs are negligible and comparable.

A sixth problem shaped our later protocol. Our first run of the acknowledgement experiment of Section 7.6 reported no improvement whatsoever — a clean refutation of our own hypothesis. The treatment had never reached the consumer: the orchestration script accepted the option but, through a failed edit, never passed it on. We found this only by deliberately supplying an invalid option and observing that the consumer did not reject it. A null produced by an unapplied treatment is indistinguishable in the data from a genuine one, so every intervention reported here carries a manipulation check that aborts the campaign if the treatment is not accepted.

The point of the list is not the corrections. It is that a corpus which had survived six of them, a fairness audit, and a full battery of rank tests, effect sizes and multiplicity correction, was still entirely invalid, and nothing in its output said so.

6 The Audit

6.1 What it rejects

Applying the rule to all 2,266 runs rejects 1,321 of them (Table 5). On Testbed A only 8 of 76 conditions survive intact; on Testbed B, 13 of 40. No condition behind Table 4 survives.

6.2 Why it fails, and why it looked correct

The cause is legible in *which* conditions fail: rejection tracks replay acceleration, with the accelerated concurrency conditions failing and the unaccelerated ones passing. We state that as a direction rather than as two rates, because the rate is one thing our own artefacts do not record — see Section 6.5. The mechanism is the one described in Section 2.2. The acknowledgement timestamp is taken by the producer’s callback thread; when accelerated replay saturates the driver’s CPU that thread is descheduled, and by the time it reads the clock the consumer has already recorded




Fig. 4. The audit on Testbed A. (a) Per-run inversion rates: 104 runs are clean and the rest spread over three decades, so there is no natural threshold. (b) Share of runs rejected against the threshold. The choice matters for the run count and not for any conclusion.

receipt. It is a timestamping race under load, not clock skew, which is why medians stay positive at moderate load and invert wholesale only at saturation. At one hundred connections the failure becomes gross enough to see unaided: Kafka’s median transport is reported as -6.4 ms.

The corpus looked healthy for an arithmetic reason. Between 5 and 14% of events invert, which displaces a median by a few tenths of a millisecond in a measurement whose entire effect is 0.34 ms. The bias is also *asymmetric* between arms, because the two clients record the acknowledgement differently — Kafka from an asynchronous callback, Redis on return from a blocking command — and an asymmetric bias between two arms of a comparison manufactures a difference where none exists.

6.3 How much the threshold matters

We expected the distribution of inversion rates to be clearly bimodal, which would have made the 1% threshold uncontroversial. It is not (Figure 4a): only 104 of 1,382 runs are completely clean and the rest spread over three orders of magnitude with no natural gap. The threshold is a real decision, so we report its consequences rather than asserting robustness.

It strongly affects *how many runs* are rejected — from 92.5% at zero tolerance to 19.2% at a permissive 20% (Figure 4b). It does not affect *which conditions are usable*, and therefore changes no conclusion here: a condition requires all its runs to survive, and even at a 5% threshold the accelerated arms retain only 32–77% of theirs. The withdrawal of Table 4 holds across the entire range.

6.4 Bounding the audit’s own selection effect

An audit that rejects unequally between arms introduces selection. In our concurrency experiment Kafka passes on 100% of runs at every level while Redis passes on 53–100%. Since inversion is caused by driver saturation, the surviving Redis runs are plausibly the less-loaded ones, and the bias would run in exactly the direction that manufactures our reported equivalence.

The rejected runs’ values are not recoverable, so a threshold sweep is impossible. Instead we bound: impute every rejected Redis run at a hypothetical value and ask how large it must be before the conclusion changes (Table 6). Equivalence survives at every level, and no imputed value up to 1 second breaks it.

Table 6. Bounding the unequal-retention selection effect. “Worst case” imputes every rejected Redis run at the largest value observed in that cell. Margin 1 ms.

N	Redis retained	Shift (ms)	Worst case	Equivalent
1	8/8	+0.081	+0.081	yes
9	20/27	+0.021	−0.051	yes
10	17/30	+0.116	−0.485	yes
12	19/36	+0.053	−0.227	yes

The reason is structural, and so is its limit. The Hodges–Lehmann shift is a median of pairwise differences and has a breakdown point of one half: while more than half the runs survive, nothing the rejected runs could have contained moves the estimate outside the margin. Our tightest cell is $N=12$ at 52.8% retention — only 2.8 points above breakdown. Had retention fallen below one half this defence would not apply, and we would have had to withdraw the cell.

6.5 A gap in our own provenance

Auditing the corpus turned the same scrutiny on our own record-keeping, and it did not survive it either. We report the finding here because the protocol in Section 8.2 is weaker without it.

Replay plans built from StatsBomb carry a **baked-in 120× time compression**: a plan’s emission offset is already the match time divided by 120. The producer’s `–speedup` flag then multiplies that. So `–speedup 1` against such a plan is *not* real time, it is 120×; true real time needs 1/120. The same flag means different things depending on which plan it is pointed at, and getting it wrong is silent: the run completes, the wall time looks unremarkable, and the numbers stay plausible. We lost a campaign to it before adding a pre-flight that derives the value from the plan and then checks the achieved rate against elapsed wall time.

The part we cannot repair is retrospective. **No surviving artefact records the achieved replay rate of any run we report.** Several superseded Testbed A scenarios record the nominal `–speedup flag`, which is not the same thing: converting a flag to a rate requires the plan’s compression, and every plan those files name has since been deleted. Everywhere else the orchestrator wrote speedup into a per-campaign summary that lived beside the raw per-run data, and for the earliest corpora only the aggregated CSVs were kept. For the E1 corpus of Section 7.4 the surviving evidence is contradictory: the commit that introduced it states the runs were made at true real time, the campaign script reconstructed afterwards specifies `–speedup 10`, and the flag’s meaning was corrected 21 hours later the same day. E1 was replayed at 1×, 120× or 1200×, and we cannot say which.

The rate is recoverable from the measurements, if not from the metadata. Having argued all paper that a physical constraint can decide what record-keeping cannot, we applied the same move here, and it works. The start-up cost of Section 7.5 is a clock: it lasts a fixed 102.6 ms of *wall* time, so the number of events it swallows depends directly on the replay rate. Counting how many events per run carry it therefore reads the rate back out of the data.

The E1 runs sort into cells by how many events they matched, and one cell is diagnostic. Fifteen Kafka runs matched exactly eight events, and their median scheduling lag is 52.34 ms (range 51.60–53.01) — not 103 ms, and not 1.6 ms. A median of eight values is the mean of the fourth and fifth. The only way to land midway between the two modes is for exactly four of the eight to be late, so the fourth value is a fast event and the fifth a slow one: $(1.59 + 103.5)/2 = 52.6$ ms against 52.34 observed. Four is also exactly what the loop trace shows at a verified real-time rate (Table 18),

and it is what the plan predicts, since five events share $t_{\text{sim}}=0$ and the first of them pays the block rather than inheriting it.

That cell excludes the accelerated alternatives outright. At 120× the prologue spans 12.3 s of match time and holds 16 events; at 1200×, 123 s and 112 events. Under either, all eight matched events would be inside it and the cell would read 103 ms. It reads half that. **E1 was replayed at true real time**, the commit record was right, and the campaign script reconstructed afterwards describes a different, earlier campaign. The remaining cells agree: runs matching five or seven events read 103 ms, as four late events out of five or seven must give.

We leave the disclosure standing rather than deleting it, for two reasons. The recovery was available only because the artefact we were chasing happened to be a wall-clock constant with a sharp signature; a reader should not have to reconstruct an experimental parameter by arithmetic on its results, and next time there may be nothing to reconstruct it from. And the exercise makes the protocol rule concrete: what was missing was one number, written down once.

What the gap touched. The audit is unaffected either way: a negative transport is causally impossible at any replay rate, and the rejection counts are arithmetic on surviving per-event data. The withdrawal in Section 7.5 is unaffected by construction — we give the argument in a form that holds at every candidate rate. The rules of Section 7.1 were measured after the pre-flight existed, at a derived and verified rate. Section 7.4’s external validity is restored by the recovery above, though we now state it as an inference from the data rather than as a property of the campaign we can document. Section 8.2 carries the rule that would have made all of this unnecessary.

6.6 The property that makes this general

One feature transfers beyond this study. The check tests against zero, so it rejects a measurement in proportion to how close that measurement sits to zero. Our network-delay arm, where Redis transport is tens of *seconds*, passes at 15 runs out of 15 at every injected delay — on the same hardware, in the same campaign, minutes apart from conditions that fail outright. A few milliseconds of timestamping race is invisible against a 31-second effect and fatal against a 0.34-millisecond one.

The check therefore bites hardest exactly where the scientific question is most delicate. This inverts a common intuition. In cross-process delay measurement, an effect of the same order as the instrument’s own noise floor is the one most likely to have been manufactured by it, and statistical significance offers no protection because the artefact is systematic.

6.7 The same exposure in a benchmark we did not write

Everything above concerns our own corpus, which invites the obvious objection: we have shown that we made a mistake, not that anyone else is exposed to it. So we audited a harness we did not write — the OpenMessaging Benchmark [24], the most widely used cross-broker benchmark and one we cite in Section 2 — for the two properties that decide whether this failure can occur and whether anyone would see it. We report the audit at source level, with file and line, so a reader can check it against the upstream commit rather than take our word for it (commit 5b1fa70, 7 April 2026).

It computes the same quantity the same way. In `LocalWorker.java:294` the end-to-end latency is `now-publishTimestamp`, where `now` is a clock read in the *consumer* process and `publishTimestamp` arrives with the message. In the Kafka driver that timestamp is `record.timestamp()`, which under Kafka’s default `CreateTime` semantics is the one written by the *producer* [1] — and therefore, in a distributed deployment, on the producer’s host. The benchmark does not override that default anywhere in its configuration. The subtraction therefore spans

two processes and, in a distributed deployment, two machines' clocks — the same construction that produced 1,321 impossible runs here.

And it discards the evidence. In `WorkerStats.java:95` the sample is admitted to the histogram only if `(endToEndLatencyMicros > 0)`. The message is still counted as received one line earlier, but a non-positive latency is dropped, and no counter anywhere in the harness records how many were dropped.

We think this guard is defensive rather than evasive, and that is what makes it worth reporting. The recorder is an `HdrHistogramRecorder`, which rejects negative values, so a programmer who has seen one crash learns to filter for positives before recording. It is the reasonable local fix. Its non-local consequence is that the one observation which would prove the instrument had failed is the exact observation the guard removes — and because the filter is undocumented and uncounted, nothing downstream can tell that it fired. We are not describing carelessness. We are describing a defensive reflex that, applied to a cross-process span, quietly converts a detectable failure into an invisible one. Two consequences follow. The reported latency distribution is *conditioned on being positive*, so a causality violation cannot appear in the output even in principle. And the retention rate — the statistic we argue belongs beside every result, the way a survey reports its response rate — is not merely unpublished but unrecoverable from a completed run.

A third consequence is arithmetic rather than causal, and it bites at the fast end. `System.currentTimeMillis()` has millisecond resolution, so any delivery faster than one millisecond differences to exactly zero and is discarded by the same guard. On the co-located paths where such benchmarks are usually run — ours measures broker transport at 0.1 to 0.5 ms — that is not an edge case but a large share of the samples, and the reported distribution is truncated from below at 1 ms.

We then ran it, and it discarded six thousand samples. A source audit is not a measurement, so we made the discards observable and ran the benchmark. The obvious experiment is impossible — the violations never reach the output, because the guard removes them inside the harness — so we added one counter, incremented in the existing guard's `else` branch, and changed nothing else: not the latency computation, not the guard's condition, not any reported statistic. The patch is in the artefact. We then ran the benchmark otherwise unmodified against our Kafka broker for three minutes at 500 messages per second.

It discarded 6,000 samples. In three minutes at 500 messages per second, with the machine held at 88% utilisation, the benchmark computed six thousand non-positive end-to-end latencies and dropped every one of them — roughly 6.7% of the run — while reporting a throughput and latency summary that looks entirely healthy. Nothing in its output records that those samples existed. The reading was fixed before the run: a non-zero count is the strongest form of this evidence, and this is it. The failure mode occurs in a harness we did not write, on hardware we do not control for it, and is invisible to the harness itself.

The load matters and we put it there deliberately. Section 7.3 establishes that the rate is governed by scheduling stalls rather than by utilisation as such, and an idle machine has few of them. A first attempt at this run used no background load, and testing a harness for this failure on an idle machine is close to testing under conditions chosen to hide it.

We report one thing about that first attempt, because it is the paper's own argument turned on us. It recorded zero discards, and an earlier version of this section reported that zero as a genuine negative that bounded our claim. The run had in fact failed four seconds in, on a missing payload-file argument, and produced no latency at all; a benchmark that never runs discards nothing. The number was an artefact of the instrument breaking, it looked exactly like a measurement, and it survived into a draft of a paper about numbers that look exactly like measurements. It was caught only because we later added an output-validation gate to a different variant of the same

campaign and noticed the first one had none. The campaign now refuses to write any count unless the benchmark produced latency output.

What we still do not claim is that any published result obtained with this benchmark is wrong. We have shown that the discard happens, that it is large, and that it is unreported. Whether it has affected a specific published measurement depends on that measurement’s deployment, and we have not audited any. That asymmetry is the reason we recommend an integrity audit as routine practice: the cost of running one is small, and the alternative is a benchmark that cannot report its own failure.

6.8 What we withdraw

We withdraw the entire Testbed A arm, and on Testbed B the accelerated concurrency sweep, the connection sweep above ten connections, and the three-node cluster arm, which fails on every run in both systems.

A manipulation that did not manipulate, and what it cost. We also withhold a co-location campaign (E-A8). The intent was to shorten T_{true} by removing the network hop — the opposite of the payload sweep, and a useful check that the T_{true} result is not an artefact of how we lengthened it. It did not work. Moving the broker onto the driver made transport *longer* at idle, $0.512 \rightarrow 0.573$ ms, because it traded network latency for CPU contention on the same cores; under 88% load it moved transport by $1.03\times$, which is no manipulation at all. The inversion rates duly failed to separate (intervals overlapping in both cells). Reporting those rates as a null would misdescribe the experiment: nothing was manipulated, so nothing was tested. We record it because the pattern is itself informative. Two of our three attempts on this axis failed for structurally similar reasons — netem delayed both paths and cancelled in the difference, co-location traded one delay for another — which suggests T_{true} is a quantity that resists manipulation in a shared-resource system, because every route to shortening it lengthens something else. The payload sweep worked because padding adds serialisation without contending for the scheduler, and we were fortunate that it does.

7 What Survives

All results below come from Testbed B and pass the check. Each states its retention.

We order this section by consequence rather than by chronology. The rules of the failure model (Section 7.1) and the shape of Δ (Section 7.2) come first, because they are what transfers to a benchmark that is not ours. The answer to the question we originally asked (Section 7.4) comes after, because it is the narrowest thing here: it holds for two brokers on one workload, and the honest version of it is modest. The second withdrawal (Section 7.5) follows the broker result it corrects.

7.1 The model’s rules, measured

Section 4.6 derived $\Pr[\text{inversion}] = F_{\Delta}(-T_{\text{true}})$ — the effect-size rule itself — and three further consequences, on utilisation, process count and instrument asymmetry. Each was pre-registered with its falsification criterion before the data existed, and all four are tested here on conditions that pass the check.

H1, the effect-size rule — on one contrast, because the other manipulation does not work. The evidence is the widest contrast, and it is clean: the co-located arm measuring $T_{\text{true}} \approx 0.5$ ms fails wholesale, while the network arm measuring tens of seconds passes every run on the same hardware (Section 6.6). Five orders of magnitude in the measured quantity, one instrument, opposite outcomes. **Supported.**

Table 7. Why the delay sweep is not an effect-size manipulation. Injected one-way delay at the broker, verified present at the interface, at a verified true real-time rate. TTI tracks the injection; broker transport does not move, because the same delay is added to both arrivals whose difference defines it.

Injected delay	TTI median	Transport median	Transport IQR
0 ms	3.72 ms	0.535 ms	0.162 ms
1 ms	4.67 ms	0.508 ms	0.166 ms
5 ms	8.66 ms	0.494 ms	0.159 ms
20 ms	23.61 ms	0.480 ms	0.150 ms

We withdraw the intermediate points, and the reason is worth more than they were. An earlier version supported H1 additionally with a netem delay sweep, reporting a rank correlation across injected delays of 0 to 50 ms. We then re-ran that sweep at a verified real-time rate with a manipulation check, and the check failed — not because the treatment was too weak, but because it does not act on the quantity at all. Injecting delay at the broker moves end-to-end TTI almost exactly as commanded (3.72 → 23.61 ms across 0 → 20 ms) while broker transport stays flat (0.535 → 0.482 ms; Table 7).

The cause is that the delay is **common-mode**. It delays the acknowledgement travelling broker-to-producer and the record travelling broker-to-consumer by the same amount, and transport is the *difference* of stamps taken at those two arrivals, so the injected delay cancels exactly. A manipulation can be applied correctly, verified present at the interface, and still not touch the quantity under study — which is the same lesson as the rest of this paper, arriving this time in our own experimental design rather than in our instrument. The original sweep’s correlation was therefore never an effect-size relationship, and we report the sweep only as the negative result it is.

H2, the utilisation rule — with the functional form withdrawn. Sweeping background load from idle to oversubscription, with no core pinning so the measured utilisation is the right denominator, inversion rate is flat below half utilisation and then climbs steeply (Table 9). The rank correlation is $\rho_s = 0.98$ ($n = 9$). By the pre-registered criterion — the M/G/1 form must fit better than a linear alternative — the rule passes comfortably ($R^2 = 0.945$ against 0.640), and we report that verdict as it was specified. **Supported.**

But the functional form does not survive a fairer test, and we withdraw it. Beating a straight line is close to guaranteed for any function that turns upward near saturation, so it is a weak discriminator. Refitting against convex alternatives whose exponents are themselves fitted — a power law ρ^k and an exponential $e^{k\rho}$ — an *exponential fits this data slightly better than M/G/1 does* ($R^2 = 0.961$ against 0.945). On the independent nine-level sweep of Section 7.2 the ordering reverses (0.958 against 0.897). Two campaigns disagree about which convex form is best, and the margins are of the same size as the disagreement, which is the signature of data that cannot discriminate between them at all.

What the data supports is therefore the *shape* and not the *mechanism*: inversion rate grows superlinearly in utilisation with a knee near saturation. It does not single out queueing theory. We had claimed the M/G/1 form specifically because we had only tested it against a straight line; that claim is withdrawn, and Pollaczek–Khinchine remains in Section 4.6 as the motivation for the prediction rather than as a fitted result. Distinguishing the forms would need points spaced to separate a pole at $\rho = 1$ from smooth exponential growth, which our nine levels are not.

H4, the oversubscription rule. At constant aggregate event rate, inversion rate rises with the number of concurrent producer/consumer processes: 0.029, 0.082, 0.105, 0.103 at $N = 1, 3, 6, 12$ ($\rho_s = +0.80$, $n = 4$). It is process count, not offered load, that drives the failure. **Supported.**

Table 8. H3: median broker transport under the two stamping modes, both arms at one in-flight request under matched load. `callback` is the default asymmetric instrument; `inline` stamps Kafka on the calling thread as Redis already does. The between-system gap shrinks, and the shrinkage is entirely on Kafka’s side.

Stamp	Kafka (ms)	Redis (ms)	Difference (ms)
<code>callback</code> (asymmetric)	0.392	0.106	+0.286
<code>inline</code> (symmetric)	0.322	0.107	+0.215

Table 9. H2: inversion rate against achieved CPU utilisation, no core pinning, background load swept from idle to oversubscription. The M/G/1 form fits at $R^2 = 0.945$ against 0.640 for a straight line.

Utilisation ρ	Inversion rate
0.003	0.007
0.253	0.009
0.504	0.022
0.628	0.047
0.753	0.132
0.878	0.207
1.000	0.208
1.000	0.221
1.000	0.264

H3, the asymmetry rule. The model says that what biases a *comparison* is $E[\Delta]$, and that it is non-zero only when the two endpoints stamp differently. Our two systems do: Redis stamps the acknowledgement on the calling thread the instant `XADD` returns, while Kafka stamps it in a delivery callback that runs on the client’s I/O thread and must first be scheduled. So the prediction is specific — making Kafka stamp the same way Redis does should shrink the between-system gap, and shrink it from Kafka’s side.

Two earlier attempts did not test this: both compared Kafka’s two client libraries, and both of those stamp in callbacks, so the symmetric condition was never created, and we treat them as untested rather than as evidence. Here we add an inline-stamping mode to the Kafka producer that stamps on the calling thread the moment the send resolves — structurally what `XADD` does — and run it against Redis under matched load, both at one in-flight request (Table 8). The gap falls from +0.286 to +0.215 ms, a 25% reduction, and the 0.071 ms it loses comes entirely from Kafka’s side: Kafka’s median transport drops from 0.392 to 0.322 ms while Redis’s holds at 0.106. Removing the callback removed a 0.07 ms systematic offset that was being charged to the broker rather than to the instrument. An independent replication with half again as many runs reproduces it: the gap falls from +0.276 to +0.237 ms, again entirely on Kafka’s side. **Supported.**

This is the rule with the most direct bearing on the paper’s own first result. The spurious effect the audit rejected was a between-system difference; H3 shows that even after the audit, an asymmetric stamp leaves a smaller one behind, in the same direction, on the same pair of systems. An equal instrument is not a nicety.

7.2 The shape of Δ : a mixture, not a scale family

Equation 2 treats Δ as a single distribution. That is a leading-order picture, and a dedicated campaign — nine load levels from idle to oversubscription, 25 runs each, pre-registered before it ran — shows

Table 10. The mixture, measured across nine load levels (25 runs each, pre-registered). The core width $\sigma_{\text{core}} = \text{IQR}/1.349$ grows 5 $\times$ from idle to the knee; the inversion rate — the tail — grows 60 $\times$. Inversions are temporally clustered at every load (runs-test z). The three $\rho = 1$ rows are distinct oversubscription levels that the utilisation coordinate cannot separate.

Utilisation ρ	Core σ_{core} (ms)	Inversion rate	Clustering z
0.003	0.126	0.004	−6.8
0.253	0.138	0.004	−6.8
0.504	0.180	0.006	−6.8
0.628	0.181	0.024	−6.9
0.753	0.238	0.076	−5.7
0.878	0.631	0.224	−4.9
1.000	1.224	0.371	−4.3
1.000	1.293	0.317	−4.7
1.000	1.710	0.261	−4.4

what it omits. We asked the strongest form of the model: if Δ were a scale family, differing across load only by a scale $\sigma(\rho)$, then inversion probability would depend on the measured quantity only through the standardised distance $z = T_{\text{true}}/\sigma$, and every condition’s standardised tail would fall on one curve. It does not. At a matched $z \approx 3$ the tail mass ranges over 23 $\times$ across load levels, far outside sampling error. **The scale-family hypothesis is falsified**, as we pre-registered we expected it would be.

What replaces it is a mixture, and the same campaign measures its two parts separately (Table 10). From idle to the knee the *core* of the distribution — its inter-quartile width, the ordinary stamping jitter — grows only 5 $\times$, while the *tail* that actually produces inversions grows 60 $\times$: a ratio of 12 to 1. Load barely widens the core; it multiplies the weight of a rare heavy tail. That tail is the descheduling event of Section 8.4: at every load, idle included, the inversions within a run are temporally clustered (Wald–Wolfowitz z from −6.9 to −4.3, all far below zero), so they arrive in bursts of consecutive events, not independently. The mixture unifies three otherwise loose observations — the clustering, the faster-than-quadratic growth of variance, and the failed collapse — under one mechanism: Δ is a narrow jitter core plus a rare descheduling tail whose *weight*, not width, load controls.

This refines rather than unseats the rules. H1, H2 and H4 all concern the tail’s growth and stand; what the mixture adds is that a benchmark’s risk near the noise floor is governed by that tail, so the single- Δ reading of Equation 2 *understates* risk at low load, where the core is tight but the tail is already non-empty.

Recovering the tail without a reference clock, and where it reproduces. Because inversion rate at a threshold is a quantile of Δ ’s tail, the tail can be read off inversion counts alone — an instrument-quality estimate needing no reference clock. The honest test of it is not internal consistency but reproduction: do the recovered tail quantiles agree between two independent campaigns at matched utilisation? Below saturation they do — 12 of 17 matched quantiles overlap at 90%, and every one of the deep pre-knee quantiles does. The failures are all at $\rho = 1$, where the coordinate is degenerate — eight, ten and twelve background workers all read as full utilisation while representing different degrees of overload — so the two campaigns are not in fact at matched load there. The recovered curve reproduces wherever utilisation is a meaningful coordinate and stops when it stops being one, which is the correct boundary for the method rather than a defect in it.

7.3 What the mixture is: a rare state, not a wide distribution

Section 4.6 models Δ as one distribution. Three results have now cut against that: the scale family is falsified, the M/G/1 form is withdrawn, and the manipulation we used to probe the effect-size axis turns out not to act on it. This section states what we think replaces it. We separate carefully what the data forces from what we inferred by looking at it.

The observation no single distribution can produce. Inversions *cluster in time*: Wald–Wolfowitz z from -4.3 to -6.9 at every load, idle included (Table 10). They arrive in runs of consecutive events. A distribution — of any shape, however heavy its tail — describes how *large* a delay is and says nothing about *which* events receive one. Clustering is a statement about time, and it is the fact the old model had no way to use.

The model. Suppose the stamping thread is in one of two states. When *running*, it reads the clock promptly and the delay is ordinary jitter: a narrow core of width σ_c . When *preempted*, it is off-CPU, and every event that becomes ready during that interval inherits the residual time until it is rescheduled. Writing p for the fraction of time preempted and $S(t)$ for the survival function of that residual,

$$\Pr[\text{inversion} \mid T_{\text{true}}] = p(\rho) S(T_{\text{true}}). \quad (3)$$

The failure is then a *rare state*, not a wide distribution. Load does not mainly stretch the delay; it changes how often the thread that must record the time is not running.

What it accounts for. Clustering follows by construction: being preempted is an *interval*, so the events inside it are corrupted together and a two-state process cannot help but cluster. The $60\times$ growth in tail weight against $5\times$ in core width is two different parameters moving — σ_c belongs to the running state, p to the scheduler. The scale family fails because a scale family has one parameter and here two move at very different rates.

A prediction that points the opposite way. The two structures disagree geometrically. A scale family changes σ , so its tail curves *rescale horizontally*; Equation 3 changes p , so its curves *shift vertically and stay parallel* on a log scale. Taking the log ratio of two conditions’ tail masses at several thresholds, the two-state model predicts a constant, independent of the threshold.

Restricting to tail estimates backed by at least 20 events — nine far-tail points resting on five to eight events are excluded, as they carry log-scale errors larger than the effect — the median spread of that log ratio across conditions is **0.29**, a factor of 1.34, with a worst case of 0.91. Set against the $23\times$ failure of the scale-family collapse, the tail curves are close to parallel. The two conditions with the largest spreads sit at intermediate load, where the residual distribution is plausibly still shifting, so the honest statement is $\Pr[\text{inv}] = p(\rho) S(c; \rho)$ with p varying fast and S slowly: separability is a good first-order description rather than an exact law.

What this is worth, and what it is not. It is mechanistic where the old account was descriptive — “risk rises with utilisation” is a correlation; “the stamping thread is preempted a $p(\rho)$ fraction of the time, and every event arriving in that window is corrupted together” names the moving part. It is also actionable in a way a distributional model is not: if the failure is occupancy, the mitigation is not a better clock but keeping the stamping thread runnable — a dedicated core, a raised priority, or a stamping path the workload cannot preempt.

But we found this by looking at the data. The separability test above is exploratory, and Section 8.5 says so; a confirmatory version is pre-registered in the artefact. Two states is also the smallest model consistent with what we see, not a claim about what the kernel does.

On the load axis the model is a tautology, and we say so before using it. Read as an account of how the inversion rate depends on ρ , Equation 3 has no content. With p unconstrained, any monotone rate curve can be written as $p(\rho) S$ by setting $p = \text{rate}/S$. Its content is on the threshold axis, which is where we tested it above and where it passed. We are explicit about this because Section 7.1 withdraws the M/G/1 form for being indistinguishable from its alternatives, and a replacement that cannot fail would be a worse error than the one it replaces.

Constraining p to a power law in ρ makes it testable, and it fits our ladder poorly ($R^2 = 0.65$ in log space). What fits is the form obtained by restoring the quantity the separability test divides out. That test standardises thresholds by σ ; an inversion requires the residual to exceed T_{true} , so the standardised threshold is $T_{\text{true}}/\sigma(\rho)$, and since σ grows fivefold across the ladder the threshold slides toward zero as load rises. Both factors then climb with load: $\Pr[\text{inv}] = p(\rho) S(T_{\text{true}}/\sigma(\rho))$, which reaches $R^2 = 0.9905$ against 0.9811 for a fitted exponential in ρ and 0.8863 for $(\rho/(1-\rho))^k$, at three free parameters each.

That lead is not evidence, and we do not report it as a result. Freezing σ at its mean and refitting improves the fit, to $R^2 = 0.9982$. On our ladder σ rises monotonically with ρ : the two regressors move together, so no fit can credit one over the other, and the corrected form's advantage is bought by reading two more measured columns than its competitors are given. This is a limit of the experimental design, not of the analysis, and no further work on these data can lift it.

The experiment that settles it. The way out is to move one of the two and hold the other fixed. Raising the stamping processes to real-time priority makes them preempt the background load rather than queue behind it, so occupancy falls sharply while utilisation does not move — the same stressor is doing the same work. The two readings then separate by an order of magnitude: an occupancy mechanism predicts the inversion rate collapses toward the running-state floor, near 0.004, while any account in which the rate is a function of ρ predicts no change at all, because ρ is unchanged by construction.

This is also the manipulation our delay injection should have been. Injecting delay at the broker failed because it delayed the acknowledgement path and the delivery path equally and cancelled in the subtraction (Section 7.1, Table 7); scheduling priority has no such symmetry, because it acts on the stamping threads themselves, which is where the model locates the failure.

The result is unambiguous (Table 11). Utilisation held to within 0.001 at both levels, so the manipulation check — fixed in advance, and empowered to withhold the comparison — passes. The inversion rate fell from 0.132 to 0.0034 at $\rho = 0.75$ and from 0.305 to 0.0057 at $\rho = 0.88$: factors of 39 and 54, with disjoint Wilson intervals. The two residual rates land on the running-state floor the model names in advance, $C_0 \approx 0.004$.

This refutes every account in which the inversion rate is a function of utilisation. M/G/1 and a fitted exponential in ρ both predict no change here, because ρ did not change. The rate changed by a factor of fifty. Whatever the correct load model is, ρ is not its variable — and that single fact reorganises the rest of this section.

Both load-axis predictions failed, including ours. The knee sweep placed conditions at achieved ρ of 0.881, 0.920, 0.950, 0.970 and 0.990, where the candidate forms diverge most; the earlier ladder stopped at 0.878 and everything above it collapsed onto a degenerate $\rho = 1.000$, which is why Section 7.1 could not settle the question. With those points in hand, M/G/1 fits *worse than the mean* ($R^2 = -0.05$ against a fitted exponential's 0.93). The withdrawal does not merely stand: the forms are now separated, and M/G/1 is the one ruled out.

The bounded prediction fared better but also failed. Over $\rho = 0.881$ to 0.990 the rate grew by a factor of 1.44. M/G/1 predicted 13.8; the bracket we registered before the sweep predicted 2.45–3.07. The rate saturates, as a bounded mechanism requires — but harder than our own extrapolation

Table 11. **Occupancy, not utilisation.** Stamping processes at ordinary priority versus SCHED_FIFO, with the background load unchanged. Utilisation is measured in both arms, not assumed: it matches to 0.001, so the manipulation moved occupancy alone. The inversion rate falls by a factor of 39–54 to the running-state floor. Utilisation-only models predict no change.

Load	Utilisation ρ		Inversion rate		
	ordinary	real-time	ordinary	real-time	factor
75%	0.7531	0.7525	0.1320	0.0034	39×
88%	0.8809	0.8812	0.3049	0.0057	54×

Table 12. **Same utilisation, different rate.** Both load geometries in one campaign. Concentrated load leaves $C - k$ cores free; spread load duty-cycles all of them and leaves none. At $k = 6$ the two arms sit at the same ρ to four decimals and the rates differ twofold. The convergence at $k = 7$ is predicted: one free core out of eight is nearly none. Every cell is 2 985 matched events over 25 runs; z is a two-proportion test between the arms of that row.

k/C	Achieved ρ		Inversion rate		ratio	z
	concentrated	spread	concentrated	spread		
5/8	0.6284	0.6250	0.0201	0.0379	1.88×	4.09
6/8	0.7531	0.7531	0.0824	0.1709	2.07×	10.27
7/8	0.8778	0.8809	0.2281	0.2415	1.06×	1.22

allowed, and a prediction that misses low is still a prediction that missed. We report it as a failure rather than as the nearer of two misses.

The two failures have one cause, and E-A5 names it. Our bracket was still parameterised in ρ , through $p = \rho^C$; E-A5 shows ρ does not determine occupancy. What survives is the mechanism — established by manipulation — and not any curve in ρ , ours included.

Utilisation is not the variable, shown at identical utilisation. The cleanest demonstration does not need a curve at all. Two loads can reach the same ρ by different means: $-\text{cpu } k$ runs k cores flat out and leaves $C - k$ genuinely free, while $-\text{cpu } C - \text{cpu-load } P$ duty-cycles every core and leaves none. If the mechanism is whether the stamping thread can find a core, the second should be worse at equal ρ . We ran both in one campaign, interleaved, at utilisations quantised to k/C so the two arms could match (Table 12).

At $k = 6$ the achieved utilisation is 0.7531 in *both* arms — identical to four decimals — and the inversion rates differ by a factor of 2.07. A function of ρ returns one value for one input, so ρ cannot be the variable, and this is not an inference across campaigns run on different days: same machine, same protocol, same hour, only the arrangement of the load differing. Each cell rests on 2 985 matched events, so the separation is decisive on its own terms: a two-proportion test gives $z = 10.3$ at $k = 6$, and the Wilson intervals do not overlap.

The gap closes at $k = 7$ (1.06×), which is the mechanism showing itself rather than a weaker result: with seven of eight cores busy, one free core is nearly as useless as none. With the counts in hand this is a stronger statement than a small ratio. At $k = 7$ the two geometries are *not distinguishable at all* ($z = 1.22$, intervals overlapping) at the same sample size that separated them at $z = 10.3$ one step earlier. The prediction was convergence, and what the data show is convergence to a null rather than to a residual difference we lacked the power to resolve.

Table 13. **A slower path is a more reliable measurement.** Payload padding lengthens the true transport without touching the scheduler. Utilisation is held to a 0.012 spread; the serialisation cost pushes it slightly up, against the predicted direction. Both quantities move monotonically, in opposite directions.

Padding (B)	ρ	Transport (ms)	Inversion rate
0	0.8809	0.701	0.2603
4 096	0.8822	2.381	0.1906
65 536	0.8847	14.638	0.0888
262 144	0.8930	53.898	0.0637

The other side of the inequality, and it moves the rate the wrong way. Every manipulation so far acts on the stall distribution. The mechanism also predicts something about T_{true} , and that prediction is uncomfortable: a *slower* path should be a *more reliable* measurement, because the same stalls now have a longer interval to outrun.

We lengthened T_{true} by padding the payload, which adds serialisation and transfer time without touching the scheduler (Table 13). Transport rose 76.9 $\times$, from 0.70 to 53.9 ms, and the inversion rate *fell* 4.1 $\times$, monotonically, with utilisation held to a 0.012 spread. Any account in which inversions track how hard the system is working predicts the opposite, since larger payloads are strictly more work — and the serialisation cost pushes ρ slightly *up* across the sweep, against the observed fall. The effect is measured against its own confound.

This also constrains the stall distribution sharply. A 77 $\times$ increase in the threshold bought only a 4.1 $\times$ reduction in rate, so $\Pr[\text{stall} > 53.9 \text{ ms}]$ is merely four times smaller than $\Pr[\text{stall} > 0.70 \text{ ms}]$. The tail barely thins across two orders of magnitude, which is why the mean-based counters above could not account for the effect and why the direct trace was necessary.

Closing the loop: measuring the stall distribution directly. Every result so far infers the scheduler’s behaviour from the inversion rate it produces. The mechanism says something stronger and directly checkable — that the inversion rate should equal the probability that a run-queue stall outlasts the interval being measured — so we measured that probability without reference to the inversions at all. Using `bpfttrace` on the `sched_wakeup` and `sched_switch` tracepoints, we recorded the delay between a stamping thread becoming runnable and reaching a core, for every such transition in the run, and computed $\Pr[\text{stall} > 0.5 \text{ ms}]$ against the measured transport of that cell (Table 14).

The two quantities share no instrument, no estimator and no data: one is a count of negative transports in application CSVs, the other a kernel histogram of scheduler transitions. In the ordinary arm they agree to 22% — 0.181 traced against 0.231 observed — with nothing fitted between them. We take the direction of the residual seriously rather than only its size: the traced probability sits *below* the observed rate, which is the opposite of what the simplest reading predicts, since not every stall should land on a stamping instant. We do not have an account of that gap, and record it as the open quantity it is.

The instrument check came first. Tracing a system to measure its scheduling behaviour is exactly the kind of intervention that can create what it observes. Before using the traced numbers we compared the traced cell’s inversion rate against the untraced measurement of the same condition: 0.2315 against 0.2214, a difference of 4.6%, well inside the day-to-day variation of the 88% baseline reported above. BPF did not move what it measured.

One arm did not behave, and we report it. The real-time arm recorded *zero* inversions in 2,985 events. Against the running-state floor of roughly 0.004 seen in every other real-time cell, the chance of observing none is about 6×10^{-6} . Either that arm genuinely differed or tracing perturbed

Table 14. **A kernel trace predicts the inversion rate, unfitted.** $\Pr[\text{stall} > T_{\text{true}}]$ from sched_wakeup/sched_switch, against the inversion rate measured from application timestamps in the same cell. The two share no instrument and no estimator. The real-time arm's zero is reported but not relied on (text).

Arm	ρ	Traced events	$\Pr[\text{stall} > 0.5 \text{ ms}]$	Inversion rate
ordinary	0.8822	551,956	0.181	0.231
real-time	0.8819	570,591	0.018	0.000

it, and our instrument check covered only the ordinary arm, so we cannot separate the two. The traced tail in that arm did fall by 9.8 $\times$, so the *direction* is consistent with every other priority manipulation; the *level* is not established, and no claim in this paper rests on it.

A rule with no free load parameter, and what its exponent means. The payload sweep varies T_{true} at fixed load, so it probes the shape of the stall distribution directly rather than its response to stress. If run-queue delay has a heavy tail with index α , then $\Pr[\text{stall} > t] \sim Ct^{-\alpha}$, and the inversion rate should be a power law in T_{true} with no load term at all. Fitting the four points of Table 13:

$$\Pr[\text{inversion}] = 0.238 T_{\text{true}}^{-0.339}, \quad R^2 = 0.990 \text{ over a } 77 \times \text{ span.} \quad (4)$$

The exponent is below one, so the stall distribution has neither a finite mean nor a finite variance. That is the part worth stating carefully, because it converts an observation into an explanation. Section 7.3 found that cumulative scheduler counters — means of occupancy and of stall length — moved by factors of two to five against a fortyfold change in the inversion rate. With $\alpha < 1$ that failure is not bad luck in the choice of counter. The sample mean of such a distribution does not converge as samples accumulate; it wanders with sample size. An instrument built on averages is therefore *structurally* unable to see this failure, not merely insensitive to it, and no amount of additional sampling repairs it.

Equation 4 and the kernel trace were produced by different campaigns, on different instruments, and can be checked against each other. The rule predicts $\Pr[\text{stall} > 0.5 \text{ ms}] = 0.301$; the trace measures 0.181. The ratio is 1.66 — the same order, from a fitted payload sweep and a sched_switch histogram sharing no data. The rule over-predicts, which is the expected direction, since not every stall lands on a stamping instant. We state the limits plainly: α is fitted from four points in one campaign at one load level, not derived, and the 1.66 $\times$ gap is unexplained rather than accounted for. We report this as a rule with one measurement behind it.

Two bounds the rate respects, and where each comes from. The mechanism predicts a floor and the data supply a ceiling, and both are measured rather than fitted.

The floor is the idle rate. If inversions come from stalls, then a stamping thread that cannot be made to wait should invert at the rate of a machine with nothing else running. Two unrelated campaigns give the comparison: the real-time arms under load settle at 0.0049, and an *unloaded* host at ordinary priority measures 0.0035 — a ratio of 1.38. Heavy load with a runnable stamping thread looks, to this measurement, almost exactly like no load at all. The residue is not zero because a real-time thread still waits occasionally, which is why the model carries a floor term rather than predicting zero.

The ceiling is physical, and it is not one. Saturating the machine does not drive the inversion rate toward unity. It saturates near 0.371, and the three campaigns that reach saturation agree to within 1.11 $\times$. This matters for interpretation rather than for magnitude. Writing the rate as $P = p \cdot S$, where p is the probability that a stall is long enough and S the share of events exposed to one, a

ceiling measured at 0.37 estimates S directly: even with every core saturated, roughly two events in three are stamped without ever being preempted. S is therefore a measured property of the workload’s timing against the scheduler’s, not a free asymptote fitted to make a curve close.

7.4 The brokers are equivalent within a millisecond, but not indistinguishable

What this claim rests on. We state the evidential basis first, because an earlier version of this section rested it on the wrong corpus. The load-bearing measurement is a powered replication at a replay rate that is *derived from the plan and verified against wall time before the campaign runs* — a documented setting, not an inferred one — over a median of 127 events per run. The original E1 corpus (Table 16) is reported afterwards, as the historical measurement it is, for two reasons that disqualify it from carrying the claim: its replay rate is an inference — recovered in Section 6.5 as true real time, but inferred from the runs rather than recorded — and it matched a *median of seven events per run*, the same seven-event opening burst as the scheduling lag we withdraw in Section 7.5. A sub-millisecond difference cannot be resolved on seven events, and E1 does not resolve one: its Hodges–Lehmann shifts wander (0.021, 0.116, 0.053 ms) and its $N=1$ estimators disagree. That E1 finds the two systems “equal” is as much a statement about seven events as about the brokers. What E1 does establish, and what the powered campaign confirms, is the *concurrency* result: Kruskal–Wallis finds no significant effect of concurrency in either backend ($p = 0.061$ for Kafka, $p = 0.091$ for Redis), and neither system degrades across the range.

The powered measurement. We measured transport directly, at a replay rate derived from the plan and verified against wall time, over a median of 127 events per run rather than seven, at $N \in \{1, 9, 12\}$ with 15 replicates each (Table 17). The picture is sharper and it is not the one E1 painted. Broker transport is Kafka ≈ 0.54 ms against Redis ≈ 0.11 ms: a Hodges–Lehmann shift of 0.41 ms, Kafka slower, with a bootstrap 90% interval of width ± 0.006 ms and $p < 10^{-26}$ at every N . The two systems are *not* statistically indistinguishable; Redis’s in-memory XADD really is several times faster per operation than Kafka’s replicated-log append, which is the direction the grey-literature comparisons report.

And yet the same three estimators — Welch, percentile bootstrap and Hodges–Lehmann — agree that the difference is *equivalent within one millisecond* at every N , because 0.41 ms is comfortably inside that margin. Both statements are true and neither is idle: against the seconds-scale human annotation latency that dominates any live sports feed’s end-to-end budget, a 0.41 ms broker difference is parts in 100,000, so for choosing a broker it is noise; but it is a real, tight, reproducible effect that a properly powered instrument resolves and a seven-event one cannot. The shift is also flat across concurrency (0.409, 0.418, 0.420 ms at $N = 1, 9, 12$), so neither system degrades. A part of even this residual is the instrument rather than the broker: Section 7.1 shows that 0.07 ms of the gap is the asymmetric acknowledgement stamp, leaving a true broker-transport difference near 0.34 ms. That 0.07 ms is a concrete instance of the blind spot of Section 4.7: it is a bias smaller than the quantity measured, so it never turns a value negative and the consistency check passed both corpora that carried it. The check guarantees a corpus is not *catastrophically* wrong; resolving a 0.07 ms instrument artefact still took a controlled experiment.

An independent replication confirms it. A second powered campaign, run days apart with the same protocol, gives Hodges–Lehmann shifts of 0.397, 0.412 and 0.413 ms at $N = 1, 9, 12$ — inside the 90% interval of the first campaign at every level, with overlapping intervals throughout. The 0.41 ms advantage is not a fluctuation of one campaign.

Why E1 saw near-equality, tested directly. The two campaigns disagree by more than power: E1 puts both systems near 0.8 ms and within 0.1 ms of each other, while the powered campaign puts them at 0.53 and 0.11 ms and 0.41 ms apart. Attributing that to seven events is an explanation

Table 15. The same runs reproduce both published answers. Transport medians (ms) from the powered campaign, computed over every event and over each run’s first seven events in emission order — the window E1 saw. The all-events columns reproduce the powered 0.41 ms shift; the prologue columns reproduce E1’s near-equality (Table 16) in both shift and absolute level. The window, not the brokers, accounts for the disagreement.

N	Runs	All events			First 7 (prologue)		
		Kafka	Redis	Shift	Kafka	Redis	Shift
1	5	0.476	0.095	0.381	0.831	0.743	0.088
9	45	0.533	0.116	0.417	0.939	0.810	0.129
12	55	0.527	0.113	0.414	1.018	0.769	0.248

only if it survives being checked, so we checked it. If the difference is the observation window and nothing else, then restricting the *powered* runs to their first seven events — in emission order, the same events E1 would have caught — must reproduce E1, and the same runs must give the powered answer over their full length. That is a prediction with one free parameter fixed in advance, and it can fail.

It does not fail (Table 15). Over all events the runs give shifts of 0.381, 0.417 and 0.414 ms, reproducing the powered 0.41 ms. Over their first seven they give 0.088, 0.129 and 0.248 ms — E1’s wandering near-equality, and of the same magnitude as E1’s own 0.021, 0.116 and 0.053 ms. The *absolute* medians match as well, which the shift alone does not force: the prologue puts Kafka at 0.83–1.02 ms and Redis at 0.74–0.81 ms, against E1’s 0.79–1.00 and 0.72–0.86. One set of runs, one rate, one protocol, two windows, both published answers.

So E1 is not wrong and the campaigns do not contradict each other. E1 measured the opening burst, during which both systems are slow for the reason Section 7.5 establishes — topic auto-creation, connection setup, and the first blocking `produce()` — and that shared start-up cost swamps a 0.41 ms difference. As the run lengthens the cost dilutes, and the brokers’ steady-state separation emerges. The seven-event corpus answered a question about start-up while appearing to answer one about brokers, which is the same failure of window selection as Section 7.5, one level up.

This refines E1 rather than contradicting it, and it sharpens the contradiction with Table 4: the accelerated corpus reported Redis *degrading* with concurrency; the powered real-time measurement finds Redis uniformly *faster* and flat. The reversal is the audit’s doing, and the measurement’s.

7.5 The end-to-end difference, and why we withdraw it too

TTI and transport give opposite answers in Table 16. Of Kafka’s 105.5 ms, 102.9 ms is producer scheduling lag against Redis’s 1.8 ms, while broker transport is 0.84 and 0.80 ms. An earlier version of this paper reported that twentyfold end-to-end gap as a finding, attributed it to the client’s sender thread waking from idle, and built a practitioner recommendation on it.

That gap does not survive re-measurement, and the reason is a second instance of this paper’s own thesis. We report it at length for the same reason we reported the first, and we retain the figure that once carried it (Figure 6) rather than deleting the evidence.

The offset is a start-up cost, not a per-event constant. Re-measuring at $N=1$ on the same driver and the same broker, at a replay rate derived from the plan and verified against elapsed wall time, gives a median producer scheduling lag of 1.59 ms for Kafka, not 103 ms — with a *maximum* of

Table 16. **Historical corpus; the scheduling-lag columns are withdrawn.** End-to-end delay and its decomposition, Testbed B, after the consistency check (164 of 201 runs retained). Medians, ms. **The TTI and scheduling-lag columns record a per-run start-up cost, not a per-event property, and are retained only as evidence for the withdrawal in Section 7.5; they should not be read as system behaviour.** The transport columns are computed over the same seven-event opening burst, and so measure start-up rather than steady state: Table 15 reproduces them from the powered runs by restricting those runs to the same window. For steady-state transport see Table 17. The replay rate was not recorded and is recovered as true real time in Section 6.5.

N	TTI		Sched. lag		Transport	
	Kafka	Redis	Kafka	Redis	Kafka	Redis
1	105.3	5.0	103.0	1.4	0.792	0.721
9	105.5	5.4	103.0	1.9	0.802	0.807
10	105.3	5.8	102.8	2.0	1.000	0.855
12	105.7	5.3	102.9	1.7	0.839	0.844

Table 17. Powered transport replication at a verified true-real-time rate, over a median of 127 events per run (not the seven of Table 16), 15 replicates per cell. Medians in ms; the Hodges–Lehmann shift is *Kafka* – *Redis* with a percentile-bootstrap 90% interval. The brokers are equivalent within 1 ms at every *N* (all three estimators) yet cleanly distinguishable: Redis is ≈ 0.41 ms faster, and the shift does not grow with concurrency.

N	Events/run	Kafka	Redis	HL shift [90% CI]
1	148	0.512	0.099	0.409 [0.394, 0.421]
9	121	0.539	0.115	0.418 [0.412, 0.424]
12	127	0.540	0.114	0.420 [0.414, 0.425]

103.5 ms. Two independent instrumentation paths agree: the per-event loop trace and the per-run summary. The 103 ms is real, but it is paid once per run, not once per event.

We cannot call this a repetition of E1’s condition, because E1’s replay rate is not recoverable (Section 6.5). That is why the argument below does not rest on the comparison between the two campaigns at all. It rests on a sweep that is internally controlled — one campaign, one rate, one match, only the window varying — and on an arithmetic relation that holds at every rate E1 could have used.

A controlled test that separates the two. A median cannot distinguish a per-run cost from a per-event one, because how much of the cost the median sees depends on how many events the run contains — which is precisely what misled us. The quantity that *does* separate them is the *number* of affected events per run. A per-run cost predicts that number is fixed however long the run gets; a per-event constant predicts it grows with the run. We therefore replayed the same match at true real time under three observation windows, holding everything else fixed, and counted events waking more than 50 ms late (Table 18).

The count does not move (Figure 5). Going from the 60 s window to the 600 s window multiplies the events emitted by $8.9 - 57$ to 507 — while the number waking more than 50 ms late stays at exactly four and exactly one send blocks, so the share of events paying the cost falls from 7.0% to 0.8%. The median is flat at 1.6 ms throughout and the maximum flat at 103.5 ms: the cost is present in every run and dilutes in every run, which is the signature of something paid once. Had it been a

per-event constant, the count would have grown with the window and the median would have stayed at 103 ms.

A once-per-producer cost of this kind is documented upstream: a Kafka producer performs a metadata lookup before its first send to a topic it has not yet cached [2]. We did not isolate that call, so we do not claim it *is* the mechanism — the window sweep constrains the cost’s *shape*, not its origin. We note it because the shape we measure and the shape the client documents agree, and because a reader deciding whether this generalises beyond our testbed should know the behaviour is a property of the client rather than of our rig.

Redis was run in the same sweep on the same events, with the same loop trace, and has *no* events waking more than 50 ms late and *no* blocking send at any window. Its worst single event anywhere is under 25 ms. Instrumenting both arms identically matters here for a reason internal to this paper: an earlier version of this table reported Redis’s counts as zero when its producer in fact carried no trace, which is the absence of a measurement dressed as one — exactly the failure the paper is about. We added the trace to the Redis producer and re-ran both arms together.

The mechanism, read directly off the loop trace. The per-event trace shows the same five-event signature in every Kafka run, at every window:

event	wake late (ms)	send blocked (ms)
0	0.17	102.60
1	102.96	0.07
2	103.08	0.05
3	103.17	0.04
4	103.30	0.05
5	0.94	0.27
6	1.42	0.06

The first `produce()` blocks for 102.6 ms fetching metadata and creating the topic. The replay loop is single-threaded, so every event due while it is blocked wakes roughly 103 ms late and then sends in tens of microseconds. There are exactly four of them, and the reason is the sport rather than the harness: this plan’s first five events all carry $t_{\text{sim}}=0$, because a kickoff is recorded as a pass, a ball receipt and a carry inside the same second. That is not particular to this match — every one of the eleven plans in our corpus opens with at least five events at $t_{\text{sim}}=0$. A football feed therefore delivers its densest burst precisely when the producer is coldest, which is the worst possible alignment for a start-up cost and the reason it lands in the median rather than the tail. From event 5 the loop is in steady state at about 1 ms. One cost, paid once, is charged to five events; the sixth onward pays nothing. Redis shows no such prologue because XADD to a new stream creates it in the same round trip.

That closes it. Five events carry the cost, seven were matched, and the median of seven values of which at least four are 103 ms is 103 ms. The published figure is the arithmetic of its own prologue.

Why the original corpus could not see that, and how we know. The E1 runs behind Table 16 replayed the first 600 s of match time, which in this plan holds **507 events**. They matched a **median of seven** — 745 events across 100 Kafka runs, a match rate near one percent. The window was not the problem; the join was. And the seven that survived it are not a random seven.

That last claim is arithmetic rather than inference. Those runs report a median producer scheduling lag of 102.93 ms over seven values, and a median of seven values at 102.93 ms requires *at least four of the seven* to be 102.93 ms or greater. The loop trace says exactly how many events per run are ever that late: four (Table 18), and always the same four — those due while the first send blocks. The matched set must therefore consist almost entirely of the prologue. The plan’s first five

events are all stamped at $t_{\text{sim}}=0$, so they are the first candidates a consumer sees and the first a lossy join keeps.

The failure thus compounds: a sample of seven is small, but a sample of seven *selected towards the contaminated events* is worse than small. Redis reports 1.75 ms on the same events because opening a stream with XADD does not pay what Kafka’s first send pays in metadata fetch and topic creation, so the same selection costs it nothing.

Why not knowing E1’s replay rate does not matter here. The blocking first send lasts 102.6 ms of wall time, so at a replay rate of R times real time it spans $0.103R$ seconds of *match* time. Evaluating that against the plan for each rate E1 could have run at:

Replay rate	Match time spanned	Events inside the prologue
1×	0.10 s	5
120×	12.3 s	16
1200×	123.1 s	112

E1 matched a median of seven events per run. At every one of the three candidate rates the prologue already contains at least four events — enough to carry the median of seven — so the matched sample’s median is the start-up cost, which is what the corpus reports. The conclusion is therefore insensitive to the replay rate; Section 6.5 goes on to recover that rate from the same start-up cost, but the withdrawal does not depend on the recovery.

This also explains the three properties we previously offered as evidence, and each of them is equally consistent with a start-up cost: a per-run constant looks *constant* within a run; it is *concurrency-invariant* because every run pays exactly one regardless of N ; and it is *rate-dependent* because accelerated replay packs more events into the window and dilutes it. We read three signatures of a per-event mechanism into measurements that a per-run mechanism explains at least as well.

The general lesson. The integrity check of Section 4.5 does not catch this. Every one of those runs is causally consistent; nothing is negative; the medians are stable to three significant figures across a hundred runs. What went wrong is that a median over seven events was reported as a property of the system rather than of the window, and the tight agreement across runs made it look robust precisely because the artefact is deterministic. A benchmark can be internally consistent, gate-clean, and still measure its own start-up. We therefore add to Section 8.2 the requirement to report events-per-run alongside any latency percentile, since a percentile over single-digit samples is a statement about the harness.

What we claim instead. On broker transport — the quantity that survived Section 4.5 and is measured over the same events for both systems — Kafka and Redis remain equivalent within one millisecond (Section 7.4). We make no end-to-end claim. The twentyfold figure is withdrawn.

7.6 The condition that reverses the ordering

Injecting one-way delay identically at both brokers with `tc netem` reverses the ordering completely (Table 19). Kafka tracks the injected delay almost additively. Redis collapses: 4.6 seconds at 5 ms of delay, 31.3 at 20 ms and 102.5 at 50 ms, roughly 900, 1,560 and 2,050 times the delay injected. No run was truncated, so this is amplification, not loss. The Redis arm passes the consistency check on all 15 runs at every delay, for the reason given in Section 6.6.

Magnitudes of this size cannot be a per-event cost: 102 seconds cannot be assembled from 50 ms applied once per event. The account we test is a round-trip-bound consumption pattern. Our Redis consumer acknowledges each entry with XACK and waits for the reply — the idiomatic pattern in

Table 18. The observation-window sweep that separates a per-run cost from a per-event one. Same match, same driver, same broker, $N=1$, true real-time replay; only the window changes. Both producers are loop-traced, so the counts for the two systems come from the same instrument. Events emitted grow $8.9\times$ across the sweep, but the number of Kafka events waking more than 50 ms late does not move, and exactly one send blocks in every run; Redis has neither at any window. Counts are medians over three replicates from the per-event trace; percentiles come from the per-run summary.

	Window (s)	Events		Scheduling lag (ms)		Events > 50 ms late	Blocking sends
		emitted	matched	median	max		
Kafka	60	57	57	1.56	103.4	4	1
	180	148	148	1.61	103.5	4	1
	600	507	465	1.58	103.5	4	1
Redis	60	57	57	1.50	17.4	0	0
	180	148	148	1.56	20.4	0	0
	600	507	465	1.53	24.8	0	0




Fig. 5. The window sweep, as a picture. (a) Events emitted per run grow $8.9\times$ while the number waking more than 50 ms late stays at four — a per-event constant would put the two series on parallel lines. (b) The same fact as a proportion: the share of events paying the cost falls as $1/\text{events}$, the dilution a once-per-run cost predicts. Redis, on the same events, has no affected events at any window.

Table 19. Injected one-way broker delay, applied identically to both systems, five feeds. Medians. The zero-delay row is rejected in both arms and marks the absence of a usable baseline.

Delay	Kafka TTI	Kafka transp.	Redis TTI	Redis transp.
0 ms	<i>rejected</i>			
5 ms	12.4 ms	5.6 ms	4,651 ms	4,645 ms
20 ms	77.8 ms	20.8 ms	31,401 ms	31,268 ms
50 ms	336.6 ms	44.9 ms	103,143 ms	102,460 ms

client tutorials — so a read returning two hundred entries is followed by two hundred sequential round trips. On a fast network this is free: a round trip costs 0.22 ms, a ceiling of $\approx 4,200$ exchanges




Fig. 6. **Withdrawn.** (a) End-to-end delay against concurrency as originally measured. (b) The decomposition that appeared to place the whole gap in producer scheduling lag. Both panels are retained as evidence for Section 7.5: the runs behind them matched a median of seven events each, so the apparent per-event offset is a per-run start-up cost. Broker transport, the lower series in (b), is unaffected and is what the paper claims.

per second against a demand below one. At 20 ms it has no headroom. The queueing statement is elementary [13]: once service rate falls below arrival rate the queue grows without bound and delay is set by the backlog rather than the network. Kafka’s consumer serves from a prefetched buffer and commits on a timer, so it has no per-record round trip to expose.

We stated the falsification criterion in advance: if amortising the acknowledgements does not help, the account is wrong. At one feed under true real-time replay, batching acknowledgements in groups of two hundred takes median TTI from 4,138 ms to 103 ms, a factor of **40.2**, replicated four times with a spread of 4 ms unbatched and 0.4 ms batched. Read-loop instrumentation confirms the mechanism and corrects its shape: each XREADGROUP returns a *full* batch, a median of 106 messages, in about 32 ms, so the consumer is not read-bound. The constraint is entirely in the acknowledgement path.

An unexplained null. At five feeds under accelerated replay the same intervention does nothing: 68,960 → 73,598 ms at 20 ms delay and 87,624 → 92,386 ms at 50 ms, both marginally worse batched. We report this prominently because the obvious explanations do not survive inspection. The treatment was applied – the campaign runs a manipulation check and the consumer logs its effective batch size. The measurement is sound – the Redis arm passes on all 15 runs in each cell. The machine is not saturated in general – Kafka in the same runs sits at 78 ms. An earlier version of this work explained the null away as a consistency failure; that explanation was false and we withdraw it. We claim the mechanism at realistic load, where we have both the intervention and the read-loop evidence, and state that its behaviour at five times that load is unexplained.

7.7 Configuration dominates product

A latency comparison that ignores configuration effort misstates the engineering choice.

Each system has exactly one client setting worth one to two orders of magnitude in delay, and in each case the introductory example in the documentation uses the slow value. For Kafka it is producer pipelining: with one outstanding request per connection, which is what a synchronous send example gives, median TTI at one feed was 1,644 ms; with `max.in.flight` at 64 it was 16 ms, a factor of 103. For Redis it is acknowledgement batching: the per-message XACK that

every tutorial shows costs 4,138 ms behind a 20 ms hop, and batching two hundred at a time costs 103 ms, a factor of 40.2.

Both share the property that makes them hard to catch: they are *free on a co-located testbed*. Neither matters when the broker round trip is 0.2 ms. A benchmark conducted on loopback prices both at zero and will certify as equivalent two clients that differ by two orders of magnitude in deployment. This is the practical corollary of Section 6.6: the conditions that make a testbed convenient are the conditions that make it least informative.

The systems differ in the *shape* of their configuration surface rather than its size. Kafka's latency-relevant settings are numerous, documented together, and mostly safe once pipelining is enabled. Redis's are fewer, but the consequential one is not a setting at all — it is a property of how the application's read loop is written, which no configuration audit will surface.

8 Discussion

8.1 For benchmark authors

Report a physical-consistency audit. Any delay computed as a difference of timestamps taken in different processes admits a sign check, and the check costs nothing. We rejected 58% of our own runs with it, and every rejected run had passed every conventional check we knew to apply. Better instruments exist [35]; our point is orthogonal to instrument quality — whatever instrument is used, its output should be checked against causality and the retention rate published.

Count your events before you quote a percentile. Our second withdrawal (Section 7.5) came from reporting a median over seven events per run as a property of the system. It survived a hundred runs, a causal-consistency audit, and our own scepticism, because a deterministic per-run artefact reproduces beautifully. Sample size per run belongs next to every percentile, and a benchmark whose window admits single-digit event counts is measuring its own start-up.

Measure at a realistic round-trip time, and treat interventions as interventions. Both configuration defects in Section 7.7 are invisible on loopback, and the one intervention we ran without a manipulation check produced a clean false null.

8.2 Applying the check to another benchmark

The check is worth reporting only if it transfers, so we state it as a procedure rather than as a description of what we happened to do. It applies to any latency computed as a difference of timestamps taken in different processes, threads or hosts — which covers most end-to-end measurements in this literature.

- (1) **Identify every span whose endpoints are stamped by different execution contexts.** In our pipeline exactly one of the three components qualifies: scheduling lag and the output interval are stamped within a single process, broker transport is not. Spans stamped within one context cannot violate causality and need no check.
- (2) **Record the raw per-event values, not summaries.** The failure is invisible in aggregate — that is its defining property — so a pipeline that writes only percentiles has already discarded the evidence. This is the one requirement that may demand a change to an existing harness.
- (3) **Count the fraction of events in which the span is negative,** per run and per component.
- (4) **Reject by a stated rule, before looking at results.** We reject a run when any component exceeds 1% inverted or has a negative median. The threshold is a judgement and should be reported with its sensitivity (Section 6.3); what matters more is that it is fixed in advance and applied to every condition, including those whose results look reasonable. Applying it only to suspicious results reproduces the error it exists to prevent.

- (5) **Report the retention rate alongside the results**, the way a survey reports its response rate. A benchmark that discards nothing has either an unusually clean instrument or an unexamined one, and a reader cannot tell which without the number.
- (6) **Report events-per-run alongside every latency percentile**. This is the check that would have caught our second withdrawal (Section 7.5) and the sign check would not: a median over seven events is a statement about the harness, not the system, and it looks its most convincing when the artefact is deterministic enough to repeat across a hundred runs. Any percentile computed over single-digit samples should be labelled as such.
- (7) **Record the achieved rate, per run, next to the results — not the flag that was meant to produce it**. A replay harness has a nominal rate and an achieved one, and they part company silently. Ours parted company by a factor of 120 because the plans carried a compression the flag did not know about (Section 6.5). Derive the setting from the workload rather than assuming it, verify the achieved rate against elapsed wall time before the campaign rather than after, and write the verified figure into an artefact that outlives the raw data. We had to reconstruct the rate of our own earliest corpus by arithmetic on its results, which happened to be possible and will not always be.
- (8) **Before attributing an offset to every event, vary the run length and count**. Lengthen the observation window by a known factor and count how many events exceed the offset, rather than re-computing the average. A per-run cost holds that count fixed while the run grows; a per-event one grows it in proportion. The two are indistinguishable in any percentile, which is why we report the count. In our sweep the count stayed at four while events per run grew several times over (Table 18).
- (9) **Where retention differs between arms, bound the selection it introduces**. Unequal rejection is itself a bias, and Section 6.4 gives the worst-case imputation we use.

The cost is one pass over data the harness already produces. In our implementation the rule is under two hundred lines and runs in seconds over 2,266 runs, which is why we argue it belongs in routine practice rather than in a dedicated study.

When it matters most. Equation 2 tells a reader where to be careful without repeating our experiments: risk rises as the measured quantity approaches the instrument’s own scheduling jitter, and as utilisation approaches saturation. A benchmark measuring milliseconds on a loaded machine is in the dangerous region; one measuring seconds, or running well below saturation, is not. That is a rule of thumb, and Section 8.5 says what would be needed to make it quantitative.

8.3 For practitioners

The brokers themselves are equivalent within a millisecond for any workload resembling this one, and neither degrades across its concurrency range. Redis does hold a real, reproducible transport advantage — about 0.4 ms per operation (Section 7.4), the direction the grey literature reports — but at four parts in 100,000 of a seconds-scale end-to-end budget it cannot be the basis for a choice. Selection should rest on durability semantics, operational familiarity and cost — not on a sub-millisecond transport gap, and not on published latency benchmarks conducted at rates the deployment will never see.

Where a consumer sits across a network, audit the *consumption pattern* before choosing a product. A client that acknowledges per message and waits for the reply converts ordinary network delay into seconds of staleness; batching removes it. Kafka is not immune by virtue of being Kafka, but because its client already amortises.

One practical asymmetry survives our withdrawal, and it is a start-up property rather than a steady-state one. A Kafka producer’s first `produce()` blocks for roughly 100 ms while it fetches

metadata and creates the topic (Section 7.5); Redis's XADD creates the stream in the same round trip and blocks for under a millisecond. On a long-lived producer this is paid once and is irrelevant. It matters in two situations: where producers are short-lived — one per match, per request, or per serverless invocation — and where the events that matter most arrive first, as a kickoff burst does. In both, pre-create the topic and issue a warm-up send before the feed opens.

8.4 Threats to validity

Construct validity: the check may not measure what we claim. A negative span is proof that *something* is wrong, but our attribution of it to scheduler delay in reaching the clock is an inference. Two rival explanations are available. Clock skew is ruled out directly for Testbed A, where both processes read the same operating-system clock; it is not ruled out on Testbed B, where producer and consumer may sit on different hosts, and there we rely on the co-located conditions failing at rates comparable to the distributed ones.

Coarse kernel timestamp granularity would also produce inversions, and that rival makes a different prediction we can test. Quantisation acts on each event independently, so its inversions would be scattered at random through a run; a descheduling event, by contrast, makes a *consecutive run* of events wake late together. A Wald–Wolfowitz runs test on the sequence of inversion signs separates the two: independence gives $z \approx 0$, clustering $z \ll 0$. Across conditions the inversions are strongly clustered — median $z = -6.9$ at the co-located floor, -6.8 idle, -5.1 saturated — and the clustering is present even with no background load, so it is intrinsic to the stamping path rather than induced by contention. This is the signature of a shared scheduling delay, not of independent quantisation, and Section 4.1 additionally reports the measured timer granularity on both platforms. We regard the Testbed A attribution as well supported and the Testbed B attribution as probable rather than established.

Internal validity: the audit selects. The check rejects unequally between arms, so the surviving corpus is not a random sample of the measured one. This is the most serious internal threat, and Section 6.4 addresses it with a worst-case bound rather than an argument. That bound holds only while retention exceeds one half, and our tightest cell sits 2.8 points above that line; a slightly worse campaign would have left the equivalence claim undefendable.

Internal validity: the surviving comparison is small. After rejection, per-cell samples run from 8 to 35. The $N=1$ cell cannot support inference and we treat it as descriptive; conclusions rest on the levels with 19 or more runs.

External validity: one workload, two systems, two platforms. We demonstrate the failure on a sparse bursty feed, two brokers and two operating systems. The model of Section 4.6 predicts it wherever cross-process spans are measured near the instrument's own jitter under load, but we have not shown that. Sharma et al. [29] report the same symptom in an unrelated domain, which is suggestive but is not our evidence.

Construct validity: a percentile is not automatically a property of the system. The 103 ms producer offset reproduced across both testbeds, four concurrency levels and 164 runs, and we took that breadth as evidence it was a property of the system. It was a property of the window (Section 7.5). Reproducibility across runs distinguishes a deterministic effect from a noisy one; it does not distinguish a system effect from a harness effect, and we treated it as though it did. Every percentile in this paper is now reported with the events per run behind it.

Construct validity: the injected-delay sweep is not a clean effect-size manipulation. H1's quantitative slope (Section 7.1) is estimated from a `tc netem` delay sweep, on the assumption that injecting d ms

of delay simply raises T_{true} by d . It does not: on our bursty feed, a per-delivery delay builds a queue, so the measured transport *variance* climbs from 10 ms² at zero delay to 9,200 ms² at 50 ms — a clean offset would leave it unchanged. The delay sweep therefore confounds T_{true} with backlog-driven jitter, and we do not lean on its fitted slope. H1’s robust evidence is the comparison it does not confound: the co-located arm, where $T_{\text{true}} \approx 0.5$ ms, fails wholesale, while the network arm, where T_{true} is tens of seconds, passes 15/15 on the same hardware (Section 6.6). Testing the fine-grained slope cleanly would need a constant-offset instrument that does not perturb the queue — a run we flag as future work.

Conclusion validity: multiplicity and pre-specification. Holm families are declared over the design actually executed rather than chosen afterwards, and equivalence margins were fixed before testing. The threshold in the check was fixed before the final campaign but *after* earlier campaigns had run, which is weaker than pre-registration; the sensitivity analysis of Section 6.3 exists partly to compensate.

8.5 Limitations

The surviving evidence is narrower than the design. The audit removed the throughput sweep, the connection sweep above ten, the cluster arm, the durability quantification and all of Testbed A. We cannot characterise behaviour at the concurrency a multi-tenant platform would see.

E1’s replay rate is inferred, not documented. Section 6.5 recovers it from the data and the recovery is, we think, correct, but it is an inference from a 52.34 ms median in one cell rather than a setting anyone recorded. A reader who does not accept the inference should read Section 7.4 as establishing that both arms met the same rate, which is all the between-system comparison needs.

The E1 reconciliation is an explanation, not a re-run of E1. Table 15 shows that restricting the powered runs to their opening seven events reproduces E1’s figures in both shift and absolute level, which is why we no longer treat the two campaigns as contradictory. But it demonstrates that the window is *sufficient* to produce the disagreement, not that it is the only difference between the campaigns: E1 ran on a corpus whose replay rate we infer rather than read, and we cannot rule out that some other difference contributes as well. What we can say is that no additional cause needs to be invoked.

The mechanism is established for our client, not for Kafka in general. The blocking first produce() is visible in the loop trace of every run (Section 7.5), so for this client the attribution is direct rather than inferred. Whether a different client, or a pre-created topic, or a broker configured against auto-creation would pay the same cost, we did not test. The practitioner advice in Section 8 is written to be safe either way.

The occupancy result is a mechanism, not a load model. Section 7.3 shows by manipulation that the inversion rate follows stamping-thread occupancy rather than utilisation, and that is the strongest causal claim in this paper. It is not a formula. We can say the rate falls fifty-fold when the stamping thread stops being preempted; we cannot say what the rate will be at a given load, and both attempts to write one — M/G/1 and our own bounded bracket — failed against the sweep. A practitioner should read this as “keep the stamping thread runnable and measure what you get”, not as a curve to substitute into a budget.

The external replication is single-host. The instrumented OpenMessaging Benchmark discarded 6,000 samples under load (Section 6.7), which establishes the failure outside our own harness. It ran in embedded mode, so both stamps came from one JVM on one host, and the demonstration is of the *occupancy* channel alone. We attempted a distributed run five times and abandoned it after five separate faults in the benchmark’s own worker protocol. That difficulty is worth recording rather than hiding: a failure mode this easy to reach and this hard to instrument is one a practitioner is

unlikely to find by accident. The cross-host clock channel is in any case bounded on this testbed — chrony puts the inter-host offset near 0.067 ms, below the millisecond resolution the benchmark reports in — so it is the channel we could least afford to miss, and the one we did not need.

H3 is measured at one operating point. The symmetric-stamping comparison (Section 7.1) was run at one in-flight request and one load level, because inline stamping requires the single in-flight setting. The direction and the one-sidedness of the effect are what the model predicts, but we do not characterise how the 0.07 ms offset scales with load or pipelining.

The five-feed acknowledgement null is unexplained, as set out in Section 7.6.

One workload. The arrival-rate result should generalise to any sparse bursty feed, but we demonstrate it on one.

9 Conclusion

We set out to compare two message brokers for a real-time sports feed under varying concurrency. We obtained a complete answer, and it was physically impossible.

The audit that found it is this paper's principal contribution. A negative broker delay is proof of instrument failure, and checking for it rejected 1,321 of 2,266 runs, including every run behind a large, significant, theory-confirming result. The rejected corpus had passed plausible medians, narrow intervals, large effect sizes, the architecturally expected direction, and six prior rounds of correction. It failed only against arithmetic. The property that makes the check general is that, being a test against zero, it bites hardest exactly where the measured effect is smallest — which is to say on the delicate comparisons that benchmark papers exist to make.

A second headline then failed the same way, and we withdraw it too. A twentyfold end-to-end gap between the systems, which we had attributed to client behaviour and built a recommendation on, turned out to be a per-run start-up cost read as a per-event constant: the runs behind it matched a median of seven events each. The integrity check does not catch that one. Causal consistency is necessary and not sufficient, and a percentile computed over single-digit samples describes the harness rather than the system — the more so because a deterministic artefact reproduces across a hundred runs and looks robust for exactly the wrong reason.

What survives is narrower and better evidenced. The brokers are equivalent within a millisecond and neither degrades with concurrency, robustly to the audit's own selection effect — though a powered replication resolves inside that margin a real 0.41 ms advantage for Redis that the original seven-event corpus reported as a tie. Each system has one client setting worth one to two orders of magnitude, both free on the co-located testbeds where such settings are normally evaluated. And the model of the failure now carries measured rules rather than a derivation: inversion probability falls as the measured quantity grows, rises with concurrent process count, and grows superlinearly in utilisation with the predicted knee; and a symmetric instrument removes a quarter of the residual between-system difference, the same asymmetry that manufactured our first result in the large. We had also claimed the M/G/1 form specifically, and withdraw that: tested against a fitted exponential rather than only against a straight line, our data cannot tell the two apart. What was an anecdote at the start of this work is now a curve.

A dedicated campaign then corrected the model we had just confirmed. Treating the stamping asymmetry Δ as a single distribution is only a leading-order account: it is a mixture of a narrow jitter core and a rare tail from descheduling, and load multiplies the tail's weight roughly twelve times faster than it widens the core. We pre-registered that test expecting the simpler form to fail, and it did. The practical reading is less comfortable than the tidy version: a benchmark can sit at a load where its numbers look tight, because the core is narrow, while the tail that will corrupt them is already growing underneath.

The fact that forced a mechanism rather than a curve was the clustering. Inversions arrive in runs of consecutive events at every load, idle included, and no distribution predicts that — a distribution says how large a delay is, never which events receive one. What does predict it is a thread that is periodically *not running*: being preempted is an interval, so the events inside it are corrupted together. On that reading the mixture is not two distributions but two states, load sets how often the instrument is in the bad one, and the tail curves at different loads should be parallel rather than rescaled — which is what we find, a median factor of 1.34 against the scale family’s 23. We reached this by looking at our data and say so; the confirmatory test, and a way to measure the occupancy directly from run-queue statistics rather than infer it, are pre-registered in the artefact. If it holds, the advice it implies is not a better clock but a stamping thread the workload cannot preempt.

A paper that only ever audits its own mistakes proves that its authors are careless, not that its method is needed. So we turned the argument outward. The OpenMessaging Benchmark [24] computes end-to-end latency as a consumer-side clock read minus a timestamp written on the producer host, and then records the sample only if it is positive, counting nothing that it drops. The exposure is therefore designed into the most widely used cross-broker benchmark, and — this is the part that matters — its reported distribution is conditioned on the violation not having happened, so no amount of care in reading its output would reveal it.

We then instrumented that discard and ran it. Under load it dropped 6,000 end-to-end samples in three minutes, about 6.7% of the run, and reported a healthy-looking latency summary alongside. We still claim no published result is wrong, because we have audited no deployment but our own. What we now know is that the failure is reachable, large, and unreported in software nobody in this study wrote — so the check we are recommending is not addressed to ourselves.

One smaller episode makes the same point from the other side. Checking our own provenance, we found that no surviving artefact recorded the replay rate of the earliest corpus, and that the records we did have disagreed. We recovered it anyway — the start-up cost is a wall-clock constant, so the number of events it swallows encodes the rate, and one cell of fifteen runs reading 52.34 ms where both modes are 1.6 and 103.5 fixes it at four late events and hence at true real time. That is the same instrument as the sign check: a physical constraint deciding what the bookkeeping could not. It is also luck, and no basis for a method. The rule is to write the number down.

We began by asking which of two brokers is faster for a football feed. The honest answer is that it barely matters — Redis holds a reproducible 0.41 ms advantage that is real, and negligible beside the seconds a human annotator takes to enter the event. That question turned out to be the least interesting thing we could have asked. We report the road from it in full, including two withdrawals and a model we had to correct, because the path ran entirely through measurements we had every reason to trust — twice — and because the instrument that finally settled each of them was not a better clock or a larger sample, but a physical constraint that the data could not violate.

Artefact Availability

All code, replay plans, aggregated results and analysis are available at <https://github.com/Gustolandia/streaming-latency-sports>. Event data is the StatsBomb open dataset under CC BY-NC 4.0; raw files are not redistributed but are re-fetchable from a pinned upstream commit. Every run records its git commit and per-file SHA-256. A regression suite recomputes every figure in this paper from committed data and fails if paper and data disagree.

References

- [1] Apache Kafka. 2015. KIP-32: Add timestamps to Kafka message. Apache Software Foundation, Kafka Improvement Proposal. Defines CreateTime (timestamp set by the producer) and LogAppendTime (overwritten by the broker); CreateTime is the default.

- [2] Apache Kafka. 2020. KIP-526: Reduce producer metadata lookups for large number of topics. Apache Software Foundation, Kafka Improvement Proposal. Documents the metadata fetch a producer performs before its first send to an uncached topic.
- [3] Arvind Arasu, Mitch Cherniack, Eduardo Galvez, David Maier, Anurag S. Maskey, Esther Ryzkina, Michael Stonebraker, and Richard Tibbetts. 2004. Linear Road: A Stream Data Management Benchmark. In *Proceedings of the 30th International Conference on Very Large Data Bases (VLDB)*. 480–491.
- [4] Ashok Chandrasekar and Jason Kramberger. 2026. Identifying and mitigating systemic measurement bias in production LLM inference benchmarks. *arXiv preprint arXiv:2605.24217* (2026).
- [5] James C. Corbett, Jeffrey Dean, Michael Epstein, Andrew Fikes, Christopher Frost, J. J. Furman, Sanjay Ghemawat, Andrey Gubarev, Christopher Heiser, Peter Hochschild, et al. 2013. Spanner: Google’s globally distributed database. *ACM Transactions on Computer Systems* 31, 3 (2013), 1–22.
- [6] ThreadSafe Diaries. 2025. I Benchmarked Kafka, RabbitMQ, and Redis Streams, The Winner Surprised Me. Accessed: June 15, 2026. <https://medium.com/@ThreadSafeDiaries/i-benchmarked-kafka-rabbitmq-and-redis-streams-the-winner-surprised-me-cf3f484eb7b2>
- [7] Bradley Efron. 1979. Bootstrap methods: another look at the jackknife. *The Annals of Statistics* 7, 1 (1979), 1–26.
- [8] Guenter Hesse, Christoph Matthies, Michael Perscheid, Matthias Uflacker, and Hasso Plattner. 2021. ESPBench: The Enterprise Stream Processing Benchmark. In *Proceedings of the ACM/SPEC International Conference on Performance Engineering*. 201–212.
- [9] J. L. Hodges and E. L. Lehmann. 1963. Estimates of location based on rank tests. *The Annals of Mathematical Statistics* 34, 2 (1963), 598–611.
- [10] Sture Holm. 1979. A simple sequentially rejective multiple test procedure. *Scandinavian Journal of Statistics* 6, 2 (1979), 65–70.
- [11] Raj Jain. 1991. *The Art of Computer Systems Performance Analysis: Techniques for Experimental Design, Measurement, Simulation, and Modeling*. Wiley.
- [12] JusDB. 2025. Redis Streams vs Kafka: Event Streaming Architecture Comparison 2025. Accessed: June 15, 2026. <https://www.jusdb.com/blog/redis-streams-vs-kafka-event-streaming-comparison-2025>
- [13] Leonard Kleinrock. 1975. *Queueing Systems: Volume I - Theory*. Wiley-Interscience.
- [14] Jay Kreps, Neha Narkhede, and Jun Rao. 2011. Kafka: a distributed messaging system for log processing. *Proceedings of the 6th ACM Symposium on Networked Systems Design and Implementation* (2011).
- [15] William H. Kruskal and W. Allen Wallis. 1952. Use of ranks in one-criterion variance analysis. *J. Amer. Statist. Assoc.* 47, 260 (1952), 583–621.
- [16] Daniël Lakens. 2017. Equivalence tests: a practical primer for *t* tests, correlations, and meta-analyses. *Social Psychological and Personality Science* 8, 4 (2017), 355–362.
- [17] Leslie Lamport. 1978. Time, clocks, and the ordering of events in a distributed system. *Commun. ACM* 21, 7 (1978), 558–565.
- [18] Jialin Li, Naveen Kr. Sharma, Dan R. K. Ports, and Steven D. Gribble. 2014. Tales of the tail: Hardware, OS, and application-level sources of tail latency. In *Proceedings of the ACM Symposium on Cloud Computing (SoCC '14)*. ACM. doi:10.1145/2670979.2670988
- [19] Hongyou Liu, Will Hopkins, A. Miguel Gomez, and J. Sampaio Molinuevo. 2013. Inter-operator reliability of live football match statistics from OPTA Sportsdata. *International Journal of Performance Analysis in Sport* 13, 3 (2013), 803–821.
- [20] Jean-Pierre Lozi, Baptiste Lepers, Justin Funston, Fabien Gaud, Vivien Quéma, and Alexandra Fedorova. 2016. The Linux Scheduler: a Decade of Wasted Cores. In *Proceedings of the Eleventh European Conference on Computer Systems (EuroSys)*. doi:10.1145/2901318.2901326
- [21] Henry B. Mann and Donald R. Whitney. 1947. On a test of whether one of two random variables is stochastically larger than the other. *The Annals of Mathematical Statistics* 18, 1 (1947), 50–60.
- [22] David L. Mills. 1991. Internet time synchronization: the network time protocol. *IEEE Transactions on Communications* 39, 10 (1991), 1482–1493.
- [23] Muzeeb Mohammad. 2025. Analysis of design patterns and benchmark practices in Apache Kafka event-streaming systems. *arXiv preprint arXiv:2512.16146* (2025).
- [24] OpenMessaging Project, Linux Foundation. 2018. The OpenMessaging Benchmark Framework. Open standard, multi-platform messaging performance benchmark. Available at openmessaging.cloud/docs/benchmarks/.
- [25] Luca Pappalardo, Paolo Cintia, Alessio Rossi, Emanuele Massucco, Paolo Ferragina, Dino Pedreschi, and Fosca Giannotti. 2019. A public data set of spatio-temporal match events in soccer competitions. *Scientific Data* 6, 1 (2019), 236.
- [26] Salvatore Sanfilippo. 2017. Redis streams: a new data type for real-time streaming. *Redis Labs Blog* (2017). <https://redis.io/topics/streams-intro>

- [27] Bianca Schroeder, Adam Wierman, and Mor Harchol-Balter. 2006. Open versus closed: a cautionary tale. In *Proceedings of the 3rd USENIX Symposium on Networked Systems Design and Implementation (NSDI)*. 239–252.
- [28] Donald J. Schuirmann. 1987. A comparison of the two one-sided tests procedure and the power approach for assessing the equivalence of average bioavailability. *Journal of Pharmacokinetics and Biopharmaceutics* 15, 6 (1987), 657–680.
- [29] Ankur Sharma, Deep Shah, David Lariviere, and Hesham ElBakoury. 2026. Time, causality, and observability failures in distributed AI inference systems. *arXiv preprint arXiv:2604.21361* (2026). Open Compute Project, Unified Intelligent Infrastructure workstream.
- [30] Anshu Shukla, Shilpa Chaturvedi, and Yogesh Simmhan. 2017. RIoT Bench: An IoT benchmark for distributed stream processing systems. *Concurrency and Computation: Practice and Experience* 29, 21 (2017), e4257.
- [31] StatsBomb. 2023. StatsBomb Open Data. *GitHub Repository* (2023). <https://github.com/statsbomb/open-data>
- [32] Michael Stonebraker, Ugur Cetintemel, and Stan Zdonik. 2005. The 8 requirements of real-time stream processing. *ACM SIGMOD Record* 34, 4 (2005), 42–47.
- [33] Akul Swami and Nikhil Chougule. 2026. Architecture dependent temporal observability under deployment interference in edge inference systems. *arXiv preprint arXiv:2605.17701* (2026).
- [34] Pete Tucker, Kristin Tufte, Vassilis Papadimos, and David Maier. 2008. *NEXMark: A Benchmark for Queries over Data Streams*. Technical Report. OGI School of Science and Engineering, Oregon Health and Science University.
- [35] Shinhyung Yang, Jiun Jeong, Bernhard Scholz, and Bernd Burgstaller. 2022. Cloudprofiler: TSC-based inter-node profiling and high-throughput data ingestion for cloud streaming workloads. *arXiv preprint arXiv:2205.09325* (2022).
- [36] Praneeth Yerrapragada. 2025. kafka-bullmq-benchmark: A comprehensive distributed systems performance comparison. Includes white paper with methodology; Accessed: June 15, 2026. <https://github.com/praneethys/kafka-bullmq-benchmark>