

Práctica 4

Angular

[Next Slide](#)


- Hernandez Gutierrez Eduardo
- 2431124894
- Aplicaciones Web
- Diana Xóchitl Ruano Vargas

-

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS GITLENS esbuild - Practica04-angular + ▾ □ 🗑

```
● PS C:\Users\hgedu\Documents\Practica 01> ng new Practica04-angular
✓ Which stylesheet system would you like to use? CSS [
https://developer.mozilla.org/docs/Web/CSS ]
✓ Do you want to enable Server-Side Rendering (SSR) and Static Site Generation (SSG/Prerendering)?
Yes
✓ Which AI tools do you want to configure with Angular best practices?
https://angular.dev/ai/develop-with-ai
CREATE Practica04-angular/angular.json (2172 bytes)
CREATE Practica04-angular/package.json (1214 bytes)
CREATE Practica04-angular/README.md (1529 bytes)
CREATE Practica04-angular/tsconfig.json (990 bytes)
CREATE Practica04-angular/.editorconfig (331 bytes)
CREATE Practica04-angular/.gitignore (666 bytes)
CREATE Practica04-angular/tsconfig.app.json (464 bytes)
CREATE Practica04-angular/tsconfig.spec.json (456 bytes)
CREATE Practica04-angular/.vscode/extensions.json (134 bytes)
CREATE Practica04-angular/.vscode/launch.json (490 bytes)
CREATE Practica04-angular/.vscode/mcp.json (191 bytes)
CREATE Practica04-angular/.vscode/tasks.json (1020 bytes)
CREATE Practica04-angular/src/main.ts (228 bytes)
CREATE Practica04-angular/src/index.html (316 bytes)
CREATE Practica04-angular/src/styles.css (81 bytes)
CREATE Practica04-angular/src/main.server.ts (300 bytes)
CREATE Practica04-angular/src/server.ts (1677 bytes)
CREATE Practica04-angular/src/app/app.spec.ts (708 bytes)
CREATE Practica04-angular/src/app/app.ts (312 bytes)
CREATE Practica04-angular/src/app/app.css (0 bytes)
CREATE Practica04-angular/src/app/app.html (20446 bytes)
CREATE Practica04-angular/src/app/app.config.ts (453 bytes)
CREATE Practica04-angular/src/app/app.routes.ts (80 bytes)
CREATE Practica04-angular/src/app/app.config.server.ts (438 bytes)
CREATE Practica04-angular/src/app/app.routes.server.ts (174 bytes)
CREATE Practica04-angular/public/favicon.ico (15086 bytes)
✓ Packages installed successfully.
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
Author identity unknown

*** Please tell me who you are.
```



PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

GITLENS

powershell - Practica04-angular

```
PS C:\Users\hgedu\Documents\Practica 01\Practica04-angular> ng serve
  → Local:   http://localhost:4200/
  → press h + enter to show help
⊙ PS C:\Users\hgedu\Documents\Practica 01\Practica04-angular> ng generate component/header
  Error: A collection and schematic is required during execution.
⊙ PS C:\Users\hgedu\Documents\Practica 01\Practica04-angular> ng generate componets/header
  Error: A collection and schematic is required during execution.
⊙ PS C:\Users\hgedu\Documents\Practica 01\Practica04-angular> ng generate components/header
  Error: A collection and schematic is required during execution.
● PS C:\Users\hgedu\Documents\Practica 01\Practica04-angular> ng generate component components/header
  CREATE src/app/components/header/header.spec.ts (554 bytes)
  CREATE src/app/components/header/header.ts (197 bytes)
  CREATE src/app/components/header/header.css (0 bytes)
  CREATE src/app/components/header/header.html (22 bytes)
● PS C:\Users\hgedu\Documents\Practica 01\Practica04-angular> ng generate component components/navbar
  CREATE src/app/components/navbar/navbar.spec.ts (554 bytes)
  CREATE src/app/components/navbar/navbar.ts (197 bytes)
  CREATE src/app/components/navbar/navbar.css (0 bytes)
  CREATE src/app/components/navbar/navbar.html (22 bytes)
● PS C:\Users\hgedu\Documents\Practica 01\Practica04-angular> ng generate component components/footer
  CREATE src/app/components/footer/footer.spec.ts (554 bytes)
  CREATE src/app/components/footer/footer.ts (197 bytes)
  CREATE src/app/components/footer/footer.css (0 bytes)
  CREATE src/app/components/footer/footer.html (22 bytes)
⊙ PS C:\Users\hgedu\Documents\Practica 01\Practica04-angular>
```

- components
 - footer
 - footer.css
 - footer.html
 - footer.spec.ts
 - footer.ts
 - header
 - header.css
 - header.html
 - header.spec.ts
 - header.ts
 - navbar
 - navbar.css
 - navbar.html
 - navbar.spec.ts
 - navbar.ts

Bienvenido

Esta es la página principal del sitio desarrollado con Angular.

Contenido Principal



Angular permite crear aplicaciones web modernas utilizando componentes reutilizables y navegación sin recargar la página.

Información


Angular Standalone
Bootstrap
Router

home.html U X

practica04-angular > src > app > pages > home > home.html > ...

Go to component

```
1  <main class="container mt-4">
2    <div class="text-center mb-4">
3      <h2 class="fw-bold">Bienvenido</h2>
4      <p class="text-muted">
5        Esta es la página principal del sitio desarrollado con Angular.
6      </p>
7    </div>
8
9    <div class="row">
10     <div class="col-md-8">
11       <div class="card mb-4 shadow-sm">
12         <div class="card-body">
13
14           <h5 class="card-title">Contenido Principal</h5>
15
16           
19           <p class="card-text">
20             Angular permite crear aplicaciones web modernas utilizando
21             componentes reutilizables y navegación sin recargar la página.
22           </p>
23         </div>
24       </div>
25     </div>
26   </div>
27
28   <div class="col-md-4">
29     <div class="card bg-light shadow-sm">
30       <div class="card-body">
31         <h5 class="card-title">Información</h5>
32         <ul class="list-unstyled">
33           <li>Angular Standalone</li>
34           <li>Bootstrap</li>
35           <li>Router</li>
36         </ul>
37       </div>
38     </div>
39   </div>
40 </div>
41 </main>
42
```





```
navbar.html U X
practica04-angular > src > app > components > navbar > navbar.html > ...
Go to component
1 <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
2   <div class="container">
3     <a class="navbar-brand" routerLink="">Inicio</a>
4     <div class="navbar-nav">
5       <a class="nav-link" routerLink="/contacto">Contacto</a>
6       <a class="nav-link" routerLink="/listado">Listado</a>
7     </div>
8   </div>
9 </nav>
10
11
```

```
navbar.html U navbar.ts U X
practica04-angular > src > app > components > navbar > navbar.ts > ...
1 import { Component } from '@angular/core';
2 import { RouterLink } from '@angular/router';
3
4 @Component({
5   selector: 'app-navbar',
6   standalone: true,
7   imports: [RouterLink],
8   templateUrl: './navbar.html',
9   styleUrls: ['./navbar.css'],
10 })
11 export class Navbar {}
12
```

