

FARM OPERATIONS

Poultry Terminology Glossary

Approved English and Amharic terms for daily farm work, poultry types, stock categories, and operational records.

APPROVED FOR IMPLEMENTATION

Version	2026-09-23-approved-1
Review outcome	Approved after partner-requested terminology change
Confirmed term	Pullet - ቱብ
Status	Approved for implementation

This glossary favors short instructions that a Farm Manager can act on immediately. It deliberately avoids audit, accounting, and software terminology in the primary workflow. Technical terms remain available in advanced history views.

Approved-source basis

- [SNV-RAYEE Poultry Amharic Manual](#) - consulted for Amharic poultry husbandry vocabulary and farmer-facing phrasing.
- [ILO On-job-training manual for the poultry sector](#) - consulted for practical Ethiopian poultry workflows, including feed intake, bird weight, vaccination, treatment, mortality, egg production, and record keeping.

The English and Amharic terminology below was reviewed and approved by the product owner's poultry partner on 2026-09-23. The requested change, **Pullet** - ቁብ, is incorporated in this version.

The catalogue coverage for this draft is locked in `src/i18n/terminology-review.ts`. Automated tests require every current Common, Navigation, Today, and Errors message to remain in that review inventory. Adding a new Today message therefore requires adding it to the terminology review as well.

Core navigation and daily work

Meaning	English shown to manager	Approved Amharic	Avoid in primary workflow
Work due today	Today's work	የዛሬ ሥራ	Operations workspace
Bird group	Flock	መንጋ	Production unit
Poultry house	House	የዶሮ ቤት	Facility asset
Count living birds	Check birds	ዶሮዎችን ይቁጠሩ	Reconcile flock count
Feed given	Record feeding	መፍ ይመዝግቡ	Feed-session posting
Eggs collected	Record eggs	እንቁላል ይመዝግቡ	Production capture
Water used	Record water	ውሃ ይመዝግቡ	Water-consumption metric
Illness and treatment	Health problem or treatment	የቤና ችግር ወይም ሕክምና	Health event
Birds that died	Deaths	ሞት	Mortality allocation
Non-feed items used	Supplies used	የተጠቀሙት እቃ	Routine inventory usage
Final daily confirmation	Finish day	ቀኑን ጨርስ	Atomic operating-day close

Bird count and movement

Meaning	English shown to manager	Approved Amharic	Avoid in primary workflow
Birds alive at the start of the day	Birds at the start of the day	በቀኑ መጀመሪያ ያሉ ዶሮዎች	Opening balance
Birds alive at the end of the day	Birds remaining at the end of the day	በቀኑ መጨረሻ የቀሩ ዶሮዎች	Closing balance
Birds brought into the flock	Birds moved in	ወደ መንጋው የገቡ ዶሮዎች	Transfer in
Birds moved out of the flock	Birds moved out	ከመንጋው የወጡ ዶሮዎች	Transfer out
Birds deliberately removed	Birds removed from the flock	ከመንጋው የተወገዱ ዶሮዎች	Culls
Count equation does not agree	The bird numbers do not agree	የዶሮዎቹ ቁጥር አይዛመድም	Bird-day imbalance
Previous end count	Yesterday's remaining birds	ትናንት የቀሩ ዶሮዎች	Prior closing quantity

Poultry and flock types

These labels describe what the birds are raised for and their stage of growth. The Amharic wording was checked against the terms used by the poultry partner.

Meaning	English shown to manager	Approved Amharic	Practical explanation
Poultry kept mainly for meat	Broiler	የሥጋ ዶሮ	A fast-growing bird raised mainly for meat.
Poultry kept mainly for eggs	Layer	የእንቁላል ዶሮ	A hen kept mainly for egg production.
Poultry kept for both meat and eggs	Dual-purpose chicken	ለሥጋና ለእንቁላል የሚውል ዶሮ	A breed used for both egg production and meat.
Poultry kept to produce fertile eggs or chicks	Breeder flock	የመራቢያ ዶሮ መንጋ	Parent birds used to produce hatching eggs or replacement chicks.
Newly hatched young bird	Chick	ጫጩት	A young bird from hatching through the earliest growth stage.
Young female before regular egg laying	Pullet	ቄብ	A young female chicken that has not yet entered regular lay.
Bird in the main growth stage	Grower	እያደገ ያለ ዶሮ	A bird between the chick stage and adult production stage.
Young layer close to first egg	Ready-to-lay pullet	እንቁላል መጣል ልትጀምር የደረሰች ቄብ	A pullet approaching the start of egg production.
Adult female chicken	Hen	ሴት ዶሮ	An adult female chicken, usually of laying or breeding age.
Adult male chicken	Rooster	ወንድ ዶሮ	An adult male chicken used for breeding or flock management.
Young male chicken	Cockerel	ወጣት ወንድ ዶሮ	A male chicken that has not yet reached full maturity.
Layer at the end of its planned laying cycle	End-of-lay hen	የእንቁላል ምርት ዘመኗን ያጠናቀቀች ዶሮ	A hen whose planned commercial laying period is complete.
Birds managed together from placement onward	Batch	በአንድ ጊዜ የገባ የዶሮ ቡድን	Birds placed and managed together as one production group.

Feeding and growth

Meaning	English shown to manager	Approved Amharic	Avoid in primary workflow
Feed planned for a session	Planned feed	የታቀደ መኖ	Planned ration allocation
Feed actually given	Feed given	የተሰጠ መኖ	Actual feed posting
Feed left after feeding	Feed left over	የቀረ መኖ	Residual feed
One scheduled feeding	Feeding time	የመመገቢያ ጊዜ	Feed session
Finish all feeding work	Finish today's feeding	የዛሬን አመጋገብ ጨርስ	Close feed day
Feed plan is incomplete	Some planned feeding is not recorded	ከታቀደው አመጋገብ ያልተመዘገበ አለ	Plan completion gap
Bird weight measured	Bird weight	የዶሮ ክብደት	Weight response
Expected weight for age	Weight expected at this age	በዚህ ዕድሜ የሚጠበቅ ክብደት	Age-standard target
Birds close in weight	Birds are similar in weight	ዶሮዎች በክብደት ይቀራረባሉ	Uniformity
Feed used per bird per day	Feed used for each bird today	ዛሬ ለእያንዳንዱ ዶሮ የተጠቀመ መኖ	Feed/bird-day

Eggs, water, health, and medicine

Meaning	English shown to manager	Approved Amharic	Avoid in primary workflow
Saleable eggs	Good eggs	ጥሩ እንቁላሎች	Marketable output
Cracked or broken eggs	Broken eggs	የተሰበሩ እንቁላሎች	Breakage classification
Dirty eggs	Dirty eggs	የቆሽሹ እንቁላሎች	Dirty classification
Egg classes do not total correctly	The egg numbers do not agree	የእንቁላል ቁጥሮች አይዛመዱም	Egg classification mismatch
Water consumed	Water used	የተጠቀመ ውሃ	Water intake metric
No illness or treatment	No health problem today	ዛሬ የጤና ችግር የለም	No health event attestation
No birds died	No bird deaths today	ዛሬ የሞተ ዶሮ የለም	Zero-mortality attestation
Suspected illness	Health problem	የጤና ችግር	Disease event
Medicine given to sick birds	Treatment given	የተሰጠ ሕክምና	Treatment event
Medicine amount	Medicine used	የተጠቀመ መድኃኒት	Inventory-backed dosage
Scheduled vaccine was given	Vaccination completed	ክትባቱ ተሰጥቷል	Schedule completion
Vaccine amount	Vaccine used	የተጠቀመ ክትባት	Vaccine stock issue
Reason birds died	Cause of death	የሞት ምክንያት	Mortality cause allocation
No supplies consumed	No supplies used today	ዛሬ ምንም እቃ አልተጠቀምንም	Zero-usage attestation

Stock, sales, and corrections

Meaning	English shown to manager	Approved Amharic	Avoid in primary workflow
Stored item quantity	Stock	ክምችት	Inventory position
Storage location	Warehouse	መጋዘን	Stock node
New stock delivered	Stock received	የገባ ክምችት	Receipt movement
Stock consumed	Stock used	የተጠቀመ ክምችት	Canonical stock issue
Counted stock differs	Count does not match	ቆጠራው አይዛመድም	Physical variance
Egg movement check	Eggs produced, sold, and remaining	የተመረተ፣ የተሸጠና የቀረ እንቁላል	Egg custody
Protected correction request	Ask the CEO to approve this change	ይህን ለውጥ ዋና ሥራ አስፈጻሚው እንዲያጸድቅ ይጠይቁ	Governed correction
Automated evidence check	Check the records again	መዝገቦቹን እንደገና ያረጋግጡ	Deterministic recheck
Work assigned by the CEO	Assigned work	የተመደበ ሥራ	Action event
Manager starts assigned work	Start work	ሥራውን ጀምረ	Acknowledge action
Manager reports the fix	Send completion to the CEO	መጠናቀቁን ለዋና ሥራ አስፈጻሚው ላክ	Completion submitted
Cost only, no stock change	Record an expense	ወጪ መዝግብ	Financial posting

Stock item types

Use these types when registering a warehouse item. A stock type tells the system where an item may be used; it does not describe the quantity or cost.

Meaning	English shown to manager	Approved Amharic	Typical examples and use
Feed given to birds	Feed	መኖ	Starter, grower, finisher, layer mash, concentrates. Recorded through Feed Control.
Medicine used to treat illness	Medicine	መድኃኒት	Antibiotics or other approved treatments. Issued from a Health Log treatment.
Product used to prevent a scheduled disease	Vaccine	ክትባት	Newcastle, Gumboro, fowl pox, and other approved vaccines. Issued when vaccination is completed.
Nutritional support that is not the main feed	Vitamin or supplement	ሻይታሚን ወይም ተጨማሪ ምግብ	Vitamins, minerals, electrolytes, probiotics, and supplements.
Material used to reduce disease entry or spread	Biosecurity supply	የባዮሴኪዩሪቲ እቃ	Disinfectant, footbath chemical, protective clothing, gloves, and masks.
Material used for routine cleaning	Cleaning supply	የጽዳት እቃ	Soap, detergent, brushes, and cleaning chemicals.
Material placed on the poultry-house floor	Litter or bedding	የዶሮ ቤት ንጣፍ	Wood shavings, straw, or another approved bedding material.
Item used to hold, protect, or transport eggs or products	Packaging	ማሸጊያ እቃ	Egg trays, cartons, bags, labels, and wrapping material.
Reusable farm tool or replaceable machine component	Equipment or spare part	መሣሪያ ወይም መለዋወጫ	Drinkers, feeders, bulbs, belts, motors, and repair parts.
Routine item that does not fit another controlled category	General supply	አጠቃላይ የሥራ እቃ	Stationery and other approved consumable farm supplies.

Stock quantity and reorder language

Meaning	English shown to manager	Approved Amharic	Avoid in primary workflow
Amount currently available	Available stock	አሁን ያለ ክምችት	On-hand balance
Unit used to count the item	Unit	መለኪያ	Unit of measure
Cost for one unit	Cost per unit	የአንድ መለኪያ ዋጋ	Unit cost
Lowest safe amount before purchasing more	Reorder level	እንደገና ለመግዛት የሚያስጠነቅቅ መጠን	Reorder threshold
Stock has reached or fallen below its reorder level	Stock is running low	ክምችቱ እያለቀ ነው	Low-stock exception
No usable quantity remains	Out of stock	ክምችት አልቋል	Zero on-hand balance
New item added to the organization's item list	Register a new item	አዲስ እቃ መዝግብ	Catalogue creation
More of an existing item arrives	Receive more stock	ተጨማሪ ክምችት ተቀበል	Receipt posting
Physical shelf quantity recorded by a manager	Count the stock	ክምችቱን ቁጠር	Physical-count session

Status and recovery language

Meaning	English shown to manager	Approved Amharic	Avoid in primary workflow
Nothing entered	Not started	አልተጀመረም	Empty state
Saved only on device	Draft on tablet	በታብሌቱ ላይ ተቀምጧል	Local persistence
Awaiting connection/server	Waiting to sync	ለመላክ በመጠበቅ ላይ	Pending mutation
Server accepted evidence	Complete	ተጠናቋል	Authoritatively satisfied
Manager must act	Needs attention	እርምጃ ያስፈልጋል	Exception state
Values changed elsewhere	This record changed. Review the latest values.	ይህ መዝገብ ተቀይሯል። አዲሱን መረጃ ይመልከቱ።	Stale revision conflict
Insufficient warehouse amount	There is not enough stock.	በቂ ክምችት የለም።	Negative-balance violation
Work date is too old	This date is outside the allowed entry period.	ይህ ቀን ከተፈቀደው የመመዝገቢያ ጊዜ ውጭ ነው።	Operating window expired
Required earlier work is unsent	Send the earlier work first.	ቀድሞ የተሠራውን መጀመሪያ ይላኩ።	Dependency incomplete
Item type is not allowed here	Choose the correct type of stock item.	ትክክለኛውን የክምችት እቃ ይምረጡ።	Category restriction
Work cannot be found	This work is no longer available. Refresh Today.	ይህ ሥራ ከእንግዲህ የለም። የዛሬን ሥራ እንደገና ያድሱ።	Source not found

Performance language

Technical meaning	English shown to manager	Approved Amharic
Hen-day egg production (HDEP)	Egg production compared with the flock's age	የእንቁላል ምርት ከመንጋው ዕድሜ ጋር ሲነጻጸር
Feed conversion ratio (FCR)	Feed used for each kilogram of weight gained	ለእያንዳንዱ ኪሎ ግራም ክብደት ጭማሪ የተጠቀመ መኖ
Feed variance	Feed used compared with the plan	የተጠቀመው መኖ ከዕቅዱ ጋር ሲነጻጸር
Mortality rate	Birds that died compared with the flock	የሞቱ ዳሮዎች ከመንጋው ጋር ሲነጻጸር

Partner review checklist

Confirm that each Amharic phrase is natural in spoken farm use, not merely a literal translation.

Confirm the preferred words for flock, house, feed, stock, treatment, vaccination, cull, transfer, and mortality.

Review every manager-facing Today term with a poultry practitioner.

Replace requested wording with the partner's preferred farm term.

Confirm the glossary is suitable for implementation.

Record the review date, outcome, and approved glossary version.

Partner approval record

The product owner relayed the poultry partner's confirmation. The partner approved the glossary with one required wording change: **Pullet** - ቋብ. That change is included below, so the terminology review is complete.

Field	Review value
Glossary version reviewed	2026-09-22-draft-2
Reviewer	Product owner's poultry partner
Reviewer role	Poultry practitioner and farm partner
Confirmation recorded by	Product owner
Review date	2026-09-23
Review outcome	Approved after requested terminology change
Required wording change	Pullet - ቁጥ
Approved glossary version	2026-09-23-approved-1

Suggested wording changes

Use one row for each phrase that should change. Add another page if more space is needed.

Term or glossary row	Suggested English	Suggested Amharic	Why this is clearer on a farm
Pullet	Pullet	ቁጥ	Preferred term supplied by the poultry partner.
2.			
3.			
4.			

Final sign-off

Field	Review value
Confirmation	Poultry partner approval relayed by the product owner
Date confirmed	2026-09-23
Approved glossary version	2026-09-23-approved-1