

Deployment of Webpack app

Vercel doesn't care about your development server—it only needs to know how to build your app and where the output files are.

1. Make the mode configurable (recommended)

Instead of hardcoding `"development"`:

```
module.exports = (env, argv) => ({
  mode: argv.mode || "development",

  entry: "./src/index.jsx",

  output: {
    path: path.resolve(__dirname, "dist"),
    filename: "bundle.js",
    clean: true,
  },

  // ...
});
```

or simply remove the `mode` property and specify it in your npm scripts.

2. Set `publicPath`

Add `publicPath` to your output:

```
output: {
  path: path.resolve(__dirname, "dist"),
  filename: "bundle.js",
  publicPath: "/",
  clean: true,
},
```

This ensures assets are resolved correctly.

3. Keep `devServer` as-is

`devServer` is **ignored** by Vercel. It's only used locally.

```
devServer: {  
  static: "./dist",  
  port: 3000,  
  open: true,  
  hot: true,  
},
```

No changes are required.

4. Update your `package.json`

```
{  
  "scripts": {  
    "start": "webpack serve --mode development",  
    "build": "webpack --mode production"  
  }  
}
```

5. (If using React Router)

If your app is a Single Page Application with routes like:

```
/  
about  
dashboard  
profile
```

create a `vercel.json` in the project root:

```
{
  "rewrites": [
    {
      "source": "/(.*)",
      "destination": "/index.html"
    }
  ]
}
```

If you don't use client-side routing, you don't need this file.

Final webpack config

```
const path = require("path");
const HtmlWebpackPlugin = require("html-webpack-plugin");

module.exports = (env, argv) => ({
  mode: argv.mode || "development",

  entry: "./src/index.jsx",

  output: {
    path: path.resolve(__dirname, "dist"),
    filename: "bundle.js",
    publicPath: "/",
    clean: true,
  },

  resolve: {
    extensions: [".js", ".jsx"],
  },

  module: {
    rules: [
```

```

    {
      test: /\. (js|jsx)$/ ,
      exclude: /node_modules/ ,
      use: "babel-loader" ,
    } ,
    {
      test: /\.css$/ ,
      use: ["style-loader" , "css-loader"] ,
    } ,
  ] ,
},

plugins: [
  new HtmlWebpackPlugin({
    template: "./public/index.html" ,
  }) ,
],

devServer: {
  static: "./dist" ,
  port: 3000 ,
  open: true ,
  hot: true ,
},
});

```

Vercel project settings

When importing your GitHub repository into Vercel, use:

- **Framework Preset:** Other
- **Build Command:** `npm run build`
- **Output Directory:** `dist`
- **Install Command:** `npm install` (or leave as default)

For a standard Webpack + React app like yours, that's all you need.