COLLEGE OF COMPUTING AND INFORMATICS
PUTRAJAYA CAMPUS

SEMESTER 2 2025/2026

SOFTWARE CONSTRUCTION & METHODS (CSEB5223)

LAB 3 AND LAB 4 ASSIGNMENT

SEMESTER 2 2025/2026

PROGRAMME : BACHELOR OF SOFTWARE ENGINEERING (HONS.)
GROUP ASSIGNMENT : GROUP 6
PROJECT TITLE : STUDENT LEARNING MANAGEMENT SYSTEM (SLMS)
LECTURER NAME : TS. DR. LOO YIM LING
GROUP MEMBERS :

No.	Full Name	Student ID
1	ARIFAH NUR IMAN BINTI MOHD FADZILAH	BSW01085214
2	REYHANA MARSYA BINTI AHMAD SAIFULLIZAN	BSW01085069
3	DESHINI A/P SELVAKUMAR	SW01083593
4	PATVIR SINGH KHOSA	BSW01085393

GITHUB REPOSITORY URL: https://github.com/Gwigle/SLMS-CSEB5223-Group6.git

Table of Contents

1.0 Introduction 4

2.0 Use Case Design 6

2.1 Use Case 6

2.2 Use Case Diagram 7

3.0 Class Design 8

3.1 Class Relationships 10

3.2 UML Class Diagram 11

4.0 Documentation Formatting 12

5.0 Coding File Formatting 12

6.0 Naming Conventions – Dictionary 13

6.1 Naming Conventions 13

6.2 Naming Dictionary 14

7.0 Function and Methods Modularity 16

7.1 Principles of Modularity Applied in SLMS 16

7.2 Method-Level Modularity 16

7.3 Reusability of Methods 17

7.4 Low Coupling and High Cohesion 18

7.5 Summary of Modularity Benefits in SLMS 18

8.0 Continuous Integration Rules 19

9.0 Course Profile 21

9.1 Class Design 21

9.2 Course Input Implementation 24

9.3 Search Function Development 30

9.4 Edit Function Development 32

9.5 Delete Function Development 36

9.6 Data Display Function Development 41

10.0 Student Profile 43

10.1 Class Design 43

10.2 Course Input Implementation 45

10.3 Search Function Development 48

10.4 Edit Function Development 50

10.5 Delete Function Development 52
10.6 Data Display Function Development 54
11.0 References 56

1.0 Introduction

The Student Learning Management System (SLMS) is a console-based Java application designed to allow administrators to efficiently manage students, courses and their relationships in a centralized system. The system implements a menu-driven interface, enabling easy input, search, editing, deletion and display of student and course profiles.

In Lab 2, the focus was on drafting the system plan, including use case design, class design, documentation, coding standards, naming conventions, modular functions and continuous integration practices. This established a strong foundation for structured software construction.

In Lab 3, we implemented course input, search and display functionalities in Course Profile. Admin can add courses with attributes such as course code, name, credit hours, summary, MS Teams link and type (core or elective). Input validation ensures data integrity, while the displayCourse() method provides a clear, formatted console output.

In Lab 4, the system was extended to support editing, deletion and viewing of all course profiles, with robust error handling for invalid inputs and prevention of duplicate entries. The system now maintains an array-based storage of courses, with a relationship matrix to track course assignments.

In Lab 5, the Student Profile module was introduced. A Student class was created with attributes such as name, student ID, email and phone number, along with getter and setter methods. The system allows input of student data, stores multiple records in an array and prevents out-of-bound errors. A linear search function was implemented to find students by ID, and editing functionality allows modification of student details (except student ID) with proper validation and display.

In Lab 6, the Student Profile module was completed with delete and view functionalities. Admin can delete student records with confirmation, and the system updates and displays all records after deletion. A “View All” feature was added to display all student profiles in a clear format. Finally, both Course and Student modules were fully integrated into a single system, ensuring smooth functionality, consistent data handling and improved user interaction.

Overall, the SLMS leverages Object-Oriented Programming (OOP) principles through encapsulation, modular design and reusable methods. The array-based storage, combined with input validation and error handling, ensures system robustness, while GitHub version control supports collaborative development and continuous integration.

2.0 Use Case Design

The Use Case Design describes how users interact with the Student Learning Management System (SLMS). It identifies the system of actor and the different actions that can be performed within the system. In SLMS, the main actor is the admin, who is responsible for managing courses and student information.

The use case diagram in Figure 1 illustrates the functionalities available in the system such as adding, searching, editing and deleting courses and students, as well as assigning students to courses. These interactions help to define the system requirements clearly and provide a visual understanding of how the system operates.

2.1 Use Case

Actor	**Use Case**	**Description**
Admin	Add course	Admin inputs course information and adds it to the system.
Admin	Search course	Admin searches for a course by course code.
Admin	Edit course	Admin edits any course attributes except course code.
Admin	Delete course	Admin deletes a course after confirmation; removes relationships.
Admin	View all courses	Admin views all courses with complete details.
Admin	Add student	Admin inputs student information and adds it to the system.
Admin	Search student	Admin searches for a student by student ID.
Admin	Edit student	Admin edits student attributes except student ID.
Admin	Delete student	Admin deletes a student after confirmation; removes relationships.
Admin	Assign Student to Course	Admin assigns a student to a course.
Admin	List Courses of Student	Admin views all courses a student is enrolled in.
Admin	List Students of Course	Admin views all students enrolled in a course.

2.2 Use Case Diagram



Figure 1

3.0 Class Design

The Class Design section provides a detailed blueprint of the system's structure by defining the classes, their attributes, methods, and the relationships between them. In the Student Learning Management System (SLMS), the class design follows object-oriented programming principles to ensure modularity, reusability and maintainability.

Class	**Attribute**	**Method**
Course	courseCode: String courseName: String creditHour: int summary: String teamsLink: String courseType: String	getCourseCode( ) getCourseName( ) setCourseName( ) getCreditHour( ) setCreditHour( ) getSummary( ) setSummary( ) getTeamsLink( ) setTeamsLink( ) getCourseType( ) setCourseType( ) displayCourse( )
Student	studentID: String studentName: String email: String phone: String	getStudentID( ) getStudentName( ) setStudentName( ) getEmail( ) setEmail( ) getPhone( ) setPhone( ) displayStudent( )
SLMSManager	courses: Course[ ] students: Student[ ] relationship: boolean[ ][ ]	addCourse( ) searchCourse( ) editCourse( )

	courseCount: int studentCount: int	deleteCourse( ) viewAllCourses( ) addStudent( ) searchStudent( ) editStudent( ) deleteStudent( ) viewAllStudents( ) assignStudentToCourse( ) listCoursesOfStudent( ) listStudentsOfCourse( )
Main	None	main(String[ ] args)

3.1 Class Relationships

Association Relationships

- As shown in Figure 2, association represents a structural relationship between different classes, showing how instances of one class know about instances of another. In our SLMS, these are primarily "has-a" or "manages" relationships, managed by the SLMSManager class.

Class A	Relationship	Class B	Multiplicity	Description
SLMS Manager	manages	Course	1:0..*	One SLMSManager can manage zero or many Course objects, stored in the courses array.
SLMSManager	manages	Student	1:0..*	One SLMSManager can manage zero or many Student objects, stored in the students array.
SLMSManager	assigns	Student	1:0..*	The SLMSManager assigns a Student to a Course, as recorded in the relationship matrix.
Student	Enrolled in	Course	1:0..*	A Student can be enrolled in zero or many Course objects, tracked via the manager's relationship matrix.
Course	Has enrolled	Student	1:0..*	A Course can have zero or many enrolled Student objects, tracked via the manager's relationship matrix.

3.2 UML Class Diagram



Figure 2

4.0 Documentation Formatting

- Font: Times New Roman, 12
- Headings: Bold, Times New Roman, 12
- Paragraph: Justified
- Line spacing: 1.5

5.0 Coding File Formatting

To maintain consistency and readability, the following coding file formatting standards are applied in the SLMS project:

- Programming Language: Java
- File Naming: Each class is stored in a separate .java file.
- Indentation: 4 spaces indentation is used for code blocks.
- Brackets Style: Opening braces { are placed on the same line as the class or method declaration.
- Comments: Single-line comments use //, multi-line comments use /* */
- File Header: Every file must begin with a comment block containing the file name, our names and a brief description of the class.
- Line Length: Limit code lines to 120 characters to avoid horizontal scrolling.
- Imports: Group imports by package and avoid using wildcards (e.g., use import java.util.Scanner; instead of java.util.*;).
- White Space: Use a single blank line between methods and after variable declarations to improve scannability.

6.0 Naming Conventions – Dictionary

Naming conventions are a pre-defined set of rules and/or guidelines used to give elements, variables, class, and other types of code readable and consistent names/identifiers to ensure readability, consistency and maintainability.

6.1 Naming Conventions

Naming conventions help developers to write readable and consistent code by applying the set of rules and/or guidelines to denote identifiers.

Element	**Convention**	**Example**
Class	PascalCase	Course, Student, SLMSManager, Main
Method	camelCase	addCourse(), searchCourse(), editCourse(), deleteCourse(), viewAllCourses()
Variable	camelCase	courseCode, courseName, creditHour, summary, teamsLink, courseType
Constant	UPPER_CASE	MAX_COURSES
File Name	Same as class name	Course.java
Boolean Variable	Starts with is/has	isEnrolled, hasSubmitted

6.2 Naming Dictionary

A naming dictionary acts as a glossary to define naming conventions and identify what type of code it is.

Name	Type	Description
Course	Class	Stores course information
Student	Class	Represents a student in the system
SLMSManager	Class	Represents a SLMS manager in the system
Main	Class	Represents the whole system
getCourseCode()	Method	Allows user to get course code
getCourseName()	Method	Allows user to get course name
setCourseName()	Method	Allows admin to set course name
getCreditHour()	Method	Allows user to get credit hour(s)
setCreditHour()	Method	Allows admin to set credit hour(s)
getSummary()	Method	Allows user to get summary
setSummary()	Method	Allows admin to set summary
getTeamsLink()	Method	Allows user to get the URL link to Teams
setTeamsLink()	Method	Allows admin to set the URL to Teams
getCourseType()	Method	Allows user to see what type the course is that they are taking
setCourseType()	Method	Allows admin to set what type the course is
displayCourse()	Method	Display course information
getStudentID()	Method	Allows user to get student ID
getStudentName()	Method	Allows user to get the name of students in the system
setStudentName()	Method	Allows admin to set the name of student into the system
getEmail()	Method	Allows user to get email of students in the system
setEmail()	Method	Allows admin to set the email of student into the system
getPhone()	Method	Allows user to get phone numbers in the systems
setPhone()	Method	Allows admin to set phone numbers into the system

displayStudent()	Method	Displays student information
addCourses()	Method	Allows the admin to add a course into the system
searchCourse()	Method	Allows admin to search for a course in the system
editCourse()	Method	Allows admin to edit a course in the system
deleteCourse()	Method	Allows admin to delete a course off the system
viewAllCourse()	Method	Allows admin to view all courses in the system
addStudent()	Method	Allows admin to add a student into the system
searchStudent()	Method	Allows admin to search for a student in the system
editStudent()	Method	Allows admin to edits attributes on a student in the system
deleteStudent()	Method	Allows admin to delete a student off the system
viewAllStudent()	Method	Allows admin to view all students in the system
assignStudentToCourse ()	Method	Allows admin to assign a student into any course
listCoursesOfStudents()	Method	Allows admin to see the list of courses that a student is assigned to.
listStudentsOfCourse()	Method	Allows admin to see the list of students that are assigned to a course

7.0 Function and Methods Modularity

Modularity in software construction and methods refers to dividing a system into separate, independent modules where each module contains everything needed to execute a specific functionality. In the Student Learning Management System (SLMS), we apply modularity principles to ensure our methods are reusable and maintainable.

7.1 Principles of Modularity Applied in SLMS

1. **Single Responsibility Principle (SRP)**

- Each class and method performs only one clear responsibility. Example:
  - getCourseCode() in Course class only handles in getting course codes.
  - getStudentID() in Student class only handles getting Student IDs.
  - addCourse() in SLMSManager class only handles adding courses into the system.

2. **Separation of Concerns**

- Each class handles a specific part of the system:
  - User-related operations – SLMSManager, Student
  - Course management - Course

3. **Encapsulation**

- All attributes are declared as private and accessed using getter and setter methods.

7.2 Method-Level Modularity

- Each method is:
  - short and concise
  - named using CapitalCase
  - programmed to follow one specific instruction
  - can be reusable

7.3 Reusability of Methods

Reusability ensures that methods can be used multiple times throughout the system without rewriting the same code.

- Reduces code duplication in the system.
- Improves code maintainability and readability.
- Allows methods to be reused in multiple functions.

Examples in SLMS

- displayCourse()
  - Used to display course information.
  - Reused in features like *viewAllCourses()* and *searchCourse()*.
- displayStudent()
  - Displays student information.
  - Can be reused when viewing or searching for student records.
- Getter methods such as:
  - getCourseCode()
  - getCourseName()
  - getStudentID()

These methods allow other classes to access object data safely without directly modifying it.

Using reusable methods makes the SLMS system easier to maintain, update and expand in future development.

7.4 Low Coupling and High Cohesion

Low coupling and high cohesion help create a well-structured and maintainable software system.

High Cohesion

- Each class focuses on one specific responsibility.
- The Course class manages course information.
- The Student class manages student information.
- The SLMSManager class manages system operations such as adding, searching, editing and deleting data.

Low Coupling

- Classes do not depend heavily on each other.
- The Course and Student classes only store data and methods related to themselves.
- The SLMSManager class controls interactions between students and courses.

Benefits of applying these principles

- Improves system organization
- Makes debugging easier
- Supports future system expansion

7.5 Summary of Modularity Benefits in SLMS

A. Maintainability - Small, focused methods are easier to update and debug
B. Reusability - Utility methods and service classes prevent code duplication
C. Readability - Method names clearly indicate what each function does
D. Scalability - New features can be added by creating new methods without breaking existing ones
E. Collaboration - Team members can work on different methods simultaneously with minimal conflicts

8.0 Continuous Integration Rules

Continuous Integration (CI) is a software development practice that ensures code changes from all team members are regularly integrated, tested and merged into the main branch. In the SLMS project, CI helps maintain a stable, working codebase, detect issues early and streamline collaboration among students, lecturers and administrators.

Branching and Pull Requests

- The main branch is protected, and no direct commits are allowed.
- Developers work on feature or bugfix branches, named clearly to reflect their purpose.
- All code changes are submitted via Pull Requests (PRs), reviewed by at least one team member.
- The team leader approves and merges PRs, ensuring quality control.

Commit Message Standards

- Commit messages follow the format: [Module] Short Description
- Guidelines: present tense, concise, descriptive and avoid vague messages.
- Examples:
  - [Course] Add search function
  - [Student] Add profile editing function

Testing and Code Validation

- Code must compile and pass all local tests before submission.
- Unit tests ensure new features do not break existing modules.
- Automated Pull Request checks verify runtime stability and functionality.

Repository Structure

- Organized folders support modularity, maintainability and collaboration.
- Our documentation is kept up to date with each code addition.

```
SLMS
├── tests
│       └── README.md
├── docs
│       ├── SLMS-CSEB5223-Group6.docx
│       ├── SLMS-CSEB5223-Group6-(Version2).pdf
│       ├── SLMS-CSEB5223-Group6-(Version3).pdf
│       └──README.md
├── src
│       ├── Course.java
│       ├── Student.java
│       ├── SLMSManager.java
│       ├── Main.java
│       └── README.md
└──README.md
```

Collaboration Practices

- Team members must pull before pushing to prevent conflicts.
- Clear communication is required for changes via GitHub issues or project boards.
- Code reviews help share knowledge and enforce best practices.

9.0 Course Profile

The Course Profile module of SLMS is responsible for managing course data, including input, search, edit, delete and display functionalities.

9.1 Class Design

The Course class encapsulates all relevant attributes for a course and provides getter, setter and display methods as shown in Figure 3 and Figure 4. It also contains a comment block of the file name which is Course.java, our names and a brief description of the Course class.

```java
/*
File:
Course.java

Author:
1. ARIFAH NUR IMAN BINTI MOHD FADZILAH
2. REYHANA MARSYA BINTI AHMAD SAIFULLIZAN
3. DESHINI A/P SELVAKUMAR
4. PATVIR SINGH KHOSA

Description:
Represents a course in the SLMS system with attributes, getters, setters, and display functionality.
*/

public class Course {

    // Variables to store course details
    private String courseCode; // Unique course code
    private String courseName; // Name of the course
    private int creditHour;    // Number of credit hours
    private String summary;    // Short description
    private String teamsLink;  // Link to Microsoft Teams
    private String courseType; // Type: core or elective

    // Constructor to create a new course
    public Course(String courseCode, String courseName, int creditHour,
                  String summary, String teamsLink, String courseType) {
        this.courseCode = courseCode;
        this.courseName = courseName;
        this.creditHour = creditHour;
        this.summary = summary;
        this.teamsLink = teamsLink;
        this.courseType = courseType;
    }

    // ------------------------- GETTERS -------------------------
    public String getCourseCode() { return courseCode; }
    public String getCourseName() { return courseName; }
    public int getCreditHour() { return creditHour; }
    public String getSummary() { return summary; }
    public String getTeamsLink() { return teamsLink; }
    public String getCourseType() { return courseType; }
```

Figure 3

```java

    // ------------------------- SETTERS -------------------------
    public void setCourseName(String courseName) { this.courseName = courseName; }
    public void setCreditHour(int creditHour) { this.creditHour = creditHour; }
    public void setSummary(String summary) { this.summary = summary; }
    public void setTeamsLink(String teamsLink) { this.teamsLink = teamsLink; }
    public void setCourseType(String courseType) { this.courseType = courseType; }

    // Display course information in a readable format
    public void displayCourse() {
        System.out.println("==================================");
        System.out.printf("Course Code : %s%n", courseCode);
        System.out.printf("Course Name : %s%n", courseName);
        System.out.printf("Credit Hour : %d%n", creditHour);
        System.out.printf("Summary     : %s%n", summary);
        System.out.printf("Teams Link  : %s%n", teamsLink);
        System.out.printf("Type        : %s%n", courseType);
        System.out.println("==================================");
    }
}
```

Figure 4

Attributes

These private variables store the specific data for each course. The access modifier “private” is a practice called encapsulation, which protects the data from being changed directly from outside the class.

Attribute	Type	Description	Example Input
courseCode	String	Unique identifier of the course.	“CSEB5223”
courseName	String	Full name of the course.	“Software Construstion & Method”
creditHour	int	Number of credit hours.	3
summary	String	Brief description of the course.	“Practice coding and build SLMS project.”
teamsLink	String	Microsoft Teams link for course resources.	"https://teams.microsoft.com/l/course/CSEB5223"
courseType	String	Type of course: core or elective.	“core”

Getter and Setter Methods

Since the variables are private, other classes cannot use them. Hence, getter methods allow other parts of the program to access course details like name, credit hours, summary, Teams link and type. Setter methods update these details after creation, except for courseCode, which is immutable.

Course Display

The displayCourse() method neatly prints all course information using System.out.println() and System.out.printf(), with formatting symbols (%s for String, %d for int) and separators for clarity.

Course Array Initialization

As shown in Figure 5, the courses array is declared in the SLMSManager class to store all course records in the system. The array is initialized with a fixed size of 100, meaning the system can store up to 100 courses only.

```
    // Arrays to store courses (maximum 100 each)
    private Course[] courses = new Course[100];

    // Track the current number of courses
    private int courseCount = 0;
```

Figure 5

Sample Data Initialization

Sample data in Figure 6 is initialized inside the constructor of SLMSManager class. This allows the system to already contain course records when it starts

```
    // Sample data
    public SLMSManager() {
        courses[0] = new Course("CSEB5223", "Software Construction & Methods", 3,
                "Practice coding and build SLMS project.", "https://teams.microsoft.com/l/course/CSEB5223", "core");
        courses[1] = new Course("CSEB4113", "Software Quality", 3,
                "Learn software quality and testing.", "https://teams.microsoft.com/l/course/CSEB4113", "core");
        courses[2] = new Course("CCSB5113", "Software Security", 3,
                "Fundamentals of software security.", "https://teams.microsoft.com/l/course/CCSB5113", "elective");
        courseCount = 3;
```

Figure 6

9.2 Course Input Implementation

The Course Input Implementation allows the admin to add new course information into the Student Learning Management System (SLMS) through console input.

Based on the lab requirements, the system must allow the admin to enter course details and store them in the system. In our implementation, the submit functionality is handled by the addCourse() method in the SLMSManager class.

When the admin selects the Add Course option from the menu, the system prompts the user to enter the required course information such as:

- Course Code
- Course Name
- Credit Hour
- Course Summary
- Microsoft Teams Link
- Course Type (Core or Elective)

The system then checks whether the course code already exists to prevent duplicate entries. If the course code is unique, a new Course object is created and stored in the courses array. The courseCount variable is then increased to keep track of the number of courses stored in the system. This system stores multiple courses using an array and it also prevent array out-of-bound errors.

This implementation ensures that course information is properly stored and managed while maintaining data integrity in the SLMS.

Scenario 1: Admin adds a course when array is full

If the courses array has reached 100 entries, the system checks courseCount >= courses.length before reading input as shown in Figure 8. It prints Course list full! and stops the add operation as shown in Fig, preventing an ArrayIndexOutOfBoundsException. No changes are made, and the system remains stable as demonstrated in Figure 7.\

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 1
Course list full!
```

Figure 7

```java
    // Add a new course
    public void addCourse() {

        // Stop if course array is full
        if(courseCount >= courses.length) {
            System.out.println("Course list full!");
            return; // Exit method
        }
```

Figure 8

Scenario 2: Admin attempts to add a duplicate course

According to Figure 11, if the admin enters a course code that already exists, findCourseIndex() finds the duplicate and returns its index. The system detects this and prints Course exists! to prevent the addition of a duplicate either the input course code is in lowercase or uppercase. No changes are made to the array or counter, keeping existing data intact. Refer to Figure 9 and Figure 10.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 1
Course Code: CSEB5223
Course exists!
```

Figure 9

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 1
Course Code: cseb5223
Course exists!
```

Figure 10

```java

        System.out.print("Course Code: ");
        String code = sc.nextLine(); // Read course code from user

        // Check if course code already exists
        // findCourseIndex returns -1 if not found
        if(findCourseIndex(code) != -1) {
            System.out.println("Course exists!"); // Prevent duplicate course
            return; // Stop adding
        }
```

Figure 11

Scenario 3: Admin enters non-numeric, decimal number and negative credit hour

If a non-numeric input such as *abc* is entered, Integer.parseInt() throws a NumberFormatException as shown in Figure 13, which is caught to prevent system crashes. The system displays an error message and prompts the user to enter a valid positive integer. For decimal or negative values, the validation loop detects the invalid input and displays: *"Invalid input! Please enter a positive integer for credit hour."* The system continues prompting until a valid value is entered, ensuring only meaningful numeric data is stored based on Figure 12.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 1
Course Code: CSEB5113
Course Name: Java Programming
Credit Hour: abc
Invalid input! Please enter a positive integer for credit hour.
Credit Hour: 3.0
Invalid input! Please enter a positive integer for credit hour.
Credit Hour: 3
Summary: Learn Java programming concepts, object-oriented programming and practical coding skills.
Teams Link: https://teams.microsoft.com/l/course/CSEB4113
Course Type (core/elective): core
Course added successfully!
```

Figure 12

```java
            System.out.print("Course Name: ");
            String name = sc.nextLine(); // Read course name

            int credit = 0; // Variable to store credit hour

            // Loop until valid credit hour is entered
            while(true) {
                try {
                    System.out.print("Credit Hour: ");
                    credit = Integer.parseInt(sc.nextLine()); // Convert input to integer
                    if(credit <= 0) throw new NumberFormatException(); // Must be positive
                    break; // Exit loop if valid
                } catch(NumberFormatException e) {
                    System.out.println("Invalid input! Please enter a positive integer for credit hour.");
                }
            }
```

Figure 13

Scenario 4: Admin enters invalid (e.g., non-numeric, integer) and valid course type

Figure 14 shows when incorrect course type is entered (e.g., abc, 123), the input fails validation. The system prints Invalid course type. Please enter 'core' or 'elective'. and prompts again. Only "core" or "elective" that contains either lowercase and uppercase letters are accepted as highlighted in Figure 15 and Figure 16, ensuring consistent course classification.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 1
Course Code: CSEB5113
Course Name: Java Programming
Credit Hour: 3
Summary: Learn Java programming concepts, object-oriented programming, and practical coding skills.
Teams Link: https://teams.microsoft.com/l/course/CSEB4113
Course Type (core/elective): abc
Invalid course type. Please enter 'core' or 'elective'.
Course Type (core/elective): 123
Invalid course type. Please enter 'core' or 'elective'.
Course Type (core/elective): Core
Course added successfully!
```

Figure 14

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 1
Course Code: CSEB5113
Course Name: Java Programming
Credit Hour: 3
Summary: Learn Java programming concepts, object-oriented programming and practical coding skills.
Teams Link: https://teams.microsoft.com/l/course/CSEB5113
Course Type (core/elective): CORE
Course added successfully!
```

Figure 15

```java

        System.out.print("Summary: ");
        String summary = sc.nextLine(); // Read course summary

        System.out.print("Teams Link: ");
        String link = sc.nextLine(); // Read Teams link

        String type = "";
        // Loop until valid course type is entered
        while(true) {
            System.out.print("Course Type (core/elective): ");
            type = sc.nextLine().toLowerCase(); // Convert input to lowercase
            if(type.equals("core") || type.equals("elective")) break; // Only accept core or elective
            else System.out.println("Invalid course type. Please enter 'core' or 'elective'.");
        }

        // Create new Course object and add it to the array
        // courseCount++ ensures next course will go to next array position
        courses[courseCount++] = new Course(code, name, credit, summary, link, type);
        System.out.println("Course added successfully!"); // Confirm success
    }
```

Figure 16

9.3 Search Function Development

With the Search Function, the system allows the user to find a specific course by entering the course code. The program uses a linear search method to check each course in the course list until the matching course code is found. If the course exists, the system will display the complete course attributes such as the course code, course name, credit hour, summary, Teams link, and course type.

To implement this function, the system prompts the user to input the course code. The program then searches through the courses stored in the array. If a match is found, the course information will be displayed. If the course cannot be found in the list, the system will display a message saying “Course not found!” to inform the user that the search was unsuccessful.

The search function allows users to find a course by course code.

1. Implement linear search to find a course by course code
2. Input search criteria
3. Display full course attributes if found
4. Display "Course not found" if not found

Scenario 5: Admin searches for a non-existent course

Figure 17 presents the course code is not found, hence according to Figure 19, findCourseIndex() will return -1, and the system prints Course not found! No other action occurs, clearly informing the admin of an unsuccessful search. Otherwise, if the course code is found, the system will display course information in a readable format as shown in Figure 18.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 3
a. Search Course
b. Edit Course
c. Delete Course
A
Enter course code to search: CSEB5143
Course not found!
```

Figure 17

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 3
a. Search Course
b. Edit Course
c. Delete Course
a
Enter course code to search: CSEB5223
==================================
Course Code : CSEB5223
Course Name : Software Construction & Methods
Credit Hour : 3
Summary     : Practice coding and build SLMS project.
Teams Link  : https://teams.microsoft.com/l/course/CSEB5223
Type        : core
==================================
```

Figure 18

```java

    // Find the index of a course in the array
    public int findCourseIndex(String code) {
        for(int i = 0; i < courseCount; i++) {
            if(courses[i].getCourseCode().equalsIgnoreCase(code)) return i; // Found, return index
        }
        return -1; // Not found
    }

    // Search for a course by code
    public void searchCourse() {
        System.out.print("Enter course code to search: ");
        int idx = findCourseIndex(sc.nextLine());
        if(idx != -1) courses[idx].displayCourse(); // Show course info
        else System.out.println("Course not found!");
    }
```

Figure 19

9.4 Edit Function Development

With the Edit Function, the system first performs a search to find the target course that the user wants to edit. The user is required to enter the course code, and the system will search through the course list to locate the matching course. If the course is found, the system will display the complete course attributes. All attributes such as course name, credit hour, summary, Teams link, and course type can be edited except for the course code.

To implement this method, the system prompts the user to enter the course code. Once the course is found, the current course information will be displayed, and the user will be allowed to enter new values to update the course details. After the editing process is completed, the system will display the updated course information to validate the changes. If the course cannot be found, the system will display a message saying “Course not found!”.

Scenario 6: Admin edits course type with invalid input and valid uppercase input

When the admin inputs severe in Figure 20, the system converts the input to lowercase using toLowerCase() and checks it against valid values (core or elective). Since severe is not valid, the system prints Invalid type. Type not updated and keeps the original course type unchanged. When the admin enters ELECTIVE in Figure 21, the system again converts it to lowercase (elective) and accepts it as a valid input as shown in Figure 22. The course type is successfully updated, and the system displays the updated course details. This shows that the system handles both invalid inputs and uppercase/lowercase inputs correctly to ensure consistency.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 3
a. Search Course
b. Edit Course
c. Delete Course
B
Enter course code to edit: CSEB5223
Editing course: CSEB5223
New Name (Software Construction & Methods):
New Credit (3):
New Summary (Practice coding and build SLMS project.):
New Teams Link (https://teams.microsoft.com/l/course/CSEB5223):
New Type (core): severe
Invalid type. Type not updated. Please enter 'core' or 'elective'.
Course updated successfully!
==================================
Course Code : CSEB5223
Course Name : Software Construction & Methods
Credit Hour : 3
Summary     : Practice coding and build SLMS project.
Teams Link  : https://teams.microsoft.com/l/course/CSEB5223
Type        : core
==================================
```

Figure 20

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 3
a. Search Course
b. Edit Course
c. Delete Course
b
Enter course code to edit: cseb5223
Editing course: CSEB5223
New Name (Software Construction & Methods):
New Credit (3):
New Summary (Practice coding and build SLMS project.):
New Teams Link (https://teams.microsoft.com/l/course/CSEB5223):
New Type (core): ELECTIVE
Course updated successfully!
==================================
Course Code : CSEB5223
Course Name : Software Construction & Methods
Credit Hour : 3
Summary     : Practice coding and build SLMS project.
Teams Link  : https://teams.microsoft.com/l/course/CSEB5223
Type        : elective
==================================
```

Figure 21

```java
            System.out.print("New Summary (" + c.getSummary() + "): ");
            String s = sc.nextLine();
            if(!s.isEmpty()) c.setSummary(s); // Update summary

            System.out.print("New Teams Link (" + c.getTeamsLink() + "): ");
            String l = sc.nextLine();
            if(!l.isEmpty()) c.setTeamsLink(l); // Update Teams link

            System.out.print("New Type (" + c.getCourseType() + "): ");
            String t = sc.nextLine();
            if(!t.isEmpty()) {
                t = t.toLowerCase().toLowerCase(); ;
                if(t.equals("core") || t.equals("elective")) c.setCourseType(t);
                else System.out.println("Invalid type. Type not updated. Please enter 'core' or 'elective'.");
            }
```

Figure 22

Scenario 7: Admin edits an existing course and a non-existent course

Admin wants to update course CSEB5223 and changes some fields. System finds the course via equalsIgnoreCase(), displays current attributes, and prompts for new values. Empty inputs are ignored, case-normalized inputs are applied and credit hour/type are validated. Updated course info is displayed, confirming successful edit like Figure 25. Please refer Figure 23 for output result. In Figure 24, admin enters CSEB5143 which doesn't exist, thus the system prints Course not found! to inform user and avoid confusion.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 3
a. Search Course
b. Edit Course
c. Delete Course
b
Enter course code to edit: CSEB5223
Editing course: CSEB5223
New Name (Software Construction & Methods): Software Construction and Methods
New Credit (3): 4
New Summary (Practice coding and build SLMS project.): Practice coding and build SLMS project using Github and Java Programming.
New Teams Link (https://teams.microsoft.com/l/course/CSEB5223): https://teams.microsoft.com/CSEB5223
New Type (core): elective
Course updated successfully!
==================================
Course Code : CSEB5223
Course Name : Software Construction and Methods
Credit Hour : 4
Summary     : Practice coding and build SLMS project using Github and Java Programming.
Teams Link  : https://teams.microsoft.com/CSEB5223
Type        : elective
==================================
```

Figure 23

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 3
a. Search Course
b. Edit Course
c. Delete Course
b
Enter course code to edit: CSEB5143
Course not found!
```

Figure 24

```java
                System.out.println("Course updated successfully!");
                c.displayCourse(); // Show updated info
            } else System.out.println("Course not found!");
        }
```

Figure 25

9.5 Delete Function Development

Users can delete a course safely with confirmation.

With the Delete Function, we needed to first implement the Search Function to find the course. It needed to display the complete course attributes for a successful search before sending a confirmation message to confirm the deletion. However, if the course wasn't able to be found, a message saying "Course not found" would be displayed. Otherwise, the search would display all the courses to validate the deletion of the selected course.

To create this method, we used the searchCourse method to find the selected course that we wanted to delete, by entering the course code. Once found, the system would display the attributes of the selected course, before giving the message to confirm its deletion. If you confirm it, the course is deleted and a message saying "Course deleted successfully!" would be displayed. The system would then display the rest of the courses. If you chose not to confirm it, a message saying "Deletion canceled." will be displayed. If the course is unable to be found, a message saying "Course not found!" will be displayed.

Scenario 8: Admin deletes an existing course

In Figure 26, admin enters course CSEB5223. The system finds it using equalsIgnoreCase() as shown in Figure 30, then displays its details and prompts "Confirm delete? (y/n):". Admin enters capital Y which is accepted by the system due to case-insensitive checking, so the system deletes the course, updates the list, shows "Course deleted successfully!" and display remaining subjects.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 3
a. Search Course
b. Edit Course
c. Delete Course
C
Enter course code to delete: CSEB5223
==================================
Course Code : CSEB5223
Course Name : Software Construction & Methods
Credit Hour : 3
Summary     : Practice coding and build SLMS project.
Teams Link  : https://teams.microsoft.com/l/course/CSEB5223
Type        : core
==================================
Confirm delete? (y/n): Y
Course deleted successfully!
==================================
Course Code : CSEB4113
Course Name : Software Quality
Credit Hour : 3
Summary     : Learn software quality and testing.
Teams Link  : https://teams.microsoft.com/l/course/CSEB4113
Type        : core
==================================
==================================
Course Code : CCSB5113
Course Name : Software Security
Credit Hour : 3
Summary     : Fundamentals of software security.
Teams Link  : https://teams.microsoft.com/l/course/CCSB5113
Type        : elective
==================================
```

Figure 26

Scenario 9: Admin cancels to delete a course

In Figure 27, admin attempts to delete course cseb5223 using small letters which is accepted by the system due to case-insensitive checking . The system finds the course and displays its details, then asks “Confirm delete? (y/n):”. The admin enters n to cancel the operation. The system recognizes the input and stops the deletion process. A message “Deletion canceled.” is displayed and the course remains unchanged in the course list.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 3
a. Search Course
b. Edit Course
c. Delete Course
c
Enter course code to delete: cseb5223
==================================
Course Code : CSEB5223
Course Name : Software Construction & Methods
Credit Hour : 3
Summary     : Practice coding and build SLMS project.
Teams Link  : https://teams.microsoft.com/l/course/CSEB5223
Type        : core
==================================
Confirm delete? (y/n): n
Deletion canceled.
```

Figure 27

Scenario 10: Admin attempts to delete a non-existent course

In Figure 28, admin enters course code CSEB5143 to delete. The system searches through the course list using equalsIgnoreCase() but cannot find the course. Since the course does not exist, the system displays the message “Course not found!” to inform the admin and prevent confusion.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 3
a. Search Course
b. Edit Course
c. Delete Course
c
Enter course code to delete: CSEB5143
Course not found!
```

Figure 28

Scenario 11: Admin enters invalid confirmation input

Based on Figure 29, admin selects a course to delete and the system displays its details before asking "Confirm delete? (y/n):". Instead of entering y or n, the admin inputs another character such as 0 or O. Since the input does not match y or Y, the system treats it as a cancellation condition. The deletion process is stopped and the system prints "Deletion canceled.", ensuring that the course is not accidentally removed.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 3
a. Search Course
b. Edit Course
c. Delete Course
C
Enter course code to delete: CSEB5223
==================================
Course Code : CSEB5223
Course Name : Software Construction & Methods
Credit Hour : 3
Summary     : Practice coding and build SLMS project.
Teams Link  : https://teams.microsoft.com/l/course/CSEB5223
Type        : core
==================================
Confirm delete? (y/n): O
Deletion canceled.
```

Figure 29

```java

    // Delete a course
    public void deleteCourse() {
        System.out.print("Enter course code to delete: ");
        int idx = findCourseIndex(sc.nextLine());
        if(idx != -1) {
            courses[idx].displayCourse(); // Show course info before deletion
            System.out.print("Confirm delete? (y/n): ");
            if(sc.nextLine().equalsIgnoreCase("y")) {
                // Shift array left to remove course
                for(int i = idx; i < courseCount - 1; i++) courses[i] = courses[i + 1];
                courseCount--; // Reduce course count

                // Remove all student assignments for this course
                for(int s = 0; s < studentCount; s++) relationship[s][idx] = false;

                System.out.println("Course deleted successfully!");
                viewAllCourses(); // Show updated list
            } else System.out.println("Deletion canceled.");
        } else System.out.println("Course not found!");
    }

    // View all courses
    public void viewAllCourses() {
        if(courseCount == 0) { System.out.println("No courses."); return; }
        for(int i = 0; i < courseCount; i++) courses[i].displayCourse();
    }
```

Figure 30

9.6 Data Display Function Development

The viewAllCourses() method displays all courses in the system.

With the View All Function, we had to make a method when selected, would display all the entered courses and their attributes in a clear and organized manner. This is an important feature that needs to be executed after the Search, Edit or Delete function has completed their instructions. This is necessary to show the result of any changes that occurred after these functions are executed. It also has the option to display itself without the Search, Edit and Delete Functions.

Scenario 12: Display all courses

In Figure 31, admin selects second option to view all courses. The system checks the course list and, since courses are available, it loops through each one and displays their details using displayCourse().

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 2
==================================
Course Code : CSEB5223
Course Name : Software Construction & Methods
Credit Hour : 3
Summary     : Practice coding and build SLMS project.
Teams Link  : https://teams.microsoft.com/l/course/CSEB5223
Type        : core
==================================
==================================
Course Code : CSEB4113
Course Name : Software Quality
Credit Hour : 3
Summary     : Learn software quality and testing.
Teams Link  : https://teams.microsoft.com/l/course/CSEB4113
Type        : core
==================================
==================================
Course Code : CCSB5113
Course Name : Software Security
Credit Hour : 3
Summary     : Fundamentals of software security.
Teams Link  : https://teams.microsoft.com/l/course/CCSB5113
Type        : elective
==================================
```

Figure 31

Scenario 13: No courses available

Admin selects to view all courses, but the system finds that courseCount == 0 as shown in Figure 33. It then displays the message “No courses.” and returns without showing any course details according to Figure 32.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 2
No courses.
```

Figure 32

```java

    // View all courses
    public void viewAllCourses() {
        if(courseCount == 0) { System.out.println("No courses."); return; }
        for(int i = 0; i < courseCount; i++) courses[i].displayCourse();
    }
```

Figure 33

10.0 Student Profile

The Student Profile module of SLMS is responsible for managing student data, including input, search, edit, delete, and display functionalities.

10.1 Class Design

The Student class encapsulates all relevant attributes for a student and provides getter, setter and display methods as shown in Figure 34. It also contains a comment block of the file name which is Student.java, our names, and a brief description of the Student class.

Student.java

```java
public class Student {

    // Variables to store student details
    private String studentID;   // Unique ID
    private String studentName; // Name of student
    private String email;       // Student email
    private String phone;       // Student phone number

    // Constructor to create new student
    public Student(String studentID, String studentName, String email, String phone) {
        this.studentID = studentID;
        this.studentName = studentName;
        this.email = email;
        this.phone = phone;
    }

    // ------------------------- GETTERS -------------------------
    public String getStudentID() { return studentID; }
    public String getStudentName() { return studentName; }
    public String getEmail() { return email; }
    public String getPhone() { return phone; }

    // ------------------------- SETTERS -------------------------
    public void setStudentName(String studentName) { this.studentName = studentName; }
    public void setEmail(String email) { this.email = email; }
    public void setPhone(String phone) { this.phone = phone; }

    // Display student information in readable format
    public void displayStudent() {
        System.out.println("==================================");
        System.out.printf("Student ID   : %s%n", studentID);
        System.out.printf("Student Name : %s%n", studentName);
        System.out.printf("Email        : %s%n", email);
        System.out.printf("Phone        : %s%n", phone);
        System.out.println("==================================");
```

Figure 34

Attributes

These private variables store specific data for each student. The access modifier "private" is a practice called encapsulation, which protects the data from being changed directly from outside the class.

Attribute	Type	Description	Example Input
studentID	String	Unique identifier of the student	"BSW01085069"
studentName	String	Full name of the student	"Reyhana Marsya"
email	String	Email address of the student	"rey@student.uniten.edu.my"
phone	String	Contact number of the student	"011-2345678"

Getter and Setter Methods

Since all student attributes are declared private, they cannot be accessed directly from other classes. Therefore, getter and setter methods are used to provide controlled access to the data. Getter methods such as getStudentID(), getStudentName(), getEmail(), and getPhone() allow other parts of the system to retrieve student information safely without modifying it. On the other hand, setter methods including setStudentName(), setEmail(), and setPhone() enable the admin to update student details when necessary. However, the studentID is not provided with a setter method, making it immutable after creation. This ensures data integrity and prevents duplication or accidental modification of the unique student identifier.

Student Display

The displayStudent() method presents student information in a clear, structured console format using System.out.println() and System.out.printf(). It displays attributes such as student ID, name, email and phone number with proper labels and separator lines for better readability. The method improves user understanding and is reusable for functions like searching, viewing all students and listing students in a course.

10.2 Course Input Implementation

The Student Input Implementation allows the admin to add new student information into the Student Learning Management System (SLMS) through console input.

Based on the lab requirements, the system must allow the admin to enter student details and store them in the system. In our implementation, the submit functionality is handled by the addStudent() method in the SLMSManager class.

When the admin selects the Add Student option from the menu, the system prompts the user to enter the required student information such as:

- Student ID
- Student Name
- Email
- Phone Number

The system then checks whether the student ID already exists to prevent duplicate entries. If the student ID is already in the system, a message such as "Student exists!" will be displayed and the operation will be cancelled.

If the student ID is unique, a new Student object is created and stored in the students array. The studentCount variable is then increased to keep track of the number of students stored in the system. This implementation ensures that student information is properly stored and managed while maintaining data integrity in the SLMS.

Scenario 1: List of student array is full

If the student array has reached 100 entries, the system checks studentCount >= students.length before adding a new student. It prints “Student list full!” and stops the operation, preventing an ArrayIndexOutOfBoundsException. No changes are made, and the system remains stable.

```
Output - SLMS-CSEB5223-Group6 (run) #3
run:

===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 4
Student ID: BSW01056789
Student Name: sara
Email: sara@gmail.com
Phone: 012345678
Student added successfully!

===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 4
Student list full!
```

Figure 35

Scenario 2: Admin try to duplicate existing student

If the admin enters a student ID that already exists, the method findStudentIndex() returns its index. The system detects this and prints “Student exists!” to prevent duplication. No changes are made to the array or counter, keeping existing data intact.

```
run:

===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 4
Student ID: BSW01085069
Student exists!
```

Figure 36

Scenario 3: Admin is successfully input a student

When valid student details are entered, a new Student object is created and stored in the students array. The studentCount variable is incremented, and the system confirms the operation by displaying "Student added successfully!".

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 4
Student ID: CS24681012
Student Name: Sara
Email: sara@gmail.com
Phone: 0123456789
Student added successfully!
```

Figure 37

10.3 Search Function Development

With the Search Function, the admin can search for a specific student by entering their Student ID. Via linear search, the program checks through all the student list database until it finds the matching Student ID. If the Student ID is found, the program will display all information of the student such as their Student ID, name, email address and telephone number.

To implement this function, the admin must input the Student ID of the student they wish to search for. The program runs instructions to look throught the student list in the array, and find the matching Student ID. If a matching Student ID is found, the system shall display the student's information. However, if there is no matching Student ID to be found, the system must display the message saying, "Student not found!" to inform the admin that the search for the student was unsuccessful.

Simply put, the search function allows the admin to search for students, by entering their IDs and finding a matching Student ID in the student list.

1. Implement linear search to find a matching Student ID.
2. Input/Enter Student ID
3. Display student information if a matching Student ID is found
4. Else, display a message saying, "Student not found!" if there is no matching Student ID on the student list.

Scenario 4: Admin searches for a non-existent student

Figure 38 shows the output when the student is not found, and in Figure 40, findStudenIndex() will return –1, and the system will print out "Student not found!". However, if the student is found in the student list, the system will display all the information of the student as shown in Figure 39.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 6
a. Search Student
b. Edit Student
c. Delete Student
a
Enter student ID to search: BSW01085393
Student not found!
```

Figure 38

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 6
a. Search Student
b. Edit Student
c. Delete Student
a
Enter student ID to search: BSW01085214
==================================
Student ID   : BSW01085214
Student Name : ARIFAH NUR IMAN BINTI MOHD FADZILAH
Email        : BSW01085214@student.uniten.edu.my
Phone        : 010-1234567
==================================
```

Figure 39

```java

    public int findStudentIndex(String id) {
        for(int i=0;i<studentCount;i++)
            if(students[i].getStudentID().equalsIgnoreCase(id)) return i;
        return -1;
    }

    public void searchStudent() {
        System.out.print("Enter student ID to search: ");
        int idx = findStudentIndex(sc.nextLine());
        if(idx != -1) students[idx].displayStudent();
        else System.out.println("Student not found!");
    }

```

Figure 40

10.4 Edit Function Development

With the Edit Function, the admin must first perform a search for the student, so that they can edit the information of that student. The admin must input the Student ID of the student whose information is to be changed, and the system will search for the matching Student ID in the student list on the system array. If the student is found on the student list, their information is displayed such as name, email address and telephone number. Every attribute can be changed, with the exception of the Student ID.

To implement this function, the admin must enter the Student ID, and the program will perform a search to find the student. When the student is found, their current information shall be displayed, and the admin is able to change the values of each attribute, except the Student ID, to update the student's details. Once the information is updated, the system will display the updated student information to show the changes made by the admin. However, if no matching Student ID is found, the system will display the message saying, “Student not found!”.

Scenario 5: Admin edits information on an existing student and non-existent student

The admin needs to change the details of the student whose Student ID is entered into the system. Through the searchStudent() function, the system runs a program to find the student on the student list and displays the information. There, the admin can input any edits to each attribute, except the Student ID. If the input is empty, no changes are made to the attribute. The updated student info is shown to validate any edits done to the student information, as shown in Figure 41. When the admin searches for DBSB3272 (a non-existent Student ID), the output will be as what Figure 42 shows: a message saying, “Student not found!”.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 6
a. Search Student
b. Edit Student
c. Delete Student
b
Enter student ID to edit: BSW01085214
Editing student: BSW01085214
New Name (ARIFAH NUR IMAN BINTI MOHD FADZILAH): GRIGORI RASPUTIN
New Email (BSW01085214@student.uniten.edu.my): russia'sgreatestlovemachine@gmail.com.my
New Phone (010-1234567): 010-6769420
Student updated successfully!
====================================
Student ID   : BSW01085214
Student Name : GRIGORI RASPUTIN
Email        : russia'sgreatestlovemachine@gmail.com.my
Phone        : 010-6769420
====================================
```

Figure 41

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit
Enter choice: 6
a. Search Student
b. Edit Student
c. Delete Student
b
Enter student ID to edit: DBSB3272
Student not found!
```

Figure 42

10.5 Delete Function Development

The Delete Function allows the administrator to safely remove a student from the Student Learning Management System (SLMS) with proper confirmation and automatic cleanup of associated course enrollments.

When the admin selects the Delete Student option from the submenu, the system prompts the admin to enter the Student ID of the student to be deleted. The system then searches for the student in the students array using the findStudentIndex() method. If the student is found, the system displays the complete student information to allow the admin to verify the correct student before deletion. The system then asks for confirmation with a prompt such as "Are you sure you want to delete this student? (y/n):".

Scenario 6: Admin deletes an existing student with confirmation.

Figure 43 shows successful student deletion. The system displays student details, requests confirmation, and upon receiving ‘y’, deletes the student, shifts remaining array elements left, and updates the relationship matrix. It then shows “Student deleted successfully!” and the updated student list.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit

Enter choice: 6
a. Search Student
b. Edit Student
c. Delete Student
c

Enter student ID to delete: BSW01085069

Student ID : BSW01085069
Student Name : REYHANA MARSYA BINTI AHMAD SAIFULLIZAN
Email : BSW01085069@student.uniten.edu.my
Phone : 011-2345678

Are you sure you want to delete this student? (y/n): y
Student deleted successfully!

Updated Student List:

Student ID : BSW01085214
Student Name : ARIFAH NUR IMAN BINTI MOHD FADZILAH
Email : BSW01085214@student.uniten.edu.my
Phone : 010-1234567

Student ID : BSW01085393
Student Name : PATVIR SINGH KHOSA
Email : BSW01085393@student.uniten.edu.my
Phone : 012-3456789
```

Figure 43

Scenario 7: Admin cancels student deletion.

Figure 44 shows the output when the admin chooses to cancel the deletion. After entering the Student ID and viewing the student information, the admin enters 'n' to cancel. The system displays "Deletion canceled!" and returns to the main menu without making any changes to the students array or relationship matrix.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit

Enter choice: 6
a. Search Student
b. Edit Student
c. Delete Student
c

Enter student ID to delete: BSW01085393

Student ID : BSW01085393
Student Name : PATVIR SINGH KHOSA
Email : BSW01085393@student.uniten.edu.my
Phone : 012-3456789

Are you sure you want to delete this student? (y/n): n
Deletion canceled.
```

Figure 44

Scenario 8: Admin attempts to delete a non-existent student.

Figure 45 shows the output when the admin tries to delete a student that does not exist in the system. The findStudentIndex() method returns -1, and the system prints "Student not found!" without performing any deletion operation.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit

Enter choice: 6
a. Search Student
b. Edit Student
c. Delete Student
c

Enter student ID to delete: BSW01234567
Student not found!
```

Figure 45

10.6 Data Display Function Development

The Data Display Function allows the administrator to view all students stored in the Student Learning Management System (SLMS) in a clear and organized manner. This feature provides a comprehensive overview of all student records, enabling the admin to quickly assess the current student population. The display format includes a header with separator lines to improve readability, followed by each student's details including Student ID, Student Name, Email, and Phone Number. Each student's information is separated by a line to clearly distinguish between individual records, making it easy for the admin to scan through the list.

Scenario 9: Admin views all students when multiple students exist in the system.

Figure 46 shows the output when the admin selects the View All Students option and there are existing student records in the system. The system displays each student's information in a structured format with separator lines between records. The student ID, name, email address, and phone number are clearly labeled for each student, allowing the admin to review all enrolled students at once.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit

Enter choice: 5

========================================
Student ID : BSW01085214
Student Name : ARIFAH NUR IMAN BINTI MOHD FADZILAH
Email : BSW01085214@student.uniten.edu.my
Phone : 010-1234567
========================================

========================================
Student ID : BSW01085069
Student Name : REYHANA MARSYA BINTI AHMAD SAIFULLIZAN
Email : BSW01085069@student.uniten.edu.my
Phone : 011-2345678
========================================

========================================
Student ID : BSW01085393
Student Name : PATVIR SINGH KHOSA
Email : BSW01085393@student.uniten.edu.my
Phone : 012-3456789
========================================
```

Figure 46

Scenario 10: Admin views all students when no students exist in the system.

Figure 47 shows the output when the admin selects the View All Students option but the students array is empty (studentCount = 0). The system checks the condition and prints "No students." to inform the admin that there are no student records to display. This prevents an empty or confusing output and provides clear feedback to the user.

```
===== SLMS MENU =====
1. Add Course
2. View All Courses
3. Search/Edit/Delete Course
4. Add Student
5. View All Students
6. Search/Edit/Delete Student
7. Assign Student to Course
8. List Courses of Student
9. List Students of Course
0. Exit

Enter choice: 5

No students.
```

Figure 47

11.0 References

- Moodle Development. (n.d.). MoodleDev: Moodle developer documentation. https://moodledev.io/
- Moodle. (n.d.). Moodle: The open-source learning platform (Source code). GitHub. https://github.com/moodle/moodle
- SourceMaking. (n.d.). SourceMaking: Software design patterns, refactoring, and UML examples. https://sourcemaking.com/
- GitByBit. (n.d.). GitByBit: Git tutorials, tips, and guides. https://gitbybit.com/
- draw.io. (n.d.). *draw.io: Online diagram software.* https://www.drawio.com/