



Electronic Signature — Technical Flow

Signature CTA hits the Process API, which calls each layer (Records / Document / Notification System APIs)



Electronic Signature — Architecture

In-house signing on the existing FSC Wealth stack — no third-party e-sign vendor



Process API fans out to each System-API layer over HTTPS, then writes the signed output + audit record.

Signature Evidence & ESIGN / UETA Mapping

What is captured at signing time and why it makes the signature legally attributable

Evidence	How captured	Stored as	Why it matters
Signer identity	Typed name + account email	nda_signatures + certificate	Attribution of the act to a person
Intent / consent	Explicit 'agree to e-records & e-sign', consent version	consent_version + certificate	Consent to do business electronically (ESIGN 101(c))
Signature ID	Per-signature UUID (crypto.randomUUID)	signature_id + certificate + docs	Unique, correlatable signing event
Timestamp	UTC + signer-local time	certificate (UTC + local)	When the signature was made
IP address	Server-attested via x-forwarded-for	signer_ip + certificate	Origin evidence; never trusted from client
Device	Browser / OS user-agent	signer_user_agent + certificate	Device used to sign
Documents	Names of agreements acknowledged	documents_acknowledged	Scope of what was signed
Integrity	SHA-256 fingerprint of each signed doc	certificate (per document)	Tamper-evidence of the signed output

Standard

Classification: Simple Electronic Signature (SES) with a captured audit certificate — the model used by mainstream e-sign products for routine business agreements. Aligns to the US ESIGN Act (2000) + UETA: a signature is an electronic sound/symbol/process attached to a record and executed with intent to sign, made attributable by the evidence above. The certificate + DB row together form the audit trail.

Components & Scope

Who does what, and what is intentionally deferred

Component responsibilities

FSC Wealth Web App (React SPA)

Renders the NDA, captures explicit e-consent, POSTs the sign request over HTTPS when the CTA is hit.

E-Signature Process API (edge fn)

Orchestrates signing; captures server-attested evidence; fans out to each System-API layer.

Document System API (signFundDocs)

Fills GP/LP signatures + date + signature ID, appends the certificate, hashes (SHA-256), rezips.

Records System API (nda_signatures)

Stores the evidence/audit record; RLS-protected, service-role writes only.

Notification System API (Gmail)

Delivers signed documents + certificate to the signer and the admin/GP.

In scope now vs deferred

In scope (live):

Typed-name SES, explicit consent capture, per-signature UUID, UTC/local timestamps, server-attested IP + device, SHA-256 per document, stamped certificate, RLS audit row, signer + admin notification with the signed documents.

Deferred (for counsel / larger build):

Embedded PKI / PAdES digital signatures, RFC-3161 trusted timestamps, hash-chained signed audit log, step-up OTP at signing, consumer-vs-entity classification & signing authority, per-document proof-of-view events, GP counter-signature workflow, WORM retention.

Note

Built fully in-house on the existing stack (no DocuSign/third-party e-sign). This document is informational, not legal advice.