```
use role developer;
use database DEBADATTA_MOHANTY_DB;
create transient Schema TRAINING_SCHEMA_CORE;
use schema TRAINING_SCHEMA_CORE;
grant create table on schema TRAINING_SCHEMA_CORE to role developer;
grant usage on schema TRAINING_SCHEMA_CORE to role developer;
create table customer as select * from "SNOWFLAKE SAMPLE DATA"."TPCH SF10"."CUSTOMER";
create table LINEITEM as select * from "SNOWFLAKE_SAMPLE_DATA". "TPCH_SF10". "LINEITEM";
create table NATION as select * from "SNOWFLAKE SAMPLE DATA"."TPCH SF10"."NATION";
create table ORDERS as select * from "SNOWFLAKE_SAMPLE_DATA"."TPCH_SF10"."ORDERS";
create table PART as select * from "SNOWFLAKE_SAMPLE_DATA". "TPCH_SF10". "PART";
create table PARTSUPP as select * from "SNOWFLAKE_SAMPLE_DATA"."TPCH_SF10"."PARTSUPP";
create table REGION as select * from "SNOWFLAKE SAMPLE DATA"."TPCH SF10"."REGION";
create table SUPPLIER as select * from "SNOWFLAKE_SAMPLE_DATA"."TPCH_SF10"."SUPPLIER";
```