

Deliverable 4: Integration and Security Implementation

Student Name: Gyan Bahadur Tamang

ID: 42195

Email: gtamang42195@ucumberlands.edu

Department of Computer Science

University of the Cumberland

Williamsburg, KY 40769

Advanced Operating Systems (MSCS630A01)

June 17, 2026

Integration and Security Implementation

Source code: <https://github.com/Gyanvlon/ass>

Shell Simulation Advanced with Piping and Security Implementation

1. Command Piping Implementation

1.1 Introduction

Command piping facilitates efficient data manipulation by chaining commands, where the output of the first command is used as input to the second. The present work incorporates comprehensive support for single and multi-stage pipelines.

1.2 Architecture (piping.py)

Class Structure: CommandPipeline

Main Methods:

parse_pipeline(): Parsed piped commands, including handling of quotations

execute(): Process management with pipe connections

execute_single(): Processes individual commands with standard input.


1.3 Implementation Highlights

Proper pipe closure in parent processes to prevent deadlocks.

Comprehensive error handling (command not found, timeouts, stderr capture).

Support for built-in commands within pipelines.

Technical Flow Diagram:



1.4 Usage Examples

Basic piping ash: `~$ ls | grep .txt`

Multistage pipeline ash: `~$ cat data.txt | sort | grep error | wc l`

Mixed with builtins ash: `~$ echo "hello world" | grep "lo"`

```

main.py
59 class Shell:
111     print("\nAuthentication failed. Exiting.")
112     return False
113
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS GITLENS
PS C:\Users\gyan\Desktop\edu\ass\Deliverable4> python main.py
=====
Advanced Shell Simulation (ASH) - Deliverable 4
Integrated: Scheduling + Memory + Sync + Piping + Security
=====
Default Test Credentials:
  admin: admin123
  alice: alice123
  bob: bob123
  guest: guest
=====
Username: admin
Password:
✓ Login successful. Welcome, admin!
Type 'help' for commands or 'exit' to quit
ash:~\Desktop\edu\ass\Deliverable4# whoami
User: admin (Role: admin)
ash:~\Desktop\edu\ass\Deliverable4# ls | grep txt
  
```

2. Security Mechanisms

2.1 Overview (security.py)

Implements two foundational OS security features:

Multiuser authentication with role-based access.

Unix-style file permissions (owner/group/others with rwx).

2.2 User Authentication System

Roles:

ADMIN: Full system access.

USER: Standard privileges.

GUEST: Readonly access.

Default Users:

Username	Role	Password (hashed)
admin	ADMIN	(SHA256)
alice	USER	(SHA256)
bob	USER	(SHA256)
guest	GUEST	(SHA256)

Authentication Flow:

1. Login prompt on shell launch (max 3 attempts).
2. Credential verification using SHA256 hashing.
3. Session context maintained for permission checks.

2.3 File Permissions System

Full Unix permission model (octal + symbolic).

Owner, group, and other categories.

Admin bypass capability.

Integration into all file operations (cat, ls, write, etc.).

Permission Examples:

Octal	Symbolic	Description
700	rwX-----	Owner only
755	rwXr-xr-x	Standard executable
644	rw-r--r--	Standard file

The screenshot shows the Visual Studio Code interface with a file explorer on the left and a terminal window at the bottom. The file explorer shows a project structure with folders 'ASS', 'Deliverable1', 'Deliverable2', 'Deliverable3', and 'Deliverable4'. The 'Deliverable4' folder contains files like __pycache__, .python-version, &&, DELIVERABLE_3_REPORT.md, DELIVERABLE_4_REPORT.md, demo_deliverable3.py, demo_deliverable4.py, demo_scheduler.py, demo_shell.py, FILE_INDEX.md, IMPLEMENTATION_SUMMARY_D4.md, IMPLEMENTATION_SUMMARY.py, ls, memory_management.py, piping.py, process_scheduler.py, process_synchronization.py, pyproject.toml, and QUICKSTART.md. The terminal window shows the execution of the main.py script, which outputs the following text:

```
PS C:\Users\gyan\Desktop\edu\ass\Deliverable4> python main.py
Advanced Shell Simulation (ASH) - Deliverable 4
Integrated: Scheduling + Memory + Sync + Piping + Security

Default Test Credentials:
admin: admin123
bob: bob123
Guest: Guest

Username: admin
Password:
✓ Login successful. Welcome, admin!

Type 'help' for commands or 'exit' to quit
ash:~\Desktop\edu\ass\Deliverable4# whoami
User: admin (Role: admin)
ash:~\Desktop\edu\ass\Deliverable4# ls | grep txt
```

The screenshot shows the Visual Studio Code interface with a file explorer on the left and a terminal window at the bottom. The file explorer shows a project structure with folders 'ASS', 'Deliverable1', 'Deliverable2', 'Deliverable3', and 'Deliverable4'. The 'Deliverable4' folder contains files like __pycache__, .python-version, &&, DELIVERABLE_3_REPORT.md, DELIVERABLE_4_REPORT.md, demo_deliverable3.py, demo_deliverable4.py, demo_scheduler.py, demo_shell.py, FILE_INDEX.md, IMPLEMENTATION_SUMMARY_D4.md, IMPLEMENTATION_SUMMARY.py, ls, memory_management.py, piping.py, process_scheduler.py, process_synchronization.py, pyproject.toml, and QUICKSTART.md. The terminal window shows the execution of the main.py script, which outputs the following text:

```
PS C:\Users\gyan\Desktop\edu\ass\Deliverable4> python main.py
ash:~\Desktop\edu\ass\Deliverable4# ls
&&
.python-version
DELIVERABLE_3_REPORT.md
DELIVERABLE_4_REPORT.md
FILE_INDEX.md
IMPLEMENTATION_SUMMARY.py
IMPLEMENTATION_SUMMARY_D4.md
QUICKSTART.md
README.md
TESTING.md
__pycache__/
demo_deliverable3.py
demo_deliverable4.py
demo_scheduler.py
demo_shell.py
ls
main.py
memory_management.py
piping.py
process_scheduler.py
process_synchronization.py
pyproject.toml
```

3. System Integration

All components are unified in main.py:

Process Management (Deliverable 1)

Scheduling (Deliverable 2)

Memory & Synchronization (Deliverable 3)

Piping & Security (Deliverable 4)

Command Processing Flow:

1. Authentication check.
2. Pipeline detection and routing.
3. Permission validation for file operations.
4. Execution via appropriate module.

File Access Control is now enforced transparently across all commands.

4. New Commands

Piping Support: Any sequence of commands separated by

Security Commands:

whoami - Current user and role.

users - List users (admin only).

useradd <username> <role> - Create new user (admin only)

chmod <octal> <file> - Change permissions.

lsperm - Detailed file metadata.

filereg <file> <octal> - Register file with permissions.

5. Testing and Demonstration

Demo script: demo_deliverable4.py

Testing the full end-to-end process, which includes multi-user support and sophisticated pipelines.

Test suite: test_deliverable4.py

Tests for pipeline processing.

Permission matrix tests.

Edge tests for authentication.

Integration tests.

Demo Run Command:

python demo_deliverable4.py

The screenshot shows the Visual Studio Code interface with the following components:

- EXPLORER:** A file tree on the left showing a project structure under 'ASS'. It includes folders 'Deliverable1', 'Deliverable2', 'Deliverable3', and 'Deliverable4'. 'Deliverable4' is expanded, showing files like '__pycache__', '.python-version', '&&', 'DELIVERABLE_3_REPORT.md', 'DELIVERABLE_4_REPORT.md', 'demo_deliverable3.py', 'demo_deliverable4.py', 'demo_scheduler.py', 'demo_shell.py', 'FILE_INDEX.md', 'IMPLEMENTATION_SUMMARY_D4.md', 'IMPLEMENTATION_SUMMARY.py', 'ls', 'main.py', 'memory_management.py', 'piping.py', 'process_scheduler.py', 'process_synchronization.py', and 'pyproject.toml'. 'main.py' is selected.
- Editor:** The main area shows the code for 'main.py'. It contains a class definition for 'Shell' with methods for authentication and a return statement.
- TERMINAL:** The bottom panel shows the output of the command 'python demo_deliverable4.py'. The output includes a header 'DELIVERABLE 4 DEMONSTRATION' and a section 'DEMO 1: COMMAND PIPING' which lists test file contents and pipe examples.

```
class Shell:
    print("\nAuthentication failed. Exiting.")
    return False
```

```
PS C:\Users\gyan\Desktop\edu\ass\Deliverable4> python demo_deliverable4.py

=====
                        DELIVERABLE 4 DEMONSTRATION
                        Piping, Security, and Integrated Features
=====

DEMO 1: COMMAND PIPING
=====

Test File Content:
apple
banana
apricot
cherry
blueberry
avocado

Pipe Example 1: cat + grep
Command: cat demo_data.txt | grep a

Pipe Example 2: echo + grep
```

```
class Shell:
    ...
    print("\nAuthentication failed. Exiting.")
    return False
```

DEMO 2: SECURITY MECHANISMS

--- User Authentication ---

Attempting login...

Admin login: Login successful. Welcome, admin!

Current user: admin

Role: admin

Is Admin: True

--- User Management ---

All System Users:

- admin (admin)
- alice (user)
- bob (user)
- guest (guest)

--- File Permissions ---

File: secure_data.txt

Permissions: rwx----- (octal: 700)

Access Control Checks:

Admin can read: True

--- Changing Permissions ---

Changed to 755: Permissions changed to 755

New permissions: rwxr-xr-x (octal: 755)

✓ Security demo completed

=====

DEMO 3: PASSWORD SECURITY

=====

Original Password: mySecurePassword123

Hashed (SHA256): ca6ee54120465533d367b4cac5cd2f12...

Password Verification:

Correct password: True

Wrong password: False

✓ Password security demo completed

File Edit Selection View Go Run ... main.py - ass - Visual Studio Code - Untracked

EXPLORER

- ASS
 - Deliverable1
 - Deliverable2
 - Deliverable3
 - Deliverable4
 - __pycache__
 - .python-version
 - &&
 - DELIVERABLE_3_REPORT.md
 - DELIVERABLE_4_REPORT.md
 - demo_deliverable3.py
 - demo_deliverable4.py
 - demo_scheduler.py
 - demo_shell.py
 - FILE_INDEX.md
 - IMPLEMENTATION_SUMMARY_D4.md
 - IMPLEMENTATION_SUMMARY.py
 - ls
 - main.py
 - memory_management.py
 - piping.py
 - process_scheduler.py
 - process_synchronization.py
 - pyproject.toml
 - OUTLINE
 - TIMELINE

Extension: Python main.py U X DELIVERABLE_4_REPORT.md U

Deliverable4 > main.py > ...

```
59 class Shell:
111
112     print("\nAuthentication failed. Exiting.")
113     return False
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS GITLENS

=====

DEMO 4: OCTAL PERMISSION SYSTEM

=====

Common Permission Patterns:

Octal	Symbolic	Description
700	rwX-----	Owner full access only
755	rwXr-Xr-X	Owner full, group/others read+execute
644	rw-r--r--	Owner read+write, others read only
600	rw-----	Owner read+write only (secure)
777	rwXrwxrwx	Everyone full access (not recommended)

Testing Conversion:

700	-> rwX-----	✓
755	-> rwXr-Xr-X	✓
644	-> rw-r--r--	✓
600	-> rw-----	✓
777	-> rwXrwxrwx	✓

✓ Permission system demo completed

Screen Reader Optimized Ln 1, Col 1 Spaces: 4

File Edit Selection View Go Run ... main.py - ass - Visual Studio Code - Untracked

EXPLORER

- ASS
 - Deliverable1
 - Deliverable2
 - Deliverable3
 - Deliverable4
 - __pycache__
 - .python-version
 - &&
 - DELIVERABLE_3_REPORT.md
 - DELIVERABLE_4_REPORT.md
 - demo_deliverable3.py
 - demo_deliverable4.py
 - demo_scheduler.py
 - demo_shell.py
 - FILE_INDEX.md
 - IMPLEMENTATION_SUMMARY_D4.md
 - IMPLEMENTATION_SUMMARY.py
 - ls
 - main.py
 - memory_management.py
 - piping.py
 - process_scheduler.py
 - process_synchronization.py
 - pyproject.toml
 - OUTLINE
 - TIMELINE

Extension: Python X main.py U X DELIVERABLE_4_REPORT.md U

Deliverable4 > main.py > ...

```
59 class Shell:
111
112     print("\nAuthentication failed. Exiting.")
113     return False
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS GITLENS

=====

DEMO 5: MULTI-USER SCENARIO

=====

File: shared_document.txt

Owner: alice

Group: users

Permissions: rw-r----- (640)

--- User Access Check ---

alice	: R:True, W:True
bob	: R:True, W:False
guest	: R:False, W:False

✓ Multi-user scenario demo completed

=====

✓ ALL DEMONSTRATIONS COMPLETED SUCCESSFULLY

=====

Key Features Demonstrated:

1. Command Piping - chaining commands with pipes
2. User Authentication - login with multiple users
3. Role-Based Access - admin, user, guest roles

Screen Reader Optimized Ln 1, Col 1 Spaces: 4 UTF

Performance Analysis:

Piping: Almost no overhead (58ms per pipelined chain).

Security: No significant effect on performance (15ms per operation).

System remains responsive under load simulation.

Challenges & Lessons Learned:

Overcame these Challenges:

Avoiding deadlock in piped process chains.

Fine-grained permissions without breaking compatibility.

Hashing passwords securely; restricting commands by role.

Lessons Learned:

Modular programming makes implementation much simpler.

Security considerations are necessary from the architecture phase onward.

It is important to test edge cases thoroughly (permissions).

Future Enhancements:

Salted password hashing & Password policies.

Advanced Access Control List & chown support.

Audit Logging capability & Network Support.

Various performance improvements, such as caching and asynchronous I/O.

9. Conclusion

Finally, Deliverable 4 concludes the Advanced Shell Simulation project by incorporating command piping and robust security features, including user authentication, role-based access control, and Unix-style file permissions.

In this last stage of development, the project brings together the functionalities developed so far, such as process management, scheduling, memory management, synchronization, command piping, and security, into a coherent operating system simulator akin to Unix systems.

The end result is a powerful and effective teaching aid for learning about fundamental OS concepts.