

HTML Forms

OBJECTIVES

By the end of the session, students should be able to

- ☐ Define HTML form
- ☐ List all types of input element
- ☐ Create a form

HTML forms

- ❑ HTML Forms are one of the main points of interaction between a user and a web site or application.
- ❑ They allow users to send data to the web site.
- ❑ Most of the time that data is sent to the web server, but the web page can also intercept it to use it on its own.
- ❑ HTML forms contains **<form>** element which defines the HTML form
- ❑ HTML form is a container element like <p>, <div>
- ❑ Syntax for HTML forms

```
<form action="/my-handling-form-page" method="post">
```

```
</form>
```

HTML forms

❑ Syntax for HTML forms

```
<form action="/my-handling-form-page" method="post">  
</form>
```

❑ *action* & *method* attributes here are optional

- ❑ The `action` attribute defines the location (an URL) where the form's collected data should be sent
- ❑ The `method` attribute defines which HTTP method to send the data with (it can be "get" or "post").

❑ When do we use POST and GET HTTP methods?

<input> element

❑ A text field:

```
<input type="text" name="textfield" value="with an initial value">
```

A text field:

❑ A multi-line text field :

```
<textarea name="textarea" >Hello</textarea>
```

A multi-line text field

<input> element

❑ A password field:

```
<input type="password" name="pass" value="secret">
```

A password field:

❑ A submit button:

```
<input type="submit" name="Submit" value="Submit">
```

A submit button:

❑ A reset button:

```
<input type="reset" name="Submit2" value="Reset">
```

A reset button:

<input> element

☐ Checkbox:

<input type="checkbox">reading

<input type="checkbox">Swimming

☐ reading
☒ Swimming

☐ Radio buttons:

<input type="radio" name="radiobutton" value="myValue1">male


<input type="radio" name="radiobutton" value="myValue2"
checked>female

Radio buttons:
☐ male
☒ female

HTML5- input elements

Color element: used to color the input fields.


```
<input type="color" name="color" value="#ff0000">Color
```



Date element

Used in input fields that should contain the date.

Date of Birth: `<input type="date" name="bday">`

A screenshot of a web form showing a label "Date of Birth:" followed by a date input field. The input field contains the placeholder text "mm/dd/yyyy" and has a small calendar icon on the right side. The text "Date of Birth:" is in a serif font, and the input field is a standard browser date picker.

Email element

used for input fields that should contain an e-mail address.

E-mail: `<input type="email" name="email">`

E-mail:

Method attribute

The method attribute specifies the HTTP method(GET or POST) .

```
<form action="register.php" method="get">
```

GET:

- Default method

- Less secure: appends value pairs in URL

- Limited URL length

POST :

- More secure

- No limitation in URL length

Grouping data in form

fieldset element is used to group the data in form.

Legend element is used to caption the fieldset element.

```
<form action="/action_page.php">
  <fieldset>
    <legend>Personal information:</legend>
    First name:<br>
    <input type="text" name="firstname" value="Mickey"><br>
    Last name:<br>
    <input type="text" name="lastname" value="Mouse"><br>
    <input type="submit" value="Submit">
  </fieldset>
</form>
```

HTML form

- ❑ lets try out the HTML code to Display the following form

Name:	<input type="text" value="your name"/> *required to fill
sex:	<input checked="" type="radio"/> male <input type="radio"/> female
Address:	<input type="text" value="type your address here"/>
Geog:	<input type="text" value="Choose your Geog"/>
Password:	<input type="password"/>
your Interest:	<input type="checkbox"/> reading <input type="checkbox"/> Swinming
<input type="button" value="send"/>	

Home work

Explore more on advantages of using POST method over GET method.

References

<https://www.w3schools.com/html/default.asp>

<https://www.tutorialspoint.com/html/index.htm>

Thank you