

CUSTOMER EXPERIENCE, WITH HEKTOR AT THE CENTRE

A better first response.

Answers from your knowledge.
A clear path to your people.

— Web chat, telephone support and staff dictation

● THE PROPOSED EXPERIENCE

“Can you help me with this?”



HEKTOR AGENT

Let's find the right answer.

Grounded in Hektor's approved information.

📖 A useful answer

👤 The right colleague

Illustrative concept / not a live service

THE OPPORTUNITY

Help should be easier to find.

Your answers already exist. A conversation makes them easier to reach.

40 staffed hours per week

128 hours outside the published schedule

Hektor Agent could answer common questions when the team is unavailable.


Forms and email still accept messages.
Opening hours do not measure customer demand.



THE CUSTOMER JOURNEY


Every question needs a next step.

One chat on the contact page. Three ways to help.



WHAT THE CUSTOMER SEES

A clear answer. A clear way to a person.



1 Make the answer checkable.

Show the Hektor page behind the response.

2 Make the next step obvious.

A visible route to a person, with clear information about availability.

→ Help without a dead end.

HOW THE ANSWER IS BUILT

Your knowledge. Behind every answer.

Start with information Hektor approves and keeps current.

01 / APPROVED SOURCES

 FAQ & support guidance

 Services & terms



02 / HEKTOR AGENT

**Find. Explain.
Show the source.**



03 / CUSTOMER RESPONSE

A useful answer.

With a source
and a next step.

 Hektor's own material



Hektor owns the answers. A named owner approves sources and resolves conflicts.

CLEAR RESPONSIBILITIES

The agent explains. Your team decides.

Agree the boundaries before the first customer conversation.



HEKTOR AGENT

Information & guidance

- ✓ Answer approved general questions
- ✓ Explain services and point to sources
- ✓ Prepare support or sales requests

A useful first response.



YOUR TEAM

Judgement & commitments

- ✓ Prices, refunds and payment terms
- ✓ Account changes and cancellations
- ✓ Uncertain or sensitive cases

A person makes the decision.

WHAT YOUR TEAM RECEIVES

A handover with the context attached.

The next colleague should not have to start the conversation again.



A customer needs a person.

The customer asks, or the agent reaches a boundary.



A useful case is prepared.

The question, what was tried and the relevant conversation.



The right team follows up.

Through the agreed support or sales channel.

 SUPPORT HANDOVER

Example

Help with WiFi calling

Reason	Customer asked for a person
Already covered	General explanation and FAQ link
Attached	Relevant conversation and summary

→ Next step

Support follows up through the agreed channel.

A DELIBERATE STARTING POINT

General answers first. Personal support later.

Prove the experience before connecting customer records.

● INITIAL PILOT

Public knowledge.

Approved FAQs, services and support guidance.

📖 Useful without customer-record access.



Separate
decision



POSSIBLE NEXT PHASE

Personal support.

Relevant customer information, after an approved identity check.

Verify identity

Limit access

Agree retention

✓ Even a general chat can receive personal information. Agree its handling before launch.

PROPOSED EXTENSION

One Hektor Agent. More ways to get help.

Shared knowledge and rules. Three distinct interaction workflows.

01 / WEBSITE CHAT

Type a question.

Public answers and an agreed route to a colleague. The original pilot experience.

02 / CUSTOMER PHONE

Talk in Swedish.

A managed speech interface carries the conversation to Hektor. Human help stays available.

03 / STAFF DICTATION

Speak a case note.


Transcribe, draft and review. An authorized case operation follows staff approval.

HEKTOR AGENT owns support reasoning, policy and authorized actions in the proposed design.

PROPOSED EXTENSION

Add a voice, not another support brain.

The preferred first proof of concept keeps Hektor authoritative.



Twilio speech: Swedish Google transcription + ElevenLabs voice. Adapter: transcript in, speech text out.

PROPOSED EXTENSION

A Swedish call, from question to next step.

ILLUSTRATIVE PILOT CONVERSATION

Hektor Hej! Du pratar med Hektors AI-assistent. Jag kan hjälpa dig med vanliga frågor eller hjälpa dig att nå supporten.

Customer Hur fungerar wifi-samtal?

Hektor Du ringer via wifi i stället för mobilnätet. Din telefon behöver stödja tjänsten.


Customer Kan du kontrollera mitt abonnemang?

Hektor Jag kan inte se dina abonnemangsuppgifter här. Jag hjälper dig vidare till supporten.

Proposed next step: connect to support and deliver the context separately.

PROPOSED EXTENSION

The next colleague receives the context.



ILLUSTRATIVE / CASE DEMO-001

WiFi calling → account help


Request	Check subscription	Verification	Not verified	Covered	Public WiFi explanation
Tool	No account action	Escalation	Account access boundary	Next owner	Support queue / agreed follow-up
outcomes					

Transfer and case delivery are separate. Open → queue; busy, closed or no answer → approved follow-up.

PROPOSED EXTENSION

Dictate once. Review before saving.

Staff dictation is separate from the live AI conversation.



Draft fields Reason & request · confirmed facts · steps tried · completed actions · commitments
Follow-up owner/date · uncertain fields · source transcript references

PROPOSED EXTENSION

Access and actions stay under Hektor's control.

Three boundaries must hold across chat, phone and documentation.

01 / VERIFY

Before account access.

An approved identity check precedes a scoped lookup. Caller ID is insufficient.

02 / AUTHORIZE

Permissions on the server.

Hektor controls tools and confirmed actions. Speech or dictated text cannot grant access.

03 / RECOVER

A safe route to a person.

Handle interruptions, outages and failed case delivery. Human access does not require verification.

Data review required. IE1 does not establish an EU-only chain; ElevenLabs residency requires an eligible Enterprise setup.

PROPOSED EXTENSION

A small pilot, with visible cost assumptions.

Illustrative sizing, not measured Hektor traffic.

CONVERSATIONRELAY PROCESSING ONLY

\$84 / month

300 inbound calls × 4 AI minutes × \$0.07

Usage is measurable.

Also assume 45 transfers × 6 human minutes and 10 hours of separate staff dictation.

Total operating cost and implementation scope remain to be agreed.

This is not the total operating cost. Full selected-component arithmetic and exclusions: Appendix C.

PROPOSED EXTENSION

Start simple. Keep the alternative testable.

PREFERRED FIRST PROOF OF CONCEPT

Twilio text interface

Existing carrier → ConversationRelay → session-aware adapter → Hektor.

- Managed speech with a documented Swedish configuration
- Hektor owns the full support turn
- Validate routing, interruptions and transfer

CONDITIONAL ALTERNATIVE

ElevenLabs native SIP

Compatible PBX → ElevenLabs Agents → custom streaming Hektor endpoint.

- Could remove Twilio from the route
- Full turns through an OpenAI-compatible interface
- SIP REFER: context delivered separately

Choose after Swedish telephone tests, existing-system checks and supplier review.

THE PILOT PATH

Prepare. Test. Learn.

Public help and human handover first. Reviewable dictation alongside.

GATE 01 / DESIGN

Confirm the foundations.

Inspect the harness interface and phone system. Agree ownership, data handling and a non-production design.

GATE 02 / REHEARSE

Prove the whole journey.

Test Swedish calls, safe boundaries, transfers, case delivery and reviewed dictation. Keep web-chat checks.

GATE 03 / DECIDE

Review the evidence.

Agree whether to launch the scoped pilot. Verified read-only account support needs a separate gate.

Proposed test set: 50 internal calls · about 100 focused utterances · 10–20 matched alternative calls where feasible.

WHAT SUCCESS LOOKS LIKE

Measure the experience, not just the call ending.

Agree thresholds before testing. Every result is currently “not yet measured”.

Swedish quality

Intelligibility, terminology and critical identifiers.

Safe behavior

Access boundaries, retries and interruptions.

Useful handover

Connection success and usable context delivered.

Documentation

Factual fields, correction effort and case arrival.

Responsiveness

Speech, Hektor and tool delays measured separately.

Actual economics

Billed usage, staff review and repeated contacts.

Proposed no-tool response target: $p50 < 1.2 \text{ s}$ / $p95 < 2.5 \text{ s}$. Full acceptance suite: Appendix D2.

OWNERSHIP & OPERATING MODEL

Clear ownership from the start.

RESPONSIBILITY	HEKTOR	IMPLEMENTATION / OPERATIONS
Service & knowledge	Approve sources, scope and follow-up	Configure and test the agreed workflows
Access & suppliers	Approve permissions, data and contracts	Implement controls and supplier connections
Daily operation	Name owners and review exceptions	Monitor delivery, failures and actual costs

Separate the budgets.

Supplier usage · implementation · ongoing operation · human review.

Proposed direct supplier billing without usage markup remains subject to agreement.

THE NEXT CONVERSATION

Let's define the expanded pilot.

01 **People and interfaces** Name the service owner. Provide harness/API access and approved knowledge.

02 **Telephone and handover** Confirm carrier/PBX details, number control and the human destination.

03 **Permission to proceed** Complete privacy review. Agree scope, budget and success criteria.

The decision requested: scope an authorized proof of concept. No launch or supplier approval is assumed.

APPENDIX A1 / PROVIDER RESPONSIBILITIES

Who owns each part of the service?

Responsibility	Twilio + adapter	ElevenLabs native SIP	Modular audio stack	Retell custom LLM
Number / routing	Carrier + Twilio	Existing SIP / PBX	Carrier / media provider	Carrier + Retell route
Live speech	ConversationRelay	ElevenLabs Agents	Selected STT + TTS	Retell speech layer
Full support turn	Hektor via adapter	Hektor via custom endpoint	Hektor via own bridge	Hektor via custom WS
Business tools	Hektor	Hektor	Hektor	Hektor
Human transfer	Twilio call control + adapter	PBX / SIP REFER + integration	Own controller + carrier	Retell control + integration
Case delivery	Hektor integration	Hektor integration	Hektor integration	Hektor integration
Staff dictation	Scribe + Hektor review	Same separate workflow	Same separate workflow	Same separate workflow

All four are proposed full-turn designs. A custom-LLM interface can delegate the complete Hektor workflow.

APPENDIX A2 / TRADEOFFS

Tradeoffs that can change the choice.

Approach	Why consider it	What must be resolved
Twilio + ConversationRelay	Managed speech; Hektor receives text	Swedish quality, routing, state and call-control integration
ElevenLabs Agents + native SIP	May reuse PBX and remove Twilio	Streaming harness adapter; SIP REFER acceptance; separate context
Speech Engine + Twilio Media Streams	Documented audio bridge pattern	Own bridge, pricing and transfer work; distinct from native SIP
Fully modular STT / TTS	Maximum media/provider control	More streaming, interruption and operations engineering
Retell + custom-LLM WebSocket	Can delegate full turns to Hektor	Docs say services do not operate within EU; procurement review

Our assessment: modular media ownership adds work the first pilot does not yet justify.

APPENDIX B / TURN AND SESSION CONTRACT

One full turn. Explicit session and action state.

PROPOSED INPUT

Call ID · Hektor session ID

Unique turn/event ID

Swedish transcript

Trusted verification context

HEKTOR'S COMPLETE WORKFLOW

Knowledge → **policy** → **tools** → **response**

Durable conversation and confirmed action state.

PROPOSED OUTPUT

Speech text · pending-job status

Completion / handover intent

Optional case reference

Event	Required behavior
Interruption	Stop queued speech and obsolete generation; reconcile what was heard.
Retry / uncertain write	Persist logical action IDs; reconcile status before retrying idempotent writes.
Slow work / outage	Acknowledge delay; use approved follow-up or deterministic human route.

Selected usage is only part of the budget.

$$300 \times 4 = 1,200 \text{ AI min} \cdot 45 \times 6 = 270 \text{ human min} \cdot \text{bridged inbound} = 1,470 \text{ min} \cdot \text{dictation} = 10 \text{ h}$$

Selected component	Illustrative calculation	USD / month
ConversationRelay processing	1,200 × \$0.07	\$84.00
One eligible SIP / BYOC inbound tariff	1,470 × \$0.004	\$5.88
Onward Swedish fixed OR mobile leg	270 × \$0.0187 OR \$0.0714	\$5.05–\$19.28
Scribe batch + keyterm prompting	10 × (\$0.22 + \$0.05)	\$2.70
Selected usage subtotal only	Not total operating cost or a quote	\$97.63–\$111.86

Still to budget: carrier/forwarding, numbers, Hektor usage, hosting/storage, monitoring, queue overhead, Enterprise terms, implementation, operation and staff review.

APPENDIX D2 / ACCEPTANCE CRITERIA

Proposed targets. Results not yet measured.

Area	Acceptance target to agree
Access boundaries	Zero unauthorized account reads in the defined security suite
Retry safety	Zero duplicate writes in sandbox fault-injection tests
Human handover	20/20 controlled transfers with usable context; busy/closed/case failure separately
Critical identifiers	Correctly confirmed or explicitly withheld; never silently guessed
Responsiveness	No-tool end-of-utterance → audible response: p50 < 1.2 s; p95 < 2.5 s
Interruptions	≥95% successful scripted barge-in tests, including history reconciliation
Dictation	≥95% factual-field accuracy before review; check critical numbers/dates before save
Swedish experience	Median tester rating ≥4/5 for intelligibility and naturalness
Failure recovery	Safe route demonstrated for Hektor, voice-layer and case-system failures