

Formatting Tags:

-> The formatting tags are used to format the text for better look (visual appearance) and feel.

-> Formatting Tags are inline-level elements.

-> Formattings tags are divided into 2 types:

1. Physical Tags

2. Logical Tags

1. Physical Tags:

-> The Physical tags are used to provide the just physical appearance for the text.

-> For Ex: ****, **<u>**, ***<i>***, etc.

2. Logical Tags:

-> The Logical tags are used to provide the meaning or logic to the text.

-> For Ex: ****, **<ins>** -> inserted, **** -> Emphasized

Some Types of Formatting Tags:

1. **....** -> To make text as bold.

2. **<u>....</u>** -> To provide underline for the text.

3. **<i>....</i>** -> It is used to make text slightly tilted (italic)

4. **^{...}** -> sup stands for superscript tag. (above the baseline)

5. **_{...}** -> sub stands for subscript tag. (below the baseline)

6. **<strike>...</strike>** -> To provide the strike-through to the text. (Deprecated = No Longer in Use)

7. **...** -> It is used to represent the deleted text.

8. **<mark>....</mark>** -> It is used to highlight the text.

9. <small>...</small> -> To make text little bit small compare to normal text.
10. <big>...</big> -> To make text little bit big compare to normal text.
11. ... -> Logical Formatting tag -> It is used make text as strong means bold as well as logical.
12. <ins>...</ins> -> Logical Formatting tag -> It is represents the text inserted in my document. (provides underline)
13. ... -> Logical Formatting tag -> It is used to make text as italic.
14. <code>...</code> -> To add monospace font to the text.

Semantics Tags:

-> It is used to add the meaning to HTML tag.

-> Semantic tags are used to tell the information or meaning to the browser as well as user/programmer.

Types of Semantics Tags:

1. <header> → Top section (logo, title)
2. <nav> → Navigation links
3. <main> → Main content area
4. <section> → It is used to group the content
5. <article> → Independent/self-contained content (headings, paragraphs, along with images)
6. <aside> → Sidebar / indirectly related content
7. <footer> → Bottom section (copyright, links, address)
8. <figure> → Groups media (image, video, etc.)
9. <figcaption> → Caption/description of that media
10. <mark> → Highlights important text
11. <time> → Represents date/time

12. <address> → Contact information

13. <details> → Collapsible content

14. <summary> → Visible title/heading for <details>

Why do we need semantic tags in HTML?

-> It improves the SEO (Search Engine Optimization) and makes your code easier to read and maintain.

-> Semantic tags help search engines like Google understand your website better.