

Introduction to HTML:

- > HTML Stands for Hyper Text Markup Language.
- > Hyper = Reference / Link
- > Text = Data / Information
- > Markup = Displaying on the browser / UI in the form of Predefined Tags.
- > Language = Communication purpose
- > HTML is used to create or develop the structure of a webpage.
- > We have to use .htm or .html extension to create html webpages.
- > We can create html webpages by using simple editors also. (VS Code)

History of HTML:

- > Tim Berner's Lee is the founder of HTML.
- > The available description of html which is introduced by the Tim in the late 1991 is known as "HTML Tags".

Version of HTML:

- > There are total 5 versions of HTML is introduced till this time.

Timeline:

1. HTML 1 => 1993 (Remember)
2. HTML 2.0 => 1995
3. HTML 3.2 => 1997
4. HTML 4 => 1999
5. HTML 5 => First Draft - Jan 22, 2008
Final Draft - Oct 28, 2014

Structure of HTML:

-> The structure of HTML is divided mainly into 2 parts: 1. head 2. body

1. head: The head contains the information about the html document.

For Ex: meta tags, title, links, etc.

2. body: The body contains the data which you want to display on the browser.

-> Create the structure here:

Meta Tags:

-> Meta tags are used to provide the information about HTML document to the browser.

-> Metadata: The data about data is called as Meta data.

-> Meta tags are defined inside the <head> tag.

HTML Tags:

-> In HTML everything will be considered as Tags.

-> The predefined keywords which is enclosed in between '<>' is called as Tag in HTML.

-> There are mainly two types of tags:

1. Paired Tags / Container Tags:

2. Un-paired Tags / Non-container Tags / Self-closing Tags:

3. Paired Tags / Container Tags:-> The tag which has opening tag along with its closing tag is called paired tags.

-> It is also known as container tags.

-> For Ex: <html>...</html>, <head>...</head>, All Headings tags, paragraph tag, etc.

4. Un-paired Tags / Non-Container Tags / Self-Closing Tags:

-> The tag which don't have its separate closing tag is called as un-paired tags.

-> It is also known as non-container tags.

-> It is also known as self-closing tags.

Self-Closing Tag: The tag which is capable to close itself is known as self-closing tags in HTML.

-> For Ex: `<meta/>`, `<br>`, `<hr>`, `<img/>`, `<input/>`, etc.

Headings Tags:

-> Headings tags are used to provide the headings in HTML document.

-> We have can provide the headings in 6 ways:

-> `<h1>`, `<h2>`, `<h3>`, `<h4>`, `<h5>`, `<h6>`

-> When we go from `<h1>` to `<h6>` the size of the headings tags will decrease.

-> Largest Heading Tag -> `<h1>`

-> Smallest Heading Tag -> `<h6>`

Paragraph Tag:

-> The paragraph tags are used to provide the paragraph to the HTML document.

-> We can provide the multiple paragraph tags in a document.

How we can create web applications?

-> We can create a web applications by using: 1. HTML 2. CSS 3. JS