

What is List in HTML?

-> A list is a collection of items / data / elements.

-> There are 3 ways to create List in HTML:

Types of List:

1. Ordered List
2. Unordered List
3. Descriptive List

1. Ordered List:

-> A list which can follow the order is called as ordered list.

-> We can create ordered list by using tag.

-> We can create a list of items by using tag.

-> By default ordered list has a type = 1 (default).

-> It is also called as Numbered List.

-> Syntax:

```
<ol>
  <li>HTML</li>
  <li>CSS</li>
  <li>JS</li>
</ol>
```

-> type attribute values = 1 (default), A, a, I, i

```
<ol type="1">
  <li>HTML</li>
  <li>CSS</li>
  <li>JS</li>
```


-> start => start attribute is used to start a list from any random number. It will always accept as a number.

-> reversed => reversed attribute is used to reverse a list order, but the content will remain unchanged.

2. Unordered List:

-> A list which doesn't follow any order is called as unordered list.

-> We can create unordered list by using tag.

-> We can create a list of items by using tag.

-> By default unordered list has a type = disc (default).

-> It is also called as Bulleted List.

-> Syntax:

HTML

CSS

JS

-> type attribute values = disc (default), circle, square, none

<ul type="disc">

HTML

CSS

JS

3. Descriptive List:

-> This list is rarely type used list in HTML.

-> Syntax:

```
<dl>  
  <dt> Description Title or Term </dt>  
  <dd> Description Data or Defination </dd>  
</dl>
```

4. Nested List:

-> A list which is present inside another list is called Nested List.

-> In HTML, a nested list must be inside a list item ().

-> For Example:

```
<ol>  
  <li>  
    Frontend  
    <ul>  
      <li>HTML</li>  
      <li>CSS</li>  
      <li>JS</li>  
    </ul>  
  </li>  
</ol>
```