

HTML Multimedia Tags:

-> Multimedia comes in different formats.

-> It includes anything that can be seen or heard, such as images, audio, music, videos, animations, films, etc.

Types of Multimedia:

-> HTML5 introduced 5 most popular media element tags.

1. <audio>

2. <video>

3. <iframe>

1. Audio Tag:

-> The <audio> tag is used to embed(add) sound or music in a web page.

-> It allows users to play, pause, and control audio files directly in the browser.

-> Basic Syntax:

```
<audio src="Source/Path" type="audio/mp3"></audio>
```

-> Example:

```
<audio src="/assets/legendary-bach-badinerie-house-background-music-for-video-1-minute-239471.mp3" controls type="mp3"></audio>
```

-> Supported Audio Formats: .mp3 (most common), .ogg, .wav. etc.

2. Video Tag:

-> The <video> tag is used to embed(add) videos in a web page.

-> It allows users to play, pause, control volume, and watch videos directly in the browser.

-> Basic Syntax:

```
<video src="Source/Path" type="video/mp4"></video>
```

-> Supported Video Formats: .mp4 (most common), .ogg, .webm, etc

What is poster Attribute?

-> The poster attribute is used to display an image before the video starts playing.

-> It acts like a thumbnail or preview image for the video.

-> For Example:

```
<video controls poster="thumbnail.jpg">
```

```
<source src="video.mp4" type="video/mp4">
```

```
</video>
```

Attributes related to multimedia tags:

1. controls => The controls attribute adds a audio, video controls like play, pasue and volume.

2. muted => It is used to mute the audio or video.

3. autoplay => It is used to start an audio or video file automatically.

4. loop => To play again and again without clicking play.

<source> Tag:

-> <source> tag is alternative way to provide source for audio and video tag in HTML.

-> Syntax for Audio Tag:

```
<audio controls>
```

```
  <source src="source/path_for_audio" type="audio/mp3"/>
```

```
</audio>
```

-> Syntax for Video Tag:

```
<video controls>
```

```
  <source src="source/path_for_video" type="video/mp4"/>
```

```
</video>
```

3. Iframe Tag:

-> The HTML <iframe> tag defines an inline frame, hence it is also called an inline frame.

-> The <iframe> tag is used to embed(add) another webpage inside your webpage

-> It acts like a window inside a page.

-> <iframe> is used to embed external content.

-> Common Uses:

1. Other Websites
2. YouTube Videos
3. Google Maps
4. Our Own webpages
5. Creating QR Code

-> Basic Syntax: `<iframe src="https://example.com"></iframe>`

1. Example -> YouTube Video:

```
<iframe
  width="560"
  height="315"
  src="https://www.youtube.com/embed/VIDEO_ID"
  title="YouTube video player"
  allowfullscreen>
</iframe>
```

2. Example -> Google Maps:

```
<iframe
  src="https://www.google.com/maps/embed?..."
  width="600"
  height="450">
</iframe>
```

3. Example -> QR Code:

- > To create a QR code in HTML, we use a QR Code API.
- > We pass the data (text or URL) in the API link.
- > Then we display it using `<iframe>` or `<img>`

What is QR API?

-> It is an online service that generates QR codes.

API URL: <https://api.qrserver.com/v1/create-qr-code/?size=150x150&data=Example>

How to use:

-> Replace "Example" with your text or website link

-> data=<https://www.google.com>

Using Iframe:

-> Example:

```
<iframe
  src="https://api.qrserver.com/v1/create-qr-
code/?size=200x200&data=https://www.w3schools.com"
  width="300px"
  height="300px"
  frameborder="1">
</iframe>
```

Using :

-> Example:

```

```

Key Points:

- > QR code is generated using API URL
- > data= → contains your text or link
- > size= → controls QR code size
- > is simpler and recommended
- > <iframe> is also possible but less used