

HTML Tables:

- > HTML tables represent data in the form of tables.
- > Table is the combination of rows and columns.
- > The table consists of rows and columns.
- > To provide a table in a webpage we have to use a `<table>` tag.
- > Each row of the table is represented by using `<tr>` tag.
- > Each column is represented by using the `<td>` tag.
- > Table contains a heading which can be represented by using `<th>` tag.
- > Table title can be provided by using `<caption>` tag.

Structure of Table - rows , columns:

- > The smallest unit of a table is called as "cell".
- > OR The intersection of row and column is called a Cell.

Table Contents ⇒ `thead`, `tbody`, `tfoot`, `caption`, `tr`, `td`, `th`:

- > `<thead>` ⇒ It is used to provide table heading.
- > `<tbody>` ⇒ It is used to define blocks for table body.
- > `<tfoot>` ⇒ It is used to define the block for the footer for the table.
- > `<caption>` ⇒ It is used to provide the caption or title or description for the table.
- > `<tr>` ⇒ With the help `<tr>` we can provide the row to the table.
- > `<td>` ⇒ It is used to provide the column or cell to the table.
- > `<th>` ⇒ With the help of `<th>`, we can provide heading for the table data and by default heading will be in bold and align as center to cell.

#Example:

```
<table border="1">
```

```
    <caption>
```

Student Data

</caption>

<thead>

<tr>

<th>Sr.No.</th>

<th>Name</th>

<th>Age</th>

</tr>

</thead>

<tbody>

<tr>

<td>1</td>

<td>Ramesh</td>

<td>24</td>

</tr>

<tr>

<td>2</td>

<td>Suresh</td>

<td>26</td>

</tr>

</tbody>

<tfoot>

<tr>

<th>Total Students = 3</th>

</tr>

</tfoot>

</table>

Styling of Table Border, bgcolor, etc:

-> border ⇒ It is used to provide the border to the table.

-> bgcolor ⇒ This attribute is used to provide the background color to the table, row, or each cell.

-> But the above two attributes are depreciated now. That means they are no longer in use. Instead of this we prefer CSS styling to the table.

Cellspacing, Cellpadding:

-> With the help of cellpadding and cellspacing we can provide padding inside the cells and also space between the cells.

1. cellpadding: This attribute is used to increase the surrounding area of a content which is present inside the cell.

2. cellspacing: This attribute which is used to increase the space between two cells.

In Short:

-> Space between the cell wall and content is cell padding.

-> Space between two cells is cell space.

colspan, rowspan:

1. colspan ⇒ This is an attribute which is used to merge two or more than two columns is called as colspan.

2. rowspan ⇒ This is an attribute which is used to merge two or more than two rows (cells) is called as rowspan.

Example:

```
<table border="1">
  <thead>
    <tr>
      <th>Sr.No.</th>
      <th>Name</th>
      <th>Age</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>1</td>
      <td>Ramesh</td>
      <td>24</td>
    </tr>
    <tr>
      <td>2</td>
      <td>Suresh</td>
      <td>26</td>
    </tr>
    <tr>
      <td>3</td>
      <td>Ganesh</td>
      <td>25</td>
    </tr>
  </tbody>
</table>
```

```
</tr>
</tbody>
<tfoot>
  <tr>
    <th colspan="3">Total Students = 3</th>
  </tr>
</tfoot>
</table>
```