## INFSEN02-1 Sample exam

### The INFDEV@HR Team

### 1 Question 1

Given the following lambda program, and a series of relevant delta rules, show the beta reductions for this program.

```
if FALSE then 1 else 0
```

#### 1.1 Relevant delta rules

If-then-else

```
(\lambda p 	ext{ th el} 
ightarrow ((p 	ext{ th}) 	ext{ el}))
```

Boolean false

```
(\lambdat f
ightarrowf)
```

Integer one (0)

```
(\lambda s \ z \rightarrow z)
```

Integer one (1)

$$(\lambda s z \rightarrow (s z))$$

## 1.2 Answer 1 (note: you do not need to write all this detail yourself, it is only included for completeness)

```
if FALSE then 1 else 0
```

```
(((<u>if-then-else</u> FALSE) 1) 0)
```

((( 
$$(\lambda p \text{ th el} \rightarrow ((p \text{ th) el})))$$
 FALSE) 1) 0)

((((
$$\lambda p$$
 th el $\rightarrow$ ((p th) el)) FALSE) 1) 0)

```
((((\lambda p th el \rightarrow ((p th) el)) (\lambda t f \rightarrow f)) 1) 0)
((((\lambda p th el\rightarrow((p th) el)) (\lambda t f\rightarrowf)) \underline{1}) 0)
((((\lambda p \ th \ el \rightarrow ((p \ th) \ el)) \ (\lambda t \ f \rightarrow f)) \ (\lambda s \ z \rightarrow (s \ z))) \ 0)
((((\lambda p \ th \ el \rightarrow ((p \ th) \ el)) \ (\lambda t \ f \rightarrow f)) \ (\lambda s \ z \rightarrow (s \ z))) \ \underline{0})
((((\lambda \texttt{p} \ \texttt{th} \ \texttt{el} \rightarrow ((\texttt{p} \ \texttt{th}) \ \texttt{el})) \ (\lambda \texttt{t} \ \texttt{f} \rightarrow \texttt{f})) \ (\lambda \texttt{s} \ \texttt{z} \rightarrow (\texttt{s} \ \texttt{z})))
            (\lambda s z \rightarrow z)
(((((\lambda p \ th \ el \rightarrow ((p \ th) \ el)) \ (\lambda t \ f \rightarrow f)) \ (\lambda s \ z \rightarrow (s \ z))) \ (\lambda s \ z \rightarrow z))
(((\lambda th el \rightarrow (((\lambda t f \rightarrow f) th) el)) (\lambda s z \rightarrow (s z))) (\lambda s z \rightarrow z))
((\underline{(\lambda \text{th el} {\rightarrow} (((\lambda \text{t f} {\rightarrow} \text{f) th}) \text{ el}))} \ \underline{(\lambda \text{s z} {\rightarrow} (\text{s z}))}) \ (\lambda \text{s z} {\rightarrow} \text{z}))
((\lambda el \rightarrow (((\lambda t f \rightarrow f) (\lambda s z \rightarrow (s z))) el)) (\lambda s z \rightarrow z))
((\lambda \texttt{el} \rightarrow (((\lambda \texttt{t} \ \texttt{f} \rightarrow \texttt{f}) \ (\lambda \texttt{s} \ \texttt{z} \rightarrow (\texttt{s} \ \texttt{z}))) \ \texttt{el})) \ (\lambda \texttt{s} \ \texttt{z} \rightarrow \texttt{z}))
(((\lambda t f \rightarrow f) (\lambda s z \rightarrow (s z))) (\lambda s z \rightarrow z))
(\underline{((\lambda t \ f \rightarrow f) \ (\lambda s \ z \rightarrow (s \ z)))} \ (\lambda s \ z \rightarrow z))
((\lambda f \rightarrow f) (\lambda s z \rightarrow z))
((\lambda f \rightarrow f) (\lambda s z \rightarrow z))
(\lambda s \ z \rightarrow z)
(\lambda s \ z \rightarrow z)
0
```

## 2 Question 2

Given the following lambda calculus program, and a series of relevant delta rules, give the full typing derivation for the program.

```
\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta)\rightarrow(((p \beta) th) el))
```

#### 2.1 Relevant delta rules

Boolean type:

```
(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))
```

# 2.2 Answer 2 (note: you do not need to write all this detail yourself, it is only included for completeness)

```
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((p \beta) th) el))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((p \beta) th) el))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((Boolean \beta) th) el))
\Lambda\beta \Rightarrow (\lambda(p:Boolean)(th:\beta)(el:\beta) \rightarrow (((Boolean \beta) th) el))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((Boolean \beta) \beta) el))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta)(el:\beta) \rightarrow (((Boolean \beta) \beta) el))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((Boolean \beta) \beta) \beta))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((Boolean \beta) \beta) \beta))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) \ (th:\beta) \ (el:\beta) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \ \beta) \ \beta))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \beta) \beta) \beta))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((\beta \rightarrow \beta \rightarrow \beta) \beta) \beta))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((\beta \rightarrow \beta \rightarrow \beta) \beta) \beta))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow ((\beta \rightarrow \beta) \beta))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow ((\beta \rightarrow \beta) \beta))
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow \beta
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta)(el:\beta) \rightarrow \beta)
```

 $\Lambda \beta \Rightarrow (\lambda (p:Boolean) (th:\beta) \rightarrow (\beta \rightarrow \beta))$ 

 $\Lambda\beta \Rightarrow (\lambda(p:Boolean)\underline{(th:\beta)} \rightarrow \underline{(\beta \rightarrow \beta)})$ 

 $\Lambda \beta \Rightarrow$  ( $\lambda$ (p:Boolean) $\rightarrow$   $(\beta \rightarrow \beta \rightarrow \beta)$ )

 $\Lambda\beta \Rightarrow (\lambda(p:Boolean) \rightarrow (\beta \rightarrow \beta \rightarrow \beta))$ 

 $\Lambda\beta \Rightarrow \text{(Boolean} \rightarrow \beta \rightarrow \beta \rightarrow \beta)$ 

 $\Lambda \beta \Rightarrow (\mathtt{Boolean} {\rightarrow} \beta {\rightarrow} \beta {\rightarrow} \beta)$ 

 $(\forall \beta \Rightarrow (Boolean \rightarrow \beta \rightarrow \beta \rightarrow \beta))$