

Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

Appendix

Types, inference, and F# data types

The INFDEV@HR Team

Hogeschool Rotterdam Rotterdam, Netherlands



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

31

Type inference F# basic

types

Named types

Conclusion

Appendix

Introduction



Introduction

Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

Appendix

Lecture topics

- The typed lambda calculus
- Type checking
- Type inference
- F# basic types
- F# custom advanced types



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

Appendix

The typed lambda calculus



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

Idea

We can add types to the lambda calculus!



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic Named types

types

Conclusion

Appendix

Idea

This makes the lambda calculus safer to compose, as we run no more the risk of passing a parameter of the wrong shape (like an integer where a function is expected)



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

Appendix

Types in the lambda calculus follow the same basic syntactic shape of the lambda calculus itself.

Consider any type τ ; it will be made up, recursively, out of any of the following shapes:

- \bullet a type variable (like generic type parameters, such as T): α
- a generic type definition (like the definition of List<T>: $\forall \alpha \Rightarrow \tau$
- a function type: au o au
- a type application (like List<Customer>): $\tau\tau$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

ivailled type

Conclusion

Appendix

Lambda calculus programs are now extended to include type declarations:

Consider any term t; it will be made up, recursively, out of any of the following shapes:

- a free variable: x
- a lambda definition: $\lambda x \rightarrow t$
- a generic parameter introduction: $\Lambda \alpha \Rightarrow t$
- a value application: t t
- ullet a type application: au



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

Appendix

True and false now become generic with respect to the inputs t and f:

$$\Lambda \alpha \Rightarrow (\lambda(t:\alpha) (f:\alpha) \rightarrow t)$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{t}:\alpha) (\mathbf{f}:\alpha) \rightarrow \mathbf{f})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

Conclusion

Appendix

Numbers now become generic with respect to the data manipulated through z and s:

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow z)$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \rightarrow \alpha)) (\mathbf{z}:\alpha) \rightarrow (\mathbf{s} (\mathbf{s} \mathbf{z})))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

Conclusion

Appendix

Typed pairs

- A pair takes as input the two values, x and y
- It then expects a function, g, which will consume x and y and produce some final result
- x and y have generic types, α and β
- g also has generic type, it takes as input an α and a β , and returns a γ



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

Pairs become generic with respect to the types of the input, but also the generated output:

$$\begin{array}{ccccc} \Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(\mathbf{x}:\alpha) & (\mathbf{y}:\beta) \to \Lambda\gamma \Rightarrow & (\lambda(\mathbf{f}:(\alpha \to \beta \to \gamma)) \to ((\mathbf{f} \times \mathbf{y}) \times \mathbf{y}))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

Conclusion

Appendix

Pairs become generic with respect to the types of the input, but also the generated output:

$$\Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(p:(\alpha \times \beta)) \to ((p \ \alpha) \ (\lambda(x:\alpha) \ (y:\beta) \to x)))$$

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda(p:(\alpha \times \beta)) \to ((p \beta) (\lambda(x:\alpha) (y:\beta) \to y)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic Named types

Conclusion

Appendix

Typed union

- A union is built from one of two possible values, x and y
- It then expects two functions, f and g, which will consume x or y and produce some final result
- x and y have generic types, α and β
- ullet f and g also have generic types, they takes as input an α or a β , but both return a γ



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

Appendix

Unions become generic with respect to the types of the inputs, but also the generated output:



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

Unions become generic with respect to the types of the inputs, but also the generated output:



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

Type checking



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

Thanks to types, we can now verify that terms are well-composed: this can prevent various forms of bugs

- Passing an argument to a variable that is not a function
- Adding an integer and a list
- Performing the logical or between lists and trees
- Performing the logical and between functions
- ...



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

ivained type.

Conclusion

- This verification is called type-checking
- We perform a fake execution of a term, making sure that all function applications are matching
- As we go, we replace parts of the term with its type
- When the whole term has been replaced with its type, we know the return type of the original program
- If the process gets stuck somewhere, we stop and give back an error^a

^ausually a compiler error



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

Is a term well-typed

Type checking uses a series of typing rules that look a bit like execution rules.



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

When we encounter a variable, we simply return its type from Γ , which contains all variable declarations found so far

$$\frac{x:\sigma\in\Gamma}{\Gamma\vdash x:\sigma}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

When we encounter a function declaration, we simply add the type of the parameter to Γ , and type check the function body

$$\frac{\Gamma, x : \sigma \vdash t : \tau}{\Gamma \vdash (\lambda x : \sigma \to t) : (\sigma \to \tau)}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

............

Appendix

When we encounter a function application, we simply make sure that the input of the function has the same type as the parameter

$$\frac{\Gamma \vdash t : \sigma \to \tau \quad \Gamma \vdash u : \sigma}{\Gamma \vdash (t \ u) : \tau}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

Is a term well-typed

Thanks to these simple rules, which fully define how the type checker of a compiler works, we can find the types of a series of terms.



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

Is a term well-typed

Let's begin with the type of True:



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\alpha{\Rightarrow}(\lambda(\mathtt{t}\!:\!\alpha)\ (\mathtt{f}\!:\!\alpha)\!\to\!\mathtt{t})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

............

$$\Lambda \alpha \Rightarrow (\lambda(t:\alpha) (f:\alpha) \rightarrow t)$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \ (\mathsf{f}:\alpha) \to \mathsf{t})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \ (\mathsf{f}:\alpha) \to \mathsf{t})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \ (\mathsf{f}:\alpha) \to \mathsf{t})$$

$$\Lambda \alpha \Rightarrow (\lambda(t:\alpha) (f:\alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\alpha{\Rightarrow}(\lambda(\mathtt{t}:\!\alpha)\quad(\mathtt{f}:\!\alpha){\rightarrow}\alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$|\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{t}:\alpha) (\mathbf{f}:\alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\alpha{\Rightarrow}\,(\lambda\,({\,{\tt t}\,:}\alpha)\quad({\,{\tt f}\,:}\alpha)\,{\rightarrow}\alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$|\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) \rightarrow (\alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \!\!\Rightarrow\!\! (\lambda (\mathsf{t} :\! \alpha) \! \to\! (\alpha \!\!\to\!\! \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) \rightarrow (\alpha \rightarrow \alpha))$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \to (\alpha \to \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \to (\alpha \to \alpha))$$

$$\Lambda \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\alpha {
ightarrow} \alpha {
ightarrow} \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\alpha {
ightarrow} \alpha {
ightarrow} \alpha)$$

$$\Lambda \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)$$

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\forall \alpha \Rightarrow (\alpha {\rightarrow} \alpha {\rightarrow} \alpha))$$

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$

Boolean



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

Is a term well-typed

Let's then see the type of boolean And:



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) \rightarrow (((p:Boolean) \rightarrow p))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) (q:Boolean)
ightarrow(((p Boolean) q) p)
```

```
(\lambda(p:Boolean) \rightarrow (((p Boolean) \rightarrow p))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

 $(\lambda(p:Boolean) (q:Boolean) \rightarrow (((p:Boolean) q) p))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) \ (q:Boolean) \rightarrow (((p Boolean) \ q) \ p))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (((Boolean Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

...........

```
 \begin{array}{cccc} (\lambda(\texttt{p:Boolean}) & (\texttt{q:Boolean}) \!\to\! (((\texttt{Boolean Boolean}) \\ & \texttt{q) Boolean})) \end{array}
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (((Boolean Boolean)))
     q) Boolean))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow
     (((Boolean Boolean) q) Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\texttt{p}:\texttt{Boolean}) \ (\texttt{q}:\texttt{Boolean}) \to \ (((\texttt{Boolean} \ \texttt{Boolean}) \ \texttt{q})
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (((Boolean Boolean) Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) \ (q:Boolean) \rightarrow (((Boolean Boolean) \ Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) 
ightarrow (((\texttt{Boolean Boolean}) \ \texttt{Boolean}))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (((Boolean Boolean) Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

 $(\lambda(\mathtt{p}:\mathtt{Boolean}) \ (\mathtt{q}:\mathtt{Boolean})
ightarrow ((footbox{Boolean}) \ \mathtt{Boolean})$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (((Boolean Boolean)))
     Boolean) Boolean))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))))
      Boolean) Boolean) Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \\ \text{Boolean}) \ \text{Boolean}) \ \text{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\begin{array}{c} (\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \\ \text{Boolean}) \ \text{Boolean}) \ \text{Boolean}) \end{array}
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))))
Boolean) Boolean)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\begin{array}{c} (\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \\ \\ \text{Boolean}) \ \text{Boolean}) \ \text{Boolean}) \end{array}
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \\ \\ \text{Boolean}) \ \text{Boolean}) \ \text{Boolean}) \end{array}$$

```
(\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))) (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad \texttt{Boolean}) \quad \texttt{Boolean})
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \\ (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ \texttt{Boolean}) \ \texttt{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \ (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ \texttt{Boolean}) \ \texttt{Boolean}))$$

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow ((
((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))
Boolean)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((
((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \ (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))
Boolean)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

```
(\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow ((
((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \quad (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad \texttt{Boolean})
\texttt{Boolean})
```

```
(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((
((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))
(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))
(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))
(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ \text{Boolean}) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

$$(\lambda(\texttt{p}:\texttt{Boolean}) \ (\texttt{q}:\texttt{Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ \texttt{Boolean})$$

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) & (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & \texttt{Boolean}) \\ & \texttt{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Conclusion

 ${\sf Appendix}$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\begin{array}{|l|l|} \hline (\lambda(\mathtt{p} \colon \mathtt{Boolean}) & (\mathtt{q} \colon \mathtt{Boolean}) \to ((((\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) \\ & (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) & \\ & \mathtt{Boolean})) \\ \hline \\ \end{array}$$

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \quad \text{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c|c} (\lambda(\texttt{p:Boolean}) & (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) & (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) & (\forall \alpha \Rightarrow (\alpha \Rightarrow$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

$$(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ \texttt{Boolean}))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

 $\begin{array}{|l|} (\lambda(\mathtt{p} \colon \mathtt{Boolean}) & (\mathtt{q} \colon \mathtt{Boolean}) \to (\\ \hline & (((\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \\ \hline & \mathtt{Boolean})) \\ \hline \end{array}$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Conclusion

```
(\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow (
(((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha))) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow (((\alpha \rightarrow \alpha))) \rightarrow (((\alpha \rightarrow \alpha))) \rightarrow (((\alpha \rightarrow \alpha)) \rightarrow ((\alpha \rightarrow \alpha)) \rightarrow ((\alpha
```

```
(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ \text{Boolean}))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad \texttt{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad \texttt{Boolean})) \end{array}$$

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) & (\texttt{q:Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & \text{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c|c} (\lambda(\texttt{p:Boolean}) & (\texttt{q:Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & \texttt{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c|c} (\lambda(\texttt{p:Boolean}) & (\texttt{q:Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & \text{Boolean})) \end{array}$$

```
\begin{array}{c} (\lambda(\mathtt{p} \colon \mathtt{Boolean}) \quad (\mathtt{q} \colon \mathtt{Boolean}) \to (((\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) \\ \forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) \quad (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \end{array}))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(p:Boolean) \quad (q:Boolean) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\mathtt{p} \colon \mathtt{Boolean}) \cdot (\mathtt{q} \colon \mathtt{Boolean}) \to (((\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)))) \\ \forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) \cdot (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)))) \end{array}$$

$$(\lambda(p:Boolean) \quad (q:Boolean) \rightarrow \\ (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(p:Boolean) (q:Boolean) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

Named types

Conclusion

types

Appendix

F# basic

 $(\lambda(p:Boolean) (q:Boolean) \rightarrow$ $(((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$

 $(\lambda(p:Boolean) (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(p:Boolean) (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(p:Boolean) (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow Boolean)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

 $(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \!\to\! \! \texttt{Boolean})$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \!\to\! \! \texttt{Boolean})
```

```
(\lambda(p:Boolean) \rightarrow Boolean) \rightarrow Boolean)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

 $(\lambda(p:Boolean) \xrightarrow{(q:Boolean)} \rightarrow Boolean)$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic ___

Named types

types

Conclusion

```
(\lambda(p:Boolean) \to Boolean)
```

```
(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

Appendix

 $(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

 $(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))$

 $(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

Appendix

 $(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

```
(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))
```

 $(Boolean \rightarrow Boolean \rightarrow Boolean)$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

Is a term well-typed

Similarly we can type check numbers:



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow z)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow z)$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \rightarrow \alpha)) \ (\mathbf{z}:\alpha) \rightarrow \mathbf{z})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(s:(\alpha \rightarrow \alpha)) (z:\alpha) \rightarrow z)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(s:(\alpha \rightarrow \alpha)) (z:\alpha) \rightarrow z)$$

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow z)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow z)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow z)$$

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow z)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$|\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow z)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow z)$$

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (\mathbf{s} : (\alpha \rightarrow \alpha)) (\mathbf{z} : \alpha) \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (\mathbf{s} : (\alpha \rightarrow \alpha)) (\mathbf{z} : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha))$$

$$\Lambda \alpha \Rightarrow (\lambda(s:(\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

...........



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha))$$

$$\Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\alpha{\Rightarrow}\,(\,(\alpha{\rightarrow}\alpha)\,{\rightarrow}\alpha{\rightarrow}\alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

$$\Lambda\alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

...........

Appendix

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$

Nat



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type ellecking

Type inference

F# basic types Named types

Conclusion

Appendix

Type inference



Type inference

Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

Are type annotations necessary?

- Type annotations are not strictly necessary
- This means that, even if there are types, we might not need to write them all down
- Modern functional programming languages, like F#, Haskell, and Scala, are capable of guessing the types autonomously
- This is called type inference



Type inference

Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

ivamed type:

Conclusion

Appendix

Are type annotations pointless?

- Type annotations are still useful at times
- This means that, even if there is type inference, sometimes we write the types explicitly
- Type inference might sometimes fail, so type annotations might solve the issue
- Type annotations act as documentation, and make complex code clearer



Type inference

Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

Appendix

Type annotations in practice

In practice you will see some type annotations, especially on global symbols and functions, and for smaller local values and anonymous functions we let the type inference do its job.



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

Appendix

F# basic types



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

ivallied type

Conclusion

Appendix

Types in F# are exactly the same as those in the lambda calculus:

- the empty type Unit, with its only value ()
- primitive machine types, such as int, bool, string, etc.
- ullet type variable, which instead of greek letters such as lpha have an apostrophe as prefix: 'a
- ullet function types: ${ t t}$ o ${ t t}$
- tuples, in the form: 'a * 'b
- discriminated unions, in the form: Choice<'a,'b>

Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

ivanica typ

Conclusion

Appendix

Type declarations in F# are the same as those in the lambda calculus.

An identifier, a colon, and a type:

$$(fun (x:int) \rightarrow (x + 1))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

Appendix

The same applies to let bindings:

Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

31

Conclusion

Appendix

Pairs (and tuples of size greater than two^a) are similarly handled:

^aThose can be matched, or extracted with let (x,y,z,...) = t

```
(fun (p:(int*bool)) -> ((fst p) + 1))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

Appendix

Discriminated unions are also no surprise:

```
(fun (p:Choice<int,bool>) ->
  match p with
  | Choice10f2 x ->
        (x + 1)
  | Choice20f2 y ->
        0
)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

Appendix

Of course nothing stops us from using function types:

```
let (f:(int -> int)) =
  fun (x:int) -> (x + 1)
(f 2)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference
F# basic

Named types

Conclusion

types

Appendix

F# type declarations

We can mix and match these types as much as we want: functions from tuples into function from discriminated unions to tuples of functions to ...

Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

Appendix

Demo

A short demo might be in order



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

Named types



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

Appendix

We can use the type keyword to give a name to a type, for ease of later use:

```
type MyInt = int
let (f:(MyInt -> MyInt)) =
  fun (x:MyInt) -> (x + 1)
(f 2)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

Appendix

This makes the most sense when the name of the type is a tad longer^a:

^aRemember that a type might contain as many arrows, tuples, etc. as we might want!

```
type Int2 = (int -> int)
let (f:Int2) =
  fun (x:int) -> (x + 1)
(f 2)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

Appendix

Demo

Another short demo might be in order



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

Custom named types

- Sometimes existing type definitions are not clear or readable enough.
- For example, it is hard to guess that a long tuple like string * string * int * int actually represents a person
- Similarly, it is hard to guess that a long union like Choice<Choice<int,int>, Choice<int, int>> actually represents card and suit (hearts, diamonds, clubs, spades)



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

Named types

Conclusion

F# basic

Appendix

Custom named types

- The type keyword can define brand new types.
- These new types can have additional structure and internal names.
- The new types are substantially identical to (nested) tuples and (nested) unions.
- The only difference is that the elements of the tuple and the cases of the union can be augmented with a mnemonic name.



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

Records

- Tuples with named elements are called records.
- They are declared between curly brackets.
- Each field of the record has a name, followed by a colon and the type of the field.



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

types

Conclusion

Appendix

An example record declaration for a person could look like:

```
type Person = { Name:string; Surname:string }
()
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

Appendix

We can initialise a record with the values of the fields between curly brackets, each bound to the proper field name

```
type Person = { Name:string; Surname:string }
let (p:Person) = { Name = "Haskell"; Surname =
    "Curry" }
()
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

Appendix

We can access a record fields with the usual dot notation coming from C-style languages:



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

Appendix

We can modify large parts of a record fields with the with operator, which copies over all fields besides those explicitly specified:

```
type Person = { Name:string; Surname:string }
let (p:Person) = { Name = "Haskell"; Surname =
    "Curry" }
{ p with Name = "F\#" }
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

Conclusion

Appendix

Demo

Yet another short demo might be in order



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

Records

- Unions with named cases are called **discriminated unions**.
- They are declared as a series of constructors, each with its own parameters.
- Matching is the only way to access the data inside the instance of the discriminated union.



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

Appendix

An example record declaration for a widget size could look like:

```
type Size =
    | Small
    | Large
    | Custom of Nat
()
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

We can initialise a union with the values of a constructor between brackets, of no argument at all for parameterless constructors

```
type Size =
   | Small
   | Large
   | Custom of Nat
let (s1:Size) = Small
let (s2:Size) = (Custom 10)
()
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

Conclusion

Appendix

We can access a union values with an extended pattern matching syntax:

```
type Size =
   | Small
   | Large
   | Custom of Nat
let (s1:Size) = Small
let (w:int) =
   match s1 with
   | Small -> 0
   | Large -> 10
   | Custom(c) -> c
()
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

Appendix

Demo

Yet another short demo might be in order



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

 ${\sf Named\ types}$

Conclusion

Appendix

A very important data structure in functional languages is the list.

In F# it is predefined^a as union of the empty list and the non-empty constructor:

^aSo you do not need to define it yourself!

```
type List<'a> =
   | []
   | (::) of α*List<'a>
let (l1:List<int>) = []
let (l2:List<int>) =
   1 :: 2 :: 3 :: []
()
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

Appendix

We could recursively perform all sorts of operations on lists with simple matching.

Fortunately, we can make use of many of the existing available functions on lists:

- map, which transforms all elements of a list according to a specific transformation function
- filter, which removes some elements of a list according to a specific predicate function
- reduce, which collapses a list onto a single value according to a specific aggregation function
- fold, which collapses a list onto a single value according to a specific aggregation function and a starting aggregate value



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

Demo

Yet another short demo might be in order



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

Appendix

Lists are so important that they even get their own special syntax, called **list comprehensions**, to simplify their creation and manipulation.



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

Appendix

Lists are so important that they even get their own special syntax, called **list comprehensions**, to simplify their creation and manipulation.

List comprehensions are substantially a way to map, filter, and cross lists easily.

Fold is excluded, and must be used for aggregate operations.



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

Demo

Yet another short demo might be in order



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

Conclusion



Conclusion

Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

Recap

- The lambda calculus can be translated, type to type, into F#
- F# then adds handy primitive types, records, lists, discriminated unions, etc. to make it easier to build actual programs in practice



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

21

Type inference F# basic

Named types

Conclusion

Appendix



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\alpha{\Rightarrow}(\lambda({\tt t}:\alpha)\ ({\tt f}:\alpha){\rightarrow}{\tt f})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\alpha{\Rightarrow}\,(\lambda\,({\,{\tt t}\,:}\alpha)\quad({\,{\tt f}\,:}\alpha)\,{\rightarrow}{\tt f}\,)$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \ (\mathsf{f}:\alpha) \to \mathsf{f})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$|\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \ (\mathsf{f}:\alpha) \rightarrow \mathsf{f})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \ (\mathsf{f}:\alpha) \to \mathsf{f})$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{t}:\alpha) (\mathbf{f}:\alpha) \rightarrow \mathbf{f})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{t}:\alpha) (\mathbf{f}:\alpha) \rightarrow \mathbf{f})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{t}:\alpha) (\mathbf{f}:\alpha) \rightarrow \mathbf{f})$$

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow f)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$|\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow f)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{t}:\alpha) \mid (\mathbf{f}:\alpha) \rightarrow \mathbf{f})$$

$$\Lambda \alpha \Rightarrow (\lambda(t:\alpha) (f:\alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda\alpha{\Rightarrow}\,(\lambda\,({\,{\tt t}\,:}\alpha)\quad({\,{\tt f}\,:}\alpha)\,{\rightarrow}\alpha)$$

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \mid (\mathsf{f}:\alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) (f : \alpha) \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) \rightarrow (\alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) \rightarrow (\alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (t : \alpha) \rightarrow (\alpha \rightarrow \alpha))$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \to (\alpha \to \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathsf{t}:\alpha) \to (\alpha \to \alpha))$$

$$\Lambda \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)$$

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\forall \alpha \Rightarrow (\alpha {\rightarrow} \alpha {\rightarrow} \alpha))$$

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$

Boolean



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

```
(\lambda(\mathtt{p}:\mathtt{Boolean}) \ (\mathtt{q}:\mathtt{Boolean}) 
ightarrow ((\mathtt{p}\ \mathtt{Boolean})\ \mathtt{p})\ \mathtt{q})
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) 
ightarrow ((\texttt{p Boolean}) \ \texttt{p}) \ \texttt{q})
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (((p:Boolean) p) q))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

CONCIUSION

Appendix

 $(\lambda(p:Boolean) (q:Boolean) \rightarrow (((p Boolean) p) q))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \! \to \! (((\texttt{p Boolean}) \ \texttt{p}) \ \texttt{q}))
```

```
 \begin{array}{c} (\lambda(\texttt{p}:\texttt{Boolean}) \quad (\texttt{q}:\texttt{Boolean}) \rightarrow (((\begin{array}{c} \texttt{Boolean} \\ \end{array}) \quad \texttt{Boolean}) \\ ) \quad \texttt{q})) \end{array}
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

```
(\lambda(	exttt{p:Boolean}) \ (	exttt{q:Boolean}) 
ightarrow ((	exttt{Boolean Boolean}) \ 	exttt{Boolean})
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \! 
ightarrow \! (((\texttt{Boolean Boolean}) \ \texttt{Boolean}) \ \texttt{q}))
```

```
(\lambda(p:Boolean) (q:Boolean) 
ightarrow (((Boolean Boolean) Boolean) q)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) \xrightarrow{(q:Boolean)} \rightarrow (((Boolean Boolean) Boolean) q)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) \rightarrow (q:Boolean) \rightarrow (q:Boolean)
      (((Boolean Boolean) Boolean) q))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (((Boolean Boolean)))
     Boolean) Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\mathtt{p:Boolean}) \ (\mathtt{q:Boolean}) 
ightarrow (((\mathtt{Boolean} \ \mathtt{Boolean}))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p: Boolean) (q: Boolean) 
ightarrow (((Boolean Boolean) Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (((Boolean Boolean) Boolean))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))))
Boolean) Boolean) Boolean)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \\ \text{Boolean}) \ \text{Boolean}) \ \text{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \\ \text{Boolean}) \ \text{Boolean}) \ \text{Boolean}))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))))
Boolean) Boolean) Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

```
(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \\ \textbf{Boolean}) \ \texttt{Boolean}) \ \texttt{Boolean}))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))))$$

$$(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad \texttt{Boolean}) \quad \texttt{Boolean})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

 $(\lambda(p:Boolean) (q:Boolean) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))))$ $(\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$ Boolean) Boolean))



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic Named types

types

Conclusion

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))))
         (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) Boolean) Boolean))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow ((
          ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) Boolean)
         Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic Named types

Conclusion

types

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow ((
         ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))
                                                                                                     Boolean)
        Boolean))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow ((
            ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))
          Boolean) Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ \text{Boolean}) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\texttt{p}:\texttt{Boolean}) \ (\texttt{q}:\texttt{Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ \texttt{Boolean})$$

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \text{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$\begin{array}{c|c} (\lambda(\texttt{p:Boolean}) & (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & \texttt{Boolean}) \\ & \texttt{Boolean}) \\ \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{|c|c|}\hline (\lambda(\mathtt{p} \colon \mathtt{Boolean}) & (\mathtt{q} \colon \mathtt{Boolean}) \to ((((\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) & \\ & (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) & \\ & \mathtt{Boolean}) \\ \end{array}$$

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \\ (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \\ \end{array}) \quad \texttt{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

$$(\lambda(\texttt{p:Boolean}) \ (\texttt{q:Boolean}) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \ \texttt{Boolean}))$$

$$(\lambda(\texttt{p}:\texttt{Boolean}) \quad (\texttt{q}:\texttt{Boolean}) \rightarrow ($$

$$(((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow (((\forall \alpha \rightarrow \alpha)) \rightarrow (((\alpha \rightarrow \alpha)) \rightarrow (((\alpha$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(p:Boolean) (q:Boolean) \rightarrow ($$

$$(((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha))) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha))) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha))) \rightarrow ((((\forall \alpha \Rightarrow (\alpha \rightarrow (\alpha \rightarrow (\alpha$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow (
(((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha))) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha)) \rightarrow (((\alpha \rightarrow \alpha))) \rightarrow (((\alpha \rightarrow \alpha)) \rightarrow ((\alpha \rightarrow \alpha)) \rightarrow
```

```
(\lambda(p:Boolean) \quad (q:Boolean) \rightarrow (\\ ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad \texttt{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c|c} (\lambda(\texttt{p:Boolean}) & (\texttt{q:Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & \texttt{Boolean})) \end{array}$$

$$\begin{array}{c} (\lambda(\mathtt{p} \colon \mathtt{Boolean}) \quad (\mathtt{q} \colon \mathtt{Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad \overline{\mathtt{Boolean}})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad \text{Boolean})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c|c} (\lambda(\texttt{p:Boolean}) & (\texttt{q:Boolean}) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow ((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \\ \forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) & \text{Boolean})) \end{array}$$

$$\begin{array}{c} (\lambda(\mathtt{p} \colon \mathtt{Boolean}) \quad (\mathtt{q} \colon \mathtt{Boolean}) \to (((\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) \\ \forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) \quad (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \end{array})$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$(\lambda(p:Boolean) (q:Boolean) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\mathtt{p} \colon \mathtt{Boolean}) \quad (\mathtt{q} \colon \mathtt{Boolean}) \to (((\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)) \to (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)))) \\ \forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha))) \quad (\forall \alpha \Rightarrow (\alpha \to \alpha \to \alpha)))) \end{array}$$

$$(\lambda(p:\texttt{Boolean}) \quad (q:\texttt{Boolean}) \rightarrow \\ (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

$$(\lambda(p:Boolean) (q:Boolean) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

```
(\lambda(\texttt{p:Boolean}) \quad (\texttt{q:Boolean}) \rightarrow \\ (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))) \quad (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))
```

$$(\lambda(p:Boolean) \quad (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

Appendix

 $(\lambda(p:Boolean) (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(p:Boolean) \ (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)))
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(p:Boolean) (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
|(\lambda(p:Boolean) (q:Boolean) \rightarrow (\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha))|
```

```
(\lambda(p:Boolean) (q:Boolean) \rightarrow Boolean)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

Appendix



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\mathtt{p}:\mathtt{Boolean}) \ (\mathtt{q}:\mathtt{Boolean}) {
ightarrow} \mathtt{Boolean})
```

```
(\lambda(p:Boolean) \rightarrow Boolean) \rightarrow Boolean)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

 $(\lambda(p:Boolean) \rightarrow Boolean)$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\mathtt{p}:\mathtt{Boolean}) \xrightarrow{(\mathtt{q}:\mathtt{Boolean})} \to \mathtt{Boolean})
```

```
(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

Appendix

 $(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic ____

Named types

types

Conclusion

Appendix

```
(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))
```

 $(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

Appendix

 $(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

 $(\lambda(p:Boolean) \rightarrow (Boolean \rightarrow Boolean))$

 $(Boolean \rightarrow Boolean \rightarrow Boolean)$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((p \beta) th) el$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((p \beta) th) el$$

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((p \beta) th) el))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$|\Lambda\beta\Rightarrow$$
 (λ (p:Boolean) (th: β) (el: β) \rightarrow (((p β) th) el))



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic Named types

types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((p \beta) th) el))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} \Lambda\beta \Rightarrow (\lambda(\mathtt{p} : \mathtt{Boolean}) \ (\mathtt{th} : \beta) \ (\mathtt{el} : \beta) \rightarrow (((\mathtt{Boolean} \ \beta) \\ \mathtt{th}) \ \mathtt{el})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
 \begin{array}{c|c} \Lambda\beta \Rightarrow (\lambda(\texttt{p:Boolean}) & (\texttt{th}:\beta) & (\texttt{el}:\beta) \rightarrow (((\texttt{Boolean}\ \beta) \\ & \texttt{th}) & \texttt{el})) \end{array}
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\Lambda eta \Rightarrow (\lambda (\mathtt{p} : \mathtt{Boolean}) \ (\mathtt{th} : eta) \ (((\mathtt{Boolean} \ eta) \ \mathtt{th}) \ \mathtt{el}))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic Named types

types

Conclusion

```
\Lambda\beta \Rightarrow (\lambda(p:Boolean)) (th:\beta) (el:\beta) \rightarrow
        (((Boolean \beta) th) el))
```

```
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((Boolean \beta)))
       \beta ) el))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c|c} \Lambda\beta \Rightarrow (\lambda(\mathtt{p} : \mathtt{Boolean}) & (\mathtt{th} : \beta) & (\mathtt{el} : \beta) \rightarrow (((\mathtt{Boolean} \ \beta) \\ \beta) & \mathtt{el})) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((Boolean \beta) \beta) el)
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic Named types

types

Conclusion

```
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow
        (((Boolean \beta) \beta) el))
```

```
\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((Boolean \beta)))
       \beta) \beta))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic Named types

types

Conclusion

$$\begin{array}{c|c} \Lambda\beta \Rightarrow (\lambda(\mathtt{p} : \mathtt{Boolean}) & (\mathtt{th} : \beta) & (\mathtt{el} : \beta) \rightarrow (((\mathtt{Boolean} \ \beta) \\ \beta) & \beta)) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p: \text{Boolean}) \ (\text{th}: \beta) \ (\text{el}: \beta) \rightarrow (((\text{Boolean} \ \beta) \ \beta) \ \beta))$$

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) \ (th:\beta) \ (el:\beta) \rightarrow ((Boolean \ \beta) \ \beta) \ \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow ((Boolean \beta) \beta) \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (((Boolean \beta) \beta) \beta))$$

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) \ (th:\beta) \ (el:\beta) \rightarrow (((((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \ \beta) \ \beta) \ \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

$$\Lambda \beta \Rightarrow (\lambda (p:Boolean) (th:\beta) (el:\beta) \rightarrow (((\forall \alpha \Rightarrow (\alpha \rightarrow \alpha \rightarrow \alpha)) \beta) \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda (p:Boolean) (th:\beta) (el:\beta) \rightarrow ((\beta \rightarrow \beta \rightarrow \beta) \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

Conclusion

$$\begin{array}{c|c} \Lambda\beta \Rightarrow (\lambda(\mathtt{p}:\mathtt{Boolean}) & (\mathtt{th}:\beta) & (\mathtt{el}:\beta) \rightarrow (((\beta \rightarrow \beta \rightarrow \beta) & \beta) \\ \beta)) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c}
\Lambda\beta \Rightarrow (\lambda(p:\texttt{Boolean}) \quad (\texttt{th}:\beta) \quad (\texttt{el}:\beta) \rightarrow (\\
((\beta \rightarrow \beta \rightarrow \beta) \quad \beta) \quad \beta))
\end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow (\beta \rightarrow \beta) \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$\Lambda\beta\!\!\Rightarrow\!\! (\lambda(\mathtt{p}\!:\!\mathtt{Boolean}) \ (\mathtt{th}\!:\!\beta) \ (\mathtt{el}\!:\!\beta)\!\to\!\! ((\beta\!\to\!\beta) \ \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow ((\beta \rightarrow \beta) \beta))$$

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow ((\beta \rightarrow \beta) \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow ((\beta \rightarrow \beta) \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \beta \Rightarrow$$
 (λ (p:Boolean) (th: β) (el: β) \rightarrow (($\beta \rightarrow \beta$) β)

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p: \texttt{Boolean}) \ (\texttt{th}: \beta) \ (\texttt{el}: \beta) \rightarrow \beta)$$

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda(p:Boolean) (th:\beta) (el:\beta) \rightarrow \beta$$

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) \rightarrow (\beta \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) \rightarrow (\beta \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic ____

Named types

types

Conclusion

$$\Lambda\beta{\Rightarrow}\,(\lambda\,({\tt p}\,:\,{\tt Boolean}\,)\,\,\,\,(\,{\tt th}\,:\,\beta\,)\,{\rightarrow}\,(\beta{\rightarrow}\beta\,)\,)$$

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) (th:\beta) \rightarrow (\beta \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$\Lambda \beta \Rightarrow (\lambda (p: Boolean)) (th: \beta) \rightarrow (\beta \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \beta \Rightarrow$$
 (λ (p:Boolean) (th: β) \to ($\beta \to \beta$)

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) \rightarrow (\beta \rightarrow \beta \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda\beta{\Rightarrow}\,(\lambda\,(\,{\tt p}\,{:}\,{\tt Boolean}\,)\,{\rightarrow}\,(\beta{\rightarrow}\beta{\rightarrow}\beta)\,)$$

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) \rightarrow (\beta \rightarrow \beta \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$|\Lambda \beta \Rightarrow (\lambda(p:Boolean) \rightarrow (\beta \rightarrow \beta \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\beta \Rightarrow (\lambda(p:Boolean) \rightarrow (\beta \rightarrow \beta \rightarrow \beta))$$

$$\Lambda\beta \Rightarrow$$
 (Boolean $\rightarrow \beta \rightarrow \beta \rightarrow \beta$)



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \beta \!\!\Rightarrow\! \! ext{(Boolean} \!\! o \!\! eta \!\! o \!\! eta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\beta{\Rightarrow}\,\text{(Boolean}\!\rightarrow\!\beta{\rightarrow}\beta{\rightarrow}\beta\text{)}$$

$$\Lambda\beta \Rightarrow (Boolean \rightarrow \beta \rightarrow \beta \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$\Lambda \beta \Rightarrow (Boolean \rightarrow \beta \rightarrow \beta \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\beta{\Rightarrow}\texttt{(Boolean}{\rightarrow}\beta{\rightarrow}\beta{\rightarrow}\beta\texttt{)}$$

$$(\forall \beta \Rightarrow (Boolean \rightarrow \beta \rightarrow \beta \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \rightarrow \alpha)) \ (\mathbf{z}:\alpha) \rightarrow (\mathbf{s} \ (\mathbf{s} \ \mathbf{z}))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic ____

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \rightarrow \alpha)) \ (\mathbf{z}:\alpha) \rightarrow (\mathbf{s} \ (\mathbf{s} \ \mathbf{z}))))$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \rightarrow \alpha)) \ (\mathbf{z}:\alpha) \rightarrow (\mathbf{s} \ (\mathbf{s} \ \mathbf{z}))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \rightarrow \alpha)) \ (\mathbf{z}:\alpha) \rightarrow (\mathbf{s} \ (\mathbf{s} \ \mathbf{z}))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \to \alpha)) \ (\mathbf{z}:\alpha) \to (\mathbf{s} \ (\mathbf{s} \ (\mathbf{s} \ \mathbf{z}))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} \Lambda\alpha \Rightarrow (\lambda(\mathtt{s}:(\alpha \rightarrow \alpha)) \quad (\mathtt{z}:\alpha) \rightarrow ((\alpha \rightarrow \alpha) \quad ((\alpha \rightarrow \alpha) \quad ((\alpha \rightarrow \alpha) \quad (\alpha \rightarrow \alpha)))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} \Lambda\alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \rightarrow \alpha)) \quad (\mathbf{z}:\alpha) \rightarrow ((\alpha \rightarrow \alpha) \quad ((\alpha \rightarrow \alpha) \quad ((\alpha \rightarrow \alpha)))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} \Lambda \alpha \Rightarrow (\lambda (\mathbf{s} : (\alpha \to \alpha)) \quad (\mathbf{z} : \alpha) \to ((\alpha \to \alpha) \quad ((\alpha \to \alpha) \quad ((\alpha \to \alpha)) \\ \alpha)))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c|c} \Lambda \alpha \Rightarrow (\lambda (\mathbf{s} : (\alpha \rightarrow \alpha)) & (\mathbf{z} : \alpha) \rightarrow ((\alpha \rightarrow \alpha)) & ((\alpha \rightarrow \alpha)) & ((\alpha \rightarrow \alpha)) \\ \alpha)))) \end{array}$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \to \alpha)) \quad (\mathbf{z}:\alpha) \to ((\alpha \to \alpha) \quad ((\alpha \to \alpha) \quad ((\alpha \to \alpha) \quad \alpha))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \to \alpha)) \quad (\mathbf{z}:\alpha) \to ((\alpha \to \alpha) \quad ((\alpha \to \alpha) \quad \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$| \Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow ((\alpha \rightarrow \alpha) ((\alpha \rightarrow \alpha) \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (\mathbf{s} : (\alpha \to \alpha)) \quad (\mathbf{z} : \alpha) \to ((\alpha \to \alpha) \quad ((\alpha \to \alpha) \quad \alpha)))$$

$$\Lambda\alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \to \alpha)) \quad (\mathbf{z}:\alpha) \to ((\alpha \to \alpha) \quad ((\alpha \to \alpha) \quad \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) \quad (z : \alpha) \rightarrow ((\alpha \rightarrow \alpha) \quad ((\alpha \rightarrow \alpha) \quad \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda\alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \rightarrow \alpha)) \quad (\mathbf{z}:\alpha) \rightarrow ((\alpha \rightarrow \alpha) \quad ((\alpha \rightarrow \alpha) \quad \alpha)))$$

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow ((\alpha \rightarrow \alpha) \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda\alpha{\Rightarrow}\left(\lambda(\mathtt{s}:(\alpha{\rightarrow}\alpha))\ (\mathtt{z}:\alpha){\rightarrow}((\alpha{\rightarrow}\alpha)\ \alpha)\right)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow ((\alpha \rightarrow \alpha) \alpha))$$

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow ((\alpha \rightarrow \alpha) \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

Conclusion

$$| \Lambda \alpha \Rightarrow (\lambda (\mathbf{s} : (\alpha \to \alpha)) \quad (\mathbf{z} : \alpha) \to ((\alpha \to \alpha) \quad \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$|\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow ((\alpha \rightarrow \alpha) \alpha))|$$

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$|\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$|\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) (z : \alpha) \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow (\lambda (s : (\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha))$$

$$\Lambda \alpha \Rightarrow (\lambda(\mathbf{s}:(\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$| \Lambda \alpha \Rightarrow (\lambda(s:(\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$| \Lambda \alpha \Rightarrow (\lambda(\mathbf{s}: (\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha)) |$$

$$\Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$

$$\Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)$$

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Appendix

$$(\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$

Nat



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

 $(\lambda(m:Nat) (n:Nat) \rightarrow \Lambda \alpha \Rightarrow (\lambda(s:(\alpha \rightarrow \alpha)) (z:\alpha) \rightarrow (((m \alpha) s))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \ (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow \ (\lambda(\mathtt{s}:(\alpha \to \alpha)) \ (\mathtt{z}:\alpha) \to (((\mathtt{m} \ \alpha) \ \mathtt{s})) \ (\mathtt{s}:(\alpha \to \alpha)) \ (\mathtt{s}:(\alpha \to$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

Appendix

 $(\lambda(m:Nat) (n:Nat) \rightarrow \Lambda \alpha \Rightarrow (\lambda(s:(\alpha \rightarrow \alpha)) (z:\alpha) \rightarrow (((m \alpha) s))$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

```
(\lambda(\mathtt{m}:\mathtt{Nat}) \xrightarrow{(\mathtt{n}:\mathtt{Nat})} \rightarrow \\ \Lambda\alpha \Rightarrow (\lambda(\mathtt{s}:(\alpha \rightarrow \alpha)) \ (\mathtt{z}:\alpha) \rightarrow (((\mathtt{Nat} \ \alpha) \ \mathtt{s}) \ (((\mathtt{n} \ \alpha) \ \mathtt{s}) \ \mathtt{z})))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\begin{array}{ccccc} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to ((( & \mathtt{Nat} & \alpha) & \mathtt{s}) & \mathtt{z})))) \end{array}
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\begin{array}{ccccc} (\lambda(\mathtt{m:Nat}) & (\mathtt{n:Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s:}(\alpha \to \alpha)) & (\mathtt{z:}\alpha) \to (((\lambda(\mathtt{m:Nat}(\alpha))))) & ((\lambda(\mathtt{m:Nat}(\alpha)))) & ((\lambda(\mathtt{m:Nat}(\alpha
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

```
(\lambda(\mathtt{m}:\mathtt{Nat}) \quad (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow \\ (\lambda(\mathtt{s}:(\alpha \to \alpha)) \quad (\mathtt{z}:\alpha) \to (((\mathtt{Nat} \ \alpha) \ \mathtt{s}) \ (((\mathtt{Nat} \ \alpha) \ \mathtt{s}) \ \mathtt{z}))))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

Named types

Conclusion

Appendix

```
(\lambda(\mathbf{m}: \mathtt{Nat}) \ (\mathbf{n}: \mathtt{Nat}) \rightarrow \Lambda \alpha \Rightarrow
          (\lambda(s:(\alpha \rightarrow \alpha)) (z:\alpha) \rightarrow (((Nat \alpha) s) (((Nat \alpha) s) z)))
```

 $(\lambda(m:Nat) (n:Nat) \rightarrow \Lambda \alpha \Rightarrow (\lambda(s:(\alpha \rightarrow \alpha)) (z:\alpha) \rightarrow (((a)) \rightarrow ((a)))$

```
Nat \alpha) (\alpha \rightarrow \alpha) ) (((Nat \alpha) (\alpha \rightarrow \alpha) ) z))))
F# basic
types
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\begin{array}{ccccc} (\lambda(\mathtt{m} \colon \mathtt{Nat}) & (\mathtt{n} \colon \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} \colon (\alpha \to \alpha)) & (\mathtt{z} \colon \alpha) \to \\ & & & & & & & & & & & & & \\ (((\mathtt{Nat} \ \alpha) & (\alpha \to \alpha)) & (((\mathtt{Nat} \ \alpha) & (\alpha \to \alpha)) & \mathtt{z})) \end{array}))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\begin{array}{ccccc} (\lambda(\mathtt{m:Nat}) & (\mathtt{n:Nat}) \rightarrow \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s:}(\alpha \rightarrow \alpha)) & (\mathtt{z:}\alpha) \rightarrow (((\lambda + \alpha) & \alpha)) & ((\lambda + \alpha) & (\alpha \rightarrow \alpha)) & ((\lambda + \alpha) & ((\lambda + \alpha) & (\alpha \rightarrow \alpha)) & ((\lambda + \alpha) & ((\lambda + \alpha) & (\alpha \rightarrow \alpha)) & ((\lambda + \alpha) & ((\lambda
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{ccccc} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to (((\mathtt{n} \times \alpha)) & (((\mathtt{n} \times \alpha) & (\alpha \to \alpha))))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\begin{array}{ccccc} (\lambda(\mathtt{m}:\mathtt{Nat}) & (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s}:(\alpha \to \alpha)) & (\mathtt{z}:\alpha) \to ((((\alpha \to \alpha)) \to (\alpha \to \alpha))) & (((\alpha \to \alpha)) \to (((\alpha \to \alpha)) \to (\alpha \to \alpha))) & (((\alpha \to \alpha)) \to (
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$\begin{array}{c} (\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \to \alpha)) \quad (\mathtt{z} : \alpha) \to \\ \quad ((((\forall \alpha \Rightarrow ((\alpha \to \alpha) \to \alpha \to \alpha)) \quad \alpha) \quad (\alpha \to \alpha)) \quad (((\mathtt{Nat} \quad \alpha \to \alpha)) \quad (\alpha \to \alpha)) \quad \alpha)))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \to \alpha)) \quad (\mathtt{z} : \alpha) \to \\ \quad ((((\forall \alpha \Rightarrow ((\alpha \to \alpha) \to \alpha \to \alpha)) \quad \alpha) \quad (\alpha \to \alpha)) \quad (((\mathtt{Nat} \quad \alpha \to \alpha)) \quad (\alpha \to \alpha)) \quad \alpha)))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

```
\begin{array}{c} (\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \to \alpha)) \quad (\mathtt{z} : \alpha) \to ((\alpha \to \alpha) \to \alpha) \to \alpha) \\ ((\forall \alpha \Rightarrow ((\alpha \to \alpha) \to \alpha \to \alpha)) \quad \alpha) \quad (\alpha \to \alpha)) \quad (((\mathtt{Nat} \quad \alpha) \quad (\alpha \to \alpha)) \quad \alpha)))) \end{array}
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\begin{array}{c} (\lambda(\mathtt{m}:\mathtt{Nat}) \quad (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s}:(\alpha \to \alpha)) \quad (\mathtt{z}:\alpha) \to ((\alpha \to \alpha)) \quad ((\alpha \to \alpha)) \quad
```

```
\begin{array}{c} (\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \to \alpha)) \quad (\mathtt{z} : \alpha) \to ((\alpha \to \alpha) \to \alpha) \\ ((\alpha \to \alpha) \to \alpha \to \alpha) \quad (\alpha \to \alpha)) \quad (((\mathtt{Nat} \quad \alpha) \quad (\alpha \to \alpha)) \quad \alpha)) \\ )) \end{array}
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$\begin{array}{c} (\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \rightarrow \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \rightarrow \alpha)) \quad (\mathtt{z} : \alpha) \rightarrow \\ \quad ((((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha) \quad (\alpha \rightarrow \alpha)) \quad (((\mathtt{Nat} \quad \alpha) \quad (\alpha \rightarrow \alpha)) \quad \alpha \\ \quad)))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
\begin{array}{c} (\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \to \alpha)) \quad (\mathtt{z} : \alpha) \to \\ \quad ((((\alpha \to \alpha) \to \alpha \to \alpha) \quad (\alpha \to \alpha)) \quad (((\mathtt{Nat} \quad \alpha) \quad (\alpha \to \alpha)) \quad \alpha \\ \quad )))) \end{array}
```

```
\begin{array}{c} (\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \to \alpha)) \quad (\mathtt{z} : \alpha) \to (\\ \hline (((\alpha \to \alpha) \to \alpha \to \alpha) \quad (\alpha \to \alpha)) \quad (((\mathtt{Nat} \quad \alpha) \quad (\alpha \to \alpha)) \quad \alpha)) \\ )) \end{array}
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

```
\begin{array}{c} (\lambda(\mathtt{m:Nat}) \quad (\mathtt{n:Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s:}(\alpha \to \alpha)) \quad (\mathtt{z:}\alpha) \to (\\ \hline (((\alpha \to \alpha) \to \alpha \to \alpha) \quad (\alpha \to \alpha)) \\ )) \end{array} \quad (((\mathtt{Nat} \quad \alpha) \quad (\alpha \to \alpha)) \quad \alpha))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(\mathtt{m}:\mathtt{Nat}) \ (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow \ (\lambda(\mathtt{s}:(\alpha \to \alpha)) \ (\mathtt{z}:\alpha) \to ( (((\alpha \to \alpha) \to \alpha \to \alpha) \ (\alpha \to \alpha)) \ (((\mathtt{Nat} \ \alpha) \ (\alpha \to \alpha)) \ \alpha))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$\begin{array}{c|c} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to ((\alpha \to \alpha)) & ((\alpha \to \alpha)) &$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

$$\begin{array}{c|c} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to ((\alpha \to \alpha)) & ((\alpha \to \alpha)) &$$

$$\begin{array}{ccccc} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to ((\alpha \to \alpha)) & (\alpha \to \alpha)) & (\alpha \to \alpha) & (\alpha$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

```
(\lambda(m:Nat) (n:Nat) \rightarrow \Lambda \alpha \Rightarrow (\lambda(s:(\alpha \rightarrow \alpha)) (z:\alpha) \rightarrow ((\alpha \rightarrow \alpha)))
         \rightarrow \alpha) (((Nat \alpha) (\alpha \rightarrow \alpha)) \alpha))))
```

```
(\lambda(m:Nat) (n:Nat) \rightarrow \Lambda \alpha \Rightarrow (\lambda(s:(\alpha \rightarrow \alpha)) (z:\alpha) \rightarrow ((\alpha \rightarrow \alpha)))
           \rightarrow \alpha) ((((\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)) \quad \alpha) (\alpha \rightarrow \alpha)) \quad \alpha)))
```



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

$$\begin{array}{lll} (\lambda(\mathtt{m:Nat}) & (\mathtt{n:Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s:}(\alpha \to \alpha)) & (\mathtt{z:}\alpha) \to ((\alpha \to \alpha)) & ((\alpha \to \alpha)) & (\alpha \to \alpha)) &$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} (\lambda(\mathtt{m}:\mathtt{Nat}) \quad (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s}:(\alpha \to \alpha)) \quad (\mathtt{z}:\alpha) \to ((\alpha \to \alpha)) \quad (\alpha \to \alpha)))) \end{array}$$

$$\begin{array}{cccc} (\lambda(\mathtt{m}:\mathtt{Nat}) & (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s}:(\alpha \to \alpha)) & (\mathtt{z}:\alpha) \to ((\alpha \to \alpha)) & ((\alpha \to \alpha)) & (\alpha \to \alpha)) & (\alpha \to \alpha)) & (\alpha \to \alpha) & (\alpha \to \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c|c} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to ((\alpha \to \alpha)) & ((\alpha \to \alpha) \to \alpha) & ((\alpha \to \alpha)) & (\alpha)))) \end{array}$$

$$\begin{array}{ccccc} (\lambda(\mathtt{m}:\mathtt{Nat}) & (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s}:(\alpha \to \alpha)) & (\mathtt{z}:\alpha) \to ((\alpha \to \alpha)) & (\alpha \to \alpha) & ($$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{ccccc} (\lambda(\mathtt{m:Nat}) & (\mathtt{n:Nat}) \rightarrow \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s:}(\alpha \rightarrow \alpha)) & (\mathtt{z:}\alpha) \rightarrow ((\alpha \rightarrow \alpha)) & (\alpha \rightarrow \alpha) & (\alpha \rightarrow \alpha)) & (\alpha \rightarrow \alpha) & (\alpha \rightarrow \alpha) & (\alpha \rightarrow \alpha) & (\alpha \rightarrow \alpha) & (\alpha \rightarrow \alpha)) & (\alpha \rightarrow \alpha) & (\alpha \rightarrow$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{ccccc} (\lambda(\mathtt{m:Nat}) & (\mathtt{n:Nat}) \rightarrow \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s:}(\alpha \rightarrow \alpha)) & (\mathtt{z:}\alpha) \rightarrow ((\alpha \rightarrow \alpha)) & ((\alpha \rightarrow \alpha) \rightarrow \alpha) & ((\alpha \rightarrow \alpha) \rightarrow \alpha)) & (\alpha \rightarrow \alpha)) & (\alpha \rightarrow \alpha) & (\alpha \rightarrow \alpha) & (\alpha \rightarrow \alpha)) & (\alpha \rightarrow \alpha) & (\alpha$$

$$\begin{array}{cccc} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to ((\alpha \to \alpha)) & (\alpha \to \alpha) & (\alpha \to$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{cccc} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to ((\alpha \to \alpha)) & ((\alpha \to \alpha)) &$$

$$\begin{array}{cccc} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to ((\alpha \to \alpha)) \\ \to \alpha) & ((\alpha \to \alpha) & \alpha) \\ \end{array})))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{ccccc} (\lambda(\mathtt{m:Nat}) & (\mathtt{n:Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s:}(\alpha \to \alpha)) & (\mathtt{z:}\alpha) \to ((\alpha \to \alpha)) \\ & \to \alpha) & ((\alpha \to \alpha) & \alpha) \\ \end{array})))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{ccccc} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to ((\alpha \to \alpha)) & (\alpha) &$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c|c} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to ((\alpha \to \alpha))) \\ \to \alpha) & \alpha))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{cccc} (\lambda(\mathtt{m} : \mathtt{Nat}) & (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow & (\lambda(\mathtt{s} : (\alpha \to \alpha)) & (\mathtt{z} : \alpha) \to \\ \hline & ((\alpha \to \alpha) & \alpha) \\ \end{array}))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \ (\mathtt{n}:\mathtt{Nat}) {\to} \Lambda \alpha \Rightarrow \ (\lambda(\mathtt{s}:(\alpha {\to} \alpha)) \ (\mathtt{z}:\alpha) {\to} \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \rightarrow \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \rightarrow \alpha)) \quad (\mathtt{z} : \alpha) \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$(\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow (\lambda(\mathtt{s} : (\alpha \to \alpha)) \quad (\mathtt{z} : \alpha) \to \alpha))$$

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \quad (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s}:(\alpha \to \alpha)) \quad (\mathtt{z}:\alpha) \to \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \rightarrow \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \rightarrow \alpha)) \quad (\mathtt{z} : \alpha) \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \ (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow \ (\lambda(\mathtt{s}:(\alpha \to \alpha)) \ (\mathtt{z}:\alpha) \to \alpha))$$

$$(\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \to \alpha)) \to \frac{(\alpha \to \alpha)}{}))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \quad (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s}:(\alpha \to \alpha)) \to (\alpha \to \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m} : \mathtt{Nat}) \quad (\mathtt{n} : \mathtt{Nat}) \rightarrow \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s} : (\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha)))$$

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \ (\mathtt{n}:\mathtt{Nat}) {\to} \Lambda \alpha {\Rightarrow} \ (\lambda(\mathtt{s}:(\alpha {\to} \alpha)) {\to} (\alpha {\to} \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \ (\mathtt{n}:\mathtt{Nat}) {\to} \Lambda \alpha \Rightarrow \ (\lambda(\mathtt{s}:(\alpha {\to} \alpha)) {\to} (\alpha {\to} \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \quad (\mathtt{n}:\mathtt{Nat}) \to \Lambda \alpha \Rightarrow \quad (\lambda(\mathtt{s}:(\alpha \to \alpha)) \to (\alpha \to \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\lambda(\mathbf{m} : \mathtt{Nat}) \quad (\mathbf{n} : \mathtt{Nat}) \rightarrow \!\! \Lambda \alpha \!\! \Rightarrow \quad ((\alpha \!\! \to \!\! \alpha) \rightarrow \!\! \alpha \!\! \to \!\! \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m}\!:\!\mathtt{Nat}) \ (\mathtt{n}\!:\!\mathtt{Nat})\!\to\!\!\Lambdalpha\! \Rightarrow ((lpha\!\to\!lpha)\!\to\!lpha\!\to\!lpha))$$

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \ (\mathtt{n}:\mathtt{Nat}) \to \Lambda\alpha \Rightarrow ((\alpha \to \alpha) \to \alpha \to \alpha)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \ (\mathtt{n}:\mathtt{Nat}) \rightarrow \Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \quad (\mathtt{n}:\mathtt{Nat}) \rightarrow \Lambda \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))$$

$$(\lambda(m:Nat) \rightarrow (\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \quad (\mathtt{n}:\mathtt{Nat}) \!\to\! (\forall \alpha \ \Rightarrow ((\alpha \!\to\! \alpha) \!\to\! \alpha \!\to\! \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \ (\mathtt{n}:\mathtt{Nat}) \! \to \! (\forall \alpha \ \Rightarrow ((\alpha \! \to \! \alpha) \! \to \! \alpha \! \to \! \alpha)))$$

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \xrightarrow{(\mathtt{n}:\mathtt{Nat})} \rightarrow (\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \xrightarrow{} (\mathtt{m}:\mathtt{Nat}) \rightarrow (\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \xrightarrow{} (\forall \alpha \Rightarrow ((\alpha {
ightarrow} \alpha) {
ightarrow} \alpha))$$

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \rightarrow (\mathtt{Nat} \rightarrow (\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$(\lambda(\mathbf{m}: \mathbf{Nat}) \rightarrow (\mathbf{Nat} \rightarrow (\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat})\! o\! (\mathtt{Nat}\! o\! (\forall lpha \ \Rightarrow ((lpha\! o\! lpha)\! o\! lpha\! o\! lpha))))$$

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \rightarrow (\mathtt{Nat} \rightarrow (\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$(\lambda(m:Nat) \rightarrow (Nat \rightarrow (\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$(\lambda(\mathtt{m}:\mathtt{Nat}) \rightarrow (\mathtt{Nat} \rightarrow (\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha))))$$

$$(\text{Nat} \rightarrow \text{Nat} \rightarrow (\forall \alpha \Rightarrow ((\alpha \rightarrow \alpha) \rightarrow \alpha \rightarrow \alpha)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$| \Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \rightarrow ((p \ \beta) \ (\lambda (x : \alpha) \ (y : \beta) \rightarrow y)))$$

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda(\mathfrak{p}: (\alpha \times \beta)) \to ((\mathfrak{p} \ \beta) \ (\lambda(\mathfrak{x}: \alpha) \ (\mathfrak{y}: \beta) \to \mathfrak{y})))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda(p:(\alpha \times \beta)) \to ((p \beta) (\lambda(x:\alpha) (y:\beta) \to y)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$|\Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(p:(\alpha \times \beta)) \to ((p \beta) (\lambda(x:\alpha) (y:\beta) \to y)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types Named types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda(\mathbf{p}: (\alpha \times \beta)) \to ((((\times \alpha) \beta) \beta) (\lambda(\mathbf{x}: \alpha) (\mathbf{y}: \beta) \to \mathbf{y})))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda(\mathbf{p}: (\alpha \times \beta)) \to ((((\times \alpha) \beta) \beta) \beta) (\lambda(\mathbf{x}: \alpha) (\mathbf{y}: \beta) \to \mathbf{y})))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda(p:(\alpha \times \beta)) \to ((((\forall \alpha \beta \gamma \Rightarrow ((\alpha \to \beta \to \gamma) \to \gamma))))) \alpha) \beta) \beta) (\lambda(x:\alpha))$$

$$(y:\beta) \to y)))$$

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \to ((((\forall \beta \gamma \Rightarrow ((\alpha \to \beta \to \gamma) \to \gamma))))$$

$$\beta) \beta) (\lambda (x : \alpha) (y : \beta) \to y)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda(p:(\alpha \times \beta)) \rightarrow ((((\forall \beta \ \gamma \ \Rightarrow ((\alpha \to \beta \to \gamma) \to \gamma))))$$

$$\beta) \ \beta) \ (\lambda(x:\alpha) \ (y:\beta) \to y)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} \Lambda\alpha\!\!\Rightarrow\!\!\Lambda\beta\!\!\Rightarrow\!\! (\lambda(\mathtt{p}\!:\!(\alpha\!\!\times\!\!\beta))\!\to\!\! (((\forall\gamma\!\!\Rightarrow\!\!((\alpha\!\!\to\!\!\beta\!\!\to\!\!\gamma)\!\to\!\!\gamma))\ \beta)\ (\lambda(\mathtt{x}\!:\!\alpha)\ (\mathtt{y}\!:\!\beta)\!\to\!\!\mathtt{y}))) \end{array}$$

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \to ((\forall \gamma \Rightarrow ((\alpha \to \beta \to \gamma) \to \gamma)) \beta)$$

$$\lambda (x : \alpha) (y : \beta) \to y))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} \Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(\mathbf{p}:(\alpha \times \beta)) \to ((\alpha \to \beta \to \beta) \to \beta) \\ \beta) \to \mathbf{y}))) \end{array} (\lambda(\mathbf{x}:\alpha) \quad (\mathbf{y}:(\alpha \to \beta \to \beta) \to \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \rightarrow (((\alpha \to \beta \to \beta) \to \beta)) \\
(\lambda (x : \alpha) (y : \beta) \to y)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \rightarrow (((\alpha \to \beta \to \beta) \to \beta) (\lambda (x : \alpha) (y : \beta) \to y)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda(\mathbf{p} : (\alpha \times \beta)) \rightarrow (((\alpha \to \beta \to \beta) \to \beta) \quad (\lambda(\mathbf{x} : \alpha))$$

$$(\mathbf{y} : \beta) \to \mathbf{y})))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \to (((\alpha \to \beta \to \beta) \to \beta) (\lambda (x : \alpha) (y : \beta) \to \beta)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \rightarrow (((\alpha \to \beta \to \beta) \to \beta) \quad (\lambda (x : \alpha))$$

$$(y : \beta) \rightarrow \beta)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \rightarrow (((\alpha \to \beta \to \beta) \to \beta) \quad (\lambda (x : \alpha) \to (\beta \to \beta))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (\mathfrak{p} : (\alpha \times \beta)) \rightarrow (((\alpha \to \beta \to \beta) \to \beta) \quad (\alpha \to \beta \to \beta))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \rightarrow (((\alpha \to \beta \to \beta) \to \beta) (\alpha \to \beta \to \beta)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$|\Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(p:(\alpha \times \beta)) \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \rightarrow \beta)$$

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda(p:(\alpha \times \beta)) \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$|\Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(p:(\alpha \times \beta)) \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (p : (\alpha \times \beta)) \rightarrow \beta)$$

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow ((\alpha \times \beta) \to \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

.

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow ((\alpha \times \beta) \rightarrow \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic types

Named types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow ((\alpha \times \beta) \rightarrow \beta)$$

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow ((\alpha \times \beta) \to \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow ((\alpha \times \beta) \to \beta)$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow ((\alpha \times \beta) \to \beta)$$

$$\Lambda \alpha \Rightarrow (\forall \beta \Rightarrow ((\alpha \times \beta) \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\forall \beta \Rightarrow ((\alpha \times \beta) \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\forall \beta \Rightarrow ((\alpha \times \beta) \rightarrow \beta))$$

$$\Lambda \alpha \Rightarrow (\forall \beta \Rightarrow ((\alpha \times \beta) \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\forall \beta \Rightarrow ((\alpha \times \beta) \rightarrow \beta))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\forall \beta \Rightarrow ((\alpha \times \beta) \rightarrow \beta))$$

$$(\forall \alpha \ \beta \Rightarrow ((\alpha \times \beta) \to \beta)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow \\
(\lambda(\mathbf{y}:\beta) \to \Lambda \gamma \Rightarrow (\lambda(\mathbf{f}:(\alpha \to \gamma)) (\mathbf{g}:(\beta \to \gamma)) \to (\mathbf{g} \ \mathbf{y})))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic ____

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} \Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (y : \beta) \to \Lambda \gamma \Rightarrow (\lambda (f : (\alpha \to \gamma)) (g : (\beta \to \gamma)) \to (g : (\beta \to \gamma))) \\ \beta))) \end{aligned}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (y : \beta) \to \Lambda \gamma \Rightarrow \\
(\lambda (f : (\alpha \to \gamma)) (g : (\beta \to \gamma)) \to (g \beta)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{cccc} \Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (y : \beta) \to \Lambda \gamma \Rightarrow (\lambda (f : (\alpha \to \gamma)) & (g : (\beta \to \gamma)) \to (g \\ \beta))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (y : \beta) \to \Lambda \gamma \Rightarrow (\lambda (f : (\alpha \to \gamma))) (g : (\beta \to \gamma)) \to (g \beta)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

$$\begin{array}{cccccc} \Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(\mathtt{y}:\beta) \to \Lambda\gamma \Rightarrow & (\lambda(\mathtt{f}:(\alpha \to \gamma)) & (\mathtt{g}:(\beta \to \gamma)) \to (\\ \hline (\beta \to \gamma) & \beta))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\begin{array}{c} \Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(y:\beta) \to \Lambda\gamma \Rightarrow (\lambda(f:(\alpha \to \gamma)) (g:(\beta \to \gamma)) \to \\ \hline ((\beta \to \gamma) \beta))) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$\begin{array}{c} \Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(\mathbf{y}:\beta) \to \Lambda\gamma \Rightarrow (\lambda(\mathbf{f}:(\alpha \to \gamma)) (\mathbf{g}:(\beta \to \gamma)) \to \\ \hline \gamma)) \end{array}$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(y:\beta) \to \Lambda\gamma \Rightarrow (\lambda(f:(\alpha \to \gamma)) \to ((\beta \to \gamma) \to \gamma)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(y:\beta) \to \Lambda\gamma \Rightarrow (\lambda(f:(\alpha \to \gamma)) \to ((\beta \to \gamma) \to \gamma)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(y:\beta) \to \Lambda\gamma \Rightarrow ((\alpha \to \gamma) \to (\beta \to \gamma) \to \gamma))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$| \Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (y : \beta) \to \Lambda \gamma \Rightarrow ((\alpha \to \gamma) \to (\beta \to \gamma) \to \gamma))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (y : \beta) \rightarrow \Lambda \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$| \Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (y : \beta) \to \Lambda \gamma \Rightarrow ((\alpha \to \gamma) \to (\beta \to \gamma) \to \gamma))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

$$\Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(y:\beta) \to \Lambda\gamma \Rightarrow ((\alpha \to \gamma) \to (\beta \to \gamma) \to \gamma))$$

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (y : \beta) \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$| \Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda (y : \beta) \to (\forall \gamma \Rightarrow ((\alpha \to \gamma) \to (\beta \to \gamma) \to \gamma)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda\alpha \Rightarrow \Lambda\beta \Rightarrow (\lambda(y:\beta) \to (\forall \gamma \Rightarrow ((\alpha \to \gamma) \to (\beta \to \gamma) \to \gamma)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$| \Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\lambda(y : \beta) \to (\forall \gamma \Rightarrow ((\alpha \to \gamma) \to (\beta \to \gamma) \to \gamma)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma)))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

types

Conclusion

$$\Lambda \alpha \Rightarrow \Lambda \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma)))$$

$$\Lambda \alpha \Rightarrow (\forall \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

types

Conclusion

$$| \Lambda \alpha \Rightarrow (\forall \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma)))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

$$\Lambda\alpha \Rightarrow (\forall \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma))))$$

$$\Lambda \alpha \Rightarrow (\forall \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference F# basic

Named types

Conclusion

$$\Lambda \alpha \Rightarrow (\forall \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma))))$$



Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

Named types

Conclusion

types

$$\Lambda \alpha \Rightarrow (\forall \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma))))$$

$$(\forall \alpha \ \beta \Rightarrow (\beta \rightarrow (\forall \gamma \Rightarrow ((\alpha \rightarrow \gamma) \rightarrow (\beta \rightarrow \gamma) \rightarrow \gamma)))))$$



This is it!

Types, inference, and F# data types

The INFDEV@HR Team

Introduction

The typed lambda calculus

Type checking

Type inference

F# basic

types

Named types

Conclusion

Appendix

The best of luck, and thanks for the attention!