

# Vertical Form-Fill-Seal Packaging Machine Manual

Document ID: manual\_vffs

## 1. Overview

Vertical Form-Fill-Seal Packaging Machine Manual. Rated for continuous packaging-line duty. Follow lockout/tagout before any intrusive maintenance.

## 2. Safety

Isolate energy sources. Wear hearing protection near rotating equipment. Do not bypass interlocks during production.

## 3. Fault E-102

Fault code E-102: Seal jaw temperature deviation. Troubleshooting: Check heater SSR, PID tune, thermocouple. Related spare parts: HJ-220 heater cartridge, TC-K-jaw thermocouple, PTFE-25 seal tape.

### **3. Fault E-105**

Fault code E-105: Film tracking offset. Troubleshooting: Inspect dancer rollers and edge sensor.  
Related spare parts: HJ-220 heater cartridge, TC-K-jaw thermocouple, PTFE-25 seal tape.

### **3. Fault E-110**

Fault code E-110: Jaw pressure low. Troubleshooting: Verify pneumatic regulator and jaw bushings.  
Related spare parts: HJ-220 heater cartridge, TC-K-jaw thermocouple, PTFE-25 seal tape.

## 4. Preventive maintenance

Daily: listen for abnormal noise. Weekly: vibration spot check. Monthly: inspect fasteners, lubrication, and seals.

## 5.1 Operating procedure block 1

[illegible]

## 5.2 Operating procedure block 2

[illegible]

### 5.3 Operating procedure block 3

[illegible]

## 5.4 Operating procedure block 4

[illegible]

## 5.5 Operating procedure block 5

[illegible]

## 5.6 Operating procedure block 6

Confirm setpoints, verify sensors respond, record values in the shift log, and escalate to maintenance if fault codes reappear within 30 minutes. Detail paragraph. Detail paragraph. Detail paragraph. Detail

paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph.

5.7 Operating procedure block 7

Confirm setpoints, verify sensors respond, record values in the shift log, and escalate to maintenance if fault codes reappear within 30 minutes. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph.

5.8 Operating procedure block 8

Confirm setpoints, verify sensors respond, record values in the shift log, and escalate to maintenance if fault codes reappear within 30 minutes. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph.

5.9 Operating procedure block 9

Confirm setpoints, verify sensors respond, record values in the shift log, and escalate to maintenance if fault codes reappear within 30 minutes. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph.

5.10 Operating procedure block 10

Confirm setpoints, verify sensors respond, record values in the shift log, and escalate to maintenance if fault codes reappear within 30 minutes. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph.

5.11 Operating procedure block 11

Confirm setpoints, verify sensors respond, record values in the shift log, and escalate to maintenance if fault codes reappear within 30 minutes. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph. Detail paragraph.

Troubleshooting table

| Code  | Description                    | Action                                   |
|-------|--------------------------------|------------------------------------------|
| E-102 | Seal jaw temperature deviation | Check heater SSR, PID tune, thermocouple |

|       |                      |                                             |
|-------|----------------------|---------------------------------------------|
| E-105 | Film tracking offset | Inspect dancer rollers and edge sensor      |
| E-110 | Jaw pressure low     | Verify pneumatic regulator and jaw bushings |

## Appendix notes

Keep calibration certificates with the equipment history file. Appendix filler. Appendix filler. Appendix  
filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.  
Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix  
filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.  
Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix  
filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.  
Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.

## Appendix notes

[illegible]

## Appendix notes

[illegible]

## Appendix notes

Keep calibration certificates with the equipment history file. Appendix filler. Appendix filler. Appendix  
filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.  
Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix  
filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.  
Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix  
filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.  
Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.

## Appendix notes

[illegible]

## Appendix notes

Keep calibration certificates with the equipment history file. Appendix filler. Appendix filler. Appendix  
filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.  
Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix  
filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.  
Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix  
filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.  
Appendix filler. Appendix filler. Appendix filler. Appendix filler. Appendix filler.