Alert Triage

The first step that one should follow is to assign the alert to **yourself** and make it's status to In **Process**. So that no multiple people work on the same alert.



How to do the Alert selection:

1. Filter the alerts
Make sure you don't take the alert that other analysts have already reviewed, or that is already being investigated by one of your teammates. You should only take new, yet unseen and unresolved alerts.

2. Sort by severity
Start with critical alerts, then high, medium, and finally low. This is because detection engineers design rules so that critical alerts are much more likely to be real, major threats and cause much more impact than medium or low ones.

3. Sort by time
Start with the oldest alerts and end with the newest ones. The idea is that if both alerts are about two breaches, the hacker from the older breach is likely already dumping your data, while the "newcomer" has just started the discovery.

Alert 01

Mar 21st 2025 at 13:58	Double-Extension File Creation	High	Closed	True Positive	You (L1)
Mar 21st 2025 at 13:30	Potential Data Exfiltration	Critical	Closed	False Positive	You (L1)

Description:	This rule detects 5 or more gigabytes of data sent from a single device to a single destination within a day, which may indicate data exfiltration to untrusted location.
Destination:	*.zoom.us
Source IP:	192.168.45.66
Source Network:	UK04/MEETINGROOM
Sent Data:	5.8 GB
Received Data:	5.2 GB
Comment:	The data transfer is simply due to the zoom meeting.

Mar 21st 2025 at 13:02	Download from GitHub Repository	Low	Awaiting action	None	None
Mar 21st 2025 at 12:40	Unusual VPN Login Location	Medium	Closed	False Positive	T.Ross (L1)

Result:

Edit Alert

Potential Data Exfiltration

Status: Closed

Verdict: False Positive

Severity: Critical

Assignee: You (L1)

Analyst Comment *

The data transfer is simply due to the zoom meeting.

Save

Alert 02

Time	Name	Severity	Status	Verdict	Assignee	Actions
Mar 21st 2025 at 13:58	Double-Extension File Creation	High	Closed	True Positive	You (L1)	

Description:	This rule detects a creation of a double-extension file like '*.pdf.exe' or '*.gif.lnk', often used by hackers in phishing attacks to trick users into opening the malicious executable.
Host:	LPT-HR-009
Process Name:	chrome.exe
Process User:	S.Conway
Target File:	C:\Users\S.Conway\Downloads\cats2025.mp4.exe
File MotW:	https://freecatvideoshd.monster/cats2025.mp4.exe
File MD5:	14d8486f3f63875ef93cfd240c5dc10b
Comment:	this is the phishing file

Mar 21st 2025 at 13:30	Potential Data Exfiltration	Critical	Closed	False Positive	You (L1)	
Mar 21st 2025 at 13:02	Download from GitHub Repository	Low	Closed	False Positive	You (L1)	

Result:

Edit Alert

Double-Extension File Creation

Status: Closed

Verdict: True Positive

Severity: High

Assignee: You (L1)

Analyst Comment *

Double extention files are usually use for phishing.

Save

Alert 03

Mar 21st 2025 at 13:58	Double-Extension File Creation	High	Closed	True Positive	You (L1)
Mar 21st 2025 at 13:30	Potential Data Exfiltration	Critical	Closed	False Positive	You (L1)
Mar 21st 2025 at 13:02	Download from GitHub Repository	Low	Awaiting action	None	None

Description:	This rule detects any download from GitHub. While GitHub stores lots of great projects that our IT team uses, it also stores malicious scripts and exploits that must not be downloaded by the users.
Accessed URL:	https://github.com/facebook/react
Source User:	G.Chandler
Source Host:	LPT-IT-063
Source Network:	VPN/DEVELOPERS

Mar 21st 2025 at 12:40	Unusual VPN Login Location	Medium	Closed	False Positive	T.Ross (L1)
Mar 21st 2025 at 11:53	Bruteforce Attack from External	Medium	Closed	True Positive	J.Adams (L2)

Result:

Edit Alert

Download from GitHub Repository

Status: Closed

Verdict: False Positive

Severity: Low

Assignee: You (L1)

Analyst Comment *

User create the react app from gitgub.

Save

Prepared by: HabibUllah