

HO CHI MINH CITY UNIVERSITY OF TRANSPORT (UTH)  
FACULTY OF INFORMATION TECHNOLOGY

---

# Capstone Project Document

## Horse Racing Tournament Management System

---

|                              |                                                                                                                                                                                                                                                              |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Group Members</b>         | Ha Duy Hung - 074206002060 ( <i>Team Leader</i> )<br>Dinh Thuy Anh - 068306011497<br>Ho Nguyen Thai Chau - 054206003685<br>Le Thi My Hue - 052306012275<br>Bui Le Quang Huy - 231206000064<br>Nguyen Gia Huy - 2251120017<br>Doan Thi Thu May - 068306004742 |
| <b>Supervisor</b>            | Lecturer Nguyen Van Chien                                                                                                                                                                                                                                    |
| <b>Capstone Project code</b> | Hourse Racing Tournament                                                                                                                                                                                                                                     |

# Contents

|                                                         |           |
|---------------------------------------------------------|-----------|
| <b>Acknowledgement</b>                                  | <b>3</b>  |
| <b>Definition and Acronyms</b>                          | <b>4</b>  |
| <b>1 Project Introduction</b>                           | <b>5</b>  |
| 1.1 Overview . . . . .                                  | 5         |
| 1.1.1 Project Information . . . . .                     | 5         |
| 1.1.2 Project Team . . . . .                            | 5         |
| 1.2 Product Background . . . . .                        | 5         |
| 1.3 Existing Systems . . . . .                          | 6         |
| 1.3.1 Prism Horse . . . . .                             | 6         |
| 1.3.2 RaceDB . . . . .                                  | 7         |
| 1.4 Business Opportunity . . . . .                      | 8         |
| 1.5 Software Product Vision . . . . .                   | 8         |
| 1.6 Project Scope & Limitations . . . . .               | 8         |
| 1.6.1 Major Features . . . . .                          | 8         |
| 1.6.2 Limitations & Exclusions . . . . .                | 10        |
| <b>2 Software Project Management Plan</b>               | <b>11</b> |
| 2.1 Overview . . . . .                                  | 11        |
| 2.2 Scope & Estimation . . . . .                        | 11        |
| 2.3 Project Objectives . . . . .                        | 12        |
| 2.3.1 Defect Tolerance by Testing Phase . . . . .       | 13        |
| 2.4 Risk Management . . . . .                           | 14        |
| 2.5 Management Approach . . . . .                       | 15        |
| 2.5.1 Agile-Scrum Implementation . . . . .              | 15        |
| 2.5.2 Coding Standards and Bug Prevention . . . . .     | 16        |
| 2.6 Deliverables Schedule . . . . .                     | 16        |
| 2.6.1 Deliverables Timeline (Week 1 - Week 9) . . . . . | 16        |
| 2.7 Responsibility Assignment Matrix (DRSI) . . . . .   | 17        |
| 2.7.1 Document Management . . . . .                     | 18        |
| 2.7.2 Source Code Management . . . . .                  | 19        |
| 2.7.3 Tools and Infrastructure . . . . .                | 19        |
| <b>3 Software Requirement Specification</b>             | <b>21</b> |
| 3.1 Product Overview . . . . .                          | 21        |
| 3.1.1 System Context Diagram . . . . .                  | 22        |
| 3.1.2 Interaction Data Flows . . . . .                  | 22        |
| 3.2 User Requirements . . . . .                         | 23        |

|          |                                                        |           |
|----------|--------------------------------------------------------|-----------|
| 3.2.1    | System Actors . . . . .                                | 23        |
| 3.2.2    | Use Cases . . . . .                                    | 24        |
| 3.3      | Functional Requirements . . . . .                      | 26        |
| 3.3.1    | System Functional Overview . . . . .                   | 26        |
| 3.3.2    | Screen Authorization . . . . .                         | 37        |
| 3.3.3    | Non-Function Requirement . . . . .                     | 38        |
| 3.3.4    | Entity Relationship Diagram . . . . .                  | 41        |
| 3.3.5    | Web Application . . . . .                              | 42        |
| 3.4      | Requirement Appendix . . . . .                         | 79        |
| 3.4.1    | Business Rules . . . . .                               | 79        |
| 3.4.2    | Common Requirements . . . . .                          | 83        |
| 3.4.3    | Application Messages . . . . .                         | 84        |
| 3.4.4    | Message Type Definitions . . . . .                     | 84        |
| <b>4</b> | <b>Software Design Description</b>                     | <b>90</b> |
| 4.1      | Overall Design . . . . .                               | 91        |
| 4.2      | Detailed Design . . . . .                              | 91        |
| 4.2.1    | Admin System Overview . . . . .                        | 91        |
| 4.2.2    | Admin Tournament Management . . . . .                  | 94        |
| 4.2.3    | Admin Registration Confirmation . . . . .              | 97        |
| 4.2.4    | Admin Schedule Races . . . . .                         | 100       |
| 4.2.5    | Admin Manage Users . . . . .                           | 103       |
| 4.2.6    | Admin Manage Rewards . . . . .                         | 106       |
| 4.2.7    | Login and Registration . . . . .                       | 109       |
| 4.2.8    | Horse Owner Authentication and Authorization . . . . . | 111       |
| 4.2.9    | Horse Owner Management Operations . . . . .            | 114       |
| 4.2.10   | Send Jockey Invitation . . . . .                       | 118       |
| 4.2.11   | Jockey Dashboard . . . . .                             | 122       |
| 4.2.12   | Jockey Invitation Management . . . . .                 | 126       |
| 4.2.13   | Race Schedule . . . . .                                | 129       |
| 4.2.14   | Personal Profile . . . . .                             | 132       |
| 4.2.15   | Achievements . . . . .                                 | 135       |
| 4.2.16   | Spectator Prediction . . . . .                         | 138       |
| 4.2.17   | Spectator Personal Profile . . . . .                   | 141       |
| 4.2.18   | Schedule and Result . . . . .                          | 144       |
| 4.2.19   | Top Spectators Leaderboard . . . . .                   | 150       |

# Acknowledgement

We would like to express our sincere gratitude to the faculty of Ho Chi Minh City University of Transport (UTH), and especially to our supervisor, Nguyen Van Chien, for their dedicated guidance and support throughout the development of this Capstone Project.

We would also like to thank every member of our team for their effort and close collaboration, which made it possible to complete the "Horse Racing Tournament Management System" project on schedule.

## Definition and Acronyms

| Term / Abbreviation | Definition                         |
|---------------------|------------------------------------|
| MVP                 | Minimum Viable Product             |
| SRS                 | Software Requirement Specification |
| SDD                 | Software Design Description        |
| ERD                 | Entity Relationship Diagram        |
| UC                  | Use Case                           |
| BR                  | Business Rule                      |
| CR                  | Common Requirement                 |
| MSG                 | Application Message                |
| UI                  | User Interface                     |
| API                 | Application Programming Interface  |
| DB                  | Database                           |

# I. Project Introduction

## 1.1. Overview

### 1.1.1 Project Information

- **Project name:** Horse Racing Tournament Management System
- **Project code:**
- **Group name:** Group 3
- **Software Type:** Web application

### 1.1.2 Project Team

| Full Name           | Role       | Email                   | Mobile |
|---------------------|------------|-------------------------|--------|
| Nguyen Van Chien    | Supervisor | chiennv@ut.edu.vn       |        |
| Ha Duy Hung         | Leader     | haduydung0912@gmail.com |        |
| Dinh Thuy Anh       | Member     | anhdt1497@ut.edu.vn     |        |
| Ho Nguyen Thai Chau | Member     | chauhnt3685@ut.edu.vn   |        |
| Le Thi My Hue       | Member     | lemyhue1803@gmail.com   |        |
| Nguyen Gia Huy      | Member     | nhuy22174@gmail.com     |        |
| Doan Thi Thu May    | Member     | maydtt6742@ut.edu.vn    |        |
| Bui Le Quang Huy    | Member     | huyblq0064@ut.edu.vn    |        |

Table 1.1: Project Team

## 1.2. Product Background

In the context of Vietnam’s growing interest in sports entertainment and digital transformation, horse racing organizations are increasingly facing the need to manage tournaments, participants, horses, jockeys, and race registration processes more efficiently. However, many racing-related activities may still depend on manual management methods such as paper forms, scattered Excel files, direct communication, or disconnected systems. This can lead to difficulties in managing tournament information, horse and jockey profiles, owner registrations, approval status, and communication between horse owners, jockeys, referees, and administrators.

Recognizing these limitations, a student team has proposed the development of a Horse Racing Management System. This system aims to digitize the main workflow of horse racing event management, from tournament creation and participant registration to approval, race organization, and result tracking. The target users include horse owners who register horses for tournaments, jockeys who participate in races, administrators who manage tournaments and registration requests, referees who monitor race results, and viewers or related users who need to follow tournament information in a transparent and convenient way.

## 1.3. Existing Systems

### 1.3.1 Prism Horse

**Link:** <https://prism.horse>

**Description:** A horse racing management platform supporting race events, horse information, and participant management.

**Actors:**

- Horse Owners
- Jockeys
- Administrators
- Referees

**Features:**

- Horse and jockey management.
- Tournament organization.
- Race registration.
- Participant management.

**Pros:**

- Designed specifically for horse racing activities.
- Supports race and participant management.

**Cons:**

- Limited owner–jockey collaboration workflow.
- No invitation management mechanism.
- Limited registration status tracking.
- Lack of integrated communication features.

### 1.3.2 RaceDB

**Link:** <https://www.racedb.com>

**Description:** A race event management system that supports competition registration, participant management, race scheduling, and result tracking. The platform is primarily designed for cycling and sporting competitions.

**Actors:**

- Participants
- Event Organizers
- Administrators
- Race Officials

**Features:**

- Online participant registration.
- Race scheduling and event management.
- Result recording and ranking.
- Participant and competition tracking.

**Pros:**

- Supports online registration and race management.
- Provides race scheduling and result tracking.
- Offers a centralized system for competition administration.

**Cons:**

- Not specifically designed for horse racing.
- Does not support horse owner, horse, and jockey relationships.
- Lacks invitation and approval workflows between horse owners and jockeys.
- Does not provide horse profile management and ownership information.
- Limited support for horse racing officials and tournament-specific workflows.

## 1.4. Business Opportunity

The horse racing industry is gradually embracing digital transformation as racing organizations and clubs seek more efficient ways to manage tournaments, participants, and race operations. However, many horse racing activities still rely on manual registration processes, paper documents, and fragmented communication between horse owners, jockeys, and organizers. This creates an opportunity to develop a specialized management system that can streamline tournament registration, improve participant coordination, and enhance transparency throughout the racing process.

The proposed Horse Racing Management System aims to optimize race organization by supporting online tournament registration, horse and jockey management, invitation workflows, and registration approval processes. The system can reduce administrative workload, minimize registration errors, and improve communication among stakeholders.

The system will compete in the sports event management and competition management software market while specifically targeting the horse racing domain, where existing solutions often lack comprehensive support for horse owner-jockey collaboration, race registration workflows, and tournament management requirements. By focusing on the unique characteristics of horse racing activities, the system has the potential to provide a more specialized and efficient solution for racing organizations and participants.

## 1.5. Software Product Vision

For horse racing organizations seeking to digitalize tournament operations, the Horse Racing Management System is a web-based platform that enables horse owners to register horses, invite jockeys, and participate in racing tournaments through an integrated online process. Jockeys can manage invitations and confirm participation, while administrators and referees can efficiently monitor registrations, approve requests, and oversee race activities.

Unlike traditional management methods that rely on paper documents, manual registration, and fragmented communication, the Horse Racing Management System reduces administrative workload, improves the accuracy and transparency of tournament management, and enhances collaboration among horse owners, jockeys, referees, and administrators. By digitalizing registration workflows, participant information, and competition management, the system also establishes a foundation for future services such as performance analytics, race statistics, online event management, and data-driven decision making in horse racing organizations.

## 1.6. Project Scope & Limitations

### 1.6.1 Major Features

In order to establish a comprehensive management solution for horse racing tournaments, the system defines specific functional scopes tailored to five primary user roles: Administrator, Horse Owner, Jockey, Referee, and Spectator.

## Major Features for Admin

- **FE-AD-01: User Account Management:** Register, view, update, and manage accounts for Referees, Jockeys, Horse Owners, and Spectators.
- **FE-AD-02: Tournament & Schedule Management:** Define new tournaments, set up races, assign tracks, and schedule tournament timelines.
- **FE-AD-03: System Configuration:** Configure parameters such as registration fees, base points, and reward distributions.

## Major Features for Horse Owner

- **FE-OW-01: Horse Registry:** Register and maintain detailed profiles for participating horses.
- **FE-OW-02: Tournament Registration:** Register horses to upcoming tournaments and track the review/approval status from the organization board.
- **FE-OW-03: Jockey Invitation:** Draft and send invitations to qualified Jockeys for tournament partnerships.

## Major Features for Jockey

- **FE-JK-01: Invitation Handling:** View, accept, or decline race partnership invitations received from Horse Owners.
- **FE-JK-02: Race Schedule Tracking:** View personal racing schedules and details of assigned tournaments.
- **FE-JK-03: Performance Overview:** Track personal race history, rankings, and career statistics.

## Major Features for Referee

- **FE-RF-01: Race Assignments:** View the list of races assigned by the Administrator.
- **FE-RF-02: Participant Inspection:** Log checking-in processes, including verifying registration details and recording pre-race weight checks for jockeys and horses.
- **FE-RF-03: Violation Reporting:** Report and document any rule infractions or warnings during the race.
- **FE-RF-04: Result Recording:** Input and confirm race completion times and final placements through a two-step validation flow.

## Major Features for Spectator

- **FE-SP-01: Schedule & Result Information:** Browse active tournaments, view upcoming schedules, and inspect historical race results.
- **FE-SP-02: Leaderboards:** View dynamic performance leaderboards for horses, jockeys, and top predicting spectators.
- **FE-SP-03: Rank Prediction:** Predict the top-ranking horses before a race starts to earn virtual reward points.
- **FE-SP-04: Personal Profile & History:** Manage profile details and review prediction history and accumulated rewards.

### 1.6.2 Limitations & Exclusions

To ensure project feasibility within the designated timeframe and resources, the following constraints and exclusions are defined:

- **LI-01: No Real-Money Betting:** The prediction module operates purely on virtual reward points. No integration with real currency transactions, financial betting systems, or gambling licenses is supported.
- **LI-02: No Automatic IoT/Hardware Integration:** The system does not interface with physical hardware such as GPS trackers on horses, automatic weight scales, or high-speed photofinish cameras at the finish line. All inspection metrics and race results are logged manually by Referees.
- **LI-03: Offline & Simulated Payment Processing:** Standard fees (e.g., tournament registrations) are simulated or handled offline. No production payment gateways (e.g., credit card processors, electronic wallets) are integrated.
- **LI-04: Lack of Live Simulation:** The application does not provide real-time 3D simulation or video streaming of active races. The race status changes are updated statefully through Referee inputs.

## II. Software Project Management Plan

This chapter describes project planning, scheduling, risk management, communication and configuration management.

### 2.1. Overview

The Software Project Management Plan (SPMP) outlines the managerial, technical, and resource allocation strategies for the development of the Horse Racing Tournament Management System. This project aims to digitize and automate the processes of managing horse racing tournaments, including horse owner registration, jockey invitation workflows, race scheduling, referee assignment, result recording, and spectator interactions.

The primary objective of this plan is to ensure that the project is delivered on time, within scope, and meets all defined quality criteria. To achieve these goals, the team employs an Agile-Scrum methodology, which promotes iterative development, continuous feedback, and rapid response to changes. This document details the project scope, estimation, quality objectives, risk management, and configuration management processes that govern the lifecycle of this project.

### 2.2. Scope & Estimation

To ensure the project is delivered successfully within the constraints of time and resources, the project scope has been broken down into a detailed Work Breakdown Structure (WBS). The WBS divides the Horse Racing Tournament Management System into 7 distinct modules, covering administrative tasks, core infrastructure, and functional components for various user roles.

Each work item is assessed for complexity (Simple, Medium, or Complex) based on the database interactions, business logic density, and interface requirements:

- **Simple:** Basic CRUD operations, simple UI layouts, or minor configurations requiring 5 to 6 man-days.
- **Medium:** Standard functional features with moderate business logic (e.g., forms validation, standard data list with filters) requiring 7 to 8 man-days.
- **Complex:** Critical components involving advanced logic, multiple integrations, or strict constraints (e.g., conflict checking algorithms, two-step referee verification, real-time leaderboard calculations) requiring 9 to 15 man-days.

The table below outlines the estimated effort in man-days for each WBS item based on these parameters:

| No. | WBS Item                                             | Complexity | Est. Effort<br>(man-days) |
|-----|------------------------------------------------------|------------|---------------------------|
| 1   | <b>PM01. Project Management &amp; Administration</b> |            | <b>20</b>                 |
| 1.1 | Project Setup & Git Workflow Config                  | Simple     | 5                         |
| 1.2 | Code Review, Integration & Conflict Support          | Complex    | 15                        |
| 2   | <b>DB01. Database &amp; Infrastructure</b>           |            | <b>12</b>                 |
| 2.1 | Database Schema Setup & ERD Design                   | Medium     | 7                         |
| 2.2 | API Core Config & DB Connection                      | Simple     | 5                         |
| 3   | <b>FE01. Authentication &amp; User Management</b>    |            | <b>14</b>                 |
| 3.1 | Login, Registration & Authorization UI/API           | Medium     | 8                         |
| 3.2 | User Management Panel (Pagination/Search)            | Medium     | 6                         |
| 4   | <b>FE02. Horse &amp; Jockey Management</b>           |            | <b>23</b>                 |
| 4.1 | Horse Owner Profile Update & Registration            | Medium     | 8                         |
| 4.2 | Jockey Profile Update & Invitation UI/API            | Complex    | 15                        |
| 5   | <b>FE03. Tournament &amp; Race Scheduling</b>        |            | <b>23</b>                 |
| 5.1 | Tournament Management & Race Creation                | Medium     | 8                         |
| 5.2 | Race Scheduling & Conflict Validation                | Complex    | 15                        |
| 6   | <b>FE04. Race Execution &amp; Results</b>            |            | <b>24</b>                 |
| 6.1 | Referee Two-step Result Submission                   | Complex    | 12                        |
| 6.2 | Real-time Leaderboard & Prize Config                 | Complex    | 12                        |
| 7   | <b>FE05. Spectator Portal</b>                        |            | <b>14</b>                 |
| 7.1 | Schedules & Live Results UI/API                      | Simple     | 6                         |
| 7.2 | Place Prediction Form & Timer Lock                   | Complex    | 8                         |

Table 2.1: Work Breakdown Structure (WBS) and Effort Estimation

## 2.3. Project Objectives

To ensure the Horse Racing Tournament Management System meets the quality standards required for deployment and user satisfaction, the team has established specific quality objectives. These objectives focus on functional correctness, performance, security, data integrity, and usability, matching the real development and testing guidelines of the project.

The table below outlines the core quality objectives and target criteria for the project:

| No. | Quality Objective         | Target Metric / Criteria                                                               | Measurement Method                                           |
|-----|---------------------------|----------------------------------------------------------------------------------------|--------------------------------------------------------------|
| 1   | Functional Suitability    | 100% of defined SRS requirements pass manual E2E test cases                            | Execution of Manual E2E Test Cases (Phase 1, 2, 3, 4)        |
| 2   | Data Integrity & Encoding | 100% successful storage and display of Vietnamese characters (Unicode) in DB and UI    | Database inspection (SQL Server) & UI display validation     |
| 3   | Security & Authentication | Secure password hashing (bcrypt) and JWT authorization for protected role-based routes | Manual code review of app security handlers and route guards |
| 4   | Performance Efficiency    | Response time < 2s for all frontend page transitions and backend API calls             | Network monitoring via Browser Developer Tools               |
| 5   | Usability & Aesthetics    | Responsive dark-mode glass-morphic interface with consistent date/time formats         | Manual peer testing & UI checklist validation                |

Table 2.2: Project Quality Objectives

### 2.3.1 Defect Tolerance by Testing Phase

Defect density and resolution rates are tracked continuously across various testing levels: Document Review, Integration Testing (Phase 1-2), Integration Testing (Phase 3), and System Testing/UAT. Defects are classified into three severity levels:

- **Critical:** System crash, database connection failure, or core functions completely blocked (e.g., authentication failure, scheduling conflicts, failed result recalculation).
- **Major:** Features malfunctioning or displaying incorrect data without completely blocking the flow (e.g., jockey showing ID instead of real name, date formats displaying raw ISO string).
- **Minor:** UI layout alignment bugs, minor text formatting glitches, or spelling errors that do not affect functional operations.

The table below details the maximum allowed defects and the target resolution process for each testing phase:

| Testing Phase         | Max Critical | Max Major | Max Minor | Resolution Process            |
|-----------------------|--------------|-----------|-----------|-------------------------------|
| Document Review       | 0            | Max 2     | Max 5     | Resolved before coding phase  |
| Unit Testing          | 0            | 0         | Max 3     | Resolved before PR merge      |
| Integration Test      | 0            | Max 1     | Max 8     | Resolved before System Test   |
| System Test           | 0            | Max 2     | Max 12    | Resolved before UAT phase     |
| Acceptance Test (UAT) | 0            | 0         | Max 3     | Resolved before final release |

Table 2.3: Maximum Allowed Defect Rates by Testing Phase

## 2.4. Risk Management

To ensure the smooth execution of the Horse Racing Tournament Management System development, the team has identified potential technical, operational, and managerial risks. Managing these risks involves analyzing their probability of occurrence, potential impact, and establishing proactive mitigation and contingency plans.

The table below presents the key risks identified during the project lifecycle and the corresponding response strategies:

| No. | Risk Description                                                                                                                                                | Probability | Impact   | Mitigation / Response Plan                                                                                                                                                                                           |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1   | <b>Git Merge Conflicts:</b> Code integration conflicts due to multiple developers working on adjacent modules (e.g., dashboard panels).                         | High        | Major    | Split large files (like <code>dashboard/page.js</code> ) into smaller components. Enforce strict branching guidelines: pull changes from <code>dev-GiaHuy</code> before coding, and create pull requests for review. |
| 2   | <b>Vietnamese Encoding Errors:</b> Vietnamese names and text showing as ? in UI or database due to non-Unicode configurations in SQL Server.                    | Medium      | Moderate | Change string definitions to <code>Unicode</code> and text to <code>UnicodeText</code> in SQLAlchemy models ( <code>database_models.py</code> ) to map to <code>NVARCHAR</code> columns in SQL Server.               |
| 3   | <b>Race Scheduling Conflicts:</b> Double-booking of referees, jockeys, or horses in overlapping races or tournaments.                                           | Medium      | Major    | Implement robust backend validations ( <code>Conflict Validation</code> ) for schedule updates and referee assignments before persisting to the database.                                                            |
| 4   | <b>React Hooks Rule Violations:</b> Frontend crashes and rendering bugs caused by calling Hooks inside loops or conditional statements (e.g., in Admin panels). | Medium      | Major    | Perform mandatory code reviews and utilize ESLint static analysis to identify Hook violations prior to code integration.                                                                                             |
| 5   | <b>Inconsistent Local Databases:</b> Out-of-sync local database schemas among team members causing API integration failures.                                    | High        | Major    | Provide a centralized database setup and seeding script ( <code>db_setup.py</code> ). Enforce running the script immediately after git pulls.                                                                        |

Table 2.4: Project Risk Analysis and Mitigation Plans

## 2.5. Management Approach

To effectively manage the development of the Horse Racing Tournament Management System, the team employs the Agile-Scrum methodology. This approach allows the team to deliver features iteratively, adapt to changes quickly, and ensure constant communication among members.

### 2.5.1 Agile-Scrum Implementation

The development cycle is organized into weekly sprints. Each sprint begins with a planning meeting and ends with a review and retrospective.

- **Sprint Planning:** Held at the start of each week to define the sprint goal and allocate tasks from the product backlog on Jira.
- **Weekly Syncs:** Held twice a week (on Wednesdays and Saturdays) to track progress, identify blockers, and align integration efforts. Daily updates and progress reports are shared via Zalo.
- **Sprint Review & Retrospective:** Conducted at the end of the sprint to review completed tasks, demo features, and reflect on improvements for the next sprint.

### 2.5.2 Coding Standards and Bug Prevention

To maintain code quality and prevent bugs early in the lifecycle, the team enforces the following rules and standards:

- **Coding Style Guidelines:** The backend follows PEP 8 guidelines for Python (FastAPI), while the frontend adheres to ESLint standards for React/Next.js. React Hooks rules are strictly monitored (e.g., avoiding calling hooks inside loops or conditions).
- **Database Consistency:** Any database schema modifications must be updated in the SQLAlchemy models. Developers are required to run the automated database setup and seeding script (`db_setup.py`) locally after pulling the latest code to prevent database mismatches.
- **Git Workflow Rules:** Direct pushes to the main branch (`main`) or integration branch (`dev-GiaHuy`) are prohibited. All work must be completed on feature branches (`feature/*`) and integrated via Pull Requests (PRs). The Team Leader reviews and approves all PRs before merging.

## 2.6. Deliverables Schedule

The project deliverables are scheduled and tracked weekly, aligning with the Agile sprints and the development phases of the Horse Racing Tournament Management System. The following schedule details the deliverables for both source code components (API and UI) and project documentation from Week 1 to Week 9.

### 2.6.1 Deliverables Timeline (Week 1 - Week 9)

The timeline below structures the actual development history, pull requests, and documentation milestones into weekly progress updates from the beginning of the project through the final LaTeX compilation:

| Week   | Phase / Focus                 | Key Deliverables (Source Code & Documentation)                                                                                                                                                                                        | Status    |
|--------|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Week 1 | Scope & Context               | System Scope definition, Actors identification, Context Diagram, and initial database setup ( <code>schema.sql</code> ).                                                                                                              | Completed |
| Week 2 | Requirements                  | Overall Use Case Diagram for MVP, Use Case Descriptions, and initial project layout setup.                                                                                                                                            | Completed |
| Week 3 | Phase 1 (Core Auth)           | Next.js and FastAPI project skeleton, user registration, login flow, and dashboard layout restructuring.                                                                                                                              | Completed |
| Week 4 | Phase 1 (Admin Flow)          | User Management API, lock/unlock accounts, dynamically calling referees list, and fixing React Hooks rendering violations. Merged PR #4 and #6 (16/06/2026).                                                                          | Completed |
| Week 5 | Phase 2 (Owner & Jockey)      | Jockey invitation workflow (Accept/Reject), horse profiles CRUD with age validation (2-10 years), and registration status updates. Merged (19/06/2026).                                                                               | Completed |
| Week 6 | Phase 3 (Referee & Spectator) | Two-step result verification ( <code>RESULTS_ENTERED</code> → <code>COMPLETED</code> ), <code>RaceInspections</code> form, spectator place prediction form with dynamic filters, and auto-reward points logic. Merged (21/06/2026).   | Completed |
| Week 7 | Phase 4 (Admin & Database)    | Timezone <code>Asia/Ho_Chi_Minh</code> integration, $\pm 2h$ referee conflict check, validation rules, database schema update (missing columns for users, spectators), and fixing local connections (127.0.0.1). Merged (24/06/2026). | Completed |
| Week 8 | LaTeX                         | LaTeX compilation environment setup, project structure creation, and initial drafts of Chapter 1 and 2 sections.                                                                                                                      | Completed |
| Week 9 | LaTeX Compilation             | Finalizing Chapter 2 (SPMP) sections, Chapter 3 (SRS) requirements, Chapter 4 (SDD) system design, and compiling the official PDF document.                                                                                           | Completed |

Table 2.5: Key Deliverables Schedule (Week 1 - 9)

## 2.7. Responsibility Assignment Matrix (DRSI)

To clarify roles and responsibilities across the team, the project utilizes a DRSI matrix (Do, Review, Support, Informed). The abbreviations used in the matrix are defined as follows:

- **D (Do):** The member responsible for developing and implementing the deliverable.

- **R (Review)**: The member responsible for reviewing and approving the quality of the work.
- **S (Support)**: The member providing support during development or integration.
- **I (Informed)**: Members kept updated on the status of the deliverable.
- **- (Omitted)**: Member has no direct responsibility for the deliverable.

The table below outlines the DRSI matrix for the key project deliverables:

| Deliverable / Module              | DH | TA | GH | TC | MH | BH | TM |
|-----------------------------------|----|----|----|----|----|----|----|
| Project Setup & Configuration     | D  | I  | I  | I  | I  | I  | I  |
| Database & Infrastructure Setup   | R  | I  | D  | I  | I  | S  | I  |
| Authentication & User Management  | R  | I  | D  | I  | D  | I  | I  |
| Horse Owner Registration          | R  | D  | I  | I  | I  | I  | I  |
| Jockey Profile & Invitations      | R  | S  | I  | D  | I  | I  | I  |
| Race Scheduling & Referee Assign  | R  | I  | S  | I  | D  | I  | I  |
| Race Result & Ranking Calculation | R  | I  | I  | I  | I  | D  | I  |
| Spectator Prediction & Rewards    | R  | I  | I  | I  | I  | S  | D  |
| LaTeX Report & Presentation       | D  | D  | D  | D  | D  | D  | D  |

Table 2.6: DRSI Responsibility Assignment Matrix

### 2.7.1 Document Management

To ensure consistent document formatting and prevent conflicts during collaborative writing, the team follows a structured LaTeX document management workflow on GitHub:

- **Three-Tier Architecture**: The document structure is divided into three tiers:
  1. `main.tex`: The root file that only handles package imports and includes document wrappers.
  2. `documents/`: Wrapper files for each chapter (e.g., `project_management_plan.tex`).
  3. `sections/`: The folder containing the actual content files divided by section and assignee.
- **Conflict Avoidance**: Team members are strictly restricted to editing files under their assigned sections. Editing `main.tex` or files in the `documents/` folder is prohibited without prior team alignment.
- **Figure Convention**: Figures must be stored in the `figures/` directory and named according to the format: `<chapter>_<content>.<ext>` (e.g., `figures/srs_erd.png`). Generic names like `image1.png` are avoided.

### 2.7.2 Source Code Management

The project source code is hosted on GitHub and managed using a customized feature-branching workflow to guarantee code quality and repository stability:

- **Branching Strategy:**

- **main:** Reserved for the final, production-ready release used for demos.
- **dev-GiaHuy:** The main integration branch where all validated feature branches are merged.
- **feature/\*:** Temporary branches used by developers to work on assigned tasks (e.g., `feature/auth-user`, `feature/spectator-view`).

- **Development Protocol:**

1. Pull the latest updates from the remote integration branch before coding: `git pull origin dev-GiaHuy`.
2. Develop the feature on a separate `feature/*` branch.
3. Push the feature branch to the remote repository.
4. Open a Pull Request (PR) from the feature branch to `dev-GiaHuy`. Direct pushes to `dev-GiaHuy` or `main` are disabled.

- **Commit Message Convention:** Commit messages must clearly state the scope of the change. For example:

- `git commit -m "Add login API"`
- `git commit -m "Create horse management page"`

- **Review & Merge:** The Team Leader reviews all PRs, checks for build errors, resolves conflicts, and merges the code into the integration branch.

### 2.7.3 Tools and Infrastructure

The development and execution environment for the Horse Racing Tournament Management System utilizes the following tech stack, tools, and local infrastructure:

- **Programming Languages & Frameworks:**

- **Backend:** Python 3 utilizing the FastAPI framework for clean architecture REST APIs.
- **Frontend:** JavaScript/React.js utilizing Next.js (App Router) for the web application UI.

- **Database Management:**

- Local Microsoft SQL Server Express instance (`localhost\SQLEXPRESS`) with database named `HorseRacing`.
- Connection library: `pyodbc` (ODBC Driver 17 for SQL Server) and `SQLAlchemy` ORM.

- **Development Platforms:**
  - **Operating System:** Windows 10/11 workstation.
  - **Integrated Development Environment (IDE):** VS Code equipped with LaTeX Workshop extension.
  - **Git Client:** Git for Windows / Git Bash.
  - **LaTeX Compiler:** MiKTeX or TeX Live for generating report PDFs locally.
- **Local Hosting Configuration:**
  - Backend server running locally on `http://127.0.0.1:8000` (API Client configured directly to IP address to prevent connections dropouts).
  - Frontend Next.js development server running locally on `http://localhost:3000`.

## III. Software Requirement Specification

### 3.1. Product Overview

The Horse Racing Tournament Management System (HRTMS) is a comprehensive web-based application designed to digitize and optimize the operational workflows of horse racing tournament organizations, race scheduling, and spectator participation.

- **Operational Environment:**
  - **Platform:** Web-based application accessible via standard web browsers (Chrome, Edge, Firefox, Safari).
  - **Connectivity:** Requires a stable Internet connection to function (no offline mode).
  - **Infrastructure:** Powered by a FastAPI backend API and a Next.js frontend, utilizing Microsoft SQL Server for the database.
- **Anticipated Users:**
  - **Internal Users:** Administrator and Race Referees.
  - **External Users:** Horse Owners, Jockeys, and Spectators.
- **Constraints & Assumptions:**
  - **Language:** The system database and interface support UTF-8 encoding for Vietnamese characters, with localized date/time formatting.
  - **Compliance:** Complies with user account data privacy and local tournament scheduling rules in Vietnam.
  - **Scope Limitation:** Does not support actual financial betting transactions; spectator predictions use virtual reward points only. Timezone handling is restricted to `Asia/Ho_Chi_Minh`.
- **Dependencies:**
  - Relies on local Python environment libraries (`pyodbc`, `SQLAlchemy`, `FastAPI`).
  - Requires a configured Microsoft SQL Server database.

### 3.1.1 System Context Diagram

The system context diagram below defines the boundaries and exchanges between the Horse Racing Tournament Management System and its external entities:




Figure 3.1: System Context Diagram

### 3.1.2 Interaction Data Flows

The data interactions between the system and each external actor are defined as follows:

- **Horse Owner:**
  - *Data Input to System:* Register / Login, Horse Information, Race Registration, and Jockey Invitation.
  - *Data Output from System:* Registration Status, Race Schedule, Race Result, and Horse Ranking.
- **Jockey:**
  - *Data Input to System:* Register / Login, Profile Information, and Invitation Response.
  - *Data Output from System:* Assigned Race, Race Details, and Horse Information.
- **Administrator (Admin):**

- *Data Input to System:* User Permission, Tournament Setup, Registration Approval, Race Scheduling, Referee Assignment, and Result Publication.
  - *Data Output from System:* User List, Registration List, Race List, Result Report, and Ranking Table.
- **Race Referee:**
    - *Data Input to System:* Race Inspection, Violation Report, Result Input, and Result Confirmation.
    - *Data Output from System:* Assigned Race List, Race Schedule, Horse & Jockey List, and Result Status.
  - **Spectator:**
    - *Data Input to System:* View Tournament, Prediction Submission, and View Schedule.
    - *Data Output from System:* Tournament Info, Race Schedule, Race Result, Ranking Table, and Prediction Result.


## 3.2. User Requirements

### 3.2.1 System Actors

| Actor       | Type  | Description / Responsibilities                                                                                                                                       |
|-------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Admin       | Human | Responsible for platform administration: user and role management, system configuration, approvals, and overall system monitoring.                                   |
| Referee     | Human | Manages race supervision and validation: verifies race results, resolves disputes, and updates official results (backend endpoints in ‘results.py’ / ‘referees.py’). |
| Jockey      | Human | Represents the rider; manages jockey profile information and race assignments.                                                                                       |
| Horse Owner | Human | Registers and manages horse profiles, submits horses to races, and maintains horse-related records and health information.                                           |
| Spectator   | Human | Views race schedules, results, leaderboards, and (optionally) places bets or follows favorite horses/jockeys via the frontend panels.                                |

### 3.2.2 Use Cases

#### Use Case Diagram



#### Use Case Description

| <b>ID</b> | <b>Use Case</b>                      | <b>Primary Actor</b> | <b>Brief Description</b>                                                    |
|-----------|--------------------------------------|----------------------|-----------------------------------------------------------------------------|
| UC-01     | Manage Horses                        | Horse Owner          | Create, update and maintain horse profiles and related health records.      |
| UC-02     | Register Horses for Tournaments      | Horse Owner          | Submit horses to tournament participation and view registration status.     |
| UC-03     | Manage Jockey Profile                | Jockey               | Create and update jockey personal/profile information and availability.     |
| UC-04     | Confirm / Decline Race Participation | Jockey               | Accept or decline invitations to participate in assigned races.             |
| UC-05     | View Race Schedule                   | Spectator            | Browse upcoming races, schedules and basic race information.                |
| UC-06     | View Race Results                    | Spectator            | View final results, rankings and statistics after a race is published.      |
| UC-07     | Predict / View Prediction Results    | Spectator            | Submit predictions (if supported) and view prediction outcomes.             |
| UC-08     | Inspect Horses / Monitor Race        | Referee              | Inspect horses before the race, monitor the race and record any violations. |
| UC-09     | Enter / Confirm Race Results         | Referee              | Enter raw race results and confirm official results for publication.        |
| UC-10     | Manage Races and Tournaments         | Admin                | Create and schedule races/tournaments, assign referees and publish results. |
| UC-11     | Manage Users and Roles               | Admin                | Manage platform users, roles and permissions (admin panel).                 |

## 3.3. Functional Requirements

### 3.3.1 System Functional Overview

#### Admin Screen Flow




Figure 3.2: Admin screen flow

## Admin Screen description

| #  | Feature               | Screen              | Description                                                                                                                             |
|----|-----------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 1  | Navigation            | Home                | Initial landing page that leads to the login screen for an admin user.                                                                  |
| 2  | Authentication        | Login               | Secure admin sign-in screen with credentials and access validation.                                                                     |
| 3  | Dashboard             | Admin Dashboard     | Main admin hub that provides links to system overview, management panels, and key actions.                                              |
| 4  | Overview              | System Overview     | Displays the high-level system summary and provides access to statistics modules.                                                       |
| 5  | Statistics            | Load Statistics     | Shows dashboard widgets such as summary cards, user counts by role, tournament status, prediction metrics, top jockeys, and top horses. |
| 6  | Tournament Management | Tournament List     | Lists tournaments with controls to view details, approve or reject, and delete tournaments.                                             |
| 7  | Tournament Management | Tournament Form     | Screen for creating a new tournament with required details and rules.                                                                   |
| 8  | Tournament Management | Round Form          | Screen for creating a new tournament round after selecting a tournament.                                                                |
| 9  | Registration Review   | Registration List   | Displays pending horse registration requests and allows the admin to review status.                                                     |
| 10 | Registration Review   | Registration Status | Shows the current approval state of a registration, including options to approve, reject, or reset to pending.                          |
| 11 | Race Scheduling       | Create Race         | Screen for creating a new race based on selected tournament rounds.                                                                     |
| 12 | Race Scheduling       | Assign Lane         | Allows the admin to assign a lane number to a selected horse-jockey pair for a specific race.                                           |
| 13 | Race Scheduling       | Race Schedule       | Displays the full race schedule and navigation to race detail pages.                                                                    |
| 14 | User Management       | User List           | Lists platform users with options to lock or unlock accounts and manage roles.                                                          |
| 15 | Prize Management      | Prize List          | Shows existing prize entries for a selected tournament and management actions.                                                          |
| 16 | Prize Management      | Create New Prize    | Screen to add a new prize associated with a selected tournament.                                                                        |
| 17 | Rankings              | Leaderboard         | Displays jockey and horse rankings and performance standings.                                                                           |

Table 3.1: Admin screen descriptions

## Horse Owner Screen Flow




Figure 3.3: Horse Owner screen flow

## Horse Owner Screen description

| #  | Feature          | Screen              | Description                                                                                                                    |
|----|------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------|
| 1  | General          | Home                | Landing page for all users; navigate to Login and Owner access.                                                                |
| 2  | General          | Login               | Authenticate the owner and enter the Owner Dashboard.                                                                          |
| 3  | Dashboard        | Owner Dashboard     | Main hub for Owner with navigation to horse management, invitations, tournament registration, schedules, results, and profile. |
| 4  | Horse Management | My Horses           | View and manage owned horses, including add, edit, and delete operations.                                                      |
| 5  | Horse Management | Horse Detail        | Edit horse details: name, age (2-10), breed, gender, and save changes.                                                         |
| 6  | Invitation       | Invite Jockey       | Send invitations to jockeys for a selected horse and tournament with a custom message.                                         |
| 7  | Invitation       | Invitation Status   | Track invitations with jockey, horse, tournament, and current acceptance status.                                               |
| 8  | Registration     | Register Tournament | Register accepted horse/jockey pairs for tournaments and create registration requests.                                         |
| 9  | Registration     | My Registrations    | Display tournament registration history with approval status: APPROVED, PENDING, REJECTED.                                     |
| 10 | Schedule         | Upcoming Races      | Show upcoming races for the owner's horses with date, time, and location.                                                      |
| 11 | Results          | Race Results        | Show historical race results for the owner's horses with rank, points, notes, and violations.                                  |
| 12 | Profile          | Owner Profile       | View and update owner details: full name, phone, company, avatar.                                                              |

Table 3.2: Horse Owner screen descriptions

## Jockey Screen Flow




Figure 3.4: Jockey screen flow

## Jockey Screen description

| #  | Feature     | Screen               | Description                                                                                          |
|----|-------------|----------------------|------------------------------------------------------------------------------------------------------|
| 1  | General     | Home                 | Landing page for all users; navigate to Login.                                                       |
| 2  | General     | Login                | Authenticate the jockey and enter the Jockey Dashboard.                                              |
| 3  | Dashboard   | Jockey Dashboard     | Main hub for jockey with navigation to invitations, race schedule, profile, awards, and leaderboard. |
| 4  | Invitations | Invitations Received | View invitations received from horse owners with current status.                                     |
| 5  | Invitations | Status: ACCEPTED     | Show accepted invitations and allow jockey to proceed to race registration.                          |
| 6  | Invitations | Status: DECLINED     | Show declined invitations and provide feedback details.                                              |
| 7  | Schedule    | Race Schedule        | Display upcoming races and enable navigation to race details.                                        |
| 8  | Schedule    | Race Details         | Show detailed information for a selected race.                                                       |
| 9  | Profile     | Personal Profile     | View jockey profile information and access the edit profile form.                                    |
| 10 | Profile     | Edit Profile Form    | Update personal details such as name, contact, weight, height, and experience.                       |
| 11 | Awards      | Awards Achieved      | Display awards and achievements earned by the jockey.                                                |
| 12 | Awards      | Award Details        | Show detailed information for a selected award.                                                      |
| 13 | Leaderboard | Leaderboard          | Display jockey rankings with filters by tournament and category.                                     |
| 14 | Leaderboard | Rank Details         | Show detailed rank information for selected jockey standings.                                        |

Table 3.3: Jockey screen descriptions

## Race Scheduling Management Screen Flow




Figure 3.5: Race scheduling management screen flow

## Screen description for Race Scheduling

| #  | Feature        | Screen                       | Description                                                                                                                    |
|----|----------------|------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| 1  | General        | Home                         | The main landing page of the system, acting as the entry point before authentication.                                          |
| 2  | Authentication | Login Admin                  | The dedicated login interface restricted to authorized Administrator accounts.                                                 |
| 3  | General        | Admin Dashboard              | The landing page post-login; displays the ongoing tournament list to select a specific workspace.                              |
| 4  | Configuration  | Create Race Schedule Form    | Main input interface to set up tournament stage, race name, time, track conditions, referee assignment, and lane allocation.   |
| 5  | Configuration  | Enter race information       | Step where detailed race attributes are inputted before the system initiates the validation process.                           |
| 6  | Validation     | Validate data                | Automated backend process triggered to verify the validity of data and check for any constraints or scheduling conflicts.      |
| 7  | Validation     | Invalid Time Alert           | Validation error state triggered if the selected race time falls outside the boundaries of the tournament start and end dates. |
| 8  | Validation     | Lane Conflict Alert          | Validation error state triggered if multiple horses are mistakenly assigned to the exact same lane number.                     |
| 9  | Validation     | Duplicate Horse Alert        | Validation error state triggered if a single horse is selected more than once within the same race setup.                      |
| 10 | Validation     | Referee Conflict Alert       | Validation error state triggered if the assigned referee has another active commitment within a 2-hour window.                 |
| 11 | Validation     | Scheduling Successful        | System state confirming that the schedule data passed all validations and has been successfully recorded.                      |
| 12 | Validation     | Display Success Alert Banner | A success banner prompted at the top of the form displaying: "Race created successfully!".                                     |
| 13 | Feedback       | Update Match Schedule Table  | Persistent historical data table below the form that appends and displays the newly scheduled race details instantly.          |

Table 3.4: Race Scheduling screen descriptions

## Spectator Screen Flow




Figure 3.6: Spectator screen flow

## Spectator Screen description

| #  | Feature     | Screen              | Description                                                                                                                  |
|----|-------------|---------------------|------------------------------------------------------------------------------------------------------------------------------|
| 1  | General     | Home                | Landing page for all users; navigate to Login and Registration access.                                                       |
| 2  | General     | Login / Register    | Authenticate spectators or register a new account to access the system.                                                      |
| 3  | Dashboard   | Spectator Dashboard | Main hub for Spectator with navigation shortcuts to profile management, race schedules, and leaderboards.                    |
| 4  | Profile     | Profile Management  | Manage personal account information, providing options to edit profile details and view prediction history.                  |
| 5  | Profile     | Edit Profile        | Edit and update spectator profile details (full name, phone number, avatar, etc.).                                           |
| 6  | Profile     | Prediction History  | Review the history of placed race predictions along with their corresponding earned points status.                           |
| 7  | Schedule    | Race Schedule       | View an overview schedule of upcoming tournaments and race rounds.                                                           |
| 8  | Schedule    | Race Lists          | Display the detailed list of specific races under the selected schedule.                                                     |
| 9  | Schedule    | Race Details        | View comprehensive details of a specific race (participants, time, status) with options to make predictions or view results. |
| 10 | Schedule    | Make Prediction     | Place predictions on results or rankings for upcoming/unstarted races.                                                       |
| 11 | Schedule    | Race Results        | View the final outcomes, standings, and technical statistics of a completed race.                                            |
| 12 | Leaderboard | Leaderboard         | Main section to view rankings, performance, and scores.                                                                      |
| 13 | Leaderboard | Global Rankings     | Display the global leaderboard based on total accumulated user points.                                                       |
| 14 | Leaderboard | Tournament Rankings | Display detailed standings categorized by specific tournaments.                                                              |

Table 3.5: Spectator screen descriptions

## Referee Screen Flow




Figure 3.7: Referee screen flow

## Referee Screen Description

| #  | Feature            | Screen             | Description                                                                                            |
|----|--------------------|--------------------|--------------------------------------------------------------------------------------------------------|
| 1  | General            | Login              | Authenticate the referee and enter the Referee Dashboard.                                              |
| 2  | Dashboard          | Referee Dash-board | Main hub for the referee with navigation to assigned races, results management, and profile.           |
| 3  | Race Manage-ment   | Assigned Race List | Display all races assigned to the referee, including tournament, date, venue, and current status.      |
| 4  | Race Manage-ment   | Race Detail        | Show detailed information of the selected race, including participating horses, jockeys, and schedule. |
| 5  | Result Entry       | Input Result Form  | Allow the referee to enter finishing positions, times, and relevant notes for each horse in the race.  |
| 6  | Result Entry       | Result Preview     | Display a summary of the entered results for the referee to review before submission.                  |
| 7  | Result Submis-sion | Pending Result     | Hold the submitted result in a pending state awaiting approval from the administrator.                 |
| 8  | Result Review      | Admin Review       | Administrator reviews the submitted result and either confirms or rejects it.                          |
| 9  | Result Correc-tion | Edit Result        | Allow the referee to correct and update the result after it has been rejected by the administrator.    |
| 10 | Ranking            | Ranking Board      | Display the official race ranking after the result has been confirmed by the administrator.            |
| 11 | Ranking            | Leaderboard        | Show the overall tournament leaderboard updated with the latest confirmed race results.                |

Table 3.6: Referee screen descriptions

### 3.3.2 Screen Authorization

This section defines the access control matrix for the Horse Racing Tournament Management System (HRTMS). It specifies which web modules and screen views are accessible to each user role, along with the typical actions (Create, Read, Update, Delete, or Special operations) they are authorized to perform.

| #  | Web Module / Screen       | Typical Actions (C-R-U-D / Special)       | Admin | Owner | Jockey | Referee | Spectator |
|----|---------------------------|-------------------------------------------|-------|-------|--------|---------|-----------|
| 1  | Authentication            | C-R-U (Login, Register, Logout)           | ✓     | ✓     | ✓      | ✓       | ✓         |
| 2  | Dashboard Overview        | R (Role-specific overview & stats)        | ✓     | ✓     | ✓      | ✓       | ✓         |
| 3  | Personal Profile          | R-U (Update weight, experience, contact)  |       | ✓     | ✓      |         | ✓         |
| 4  | User Management           | C-R-U / Lock (Account administration)     | ✓     |       |        |         |           |
| 5  | Horse Management          | C-R-U-D (Manage horse profile & health)   | R     | ✓     | R      | R       | R         |
| 6  | Jockey Invitation         | C-R-U (Invite Jockeys to race pairs)      | R     | ✓     | ✓      |         |           |
| 7  | Tournament Management     | C-R-U-D (Set up tournament details)       | ✓     | R     | R      | R       | R         |
| 8  | Tournament Registration   | C-R-U (Submit horse-jockey registrations) | ✓     | ✓     | R      |         |           |
| 9  | Race Scheduling           | C-R-U-D (Race setup & Referee assign)     | ✓     | R     | R      | R       | R         |
| 10 | Pre-Race Inspection       | C-R-U (Track, weather & health check)     | R     |       |        | ✓       |           |
| 11 | Race Results & Violations | C-R-U / Confirm (Confirm results & rank)  | R     | R     | R      | ✓       | R         |
| 12 | Prediction Management     | C-R-U (Predict race outcomes with points) |       |       |        |         | ✓         |
| 13 | Prize & Award Management  | C-R-U-D / R (Manage cash prizes & awards) | ✓     |       | R      |         |           |
| 14 | Leaderboard & Rankings    | R (View horse, jockey & prediction ranks) | R     | R     | R      | R       | R         |

Table 3.7: Screen Authorization Matrix

### 3.3.3 Non-Function Requirement

#### External Interfaces

To ensure effective communication between users and external systems, the following interfaces shall be supported.

#### User Interface

- The system shall provide a user-friendly and intuitive interface for Horse Owners, Jockeys, Referees, and Administrators.
- The graphical interface shall follow modern web design standards and support responsive layouts.

- Users shall be able to access the system through desktop computers, tablets, and mobile devices.
- Navigation menus and functions shall remain consistent throughout the system.

### **Authentication Interface**

- The system shall support secure authentication using username and password.
- Role-based access control shall restrict system functions according to user roles.
- User sessions shall be managed securely to prevent unauthorized access.

### **Database Interface**

- The application shall communicate with the database system to store and retrieve information.
- Data synchronization between the application server and database server shall be maintained.
- The database shall support CRUD operations for horses, tournaments, registrations, invitations, and users.

### **Quality Attributes**

#### **Usability**

#### **User-Friendly Interface**

- The system shall provide a simple and intuitive interface.
- Functions such as tournament registration and jockey invitation shall require minimal user actions.
- The interface shall be easy to understand for both novice and experienced users.

#### **Training and Familiarization Time**

- Horse Owners and Jockeys shall require less than 30 minutes to learn the basic functions.
- Administrators shall require approximately 1–2 hours to understand management operations.

#### **Usability Metrics**

- Tournament registration shall be completed within 3 minutes.
- Error messages shall clearly guide users to correct invalid input.
- User feedback shall be collected to improve usability.

## **Reliability**

### **Availability**

- The system shall maintain at least 99% availability.
- Maintenance shall be scheduled during low-traffic periods.

### **Data Integrity**

- Registration and tournament information shall be stored accurately.
- Duplicate registrations shall be prevented.
- Data consistency shall be maintained across all modules.

### **Error Handling**

- The system shall display meaningful error messages.
- Critical system errors shall be logged for administrators.
- The system shall recover from failures with minimal data loss.

## **Performance**

### **Response Time**

- Normal user requests shall respond within 2 seconds.
- Under heavy load conditions, response time shall not exceed 5 seconds.

### **Concurrent Users**

- The system shall support at least 500 concurrent users.
- Multiple users shall access the system simultaneously without significant performance degradation.

### **Database Performance**

- Search operations shall complete within 3 seconds.
- Registration transactions shall be processed efficiently.

## **Security**

- Passwords shall be encrypted before storage.
- Unauthorized access attempts shall be logged.
- Session timeout mechanisms shall automatically log out inactive users.
- Input validation shall prevent invalid data submission.

## Maintainability

- The system shall follow a modular architecture.
- Source code shall comply with coding standards.
- New features shall be added with minimal impact on existing modules.
- API endpoints and database structures shall be documented.

## Portability

- The system shall support Google Chrome, Microsoft Edge, and Mozilla Firefox.
- The application shall operate on both Windows and Linux servers.
- Users shall access the system without additional software installation.

### 3.3.4 Entity Relationship Diagram




Figure 3.8: Entity Relationship Diagram

### 3.3.5 Web Application

#### Horse Owner Login

**Role:** Horse Owner

- **Function trigger:** The owner enters account credentials to log in.
- **Function description:**
  - **Purpose:**
    1. Verify the owner's identity.
    2. Grant access to owner functionalities.
  - **Data processing:**
    1. The owner enters username and password.
    2. The system validates credentials.
    3. The system identifies the OWNER role.
    4. The system creates a login session.
- **Function details:**
  - Successful login redirects to Owner Dashboard.
  - Invalid credentials display an error message.
  - Users without accounts may register.
  - **Bussiness rule:** BR-13

**Screen layout:**




Figure 3.9: Horse Owner Login

## Manage Horses

**Role:** Horse Owner

- **Function trigger:** Select “Quan ly Ngua”.
- **Function description:**
  - **Purpose:**
    1. Register new horses.
    2. Manage owned horses.
  - **Data processing:**
    1. Enter horse name.
    2. Enter age.
    3. Select breed.
    4. Select gender.
    5. Save horse information.
- **Function details:**
  - Add new horses.
  - Edit horse information.
  - Delete horse information.
  - Display horse list.
  - **Bussiness rule:** BR-14, BR-15, BR-23

**Screen layout:**

**DASHBOARD** Arthur Owner [Đăng xuất](#)

**Quản lý Ngựa**

- Mời Jockey
- Đăng ký Giải đấu
- Giải đấu đã đăng ký
- Lịch thi đấu của Ngựa
- Kết quả thi đấu
- Hồ sơ cá nhân
- Bảng Xếp Hạng

**Quản lý danh sách ngựa đua của bạn**

**Đăng Ký Ngựa Mới**

Tên ngựa đua  
Ví dụ: Thunderbolt II

Tuổi (2-10 năm)  
Ví dụ: 4

Giống ngựa  
-- Chọn giống ngựa --

Giới tính  
Stallion (Ngựa đực)

[Đăng ký Ngựa](#)

**Ngựa đua đã sở hữu**

| TÊN NGỰA    | TUỔI   | GIỐNG        | GIỚI TÍNH | HÀNH ĐỘNG                               |
|-------------|--------|--------------|-----------|-----------------------------------------|
| Thunderbolt | 5 tuổi | Thoroughbred | Stallion  | <a href="#">Sửa</a> <a href="#">Xóa</a> |
| Windrunner  | 4 tuổi | Arabian      | Mare      | <a href="#">Sửa</a> <a href="#">Xóa</a> |

Figure 3.10: Manage Horses

## Invite Jockey

**Role:** Horse Owner

- **Function trigger:** Select “Moi Jockey”.
- **Function description:**
  - **Purpose:**
    1. Invite jockeys.
    2. Create horse-jockey partnerships.
  - **Data processing:**
    1. Select jockey.
    2. Select horse.
    3. Select tournament.
    4. Enter invitation message.
    5. Send invitation.
- **Function details:**
  - Invitation status is displayed.
  - Pending invitations can be monitored.
  - Accepted invitations may be used for registration.
  - **Bussiness rule:** BR-16, BR-17, BR-23

**Screen layout:**

**DASHBOARD** Arthur Owner Đăng xuất

**Mời Jockey**

**Mời Jockey lái ngựa thi đấu**

**Gửi Lời Mời Mới**

Chọn Jockey  
-- Chọn Jockey --

Chọn Ngựa đua  
-- Chọn Ngựa --

Chọn Giải đấu  
-- Chọn Giải đấu --

Tin nhắn gửi kèm  
Mời tham gia giải đua...

**Gửi Lời Mời**

**Trạng thái lời mời đã gửi**

| JOCKEY       | NGỰA       | GIẢI ĐẤU                 | TRẠNG THÁI |
|--------------|------------|--------------------------|------------|
| Sarah Jockey | Windrunner | Summer Championship 2026 | PENDING    |

Figure 3.11: Invite Jockey

## Register Tournament

**Role:** Horse Owner

- **Function trigger:** Select “Dang ky Giai dau”.
- **Function description:**
  - **Purpose:**
    1. Register horse-jockey pairs.
    2. Participate in tournaments.
  - **Data processing:**
    1. Retrieve available tournaments.
    2. Check accepted jockey invitations.
    3. Select horse-jockey pair.
    4. Submit registration request.
- **Function details:**
  - Only accepted invitations may register.
  - Registration requests are sent to administrators.
  - Invalid pairs cannot participate.
  - **Bussiness rule:** BR-18, BR-19, BR-23

**Screen layout:**




Figure 3.12: Tournament Registration

## Registered Tournaments

**Role:** Horse Owner

- **Function trigger:** Select “Giai dau da dang ky”.
- **Function description:**
  - **Purpose:**
    1. Monitor registration status.
    2. View approval results.
  - **Data processing:**
    1. Retrieve registration records.
    2. Retrieve approval status.
    3. Display registration history.
- **Function details:**
  - Display horse information.
  - Display jockey information.
  - Display approval status.
  - **Bussiness rule:** BR-20

**Screen layout:**




Figure 3.13: Registered Tournaments

## Horse Schedule

**Role:** Horse Owner

- **Function trigger:** Select “Lich thi dau cua Ngua”.

- **Function description:**
  - **Purpose:**
    1. View upcoming races.
    2. Prepare for competitions.
  - **Data processing:**
    1. Retrieve race schedules.
    2. Retrieve tournament information.
    3. Display race information.
- **Function details:**
  - Display race date.
  - Display location.
  - Display tournament information.
  - **Bussiness rule:** BR-21

Screen layout:




Figure 3.14: Horse Schedule

## Race Results

**Role:** Horse Owner

- **Function trigger:** Select “Ket qua thi dau”.
- **Function description:**
  - **Purpose:**
    1. Review race results.

- 2. Evaluate horse performance.
- **Data processing:**
  - 1. Retrieve completed races.
  - 2. Retrieve rankings.
  - 3. Retrieve scores.
  - 4. Retrieve violations.
- **Function details:**
  - Display race rankings.
  - Display accumulated points.
  - Display remarks.
  - Display violations.
  - **Business rule:** BR-21

Screen layout:




Figure 3.15: Race Results

## Owner Profile

**Role:** Horse Owner

- **Function trigger:** Select “Ho so ca nhan”.
- **Function description:**
  - **Purpose:**
    - 1. Manage personal information.
    - 2. Update profile information.
  - **Data processing:**

1. Update personal information.
2. Update contact information.
3. Update company information.
4. Save profile data.

- **Function details:**

- Edit owner profile.
- Edit biography.
- Update social information.
- **Bussiness rule:** BR-22, BR-23

**Screen layout:**

DASHBOARD

Arthur Owner

Đăng xuất

Quản lý Ngựa

Wish Jockey

Đăng ký Cầu đấu

Cầu đấu đã đăng ký

Lịch thi đấu của Ngựa

Kiểm tra thi đấu

Mô sơ cá nhân

Đăng Xếp hạng

Hồ sơ cá nhân Chủ Sở Hữu

Chỉnh sửa thông tin

Họ tên

Arthur Owner

Email

owner1@honoracing.com

Số điện thoại

Tuổi

Kinh nghiệm (năm)

Nghề nghiệp

Địa chỉ liên hệ

Quốc tịch

-- Chọn quốc tịch --

Công ty / Tên đội

Apex Racing Stables

Avatar (URL)

Website / Mạng xã hội

https://example.com

Mô tả ngắn (Bio)

Ngày tham gia hệ thống

Thành viên từ 02/07/2026

Lưu thay đổi

Thông tin hiện tại

Họ tên: Arthur Owner

Email: owner1@honoracing.com

Thành viên từ: 02/07/2026

SĐT: Chưa có

Tuổi: Chưa có

Kinh nghiệm: Chưa có

Nghề nghiệp: Chưa có

Địa chỉ: Chưa có

Quốc tịch: Chưa có

Avatar: Chưa có

Công ty: Apex Racing Stables

Website / Mạng xã hội: Chưa có

Bio: Chưa có

Figure 3.16: Owner Profile

## Ranking

**Role:** Horse Owner

- **Function trigger:** Select “Bang xep hang”.
- **Function description:**
  - **Purpose:**
    1. View official rankings.
    2. Compare competition performance.
  - **Data processing:**

50

1. Retrieve horse rankings.
2. Retrieve jockey rankings.
3. Filter tournaments.

- **Function details:**

- Display ranking positions.
- Display accumulated scores.
- Display tournament filters.
- **Business rule:** BR-24

**Screen layout:**




Figure 3.17: Ranking

## Jockey Login

**Role:** Jockey

- **Function trigger:** The jockey enters account credentials to log in.
- **Function description:**
  - **Purpose:** Allow a jockey to authenticate and access the Jockey Dashboard where they can view invitations, schedules, results and manage their profile.
  - **Pre-conditions:** User has a registered jockey account. Internet connection available.
  - **Post-conditions:** Successful login redirects to the Jockey Dashboard. Failed login shows an error message.
- **Function details:**

- Enter username/email and password.
- Support for "Forgot password" flow.
- Role-based redirect to jockey views after authentication.

**Screen layout:**




Figure 3.18: Jockey Login

## Invitations Inbox

**Role:** Jockey

- **Function trigger:** Select "Invitations" or open dashboard inbox.
- **Function description:**
  - **Purpose:** Show invitations sent by horse owners with horse, tournament and message details so the jockey can accept or reject.
  - **Pre-conditions:** Owner has sent an invitation to this jockey.
  - **Post-conditions:** Accepting an invitation registers the jockey/horse pair for registration flows; rejecting notifies the owner.
- **Function details:**
  - List invitations with columns: Owner, Horse, Tournament, Message, Status, Actions.
  - Actions: Accept, Reject, View details.
  - Status badges: PENDING, ACCEPTED, REJECTED.

**Screen layout:**




Figure 3.19: Jockey Invitations Inbox

## Race Schedule

**Role:** Jockey

- **Function trigger:** Select "Schedule" or view upcoming races on dashboard.
- **Function description:**
  - **Purpose:** Display upcoming races the jockey is registered for, with date, time, distance, track and assigned horse.
  - **Pre-conditions:** Jockey has accepted invitations and registrations are processed.
  - **Post-conditions:** Jockey can prepare for races and view race details.
- **Function details:**
  - Show list grouped by tournament and date.
  - Provide quick links to race details and results (if available).

**Screen layout:**




Figure 3.20: Jockey Upcoming Races

## Jockey Profile

Role: Jockey

- **Function trigger:** Select "Profile" from the dashboard.
- **Function description:**
  - **Purpose:** View and update personal information: full name, email, phone, gender, weight, height, experience years and bio.
  - **Pre-conditions:** Jockey is authenticated.
  - **Post-conditions:** Changes are saved and shown across the application.
- **Function details:**
  - Editable fields with validation for required fields.
  - Avatar upload support.
  - Save changes with confirmation message.

Screen layout:

Figure 3.21: Jockey Personal Profile

## Rewards & Achievements

Role: Jockey

- **Function trigger:** Select "Rewards" or "Achievements" from the dashboard.
- **Function description:**
  - **Purpose:** Show accumulated points, awards and historical results for the jockey across tournaments.
  - **Pre-conditions:** Race results have been recorded in the system.
  - **Post-conditions:** Jockey can filter awards by tournament and view details.
- **Function details:**
  - Summary cards for total points, best ranking and number of participations.
  - Table of awards per tournament with dates and points.

Screen layout:




Figure 3.22: Jockey Rewards and Achievements

## Leaderboard

**Role:** Jockey

- **Function trigger:** Select "Leaderboard" from the navigation.
- **Function description:**
  - **Purpose:** Display rankings for jockeys (and horses) with filtering by tournament.
  - **Pre-conditions:** Results and scores have been computed.
  - **Post-conditions:** User can view overall and tournament-specific leaderboards.
- **Function details:**
  - Two panels: Horse ranking and Jockey ranking.
  - Filter dropdown for tournaments and tabs for category selection.

**Screen layout:**




Figure 3.23: Leaderboard (Jockey and Horse Rankings)

## Spectator Login

Role: Spectator

- **Function trigger:** The spectator enters account credentials to log in.
- **Function description:**
  - **Purpose:**
    1. Verify the spectator's identity.
    2. Grant access to spectator functionalities.
  - **Data processing:**
    1. The spectator enters username and password.
    2. The system validates credentials.
    3. The system identifies the SPECTATOR role.
    4. The system creates a login session.
- **Business rules:** BR-47

Screen layout:




Figure 3.24: Spectator Login

## Prediction Management

**Role:** Spectator

- **Function trigger:** The spectator navigates to the "Du doan Tran dua" (Predict Race) menu.
- **Function description:**
  - **Purpose:**
    1. Allow the spectator to submit a new race ranking prediction to earn reward points.
    2. Allow the spectator to view, edit, or delete their existing prediction history.
  - **Data processing:**
    1. **For creating a new prediction:**
      - \* The spectator selects a race, selects a horse, and chooses the predicted finishing rank from the dropdown menus.
      - \* The spectator clicks the "Gui du doan" button.
      - \* The system validates the prediction data and saves it to the database.
    2. **For managing prediction history:**
      - \* The system retrieves and displays the spectator's accumulated reward points and prediction history list (including Race, Horse, Predicted Rank, Result, and Actions).
      - \* If the race status is pending ("Cho ket qua"), the system allows the spectator to click "Sua" (Edit) or "Xoa" (Delete) to update their prediction.
      - \* If the race has ended, the actions are disabled ("Da khoa"), and the system updates the prediction status ("DUNG" / "SAI") along with the spectator's total reward points.
- **Business rules:** BR-48, BR-49, BR-50, BR-54, BR-55

**Screen layout:**




Figure 3.25: Spectator Prediction

## View Schedule and Results

**Role:** Spectator

- **Function trigger:** The spectator navigates to the "Lịch & Kết quả" (Schedule & Results) menu.
- **Function description:**
  - **Purpose:**
    1. Allow the spectator to view the list of upcoming race schedules.
    2. Allow the spectator to view the detailed results and rankings of completed races.
  - **Data processing:**
    1. **For upcoming race schedules ("Lịch thi đấu sắp diễn ra"):**
      - \* The system retrieves and displays scheduled races with status "SCHEDULED".
      - \* Information includes: Race name (e.g., Heat 1), referee name, date, time, distance, track condition, and the list of participating horses ("Danh sách tham gia") with their respective jockeys.
    2. **For completed race results ("Kết quả các trận đã kết thúc"):**
      - \* The system retrieves and displays finished races with status "HOÀN THÀNH".
      - \* For each completed race (e.g., Grand Final), the spectator can expand to view the detailed ranking table including: Rank ("Hạng"), Horse ("Ngựa đua"), Jockey, Score ("Điểm"), and Notes ("Ghi chú").
- **Business rules:** BR-51, BR-53, BR-56

**Screen layout:**




Figure 3.26: View Schedule and Results

## Personal Profile

### Role: Spectator

- **Function trigger:** The spectator navigates to the "Ho so ca nhan" (Personal Profile) menu.
- **Function description:**
  - **Purpose:**
    1. Allow the spectator to view and update their personal profile information.
    2. Display the spectator's prediction statistics, performance overview, and recent prediction history.
  - **Data processing:**
    1. **For updating profile information:**
      - \* The spectator can view and edit the following fields: Full Name ("Ho va Ten"), Email, Phone Number ("So dien thoai"), Avatar URL ("URL Anh dai dien"), Favorite Horse Breed ("Giong ngua yeu thich"), and Favorite Jockey ("Nai ngua yeu thich").
      - \* The spectator clicks the "Cap nhat thong tin" button.
      - \* The system validates the entered data and updates the profile details in the database.
    2. **For viewing statistics and history:**
      - \* The system retrieves and displays statistical insights ("Thong ke & Thanh tich") including: Current Rank ("Thu hang hien tai"), Total Predictions ("Tong so tran du doan"), Accuracy Rate ("Ty le chinh xac"), and Reward Points ("Diem thuong").
      - \* The system retrieves and lists the recent prediction history ("Lich su du doan gan day") with columns: Race Name ("Ten tran dua"), Selected Horse ("Ngua da chon"), Time ("Thoi gian"), Status ("Trang thai"), and Reward Points ("Diem thuong").

- **Business rules:** BR-52, BR-56

Screen layout:

Figure 3.27: View Personal Profile

## Leaderboard

Role: Spectator

- **Function trigger:** The spectator navigates to the "Bang Xep Hang" (Leaderboard) menu.
- **Function description:**
  - **Purpose:**
    1. Allow the spectator to view the official competition rankings of horses and jockeys, filtered by tournament.
    2. Allow the spectator to view the top 10 spectators with the highest prediction accuracy scores.
  - **Data processing:**
    1. **For Horse & Jockey Leaderboard ("Ngua & Jockey" tab):**
      - \* The spectator can filter rankings by tournament ("Loc theo giai dau") including options: All ("Tat ca"), Summer Championship 2026, or Spring Derby 2026.
      - \* The system retrieves and displays the Horse Ranking table ("Xep hang Ngua dua") including columns: Rank ("Hang"), Horse Name ("Ten ngua"), and Accumulated Points ("Diem tích lũy").
      - \* The system retrieves and displays the Jockey Ranking table ("Xep hang Jockey") including columns: Rank ("Hang"), Jockey Name ("Ten jockey"), and Accumulated Points ("Diem tích lũy").
    2. **For Top Spectators Leaderboard ("Khan gia xuất sắc" tab):**
      - \* The system retrieves and displays the top 10 spectators with the highest prediction scores ("Top 10 Khan gia co diem du doan cao nhất").
      - \* The leaderboard table includes columns: Rank ("Hang"), Spectator Name ("Khan gia"), Favorite Horse Breed ("Giống ngựa yêu thích"), and Accumulated Points ("Diem tích lũy").

- **Business rules:** BR-53

Screen layout:




Figure 3.28: Official Competition Leaderboard for Horses and Jockeys

Screen layout:




Figure 3.29: View Top 10 Spectators Prediction Leaderboard

## Referee Login

**Role:** Race Referee

- **Function trigger:** The referee enters account credentials to log in.
- **Function description:**
  - **Purpose:**
    1. Verify the referee's identity.
    2. Grant access to referee functionalities.
  - **Data processing:**
    1. The referee enters username and password.
    2. The system validates credentials.
    3. The system identifies the REFEREE role.

4. The system creates a login session.

- **Function details:**

- Successful login redirects to Referee Dashboard.
- Invalid credentials display an error message.
- Users without accounts may register.

- **Business rules:** BR-25

**Screen layout:**




Figure 3.30: Referee Login

## Assigned Race List

**Role:** Race Referee

- **Function trigger:** Select “Tran dua phan cong”.
- **Function description:**
  - **Purpose:**
    1. View all races assigned to the referee for supervision.
    2. Navigate to race inspection and result entry actions.
  - **Data processing:**
    1. Retrieve races assigned to the current referee.
    2. Retrieve race details including time, distance, track condition, and number of participants.
    3. Retrieve current race status.
    4. Display available action buttons based on race status.
- **Function details:**
  - Display race name, scheduled time, distance, and track condition.
  - Display the number of participating horses.
  - Display current race status (e.g., SCHEDULED, COMPLETED).

- Provide “Kiem tra duong dua” and “Nhap ket qua” buttons for scheduled races.
- Provide “Sua ket qua” button for completed races.

- **Business rules:** BR-26, BR-36

Screen layout:




Figure 3.31: Assigned Race List

## Race Inspection

**Role:** Race Referee

- **Function trigger:** Select “Kiem tra duong dua” on a scheduled race.
- **Function description:**
  - **Purpose:**
    1. Record pre-race track and environmental conditions.
    2. Assess horse health and fitness before the race.
  - **Data processing:**
    1. Enter current weather conditions.
    2. Enter track surface condition.
    3. Enter horse health assessment notes.
    4. Submit the inspection report to the system.
- **Function details:**
  - Input field for weather (e.g., Sunny, Rainy).
  - Input field for track condition (e.g., Good, Wet, Muddy).

- Text area for horse health assessment.
- “Gui bao cao kiem tra” button to submit the inspection report.
- “Huy” button to cancel without saving.

Screen layout:

Figure 3.32: Race Inspection

## Input Result Form

**Role:** Race Referee

- **Function trigger:** Select “Nhap ket qua” on a scheduled race.
- **Function description:**
  - **Purpose:**
    1. Record finishing positions and scores for each participating horse.
    2. Add race notes or remarks for each horse.
  - **Data processing:**
    1. Retrieve the list of participating horses for the selected race.
    2. Enter finishing position (Hang ve dich) for each horse.
    3. Enter bonus/penalty points (Diem cong/tru) for each horse.
    4. Enter optional race notes (Ghi chu) for each horse.
    5. Save the result to the system.
- **Function details:**
  - Display each participating horse by name.
  - Input field for finishing position per horse.
  - Input field for bonus/penalty score adjustment per horse.
  - Optional text field for race notes per horse.
  - “Luu ket qua cuoc dua” button to save results.
  - “Huy” button to cancel without saving.

- **Business rules:** BR-28, BR-29, BR-34

Screen layout:

**Nhập kết quả & Vi phạm cho trận: Heat 1**

**Xếp hạng và Điểm số**

| Horse         | Hạng về đích | Điểm cộng/trừ | Ghi chú        |
|---------------|--------------|---------------|----------------|
| Thunderbolt   | 1            | 10            | Ghi chú đua... |
| Silver Bullet | 2            | 5             | Ghi chú đua... |

**Lưu kết quả cuộc đua** **Hủy**

Figure 3.33: Input Result Form

## Violation Report

**Role:** Race Referee

- **Function trigger:** Access violation reporting within the result entry workflow.
- **Function description:**
  - **Purpose:**
    1. Document rule violations observed during the race.
    2. Apply appropriate penalties to the offending horse.
  - **Data processing:**
    1. Select the offending horse from the race participant list.
    2. Enter a description of the violation.
    3. Select the penalty type (e.g., Canh cao – Warning, Phat tien – Fine, Cam thi dau – Disqualification).
    4. Enter the fine amount if applicable.
    5. Submit the violation report.
- **Function details:**
  - Dropdown to select the violating horse.
  - Text area for violation description.
  - Dropdown for penalty type selection.
  - Numeric input for fine amount.
  - “Bao cao vi phạm” button to submit the report.

Screen layout:

Figure 3.34: Violation Report

## Result Confirmed

**Role:** Race Referee

- **Function trigger:** Administrator approves the submitted result; referee views the updated race list.
- **Function description:**
  - **Purpose:**
    1. Display confirmed race results after administrator approval.
    2. Allow the referee to resubmit corrected results if needed.
  - **Data processing:**
    1. Retrieve updated race status from the system.
    2. Display the race with status RESULTS\_ENTERED or COMPLETED.
    3. Provide result confirmation and editing options based on status.
- **Function details:**
  - Display race list with updated statuses after administrator review.
  - “Xac nhan ket qua chinh thuc” button available for races with RESULTS\_ENTERED status.
  - “Sua ket qua” button available for COMPLETED races requiring correction.
  - “Nhap ket qua” button to re-enter results if necessary.
- **Business rules:** BR-29, BR-34, BR-35

Screen layout:



Figure 3.35: Result Confirmed

## Ranking Board

Role: Race Referee

- **Function trigger:** Select “Bang Xep Hang”.
- **Function description:**
  - **Purpose:**
    1. View official tournament standings for horses, jockeys, and spectators.
    2. Filter rankings by tournament.
  - **Data processing:**
    1. Retrieve horse and jockey accumulated scores from confirmed race results.
    2. Retrieve spectator prediction scores.
    3. Filter rankings by selected tournament.
    4. Display ranked lists for each category.
- **Function details:**
  - Toggle tabs between “Ngua & Jockey” and “Khan gia xuat sac” views.
  - Filter rankings by tournament (e.g., All, Summer Championship 2026, Spring Derby 2026).
  - Display horse ranking table with position, horse name, and accumulated points.
  - Display jockey ranking table with position, jockey name, and accumulated points.
- **Business rules:** BR-35

Screen layout:




Figure 3.36: Ranking Board

## Leaderboard

**Role:** Race Referee

- **Function trigger:** Select the “Khan gia xuất sac” tab within the Ranking Board.
- **Function description:**
  - **Purpose:**
    1. View the top spectators ranked by their prediction accuracy.
    2. Recognize outstanding spectator engagement.
  - **Data processing:**
    1. Retrieve spectator prediction scores from the system.
    2. Sort spectators by accumulated prediction points in descending order.
    3. Display the top 10 spectators.
- **Function details:**
  - Display ranking position, spectator name, preferred horse breed, and accumulated points.
  - Highlight top-ranked spectator with a medal icon.
  - Read-only view accessible to the referee for reference.
- **Business rules:** BR-35

**Screen layout:**




Figure 3.37: Leaderboard

## Admin Login

Role: Admin

- **Function trigger:** The admin enters account credentials and selects the login button.
- **Function description:**
  - **Purpose:**
    1. Verify the administrator identity.
    2. Provide access to administrative functions.
  - **Data processing:**
    1. The admin enters username and password.
    2. The system validates the credentials.
    3. The system identifies the ADMIN role.
    4. The system creates an admin session.
- **Function details:**
  - Successful login redirects to the Admin Dashboard.
  - Invalid credentials show an error message.
  - Admin can access system management screens after login.
- **Business rules:** BR-01, BR-10

Screen layout:




Figure 3.38: Admin Login

## System Overview

**Role:** Admin

- **Function trigger:** Select "Tong quan he thong" from the admin menu.
- **Function description:**
  - **Purpose:**
    1. Provide a summary of system status.
    2. Display key metrics and role distributions.
  - **Data processing:**
    1. Retrieve user counts by role.
    2. Retrieve tournament and race statistics.
    3. Retrieve award and registration metrics.
- **Function details:**
  - Display total active users, tournaments, races, horses, and awards.
  - Show distribution of users by role.
  - Show tournament status and prediction statistics.
- **Business rules:** BR-11, BR-12

**Screen layout:**




Figure 3.39: System Overview

## Manage Tournaments

Role: Admin

- **Function trigger:** Select "Quan ly Giai dau".
- **Function description:**
  - **Purpose:**
    1. Create and manage tournament information.
    2. Add new rounds to tournaments.
  - **Data processing:**
    1. Enter tournament name, description, dates, and location.
    2. Save tournament details.
    3. Add competition rounds with sequence order.
- **Function details:**
  - Create new tournaments.
  - Edit or delete tournaments.
  - Manage the number and order of rounds.
  - Display current tournament list and status.
- **Business rules:** BR-02, BR-03, BR-10, BR-11

## Screen layout:




Figure 3.40: Manage Tournaments

## Schedule Races

Role: Admin

- **Function trigger:** Select "Lap lịch Trộn đua".
- **Function description:**
  - **Purpose:**
    1. Schedule race heats and assign race details.
    2. Organize race lanes and pairs.
  - **Data processing:**
    1. Choose the tournament round.
    2. Enter race name, date, distance, and conditions.
    3. Select approved horse-jockey pairs.
    4. Assign lane numbers for each pair.
- **Function details:**
  - Create and manage races.
  - Assign horses and jockeys to lanes.
  - Display current race schedule and status.
- **Business rules:** BR-04 ,BR-05, BR-06, BR-10, BR-11

## Screen layout:

The screenshot displays a web application interface for managing horse racing tournaments. The main section is titled 'Lập lịch Trận đua và Xếp lần' (Schedule Races and Rankings). It contains two primary form panels: 'Tạo Trận Đua' (Create Race) and 'Xếp Lần Cho Ngựa Đua' (Ranking for Horse Race). The 'Tạo Trận Đua' panel includes fields for selecting a tournament, naming the race, setting the start time, choosing the track condition, distance, and prize type, followed by a 'Tạo Trận Đua' button. The 'Xếp Lần Cho Ngựa Đua' panel includes fields for selecting a race, choosing a horse/jockey, and assigning a lane number, followed by a 'Xếp vào đường đua' button. Below these panels is a table titled 'Lịch thi đấu các trận đua hiện tại' (Current Race Schedule) showing details for 'Heat 1' and 'Grand Final'.

| TRẬN ĐUA    | THỜI GIAN        | KHOẢNG CÁCH | ĐIỀU KIỆN | TRỌNG TÀI      | SỐ NGỰA THI ĐẤU | TRẠNG THÁI |
|-------------|------------------|-------------|-----------|----------------|-----------------|------------|
| Heat 1      | 14:00 10/06/2025 | 1200m       | Good      | John Reference | 2 cặp           | SCHEDULED  |
| Grand Final | 15:00 12/05/2025 | 1600m       | Wet       | John Reference | 2 cặp           | COMPLETED  |

Figure 3.41: Schedule Races

## Manage Rewards

Role: Admin

- **Function trigger:** Select "Quan ly Giai thuong".
- **Function description:**
  - **Purpose:**
    1. Define prizes for tournament positions.
    2. Manage award distributions.
  - **Data processing:**
    1. Select the tournament.
    2. Enter prize rank, title, value, and description.
    3. Save reward information.
- **Function details:**
  - Add new awards for tournaments.
  - Edit or delete existing awards.
  - Display award list and delivery status.
- **Business rules:** BR-08, BR-10, BR-11

Screen layout:




Figure 3.42: Manage Rewards

## User Management

Role: Admin

- **Function trigger:** Select "Quản lý Người dùng".
- **Function description:**
  - **Purpose:**
    1. Manage system users and roles.
    2. Control access and account status.
  - **Data processing:**
    1. Retrieve user accounts.
    2. Display role and status information.
    3. Perform account lock or unlock actions.
- **Function details:**
  - Display user list with roles and statuses.
  - Lock or unlock user accounts.
  - Filter users by role.
- **Business rules:** BR-09, BR-10, BR-11

## Screen layout:




Figure 3.43: User Management

## Confirm Registrations

Role: Admin

- **Function trigger:** Select "Xet duyet Dang ky".
- **Function description:**
  - **Purpose:**
    1. Review and confirm registration requests.
    2. Approve or reject tournament entries.
  - **Data processing:**
    1. Retrieve pending registrations.
    2. Display horse, jockey, and tournament details.
    3. Update registration approval status.
- **Function details:**
  - Show pending registration entries.
  - Approve or reject registrations.
  - Display current approval status.
- **Business rules:** BR-10, BR-11

Screen layout:




Figure 3.44: Confirm Registrations

## Leaderboard

Role: Admin

- **Function trigger:** Select "Xem Awards" or "Bang Xep Hang".
- **Function description:**
  - **Purpose:**
    1. Display the official leaderboard.
    2. Review award winners and rankings.
  - **Data processing:**
    1. Retrieve ranking data for horses and jockeys.
    2. Retrieve award recipient details.
- **Function details:**
  - Display award and ranking summaries.
  - Show top positions by horse and jockey performance.
- **Business rules:** BR-12, BR-11

Screen layout:




Figure 3.45: Leaderboard

## 3.4. Requirement Appendix

### 3.4.1 Business Rules

| ID    | Rule Definition                                                                                                                                                   |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BR-01 | Only an authenticated Administrator with the ADMIN role may access the admin management screens and perform administrative operations.                            |
| BR-02 | The Administrator must create or update a tournament only when all required information, including name, dates, location, and round structure, has been provided. |
| BR-03 | A tournament cannot be deleted while it still contains active races, registered participants, or reward definitions that depend on it.                            |
| BR-04 | Every race must be associated with an existing tournament round, and its scheduled date and time must remain within the valid round timeframe.                    |
| BR-05 | The Administrator must assign a unique lane number to each horse-jockey pair within the same race heat.                                                           |
| BR-06 | The system must prevent the Administrator from creating duplicate lane assignments or scheduling a horse into overlapping races.                                  |
| BR-07 | A referee may be assigned to a race only when the referee is available and has no conflicting assignment within the allowed time window.                          |
| BR-08 | The Administrator may define rewards only for an existing tournament, and prize ranks must be unique within that tournament.                                      |
| BR-09 | User account management by the Administrator must validate role assignment and allow create, update, lock, or delete actions only for valid account records.      |
| BR-10 | The system must reject invalid administrative input and display a clear error message when tournament, race, reward, or user data is incomplete or inconsistent.  |
| BR-11 | A successful create, update, or delete action by the Administrator must immediately refresh the relevant list or dashboard so the latest system state is visible. |
| BR-12 | The Administrator must be able to review current tournament status, race schedules, rewards, and user records from the admin overview and management screens.     |

|       |                                                                                                                                                                              |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BR-13 | Only an authenticated Horse Owner with the OWNER role may access the owner dashboard and perform owner-related operations.                                                   |
| BR-14 | The Horse Owner may register a horse only when all required horse information, including name, age, breed, and gender, has been provided.                                    |
| BR-15 | A horse record may be updated or deleted only by its owner and only when the horse is not currently involved in an active or locked registration.                            |
| BR-16 | The Horse Owner may send a jockey invitation only when both the selected jockey and the selected horse are valid and belong to an eligible tournament context.               |
| BR-17 | A jockey invitation must contain valid invitation details and may be accepted or rejected by the recipient before it can be used for tournament registration.                |
| BR-18 | Tournament registration is allowed only when the Horse Owner has an accepted jockey invitation and the selected horse-jockey pair is valid for the chosen tournament.        |
| BR-19 | The system must prevent duplicate tournament registrations for the same horse-jockey pair in the same tournament.                                                            |
| BR-20 | The Horse Owner may view the current registration status and approval result of each submitted registration request from the registered tournaments screen.                  |
| BR-21 | The Horse Owner may view upcoming race schedules and completed race results for owned horses, including rankings, scores, remarks, and violations.                           |
| BR-22 | The Horse Owner may update personal profile information, including contact and organization details, only after valid input is provided and saved successfully.              |
| BR-23 | The system must display clear success or error messages after each owner action, such as horse registration, invitation sending, registration submission, or profile update. |
| BR-24 | The Horse Owner must be able to view rankings and performance summaries for horses and jockeys through the ranking page.                                                     |

|       |                                                                                                                                                                         |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BR-25 | Only an authenticated Race Referee with the REFEREE role may access the referee dashboard and manage assigned race supervision tasks.                                   |
| BR-26 | The Race Referee may view only the races assigned to them and must be able to inspect race information such as time, distance, track condition, and participant count.  |
| BR-27 | A race inspection report may be submitted only when the referee provides valid weather, track, and horse health information for that race.                              |
| BR-28 | The referee may enter race results only for races that are currently scheduled or available for result submission, and each result must be tied to a valid race record. |
| BR-29 | Result entry must include a finishing position and valid score adjustment for each participating horse before the record can be saved.                                  |
| BR-30 | The referee may submit a violation report only when the violating horse, violation description, penalty type, and applicable fine amount (if required) are provided.    |
| BR-31 | The system must prevent duplicate or conflicting result submissions for the same race after the result has already been accepted or confirmed.                          |
| BR-32 | When a result is corrected or updated, the system must preserve the revision history and display the latest confirmed state to the referee and administrator.           |
| BR-33 | The referee must receive a confirmation message when an inspection report, race result, or violation report is successfully submitted.                                  |
| BR-34 | The system must reject invalid referee input and display clear error messages when required inspection or result data is missing or inconsistent.                       |
| BR-35 | The referee may review the status of race results after administrator approval and may resubmit corrected results when necessary.                                       |
| BR-36 | The referee dashboard must display the latest assigned race status, result state, and available actions for each assigned race.                                         |

|       |                                                                                                                                       |
|-------|---------------------------------------------------------------------------------------------------------------------------------------|
| BR-37 | Only an authenticated Jockey with the JOCKEY role may access the jockey dashboard and manage assigned race-related activities.        |
| BR-38 | The Jockey may accept or decline an invitation only when the invitation is valid, active, and still pending.                          |
| BR-39 | A jockey profile may be updated only when the provided information is complete and valid, including licensing and contact details.    |
| BR-40 | The system must prevent a jockey from accepting duplicate invitations for the same horse-tournament context.                          |
| BR-41 | A jockey registration request must be linked to a valid accepted invitation before it can be considered for tournament participation. |
| BR-42 | The system must display the current invitation status and registration outcome to the jockey in the dashboard.                        |
| BR-43 | The jockey can view upcoming races and assigned schedules only for the tournaments or races in which they are officially registered.  |
| BR-44 | The system must reject invalid jockey input and show a clear message when required profile or invitation data is missing.             |
| BR-45 | A successful profile update or invitation response must immediately refresh the relevant jockey views.                                |
| BR-46 | The jockey must be able to review race participation history and current status through the jockey dashboard.                         |

|       |                                                                                                                                                   |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| BR-47 | Only an authenticated Spectator with the SPECTATOR role may access spectator features such as predictions, schedules, and results.                |
| BR-48 | The Spectator may submit a prediction only when a valid race and horse selection have been chosen and the prediction rank is provided.            |
| BR-49 | The system must prevent the Spectator from submitting duplicate predictions for the same race and selected horse.                                 |
| BR-50 | A prediction may be edited or deleted only while the associated race is still pending and not locked for result confirmation.                     |
| BR-51 | The Spectator may view upcoming race schedules and completed race results for all available public races.                                         |
| BR-52 | The system must display the Spectator's reward point balance and prediction history after each prediction action.                                 |
| BR-53 | The Spectator may view ranking tables and race outcome details for completed races from the public results screens.                               |
| BR-54 | The system must reject invalid spectator input and display a clear error message when required prediction information is missing or inconsistent. |
| BR-55 | A successful prediction submission, update, or deletion must immediately refresh the spectator dashboard and history list.                        |
| BR-56 | The spectator must be able to review race status, result outcomes, and reward information from the spectator portal.                              |

### 3.4.2 Common Requirements

This appendix summarizes the common requirements that apply across all modules of the Horse Racing Tournament Management System.

| Req. ID | Requirement Name       | Description                                                                                                                                                                                                                                                                       |
|---------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CR-01   | Data Validation        | All mandatory fields marked as required must be validated on both the client side and the server side. The system shall prevent submission if any required information is missing.                                                                                                |
| CR-02   | Data Format Validation | <p>The system shall validate input formats before processing data.</p> <ul style="list-style-type: none"> <li>• Email must follow the standard email format.</li> <li>• Phone numbers must contain exactly 10 digits.</li> <li>• Dates must use the DD/MM/YYYY format.</li> </ul> |

| Req. ID | Requirement Name | Description                                                                                                                                            |
|---------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| CR-03   | Authentication   | Users shall authenticate before accessing protected system resources. Unauthorized users shall be denied access.                                       |
| CR-04   | Authorization    | The system shall enforce role-based access control for Administrator, Horse Owner, Jockey, Referee, and Spectator.                                     |
| CR-05   | Audit Logging    | Important user activities, including race scheduling, result submission, and approval actions, shall be recorded with timestamps and user information. |
| CR-06   | Notification     | The system shall notify users when important events occur, such as tournament registration approval, race assignment, or result approval.              |
| CR-07   | Performance      | The system should respond to user requests within 3 seconds under normal operating conditions and support multiple concurrent users.                   |
| CR-08   | Security         | Passwords shall be encrypted before storage. All communication shall use HTTPS, and inactive sessions shall expire automatically.                      |
| CR-09   | Availability     | The system shall remain available during tournament operations except for scheduled maintenance periods.                                               |
| CR-10   | Data Integrity   | The system shall maintain consistent and accurate data across all modules and prevent duplicate or inconsistent records.                               |

### 3.4.3 Application Messages

This section lists standard messages used across the Horse Racing Tournament Management System. Messages are grouped by feature and include a short type and the text shown to users.

### 3.4.4 Message Type Definitions

- **Inline** — Displayed directly below a field or section (neutral information).
- **Inline (Red)** — Displayed below a field when validation fails (error highlight).
- **Toast (Success)** — Floating notification (green) shown after a successful action.
- **Toast (Error)** — Floating notification (red) shown when an action fails.
- **Toast (Warning)** — Floating notification (yellow) shown as a caution before an action.

Table 3.9: Application Messages List

| #  | Code  | Message Type    | Context                      | Content                                                                   |
|----|-------|-----------------|------------------------------|---------------------------------------------------------------------------|
| 1  | MSG01 | Inline          | Search result empty          | No search results found.                                                  |
| 2  | MSG02 | Inline (Red)    | Form validation              | The {field_name} field is required.                                       |
| 3  | MSG03 | Toast (Success) | Data update                  | Update {entity_name} successfully.                                        |
| 4  | MSG04 | Toast (Success) | Data creation                | Add new {entity_name} successfully.                                       |
| 5  | MSG05 | Toast (Error)   | Data deletion                | Delete {entity_name} failed. Please try again.                            |
| 6  | MSG06 | Toast (Success) | Email action                 | A confirmation email has been sent to {email_address}.                    |
| 7  | MSG07 | Inline (Red)    | Login – wrong credentials    | Invalid username or password. Please try again.                           |
| 8  | MSG08 | Toast (Error)   | Login – account locked       | Your account has been locked. Please contact the administrator.           |
| 9  | MSG09 | Toast (Warning) | Session expired              | Your session has expired. Please log in again.                            |
| 10 | MSG10 | Toast (Error)   | Unauthorized access          | You do not have permission to access this page.                           |
| 11 | MSG11 | Toast (Success) | Password reset               | Password reset instructions sent to your email.                           |
| 12 | MSG12 | Inline (Red)    | Registration – duplicate     | This horse has already been registered for the selected race.             |
| 13 | MSG13 | Toast (Success) | Registration – submitted     | Your registration has been submitted successfully.                        |
| 14 | MSG14 | Toast (Warning) | Registration – deadline      | The registration deadline for this race has passed.                       |
| 15 | MSG15 | Toast (Error)   | Registration – capacity full | This race has reached its maximum number of participants.                 |
| 16 | MSG16 | Toast (Success) | Invitation sent              | Your invitation has been sent successfully. Status: Pending.              |
| 17 | MSG17 | Toast (Error)   | Invitation – duplicate       | You have already sent an invitation to this jockey for the selected race. |

| #  | Code  | Message Type    | Context                         | Content                                                                           |
|----|-------|-----------------|---------------------------------|-----------------------------------------------------------------------------------|
| 18 | MSG18 | Toast (Error)   | Invitation – jockey unavailable | This jockey is not available for the selected race date.                          |
| 19 | MSG19 | Toast (Error)   | Invitation – deadline passed    | The invitation deadline has passed for this race.                                 |
| 20 | MSG20 | Toast (Success) | Invitation accepted (Jockey)    | You have accepted the invitation. The race has been added to your upcoming races. |
| 21 | MSG21 | Toast (Success) | Invitation declined (Jockey)    | You have declined the invitation.                                                 |
| 22 | MSG22 | Toast (Success) | Invitation accepted (Owner)     | The jockey has accepted your invitation.                                          |
| 23 | MSG23 | Toast (Warning) | Invitation declined (Owner)     | The jockey has declined your invitation.                                          |
| 24 | MSG24 | Inline          | Invitation status               | This invitation is still pending. The jockey has not responded yet.               |
| 25 | MSG25 | Toast (Success) | Race created                    | The race has been created and published successfully.                             |
| 26 | MSG26 | Toast (Error)   | Race scheduling – conflict      | A race is already scheduled at the selected date and track.                       |
| 27 | MSG27 | Toast (Warning) | Race cancelled                  | This race has been cancelled. All registered participants have been notified.     |
| 28 | MSG28 | Toast (Success) | Race updated                    | Race information has been updated successfully.                                   |
| 29 | MSG29 | Toast (Success) | Result submitted                | Race results have been recorded successfully.                                     |
| 30 | MSG30 | Toast (Error)   | Result – already exists         | Results for this race have already been submitted.                                |
| 31 | MSG31 | Toast (Warning) | Result – incomplete             | Please enter the result for all participating horses before submitting.           |
| 32 | MSG32 | Toast (Success) | Ranking updated                 | Rankings have been updated based on the latest race results.                      |
| 33 | MSG33 | Toast (Error)   | Server error                    | An unexpected error occurred. Please refresh the page or contact support.         |
| 34 | MSG34 | Inline (Red)    | Not found                       | The requested resource was not found.                                             |

| #  | Code  | Message Type    | Context                        | Content                                                                                    |
|----|-------|-----------------|--------------------------------|--------------------------------------------------------------------------------------------|
| 35 | MSG35 | Toast (Warning) | Unsaved changes                | You have unsaved changes. Are you sure you want to leave this page?                        |
| 36 | MSG36 | Toast (Success) | Horse added                    | Horse {horse_name} has been added successfully.                                            |
| 37 | MSG37 | Toast (Success) | Horse updated                  | Horse information has been updated successfully.                                           |
| 38 | MSG38 | Toast (Error)   | Horse – not found              | The selected horse could not be found. Please refresh and try again.                       |
| 39 | MSG39 | Toast (Warning) | Horse – health not verified    | This horse has not passed the health check. It cannot be registered for a race.            |
| 40 | MSG40 | Inline (Red)    | Horse – duplicate name         | A horse with this name already exists in your account.                                     |
| 41 | MSG41 | Toast (Error)   | Jockey – license expired       | This jockey's license has expired. Please update the license before sending an invitation. |
| 42 | MSG42 | Toast (Warning) | Jockey – no upcoming races     | You have no upcoming races at this time.                                                   |
| 43 | MSG43 | Toast (Success) | Profile updated                | Your profile has been updated successfully.                                                |
| 44 | MSG44 | Inline (Red)    | Profile – invalid phone        | Please enter a valid phone number.                                                         |
| 45 | MSG45 | Inline (Red)    | Profile – invalid email format | Please enter a valid email address.                                                        |
| 46 | MSG46 | Toast (Success) | Tournament created             | The tournament has been created and is now open for registration.                          |
| 47 | MSG47 | Toast (Success) | Tournament updated             | Tournament information has been updated successfully.                                      |
| 48 | MSG48 | Toast (Error)   | Tournament – cannot delete     | This tournament cannot be deleted because it has active registrations.                     |
| 49 | MSG49 | Toast (Warning) | Tournament – closing soon      | Registration for this tournament closes in {X} day(s).                                     |
| 50 | MSG50 | Toast (Success) | Tournament closed              | Registration has been closed for this tournament.                                          |
| 51 | MSG51 | Toast (Success) | Registration approved          | The registration has been approved successfully.                                           |

| #  | Code  | Message Type    | Context                       | Content                                                                                 |
|----|-------|-----------------|-------------------------------|-----------------------------------------------------------------------------------------|
| 52 | MSG52 | Toast (Success) | Registration rejected         | The registration has been rejected. The owner has been notified.                        |
| 53 | MSG53 | Toast (Warning) | Registration – pending review | This registration is awaiting admin approval.                                           |
| 54 | MSG54 | Toast (Success) | Approval notified (Owner)     | Your registration has been approved. You may now proceed.                               |
| 55 | MSG55 | Toast (Error)   | Rejection notified (Owner)    | Your registration has been rejected. Please contact the administrator for more details. |
| 56 | MSG56 | Toast (Success) | Result confirmed              | The race result has been confirmed by the referee.                                      |
| 57 | MSG57 | Toast (Error)   | Result – conflict detected    | A ranking conflict has been detected. Please review and re-submit the results.          |
| 58 | MSG58 | Toast (Warning) | Protest received              | A protest has been filed for this race. Results are temporarily on hold.                |
| 59 | MSG59 | Toast (Success) | Protest resolved              | The protest has been reviewed and resolved. Final results have been published.          |
| 60 | MSG60 | Inline          | No notifications              | You have no new notifications.                                                          |
| 61 | MSG61 | Toast (Success) | Notifications cleared         | All notifications have been marked as read.                                             |
| 62 | MSG62 | Inline          | Notification – new invitation | You have a new race invitation. Please review the details.                              |
| 63 | MSG63 | Inline          | Notification – race reminder  | Reminder: your race {race_name} is scheduled in {X} day(s).                             |
| 64 | MSG64 | Inline (Red)    | Upload – file too large       | The uploaded file exceeds the maximum allowed size of 5MB.                              |
| 65 | MSG65 | Inline (Red)    | Upload – invalid format       | Invalid file format. Only JPG, PNG, and PDF files are accepted.                         |
| 66 | MSG66 | Toast (Success) | Upload – success              | File uploaded successfully.                                                             |
| 67 | MSG67 | Toast (Error)   | Upload – failed               | File upload failed. Please check your connection and try again.                         |
| 68 | MSG68 | Toast (Warning) | Weight – out of range         | The jockey's weight does not meet the requirements for this race category.              |

| #  | Code  | Message Type    | Context             | Content                                                                 |
|----|-------|-----------------|---------------------|-------------------------------------------------------------------------|
| 69 | MSG69 | Toast (Success) | Weight check passed | Weight check passed. The jockey is eligible for this race.              |
| 70 | MSG70 | Toast (Error)   | Network error       | Unable to connect to the server. Please check your internet connection. |

## IV. Software Design Description

This chapter presents the software architecture, database design and detailed design.

## 4.1. Overall Design

## 4.2. Detailed Design

### 4.2.1 Admin System Overview

#### Class Diagram




Figure 4.1: Admin System Overview Class Diagram

## Sequence Diagram




Figure 4.2: Admin System Overview Sequence Diagram

## Class Specification

| Class                    | Attributes / Methods                                                                                                                                                                     | Type                  | Description                                                                                    |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------------------------------------------------------------------------|
| AdminDashboard<br>Router | get_system_overview()                                                                                                                                                                    | controller /<br>route | Handles HTTP GET requests to retrieve centralized analytics, validating BR-01 authorization.   |
| SystemMetricsOut         | total_users,<br>total_tournaments,<br>total_races, total_horses,<br>total_jockeys,<br>total_registrations,<br>total_awards, user_roles,<br>tournament_status,<br>top_jockeys, top_horses | DTO                   | Output data transfer object providing all aggregated dashboard numbers and top standings.      |
| User                     | id, username, role,<br>is_active                                                                                                                                                         | entity                | Database entity representing application users to fetch aggregate accounts and role groupings. |
| Tournament               | id, name, status,<br>start_date, end_date                                                                                                                                                | entity                | Database entity representing tournaments used to map status metrics.                           |
| Race                     | id, round_id, status                                                                                                                                                                     | entity                | Database entity representing individual scheduled racing heats.                                |
| Registration             | id, horse_id, jockey_id,<br>status                                                                                                                                                       | entity                | Database entity managing structural signups used to count processing assets.                   |

Table 4.1: Admin System Overview class specification

## 4.2.2 Admin Tournament Management

### Class Diagram




Figure 4.3: Class Diagram for Tournament Management

## Sequence Diagram




Figure 4.4: Admin Tournament Management Sequence Diagram

## Class Specification

| Class            | Attributes / Methods                                                                | Type                  | Description                                                                                 |
|------------------|-------------------------------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------|
| TournamentRouter | create_tournament(),<br>add_round(),<br>get_tournaments(),<br>delete_tournament()   | controller /<br>route | Handles administrative operations for structuring tournaments and competition stages.       |
| TournamentCreate | name, description,<br>start_date, end_date,<br>location                             | DTO                   | Input data transfer object containing essential metrics to provision a new event profile.   |
| RoundCreate      | tournament_id, name,<br>sequence_order                                              | DTO                   | Input data transfer object configuring ordered stages inside a specific tournament context. |
| TournamentOut    | id, name, description,<br>start_date, end_date,<br>location, status,<br>round_count | DTO                   | Output data transfer object supplying summary details of stored events.                     |
| Tournament       | id, name, description,<br>start_date, end_date,<br>location, status                 | entity                | Core domain entity storing structured racing tournament profile boundaries.                 |
| Round            | id, tournament_id, name,<br>sequence_order                                          | entity                | Database entity representing individual racing stages arranged sequentially.                |

Table 4.2: Admin Tournament Management class specification

### 4.2.3 Admin Registration Confirmation

#### Class Diagram




Figure 4.5: Class Diagram for Registration Confirmation

## Sequence Diagram




Figure 4.6: Admin Registration Confirmation Sequence Diagram

## Class Specification

| Class                     | Attributes / Methods                                 | Type               | Description                                                                                         |
|---------------------------|------------------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------|
| RegistrationRouter        | get_registrations(), update_registration_status()    | controller / route | Exposes endpoints for loading applications and updating approval statuses.                          |
| RegistrationStatus Update | status                                               | DTO                | Input data transfer object carrying the updated status command (e.g., PENDING, APPROVED, REJECTED). |
| RegistrationDetailOut     | id, tournament_name, horse_name, jockey_name, status | DTO                | Flattened output payload providing structural identities for administrative grid displays.          |
| Registration              | id, horse_id, jockey_id, tournament_id, status       | entity             | Operational data entity containing processing records of team entries.                              |
| Horse                     | id, name                                             | entity             | Database entity providing naming contexts for registered horse components.                          |
| Jockey                    | id, name                                             | entity             | Database entity referencing profile information for underlying jockey entries.                      |

Table 4.3: Admin Registration Confirmation class specification

#### 4.2.4 Admin Schedule Races

##### Class Diagram




Figure 4.7: Class Diagram for Schedule Races

## Sequence Diagram




Figure 4.8: Admin Schedule Races Sequence Diagram

## Class Specification

| Class               | Attributes / Methods                                                        | Type                  | Description                                                       |
|---------------------|-----------------------------------------------------------------------------|-----------------------|-------------------------------------------------------------------|
| RaceSchedulerRouter | schedule_race(),<br>update_race(),<br>get_race_schedule(),<br>cancel_race() | controller /<br>route | Handles race scheduling operations and event lifecycle changes.   |
| ScheduleRaceRequest | tournament_id, round_id,<br>track_id, start_time,<br>participant_ids        | DTO                   | Input DTO for creating or modifying a race schedule.              |
| RaceScheduleOut     | race_id, round_name,<br>track_name, start_time,<br>status, lane_assignments | DTO                   | Output DTO delivering scheduled race details.                     |
| Race                | id, round_id, track_id,<br>start_time, status,<br>lane_assignments          | entity                | Entity representing a scheduled race entry.                       |
| Round               | id, tournament_id, name,<br>sequence_order                                  | entity                | Entity representing a tournament round that contains races.       |
| Track               | id, name, location,<br>capacity                                             | entity                | Entity representing a race track and its configuration.           |
| Participant         | id, horse_id, jockey_id,<br>lane_number                                     | entity                | Entity representing a horse-jockey entry assigned to a race lane. |

Table 4.4: Admin Schedule Races class specification

#### 4.2.5 Admin Manage Users

##### Class Diagram




Figure 4.9: Class Diagram for Manage Users

## Sequence Diagram




Figure 4.10: Admin Manage Users Sequence Diagram

## Class Specification

| Class      | Attributes / Methods                                           | Type                  | Description                                                                  |
|------------|----------------------------------------------------------------|-----------------------|------------------------------------------------------------------------------|
| UserRouter | create_user(),<br>update_user(),<br>delete_user(), get_users() | controller /<br>route | Manages user<br>administration<br>requests and account<br>lifecycle actions. |
| UserCreate | username, email, password,<br>role, is_active                  | DTO                   | Input DTO used to<br>create a new user<br>account.                           |
| UserUpdate | user_id, email, role,<br>is_active                             | DTO                   | Input DTO used to<br>update user profile<br>and status.                      |
| UserOut    | id, username, email, role,<br>status                           | DTO                   | Output DTO<br>returning user details<br>for display.                         |
| User       | id, username, email,<br>password_hash, role,<br>is_active      | entity                | Entity storing user<br>authentication and<br>role data.                      |
| Role       | id, name, permissions                                          | entity                | Entity representing<br>role definitions and<br>access permissions.           |

Table 4.5: Admin Manage Users class specification

## 4.2.6 Admin Manage Rewards

### Class Diagram




Figure 4.11: Class Diagram for Manage Rewards

## Sequence Diagram




Figure 4.12: Admin Manage Rewards Sequence Diagram

## Class Specification

| Class            | Attributes / Methods                                                      | Type                  | Description                                                        |
|------------------|---------------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------|
| RewardRouter     | create_reward(),<br>update_reward(),<br>assign_reward(),<br>get_rewards() | controller /<br>route | Manages reward configuration, assignment, and retrieval endpoints. |
| RewardCreate     | title, description, value,<br>rank, tournament_id                         | DTO                   | Input DTO for defining a new reward within a tournament context.   |
| RewardAssign     | reward_id, user_id,<br>race_id, reason                                    | DTO                   | Input DTO for assigning a reward to a user or race result.         |
| RewardOut        | id, title, description, value,<br>rank, status                            | DTO                   | Output DTO returning reward information and distribution status.   |
| Reward           | id, title, description, value,<br>rank, status,<br>tournament_id          | entity                | Entity representing a reward definition and its current state.     |
| RewardAssignment | id, reward_id, user_id,<br>race_id, assigned_at,<br>reason                | entity                | Entity capturing reward assignment history and references.         |

Table 4.6: Admin Manage Rewards class specification

## 4.2.7 Login and Registration

### Class Diagram




Figure 4.13: Login Class Diagram

## Sequence Diagram




Figure 4.14: Login Sequence Diagram

## Class Specification

Table 4.7: Login class specification

| Class      | Attributes / Methods                      | Type               | Description                                                                     |
|------------|-------------------------------------------|--------------------|---------------------------------------------------------------------------------|
| LoginPage  | username, password, handleLogin()         | state / action     | UI component that collects login credentials and calls the API.                 |
| Api        | login(), post(), getHeaders()             | service / helper   | Calls <code>POST /auth/token</code> , stores JWT, and prepares request headers. |
| AuthRouter | login_for_access_token(), read_users_me() | controller / route | Validates username/password and issues bearer tokens.                           |

| Class              | Attributes / Methods                                              | Type   | Description                                       |
|--------------------|-------------------------------------------------------------------|--------|---------------------------------------------------|
| User               | id, username, password_hash, email, full_name, role_id, is_active | entity | Database entity representing an application user. |
| Role               | id, name                                                          | entity | Defines user roles, including OWNER.              |
| Token              | access_token, token_type                                          | DTO    | Response payload returned after successful login. |
| HorseOwner Profile | id, user_id, company_name                                         | entity | Owner-specific profile linked to the User entity. |

## 4.2.8 Horse Owner Authentication and Authorization

### Class Diagram




Figure 4.15: Horse Owner Authentication and Authorization Class Diagram

## Sequence Diagram




Figure 4.16: Horse Owner Authentication and Authorization Sequence Diagram

## Class Specification

Table 4.8: Horse Owner authentication and authorization class specification

| Class                     | Attributes / Methods                                                       | Type               | Description                                                                                                                              |
|---------------------------|----------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| LoginPage                 | username, password, handleLogin(), showError(), redirectToOwnerDashboard() | boundary / UI      | Collects owner credentials, sends the login request, displays authentication errors, and redirects a valid owner to the owner dashboard. |
| Api                       | baseUrl, token, login(), post(), getHeaders(), saveToken()                 | service / helper   | Sends authentication requests to the backend, stores the JWT token, and prepares authorization headers for protected owner operations.   |
| AuthRouter                | login_for_access_token(), read_users_me()                                  | controller / route | Processes login requests, validates submitted credentials, issues bearer tokens, and returns authenticated user information.             |
| Security Service          | verify_password(), create_access_token(), decode_token()                   | service            | Verifies password hashes and creates or validates JWT tokens used in the owner authentication flow.                                      |
| OAuth2PasswordRequestForm | username, password                                                         | DTO / request      | Carries the submitted username and password from the login form to the authentication endpoint.                                          |
| Token                     | access_token, token_type                                                   | DTO / response     | Represents the bearer token returned to the frontend after successful authentication.                                                    |
| TokenPayload              | sub                                                                        | DTO / payload      | Stores the user identifier decoded from the JWT token when resolving the current authenticated user.                                     |

| Class              | Attributes / Methods                                              | Type           | Description                                                                                            |
|--------------------|-------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------|
| User               | id, username, password_hash, email, full_name, role_id, is_active | entity         | Stores account and credential information used to authenticate the owner and verify account status.    |
| Role               | id, name                                                          | entity         | Defines user roles and allows the system to confirm that the authenticated account has the OWNER role. |
| HorseOwner Profile | id, user_id, company_name, age, experience_years                  | entity         | Stores owner-specific profile information linked to the authenticated user account.                    |
| UserOut            | id, username, email, full_name, role_id, role_name, is_active     | DTO / response | Returns authenticated user details to the frontend so the dashboard can render owner-specific screens. |

## 4.2.9 Horse Owner Management Operations

### Class Diagram




Figure 4.17: Horse Owner Management Operations Class Diagram

### Sequence Diagram




Figure 4.18: Horse Owner Management Operations Sequence Diagram

## Class Specification

Table 4.9: Horse Owner management operations class specification

| Class           | Attributes / Methods                                                                                                                   | Type                    | Description                                                                                                        |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------|
| Owner Dashboard | activeTab, openHorseManagement()                                                                                                       | boundary / UI           | Provides the owner dashboard navigation and opens the horse management tab for owner operations.                   |
| OwnerPanel      | horses, newHorse, editingHorse, editHorseForm, loadData(), createHorse(), startEditHorse(), updateHorse(), deleteHorse(), cancelEdit() | boundary / UI           | Displays the list of owned horses and manages the create, update, and delete interactions from the frontend.       |
| Api             | baseUrl, token, get(), post(), put(), delete(), getHeaders()                                                                           | service / helper        | Sends horse management requests to the backend and attaches the owner authentication token to protected API calls. |
| HorseRouter     | read_horses(), create_horse(), update_horse(), delete_horse()                                                                          | controller / route      | Handles HTTP requests for viewing, registering, editing, and deleting horses owned by the authenticated owner.     |
| RoleChecker     | allowed_roles, __call__()                                                                                                              | service / authorization | Verifies that the current authenticated user has the <b>OWNER</b> role before allowing protected horse operations. |
| HorseCreate     | name, age, breed, gender                                                                                                               | DTO / request           | Carries the input data required to register a new horse; age must be between 2 and 10.                             |
| HorseUpdate     | name, age, breed, gender                                                                                                               | DTO / request           | Carries optional horse fields submitted when an owner edits an existing horse record.                              |
| HorseOut        | id, name, age, breed, gender, owner_id                                                                                                 | DTO / response          | Returns horse information to the frontend after list, create, or update operations.                                |

| Class              | Attributes / Methods                               | Type   | Description                                                                                             |
|--------------------|----------------------------------------------------|--------|---------------------------------------------------------------------------------------------------------|
| User               | id, username, email, full_name, role_id, is_active | entity | Represents the authenticated account used to identify the owner performing horse management operations. |
| Role               | id, name                                           | entity | Defines the user's role and supports authorization checks for owner-only operations.                    |
| HorseOwner Profile | id, user_id, company_name, horses                  | entity | Stores owner-specific information and links the authenticated owner to the horses they manage.          |
| Horse              | id, name, age, breed, gender, owner_id             | entity | Database entity storing horse records owned and managed by a horse owner.                               |

## Class Diagram




Figure 4.19: Send Jockey Invitation Class Diagram

## Sequence Diagram




Figure 4.20: Send Jockey Invitation Sequence Diagram

## Class Specification

Table 4.10: Send Jockey Invitation class specification

| Class                      | Attributes / Methods                                                                                                                | Type                    | Description                                                                                                                                |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| OwnerPanel                 | horses, jockeys, tournaments, invitations, newInvitation, loadData(), sendJockeyInvitation()                                        | boundary / UI           | Displays the invitation form, loads available horses, jockeys, tournaments, and shows the status of invitations already sent by the owner. |
| Api                        | baseUrl, token, get(), post(), getHeaders()                                                                                         | service / helper        | Sends requests to retrieve jockeys and invitations, and submits new invitation data to the backend with authorization headers.             |
| JockeyRouter               | read_jockeys(), invite_jockey(), read_invitations()                                                                                 | controller / route      | Handles HTTP requests for listing jockey profiles, creating owner invitations, and retrieving invitation status records.                   |
| RoleChecker                | allowed_roles, __call__()                                                                                                           | service / authorization | Ensures that only an authenticated user with the <b>OWNER</b> role can send a jockey invitation.                                           |
| JockeyInvitation<br>Create | jockey_id, horse_id, tournament_id, message                                                                                         | DTO / request           | Carries the selected jockey, horse, tournament, and optional invitation message submitted by the owner.                                    |
| JockeyInvitation<br>Out    | id, owner_id, jockey_id, horse_id, tournament_id, message, status, created_at, owner_name, horse_name, tournament_name, jockey_name | DTO / response          | Returns the created or retrieved invitation information, including related display names and current invitation status.                    |
| User                       | id, username, email, full_name, role_id, is_active                                                                                  | entity                  | Represents the authenticated account used to identify the owner and resolve jockey display information.                                    |

| Class              | Attributes / Methods                                                          | Type   | Description                                                                                            |
|--------------------|-------------------------------------------------------------------------------|--------|--------------------------------------------------------------------------------------------------------|
| Role               | id, name                                                                      | entity | Defines user roles and supports owner-only authorization for sending invitations.                      |
| HorseOwner Profile | id, user_id, company_name                                                     | entity | Stores owner-specific information and links the authenticated owner to the invitations they send.      |
| Horse              | id, name, age, breed, gender, owner_id                                        | entity | Represents the horse selected by the owner and is validated to ensure it belongs to the current owner. |
| JockeyProfile      | id, user_id, bio, weight, height, experience_years                            | entity | Represents the jockey profile selected as the invitation recipient.                                    |
| Tournament         | id, name, description, start_date, end_date, location, status                 | entity | Represents the tournament context in which the owner invites a jockey to partner with a horse.         |
| Jockey Invitation  | id, owner_id, jockey_id, horse_id, tournament_id, message, status, created_at | entity | Stores the invitation record and tracks whether it is PENDING, ACCEPTED, or REJECTED.                  |

### 4.2.11 Jockey Dashboard

#### Class Diagram




Figure 4.21: Jockey Dashboard Class Diagram

## Sequence Diagram




Figure 4.22: Jockey Dashboard Sequence Diagram

## Class Specification

Table 4.11: Jockey Dashboard class specification

| Class             | Attributes / Methods                                                      | Type        | Description                                                                                                           |
|-------------------|---------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------|
| User              | id, fullName, avatar, role, login(), logout()                             | entity      | Represents the base account of a system user. Both <b>Owner</b> and <b>Jockey</b> inherit from this class.            |
| Jockey            | jockeyId, ranking, points                                                 | entity      | Extends <b>User</b> with jockey-specific attributes; linked to invitations, schedules, awards, and the leaderboard.   |
| Owner             | ownerId, stableName                                                       | entity      | Extends <b>User</b> and sends invitations to jockeys on behalf of a stable.                                           |
| Invitation        | invitationId, message, status, sentDate, accept(), decline(), getStatus() | entity      | Records a race invitation sent by an owner to a jockey, with the current status tracked via <b>InvitationStatus</b> . |
| Invitation Status | PENDING, ACCEPTED, DECLINED                                               | enumeration | Enumerates the possible lifecycle states of a jockey invitation.                                                      |
| Schedule          | scheduleId, raceDate, location, tournamentName                            | entity      | Stores race schedule details visible to the jockey after an invitation is accepted.                                   |
| Award             | awardId, title, dateAwarded, tournamentName                               | entity      | Records awards and achievements earned by the jockey in tournaments.                                                  |
| Leaderboard       | rank, totalPoints, calculateRank()                                        | entity      | Maintains the global jockey ranking and calculates each jockey's position based on accumulated points.                |
| Horse             | horseId, name, breed, age                                                 | entity      | Represents the horse assigned to a jockey through an invitation for a specific tournament.                            |

| Class                | Attributes / Methods                                                                                                                                                                                     | Type          | Description                                                                                                                     |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------|
| Tournament           | tournamentId, name, year, startDate, location                                                                                                                                                            | entity        | Represents the racing tournament context that links invitations, schedules, and awards together.                                |
| DashboardUI          | login(), getInvitations(), acceptInvitation(), declineInvitation(), getSchedule(), getProfile(), getAwards(), getLeaderboard(), logout()                                                                 | boundary / UI | The jockey-facing dashboard interface that handles login, displays invitations, schedule, profile, awards, and the leaderboard. |
| Dashboard Controller | login(username, password), getInvitations(jockeyId), acceptInvitation(invitationId), declineInvitation(invitationId), getSchedule(jockeyId), getProfile(jockeyId), getAwards(jockeyId), getLeaderboard() | controller    | Processes all dashboard requests from the UI, coordinates data retrieval and status updates with the database.                  |

#### 4.2.12 Jockey Invitation Management

##### Class Diagram




Figure 4.23: Jockey Invitation Management Class Diagram

## Sequence Diagram




Figure 4.24: Jockey Invitation Management Sequence Diagram

## Class Specification

Table 4.12: Jockey Invitation Management class specification

| Class                 | Attributes / Methods                                                                      | Type          | Description                                                                                                        |
|-----------------------|-------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------|
| User                  | id, fullName, avatar, role                                                                | entity        | Base account class inherited by both <b>Owner</b> and <b>Jockey</b> ; provides shared identity attributes.         |
| Owner                 | ownerId, fullName                                                                         | entity        | Extends <b>User</b> ; represents the horse owner who sends race invitations to jockeys.                            |
| Jockey                | jockeyId                                                                                  | entity        | Extends <b>User</b> ; represents the jockey who receives and responds to invitations.                              |
| Invitation            | invitationId, message, status, sentDate, accept(), decline(), getStatus()                 | entity        | Records the invitation sent from an owner to a jockey, supporting accept and decline actions with status tracking. |
| Invitation Status     | PENDING, ACCEPTED, DECLINED                                                               | enumeration   | Defines the three possible lifecycle states of a jockey invitation.                                                |
| Horse                 | horseId, name                                                                             | entity        | Represents the horse associated with the invitation that the jockey is being asked to ride.                        |
| Tournament            | tournamentId, name, year                                                                  | entity        | Provides the tournament context for the invitation, linking the jockey and horse to a specific racing event.       |
| DashboardUI           | getInvitations(jockeyId), acceptInvitation(invitationId), declineInvitation(invitationId) | boundary / UI | Displays the invitation list to the jockey and handles accept and decline user interactions.                       |
| Invitation Controller | getInvitations(jockeyId), acceptInvitation(invitationId), declineInvitation(invitationId) | controller    | Processes invitation retrieval and status update requests, coordinates between the UI and the database.            |

### 4.2.13 Race Schedule

#### Class Diagram




Figure 4.25: Race Schedule Class Diagram

## Sequence Diagram




Figure 4.26: Race Schedule Sequence Diagram

## Class Specification

Table 4.13: Race Schedule class specification

| Class  | Attributes / Methods       | Type   | Description                                                                                             |
|--------|----------------------------|--------|---------------------------------------------------------------------------------------------------------|
| User   | id, fullName, avatar, role | entity | Base account class; <b>Jockey</b> inherits from it to access the race schedule feature.                 |
| Jockey | jockeyId                   | entity | Extends <b>User</b> ; the authenticated jockey whose assigned race entries are retrieved and displayed. |
| Horse  | horseId, name              | entity | Represents the horse assigned to the jockey for a specific race entry.                                  |

| Class               | Attributes / Methods                                 | Type          | Description                                                                                            |
|---------------------|------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------|
| Race                | raceId, heatName, raceTime, distance, trackCondition | entity        | Stores the details of an individual race heat, including time, distance, and track conditions.         |
| RaceEntry           | entryId, status, getStatus(), updateStatus()         | entity        | Links a jockey and a horse to a specific race; tracks the entry status via <b>RaceStatus</b> .         |
| RaceStatus          | SCHEDULED                                            | enumeration   | Enumerates the status values of a race entry; currently supports the <b>SCHEDULED</b> state.           |
| DashboardUI         | getSchedule(jockeyId), getHorseDetail(horseId)       | boundary / UI | Renders the race schedule table and displays a horse detail popup when the jockey clicks a horse name. |
| Schedule Controller | getSchedule(jockeyId), getHorseDetail(horseId)       | controller    | Retrieves the list of race entries for the jockey and fetches detailed horse information on demand.    |

#### 4.2.14 Personal Profile

##### Class Diagram




Figure 4.27: Personal Profile Class Diagram

## Sequence Diagram




Figure 4.28: Personal Profile Sequence Diagram

## Class Specification

Table 4.14: Personal Profile class specification

| Class  | Attributes / Methods                                                                                                                               | Type   | Description                                                                                                           |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------|
| User   | id, fullName, avatar, role, createdAt, updatedAt, login(), logout(), getFullName()                                                                 | entity | Base account class providing core identity and authentication methods inherited by <b>Jockey</b> .                    |
| Jockey | jockeyId, email, phone, gender, weight, height, yearsExperience, bio, ranking, totalWins, getProfile(), updateProfile(ProfileForm), calculateBMI() | entity | Extends <b>User</b> with jockey-specific profile attributes; supports profile retrieval, update, and BMI calculation. |

| Class              | Attributes / Methods                                                                                                                                 | Type          | Description                                                                                                                         |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------|
| ProfileForm        | fullName, email, phone, gender, weight, height, yearsExperience, bio, submit(), validate(), reset(), populate-FromJockey(Jockey)                     | DTO / form    | Carries the form data submitted by the jockey when editing their personal profile, and validates required fields before saving.     |
| Profile Validator  | validateFullName(name), validateEmail(email), validatePhone(phone), validateWeight(weight), validateExperience(years), validateRequired(ProfileForm) | service       | Validates individual profile fields and the entire form, returning a <b>ValidationResult</b> for each check.                        |
| ProfileService     | fetchProfile(jockeyId), saveProfile(jockeyId, ProfileForm), uploadAvatar(jockeyId, image)                                                            | service       | Handles backend communication for loading the jockey profile, persisting updates, and uploading avatar images.                      |
| Gender             | MALE, FEMALE, OTHER, NOT_SPECIFIED                                                                                                                   | enumeration   | Defines the gender options available when the jockey edits their personal profile.                                                  |
| DashboardUI        | getProfile(jockeyId), validateProfile(formData)                                                                                                      | boundary / UI | Displays the profile form pre-filled with existing data, handles edit interactions, and shows success or validation error messages. |
| Profile Controller | getProfile(jockeyId), validateProfile(formData)                                                                                                      | controller    | Retrieves profile data from the database and processes profile update requests, delegating validation to <b>ProfileValidator</b> .  |

### 4.2.15 Achievements

#### Class Diagram




Figure 4.29: Achievements Class Diagram

## Sequence Diagram




Figure 4.30: Achievements Sequence Diagram

## Class Specification

Table 4.15: Achievements class specification

| Class  | Attributes / Methods                                                                                    | Type   | Description                                                                                                                       |
|--------|---------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------|
| User   | id, fullName, avatar, role                                                                              | entity | Base account class inherited by <b>Jockey</b> , providing shared identity attributes for the achievements feature.                |
| Jockey | jockeyId, totalPoints, highestRank, tournamentsJoined, getAchievementSummary(), getAchievements(filter) | entity | Extends <b>User</b> ; stores cumulative performance statistics and delegates achievement retrieval to <b>AchievementService</b> . |

| Class                  | Attributes / Methods                                                                            | Type          | Description                                                                                                              |
|------------------------|-------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------------|
| Achievement            | achievementId, medal, rank, points, updatedAt, getRankLabel(), getMedallIcon()                  | entity        | Represents a single achievement record earned by the jockey in a tournament, with helper methods for display formatting. |
| Achievement Summary    | totalPoints, highestRank, tournamentsCount, calculateTotalPoints(), calculateHighestRank()      | DTO           | Aggregates the jockey's overall performance statistics shown as summary cards on the achievements page.                  |
| Achievement Service    | fetchAchievements(jockeyId), fetchSummary(jockeyId), filterByTournament(jockeyId, tournamentId) | service       | Handles all data retrieval for achievements, including full lists, summary aggregation, and tournament-based filtering.  |
| Tournament Filter      | selectedTournamentId, applyFilter(list), reset()                                                | service       | Applies a tournament filter to the achievement list and supports resetting the filter to show all achievements.          |
| Tournament             | tournamentId, name, year                                                                        | entity        | Provides the tournament context for each achievement record and supports filter selection on the achievements page.      |
| DashboardUI            | getAchievements(jockeyId), filterByTournament(jockeyId, tournamentId)                           | boundary / UI | Renders the achievements summary cards and table, and updates the view when the jockey selects a tournament filter.      |
| Achievement Controller | getAchievements(jockeyId), filterByTournament(jockeyId, tournamentId)                           | controller    | Coordinates between the UI and <b>AchievementService</b> to fetch full or filtered achievement data for the jockey.      |

## 4.2.16 Spectator Prediction

### Class Diagram




Figure 4.31: Spectator Prediction Class Diagram

## Sequence Diagram




Figure 4.32: Spectator Prediction Sequence Diagram

## Class Specification

| Class            | Attributes / Methods                                                                                                                               | Type                  | Description                                                                                 |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------|
| SpectatorRouter  | make_prediction(),<br>read_predictions(),<br>update_prediction()                                                                                   | controller /<br>route | Handles HTTP requests related to spectator predictions (create, read, update).              |
| PredictionCreate | race_id, horse_id,<br>predicted_rank                                                                                                               | DTO                   | Input data transfer object used to create a new prediction.                                 |
| PredictionUpdate | predicted_rank                                                                                                                                     | DTO                   | Input data transfer object used to update the predicted rank.                               |
| PredictionOut    | id, user_id,<br>race_participant_id,<br>predicted_rank,<br>prediction_date, status,<br>race_id, horse_id,<br>horse_name,<br>jockey_name, race_name | DTO                   | Output data transfer object containing detailed prediction details and related information. |
| Prediction       | id, user_id,<br>race_participant_id,<br>predicted_rank,<br>prediction_date, status                                                                 | entity                | Database entity that stores the user's prediction information.                              |
| User             | id, username, full_name                                                                                                                            | entity                | Database entity representing an application user who makes predictions.                     |
| RaceParticipant  | id, race_id, registration_id                                                                                                                       | entity                | Database entity representing a participant in a race being predicted.                       |

Table 4.16: Spectator Prediction class specification

## 4.2.17 Spectator Personal Profile

### Class Diagram




Figure 4.33: Spectator Personal Profile Class Diagram

## Sequence Diagram




Figure 4.34: Spectator Personal Profile Sequence Diagram

## Class Specification

| Class                     | Attributes / Methods                                                                                                                                                               | Type               | Description                                                                                                            |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------|
| SpectatorProfileRouter    | get_spectator_profile(),<br>update_spectator_profile()                                                                                                                             | controller / route | Handles HTTP requests related to spectator profiles, including retrieving profile details and updating information.    |
| SpectatorProfileUpdate    | full_name, email,<br>favorite_horse_breed,<br>favorite_jockey,<br>phone_number, avatar                                                                                             | DTO                | Input data transfer object containing the fields that a spectator can update in their profile.                         |
| SpectatorProfileDetailOut | id, username, email,<br>full_name,<br>phone_number, avatar,<br>favorite_horse_breed,<br>favorite_jockey,<br>reward_points,<br>current_rank,<br>total_predictions,<br>accuracy_rate | DTO                | Output data transfer object returning the comprehensive profile information, including calculated statistical metrics. |
| User                      | id, username, email,<br>full_name,<br>phone_number, avatar                                                                                                                         | entity             | Database entity representing the core authentication account information of the user.                                  |
| SpectatorProfile          | id, user_id,<br>favorite_horse_breed,<br>favorite_jockey,<br>reward_points                                                                                                         | entity             | Database entity storing additional profile information specific to the spectator role.                                 |
| Prediction                | id, user_id, status                                                                                                                                                                | entity             | Database entity referenced to aggregate user prediction counts and statistics for profile calculation.                 |

Table 4.17: Spectator Profile class specification

## 4.2.18 Schedule and Result

### Class Diagram




Figure 4.35: Schedule and Result Class Diagram

## Sequence Diagram




Figure 4.36: Spectator Schedule and Result Sequence Diagram

## Class Specification

| Class              | Attributes / Methods                                                                         | Type               | Description                                                                                     |
|--------------------|----------------------------------------------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------|
| ScheduleRouter     | read_schedules()                                                                             | controller / route | Handles HTTP requests to retrieve and filter the list of scheduled horse races.                 |
| ResultRouter       | get_race_results()                                                                           | controller / route | Handles HTTP requests to retrieve the official results of a specific race.                      |
| RaceOut            | id, round_id, name, race_time, track_condition, distance, status, referee_name, participants | DTO                | Output data transfer object containing comprehensive race details and its participants.         |
| RaceParticipantOut | id, race_id, lane_number, status, start_time, finish_time, horse_name, jockey_name           | DTO                | Output data transfer object representing detailed information of a participant within a race.   |
| ResultOut          | id, race_participant_id, rank, points, notes, horse_name, jockey_name                        | DTO                | Output data transfer object returning the final standings and details of a race result.         |
| Race               | id, round_id, name, race_time, track_condition, distance, status                             | entity             | Database entity storing core information of a horse racing event.                               |
| RaceParticipant    | id, race_id, registration_id, lane_number, status                                            | entity             | Database entity representing a registered horse and jockey combination participating in a race. |
| Result             | id, race_participant_id, rank, points, notes                                                 | entity             | Database entity storing the official placement and points scored by a race participant.         |

Table 4.18: Schedule and Result class specification

## Horse and Jockey Rankings Class Diagram




Figure 4.37: Horse and Jockey Rankings Class Diagram

## Sequence Diagram




Figure 4.38: Horse and Jockey Rankings Sequence Diagram

## Class Specification

| Class         | Attributes / Methods                                              | Type               | Description                                                                                  |
|---------------|-------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------|
| ResultRouter  | read_rankings()                                                   | controller / route | Handles HTTP requests to retrieve leaderboard rankings filtered by tournament.               |
| RankingOut    | id, entity_type, entity_id, entity_name, points, rank, updated_at | DTO                | Output data transfer object returning the formatted ranking list of horses or jockeys.       |
| Ranking       | id, tournament_id, entity_type, entity_id, points, rank           | entity             | Database entity that stores the computed scores and standings within a tournament.           |
| Horse         | id, name                                                          | entity             | Database entity representing horse information used when the ranking entity type is a horse. |
| JockeyProfile | id, user_id                                                       | entity             | Database entity representing jockey profiles used when the ranking entity type is a jockey.  |
| User          | id, full_name                                                     | entity             | Database entity representing core user accounts, used to fetch the full name of jockeys.     |

Table 4.19: Horse and Jockey Rankings class specification

## 4.2.19 Top Spectators Leaderboard

### Class Diagram




Figure 4.39: Top 10 Spectators Leaderboard Class Diagram




Figure 4.40: Top 10 Spectators Leaderboard Sequence Diagram

## Class Specification

| Class                     | Attributes / Methods                                                                          | Type               | Description                                                                                                    |
|---------------------------|-----------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------|
| SpectatorRouter           | get_top_spectators()                                                                          | controller / route | Handles HTTP requests to aggregate and retrieve the leaderboard of top 10 spectators filtered by tournament.   |
| SpectatorProfileDetailOut | id, username, full_name, reward_points, total_predictions, correct_predictions, accuracy_rate | DTO                | Output data transfer object returning the top spectator profiles along with their performance metrics.         |
| User                      | id, username, full_name                                                                       | entity             | Database entity representing the user accounts to fetch the profile identity names.                            |
| SpectatorProfile          | id, user_id, reward_points                                                                    | entity             | Database entity storing spectator-specific statistics and total reward points.                                 |
| Prediction                | id, user_id, race_participant_id, status                                                      | entity             | Database entity used to aggregate and calculate accurate prediction statistics (where status is 'Won').        |
| RaceParticipant           | id, registration_id                                                                           | entity             | Database entity representing race participants, utilized to join and filter predictions by race context.       |
| Registration              | id, tournament_id                                                                             | entity             | Database entity representing tournament registrations, used to filter leaderboard data by specific tournament. |

Table 4.20: Top Spectators Leaderboard class specification