

MarketPay Testing Guide

MarketPay — Testing Guide & Login Credentials

Base URL (prod): `https://market-pay-fpsi.onrender.com`
Base URL (local): `http://localhost:8080`
Frontend: `https://market-pay.vercel.app`
Swagger UI: `http://localhost:8080/swagger/index.html`

1. Login Credentials by Role

Web Login (email + password)

All passwords below are the **actual working passwords** matching the bcrypt hashes in the seed data.

Role	Email	Password	Phone
SUPER_ADMIN	<code>superadmin@marketpay.sl</code>	<code>password</code>	<code>+23276000001</code>
ADMIN	<code>admin.demo@marketpay.sl</code>	<code>password</code>	<code>+23276000010</code>
LOAN_OFFICER	<code>officer@marketpay.sl</code>	<code>password</code>	<code>+23276000003</code>
LOAN_OFFICER	<code>joshua@marketpay.sl</code>	<code>password123</code>	<code>+23273608360</code>
FIELD_AGENT	<code>agent@marketpay.sl</code>	<code>password</code>	<code>+23276000004</code>
MFI_PARTNER	<code>mfi.demo@marketpay.sl</code>	<code>password</code>	<code>+23276000011</code>
VENDOR	<code>vendor.demo@marketpay.sl</code>	<code>password</code>	<code>+23276000012</code>
CUSTOMER	<code>customer.demo@marketpay.sl</code>	<code>password</code>	<code>+23276000013</code>

Vendor Login (phone + PIN via `/auth/vendor-login`)

Name	Phone	PIN	Mobile Network
Abraham Araia	+23276902971	2006	Orange SL (m17)
Emmanuel Nelson	+23279826564	2005	Orange SL (m17)
Moses Moore	+23233346989	2004	Africell (m18)
Bernard Gamanga	+23272571067	2005	Orange SL (m17)

Note: The seed migration file says `Admin@1234` in the comments, but the actual bcrypt hash matches `password`.

2. API Endpoint Reference

Authentication

Method	Endpoint	Auth	Body
POST	<code>/api/v1/auth/register</code>	No	<code>{email, phone, password, role}</code>
POST	<code>/api/v1/auth/login</code>	No	<code>{email, password}</code>
POST	<code>/api/v1/auth/vendor-login</code>	No	<code>{phone, pin}</code>
POST	<code>/api/v1/auth/refresh</code>	No	<code>{refresh_token}</code>
POST	<code>/api/v1/auth/logout</code>	Yes	—
GET	<code>/api/v1/auth/me</code>	Yes	—
GET	<code>/api/v1/auth/users?role=LOAN_OFFICER</code>	Yes	—

Vendors

Method	Endpoint	Required Roles	Notes
POST	/api/v1/vendors	ADMIN / SUPER_ADMIN / FIELD_AGENT	Register vendor
GET	/api/v1/vendors	ADMIN / SUPER_ADMIN / LOAN_OFFICER / FIELD_AGENT	List all
GET	/api/v1/vendors/:id	Yes	Get one
GET	/api/v1/vendors/:id/eligibility	Yes	Check loan eligibility
PUT	/api/v1/vendors/:id/kyc/approve	ADMIN / SUPER_ADMIN / LOAN_OFFICER	Approve KYC
PUT	/api/v1/vendors/:id/freeze	LOAN_OFFICER / ADMIN / SUPER_ADMIN	Freeze vendor
PUT	/api/v1/vendors/:id/unfreeze	LOAN_OFFICER / ADMIN / SUPER_ADMIN	Unfreeze vendor
PUT	/api/v1/vendors/:id/field-agent	LOAN_OFFICER / ADMIN / SUPER_ADMIN	Assign field agent
GET	/api/v1/vendors/market-associations	Yes	List markets

Loans

Method	Endpoint	Required Roles	Notes
POST	/api/v1/loans	VENDOR	Apply for loan
GET	/api/v1/loans? state=UNDER_REVIEW	ADMIN / SUPER_ADMIN /	List by state

Method	Endpoint	Required Roles	Notes
		LOAN_OFFICER	
GET	/api/v1/loans/:id	Yes	Get loan
GET	/api/v1/loans/:id/schedule	Yes	Repayment schedule
PUT	/api/v1/loans/:id/approve	LOAN_OFFICER / ADMIN / SUPER_ADMIN	Approve
PUT	/api/v1/loans/:id/reject	LOAN_OFFICER / ADMIN / SUPER_ADMIN	Reject
PUT	/api/v1/loans/:id/disburse	ADMIN / SUPER_ADMIN	Disburse (sends mobile money)
PUT	/api/v1/loans/:id/revert-disbursement	LOAN_OFFICER / ADMIN / SUPER_ADMIN	Revert failed disbursement
GET	/api/v1/loans/vendor/:vendor_id	Yes	Vendor's loans
GET	/api/v1/loans/payment-plans	LOAN_OFFICER / ADMIN / SUPER_ADMIN	List payment plans

Repayments

Method	Endpoint	Required Roles	Notes
POST	/api/v1/repayments	VENDOR / ADMIN	{loan_id, amount, monime_reference}
PUT	/api/v1/repayments/loans/:id/default	ADMIN / SUPER_ADMIN	Mark loan as defaulted

Groups

Method	Endpoint	Required Roles	Notes
POST	/api/v1/groups	VENDOR / ADMIN / FIELD_AGENT	Create group
GET	/api/v1/groups	ADMIN / SUPER_ADMIN / LOAN_OFFICER / FIELD_AGENT	List groups
GET	/api/v1/groups/:id	Yes	Get group
POST	/api/v1/groups/:id/members	VENDOR / ADMIN / FIELD_AGENT	Add member
PUT	/api/v1/groups/:id/freeze	LOAN_OFFICER / ADMIN / SUPER_ADMIN	Freeze group
PUT	/api/v1/groups/:id/unfreeze	LOAN_OFFICER / ADMIN / SUPER_ADMIN	Unfreeze group

Payments

Method	Endpoint	Required Roles	Notes
POST	/api/v1/payments	CUSTOMER / VENDOR	Create payment
PUT	/api/v1/payments/:id/complete	ADMIN	Complete with ref
GET	/api/v1/payments/vendor/:vendor_id	Yes	Vendor receipts

Reports

Method	Endpoint	Required Roles
GET	/api/v1/reports/portfolio	ADMIN / SUPER_ADMIN / MFI_PARTNER

Method	Endpoint	Required Roles
GET	/api/v1/reports/repayment-rate	ADMIN / SUPER_ADMIN / MFI_PARTNER
GET	/api/v1/reports/default-rate	ADMIN / SUPER_ADMIN
GET	/api/v1/reports/disbursement-volume	ADMIN / SUPER_ADMIN / MFI_PARTNER
GET	/api/v1/reports/vendor-distribution	ADMIN / SUPER_ADMIN
GET	/api/v1/reports/partner-summary	ADMIN / SUPER_ADMIN / MFI_PARTNER
GET	/api/v1/reports/officer-queue	LOAN_OFFICER / ADMIN / SUPER_ADMIN
GET	/api/v1/reports/dashboard-summary	ADMIN / SUPER_ADMIN / MFI_PARTNER / LOAN_OFFICER

Notifications & Audit

Method	Endpoint	Auth
GET	/api/v1/notifications	Yes (scoped by demo/live mode)
GET	/api/v1/notifications/stream	Yes (SSE stream)
GET	/api/v1/audit-logs	SUPER_ADMIN only
GET	/health	No (health check)

USSD (called by Monime gateway, not frontend)

Method	Endpoint	Body
POST	/api/v1/ussd	form: sessionId, phoneNumber, serviceCode, text

3. Testing Scenarios

Scenario 1: Super Admin — Full System Access

1. Login at `https://market-pay.vercel.app` with `superadmin@marketpay.sl` / `password`
2. View dashboard overview
3. Navigate to Audit Logs — see all system actions
4. Navigate to Reports — see all analytics
5. Manage vendors, loans, groups

Scenario 2: Loan Officer — Loan Lifecycle

1. Login as `joshua@marketpay.sl` / `password123`
2. Navigate to **Vendors** → see Araia, Nelson, Moses, Bernard
3. Navigate to **Loans** → review pending applications
4. Create a loan for a vendor:
 - Click “Apply” or create via API
 - Set amount and payment plan
5. **Approve** the loan
6. **Disburse** the loan (triggers Monime mobile money payout)
 - Araia (`+23276902971`): sends via Orange SL (m17)
 - Moses (`+23233346989`): sends via Africell (m18)

Scenario 3: Vendor — USSD Loan Application

1. Dial USSD code (vendor flow)
2. Enter PIN to authenticate
3. Select “Apply for loan”
4. Enter amount
5. Confirm
6. Loan officer sees the application in the dashboard

Scenario 4: Field Agent — Vendor Onboarding

1. Login as `agent@marketpay.sl` / `password`
2. View assigned vendors
3. Approve KYC for pending vendors
4. Navigate to create new vendor

Scenario 5: MFI Partner — Portfolio View

1. Login as `mfi.demo@marketpay.sl` / `password`
2. View portfolio summary
3. Check disbursement volume and repayment rates
4. View partner summary report

4. Mobile Money Provider Prefixes

Network	Monime Provider ID	Phone Prefixes
Orange SL	m17	+23272 , +23276 , +23277 , +23278 , +23279
Africell	m18	+23230 , +23233 , +23234 (also the default fallback)

Configured in `configs/config.yaml` under `monime.payout.provider_mappings` .

5. Test with curl (PowerShell)

```
# Login
$login = Invoke-RestMethod -Uri "https://market-pay-
    fpsi.onrender.com/api/v1/auth/login" `
    -Method POST `
    -ContentType "application/json" `
    -Body '{"email":"superadmin@marketpay.sl","password":"password"}'

$token = $login.access_token


# Get market associations
Invoke-RestMethod -Uri "https://market-pay-
    fpsi.onrender.com/api/v1/vendors/market-associations" `
    -Headers @{ Authorization = "Bearer $token" }

# List vendors
Invoke-RestMethod -Uri "https://market-pay-fpsi.onrender.com/api/v1/vendors"
    `
    -Headers @{ Authorization = "Bearer $token" }
```

```
# List loans
Invoke-RestMethod -Uri "https://market-pay-fpsi.onrender.com/api/v1/loans?
state=UNDER_REVIEW" `
-headers @{ Authorization = "Bearer $token" }

# Health check (no auth)
Invoke-RestMethod -Uri "https://market-pay-fpsi.onrender.com/health"
```

6. System Architecture



Roles & Permissions

Role	Description
SUPER_ADMIN	Full system oversight, audit logs, all actions
ADMIN	Operations management, vendor/loan/group admin
MFI_PARTNER	Microfinance institution — portfolio reports only
LOAN_OFFICER	Reviews loans, manages vendors & groups
FIELD_AGENT	Onboards vendors in the field
VENDOR	Market vendor — applies for loans, makes payments
CUSTOMER	End customer — pays vendors via USSD

7. Common Issues & Fixes

Issue: Login returns 401

- Verify you're using `password` (not `Admin@1234`) for accounts from seed migrations 000002 and 000004
- Verify you're using `password123` for accounts from migration 000007
- Check that `is_active = true` in the database
- For vendors: use `/auth/vendor-login` with phone + PIN (not email/password)

Issue: Loan disbursement fails

- Check the vendor's phone prefix matches a configured provider mapping
- Africell numbers use `m18`, Orange SL numbers use `m17`
- Unknown prefixes fall back to the default provider

Issue: Demo/Live mode

- All seeded accounts are **Demo** mode
- API responses are scoped by the `X-MarketPay-Mode: demo|live` header
- Quick Login (impersonation) is only available in Demo mode

8. Quick Start (Local Development)

```
# Clone and configure
Copy-Item .env.example .env
docker compose up --build -d

# Run migrations (after DB is ready)
./migrate up

# Start API
go run ./cmd/api -config configs/config.local.yaml
```

Local URLs: - API: `http://localhost:8080` - Swagger:

`http://localhost:8080/swagger/index.html` - Frontend: `http://localhost:3000`

*Generated from migrations/000002_seed_data.up.sql, 000004_demo_accounts.up.sql,
000007_seed_loan_officer_vendors.up.sql*