# IATEX Mathematical Symbols

The more unusual symbols are not defined in base LATEX (NFSS) and require \usepackage{amssymb}

#### 1 Greek and Hebrew letters

$\alpha$	\alpha	$\kappa$	\kappa	$\psi$	\psi	F	\digamma	$\Delta$	\Delta	Θ	\Theta
$\beta$	\beta	$\lambda$	\lambda	$\rho$	\rho	$\varepsilon$	\varepsilon	$\Gamma$	\Gamma	Υ	\Upsilon
$\chi$	\chi	$\mu$	\mu	$\sigma$	\sigma	$\varkappa$	\varkappa	$\Lambda$	\Lambda	Ξ	\Xi
$\delta$	\delta	$\nu$	\nu	au	\tau	$\varphi$	\varphi	$\Omega$	\Omega		
$\epsilon$	\epsilon	o	0	$\theta$	\theta	$\varpi$	\varpi	$\Phi$	\Phi	×	\aleph
$\eta$	\eta	$\omega$	\omega	v	\upsilon	$\varrho$	\varrho	Π	\Pi	コ	\beth
$\gamma$	\gamma	$\phi$	\phi	ξ	\xi	ς	\varsigma	$\Psi$	\Psi	٦	\daleth
ι	\iota	$\pi$	\pi	Ċ	\zeta	$\vartheta$	\vartheta	$\sum$	\Sigma	ב	\gimel

### 2 LATEX math constructs

$\frac{abc}{xyz}$	$\frac{abc}{xyz}$	$\overline{abc}$	$\verb \overline  \{abc\}$	$\overrightarrow{abc}$	$\verb \overrightarrow{ } abc $
f'	f'	$\underline{abc}$	$\underline{abc}$	$\overleftarrow{abc}$	$\verb \overleftarrow  \{abc\}$
$\sqrt{abc}$	$\sqrt{abc}$	$\widehat{abc}$	$\widehat{abc}$	$\widehat{abc}$	$\operatorname{\mathtt{oldsymbol{a}bc}}$
$\sqrt[n]{abc}$	$\sqrt[n]{abc}$	$\widetilde{abc}$	$\verb \widetilde  \{abc\}$	$\underbrace{abc}$	$\verb \underbrace{abc} $

### 3 Delimiters

	{	\{	L	\lfloor	/	/	$\uparrow$	\Uparrow	L	\llcorner
\vert	}	\}		\rfloor	\	\backslash	$\uparrow$	\uparrow	_	\lrcorner
\1	<	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	Γ	\lceil	[	[	$\Downarrow$	\Downarrow	Г	\ulcorner
\Vert	$\rangle$	\rangle	1	\rceil	1	1		\downarrow	$\neg$	\urcorner

Use the pair  $\ \left| \text{left} s_1 \right| = s_1$  and  $\ \left| \text{left} \right| = s_1$  and  $\ \left| \text{left} \right| = s_2$  to the height of their contents, e.g.,  $\ \left| \text{left} \right| = s_1$  and  $\ \left| \text{left} \right| = s_2$  and  $\ \left| \text{left} \right| = s_2$ .

### 4 Variable-sized symbols (displayed formulae show larger version)

$\sum$	\sum	ſ	$\$ int	+	\biguplus	$\oplus$	\bigoplus	V	\bigvee
Π	\prod	∮	\oint	$\cap$	\bigcap	$\otimes$	\bigotimes	$\wedge$	\bigwedge
П	\coprod	ĴĴ	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	U	\bigcup	$\odot$	\bigodot		\bigsqcup

#### 5 Standard Function Names

Function names should appear in Roman, not Italic, e.g., Correct:  $tan(at-n\pi) \longrightarrow tan(at-n\pi)$ Incorrect:  $tan(at-n\pi) \longrightarrow tan(at-n\pi)$ 

arccos	\arccos	$\arcsin$	\arcsin	$\arctan$	\arctan	$\operatorname{arg}$	\arg
$\cos$	\cos	$\cosh$	\cosh	$\cot$	\cot	$\coth$	\coth
$\csc$	\csc	$\deg$	\deg	$\det$	\det	$\dim$	\dim
$\exp$	\exp	$\operatorname{gcd}$	\gcd	hom	\hom	$\inf$	\inf
ker	\ker	lg	\lg	$\lim$	\lim	$\lim\inf$	\liminf
$\limsup$	\limsup	$\ln$	\ln	$\log$	\log	max	\max
$\min$	\min	$\Pr$	\Pr	sec	\sec	$\sin$	\sin
$\sinh$	\sinh	$\sup$	\sup	tan	\tan	anh	\tanh

# 6 Binary Operation/Relation Symbols

*	\ast	$\pm$	\pm	$\cap$	\cap	$\triangleleft$	\1hd
*	\star	干	\mp	$\bigcup$	\cup	$\triangleright$	\rhd
	\cdot	П	\amalg	$\forall$	\uplus	◁	\triangleleft
0	\circ	$\odot$	\odot	П	\sqcap	$\triangleright$	\triangleright
•	\bullet	$\Theta$	\ominus	Ш	\sqcup	⊴	\unlhd
$\bigcirc$	\bigcirc	$\oplus$	\oplus	$\wedge$	\wedge	⊵	\unrhd
<b>♦</b>	\diamond	Ø	\oslash	\ \	\vee	$\nabla$	\bigtriangledown
×	\times	8	\otimes	†	\dagger	$\stackrel{\vee}{\triangle}$	\bigtriangleup
÷	\div	₹	\wr	+	\ddagger \ddagger	\	\setminus
	\centerdot		\Box	‡	\duagger \barwedge	<u>\</u>	\veebar
•	\circledast				_	Ϋ́	
*	•		\boxplus	人	\curlywedge	Y U	\curlyvee
<ul><li></li></ul>	\circledcirc		\boxminus	$\square$	\Cap	-	\Cup
(i)	\circleddash		\boxtimes	$\perp$	\bot	Τ	\top
÷	\dotplus		\boxdot	$\frac{T}{\overline{\wedge}}$	\intercal		\rightthreetimes
*	\divideontimes		\square	٨	\doublebarwedge	$\rightarrow$	\leftthreetimes
=	\equiv	$\leq$	\leq	$\geq$	\geq	$\perp$	\perp
$\cong$	\cong	$\prec$	\prec	$\succ$	\succ		\mid
$\neq$	\neq	$\preceq$	\preceq	$\succeq$	\succeq		\parallel
$\sim$	\sim	<b>«</b>	\11	>>	\gg	$\bowtie$	\bowtie
$\simeq$	\simeq	$\subset$	\subset	$\supset$	\supset	M	\Join
$\approx$	\approx	$\subseteq$	\subseteq	$\supseteq$	\supseteq	×	\ltimes
$\asymp$	\asymp		\sqsubset	$\Box$	\sqsupset	×	\rtimes
$\doteq$	\doteq	⊑	\sqsubseteq	⊒	\sqsupseteq	$\overline{}$	\smile
$\propto$	\propto	=	\dashv	=  -	\vdash	$\overline{}$	\frown
<u> </u>	\models	$\in$	\in	∋	\ni	∉	\notin
	(modelb		111		\ <del>111</del>	7-	(IIO 01II
$\approx$	\approxeq	$\leq$	\leqq	$\geq$	\geqq	≶	\lessgtr
$\sim$	\thicksim	$\leq$	\leqslant	$\geqslant$	\geqslant	$\leq$	\lesseqgtr
$\sim$	\backsim	$\lessapprox$	\lessapprox	$\gtrapprox$	\gtrapprox	W	\lesseqqgtr
$\geq$	\backsimeq	<b>~</b>	\111	<b>&gt;&gt;&gt;</b>	\ggg	$\geq$	\gtreqqless
$\triangleq$	\triangleq	<	\lessdot	➣	\gtrdot	$\geq$	\gtreqless
<u>•</u>	\circeq	$\lesssim$	\lesssim	$\gtrsim$	\gtrsim	>	\gtrless
	\bumpeq	~	\eqslantless		\eqslantgtr	•	\backepsilon
≎	\Bumpeq	₩	\precsim	%Y	\succsim	Ŏ	\between
÷	\doteqdot	$\sim$	\precapprox	$\sim$	\succapprox	ф	\pitchfork
≈	\thickapprox	≈	\Subset	≈	\Supset	1	\shortmid
	\fallingdotseq		\subset		\supseteqq	$\overline{}$	\smallfrown
≒. ≓	\risingdotseq		\sqsubseteqq	$\supseteq$	\sqsupset		\smallsmile
					\sqsupset \succcurlyeq	) ⊩	
∝	\varpropto	$^{\not \forall}$	\preccurlyeq	$^{\prime\prime}$	v <u>-</u>		\Vdash
<i>:</i> .	\therefore		\curlyeqprec		\curlyeqsucc	= 	\vDash
•:	\because	◀	\blacktriangleleft	<b>&gt;</b>	\blacktriangleright	III-	\Vvdash
<del></del>	\eqcirc	⊴	\trianglelefteq	$\geq$	\trianglerighteq	П	\shortparallel
$\neq$	\neq	$\triangleleft$	\vartriangleleft	$\triangleright$	\vartriangleright	Ħ	\nshortparallel
$\ncong$	\ncong	<b>\$</b>	\nleq	***	\ngeq	$\not\subseteq$	\nsubseteq
1	\nmid	≨	\nleqq	≱	\ngeqq	⊉	\nsupseteq
#	\nparallel	≰	\nleqslant	≱	\ngeqslant	$\not\sqsubseteq$	\nsubseteqq
 ∤	\nshortmid	*	\nless	*	\ngtr	∌	\nsupseteqq
Ħ	\nshortparallel		\nprec		\nsucc	Ç	\subsetneq
<b>∞</b>	\nsim	*	\npreceq	*/	\nsucceq	Ş	\supsetneq
¥	\nVDash	₹X.†	\precnapprox	<b>₹</b>	\succnapprox	Ć	\subsetneqq
¥	\nvDash	% -Y-3	\precnsim	.¥ }-	\succnsim	₹	\supsetneqq
`   <del>/</del>	\nvdash	% ≤:	\lnapprox	<i>∞</i> ≥:	\gnapprox	≠ C	\varsubsetneq
<i>x</i>	\ntriangleleft	æ <	\lneq	≈ >	\gneq	 ≠	\varsupsetneq
~ <b>√</b> 1	\ntrianglelefteq	<i>*</i>	\lneqq	<i>&gt;</i>	\gneqq	<b>≠</b>	\varsubsetneqq
\$ \$	\ntriangleright	#^\$^\#\\$\\$\\$\\$\	\lnsim	#V?V #V?Y?#Y#X *	\gnsim		\varsupsetneqq
¥ ¥	\ntrianglerighteq	~ <	\lvertneqq	<b>∻</b>	\gusim \gvertneqq	≠	/var auhae medd
7	mor rang rer ranged	#	17101 011044	=	12 A CT 011 E dd		

# 7 Arrow symbols

	ow symmous				
$\leftarrow$	\leftarrow	<del></del>	\longleftarrow	<b>↑</b>	\uparrow
$\Leftarrow$	\Leftarrow	$\iff$	\Longleftarrow	$\uparrow$	\Uparrow
$\rightarrow$	\rightarrow	$\longrightarrow$	$\label{longright} \$	$\downarrow$	\downarrow
$\Rightarrow$	\Rightarrow	$\Longrightarrow$	\Longrightarrow	$\Downarrow$	\Downarrow
$\longleftrightarrow$	\leftrightarrow	$\longleftrightarrow$	\longleftrightarrow	$\uparrow$	\updownarrow
$\Leftrightarrow$	\Leftrightarrow	$\iff$	\Longleftrightarrow	1	\Updownarrow
$\mapsto$	\mapsto	$\longmapsto$	\longmapsto	7	\nearrow
$\leftarrow$	\hookleftarrow	$\hookrightarrow$	$\h$ ookrightarrow	\	\searrow
_	\leftharpoonup	$\rightarrow$	\rightharpoonup	/	\swarrow
$\overline{}$	\leftharpoondown	$\rightarrow$	$\$ rightharpoondown		\nwarrow
$\rightleftharpoons$	\rightleftharpoons	<b>~→</b>	\leadsto		
>	\dashrightarrow	<b></b>	\dashleftarrow	$\Leftarrow$	\leftleftarrows
$\stackrel{\longleftarrow}{\longrightarrow}$	$\$ leftrightarrows	$\Leftarrow$	\Lleftarrow	<del>~~</del>	\twoheadleftarrow
$\leftarrow$	\leftarrowtail	$\leftarrow$	\looparrowleft	$\leftrightharpoons$	\leftrightharpoons
$ \leftarrow $	\curvearrowleft	Q	$\circlearrowleft$	$ \uparrow $	\Lsh
$\uparrow \uparrow$	\upuparrows	1	\upharpoonleft	1	\downharpoonleft
_0	\multimap	<b>&lt;</b> ~~→	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	$\Rightarrow$	\rightrightarrows
$\Longrightarrow$	$\$ rightleftarrows	$\Rightarrow$	$\$ rightrightarrows	$\rightleftharpoons$	\rightleftarrows
$\longrightarrow$	\twoheadrightarrow	$\rightarrowtail$	$\$ rightarrowtail	$\rightarrow$	\looparrowright
$\rightleftharpoons$	\rightleftharpoons	$\curvearrowright$	\curvearrowright	$\circlearrowright$	\circlearrowright
ightharpoons	\Rsh	$\downarrow \downarrow$	\downdownarrows	1	\upharpoonright
l	\downharpoonright	<b>~</b> →	\rightsquigarrow		
↔	\nleftarrow	$\rightarrow$	\nrightarrow	#	\nLeftarrow
$\Rightarrow$	\nRightarrow	$\leftrightarrow$	\nleftrightarrow	<b>#</b>	$\n$

# 8 Miscellaneous symbols

$\infty$	\infty	$\forall$	\forall	$\Bbbk$	\Bbbk	Ø	\wp
$\nabla$	\nabla	∃	\exists	$\star$	\bigstar	_	\angle
$\partial$	\partial	∄	$\nexists$		\diagdown	4	\measuredangle
ð	\eth	Ø	\emptyset	/	\diagup	$\triangleleft$	\sphericalangle
*	\clubsuit	Ø	$\vert$ varnothing	$\Diamond$	\Diamond	C	\complement
$\Diamond$	\diamondsuit	$\imath$	\imath	$\exists$	\Finv	$\nabla$	\triangledown
$\Diamond$	\heartsuit	J	$\j$ math	G	\Game	$\triangle$	\triangle
$\spadesuit$	\spadesuit	$\ell$	\ell	$\hbar$	\hbar	Δ	$\vartriangle$
• • •	\cdots	ſſſſ	\iiiint	$\hbar$	\hslash	<b>♦</b>	\blacklozenge
÷	\vdots	ſſſ	\iiint	$\Diamond$	\lozenge		\blacksquare
	\ldots	ĴĴ	\iint	Ω	\mho	<b>A</b>	\blacktriangle
٠.	\ddots	#	\sharp	,	\prime	•	\blacktrinagledown
$\Im$	\Im	b	\flat		\square	1	\backprime
$\Re$	\Re	4	\natural	$\sqrt{}$	\surd	$\odot$	\circledS

### 9 Math mode accents

$cute{a}$	$\texttt{\acute}\{a\}$	$\bar{a}$	$\text{ar{a}}$	Á	\Acute{\Acute{A}}	$ar{ar{A}}$	\Bar{\Bar{A}}
$reve{a}$	$\texttt{\breve}\{a\}$	$\check{a}$	$\verb+\check+\{a\}$	Ă	\Breve{\Breve{A}}	Å	$\Check{\Check{A}}$
$\ddot{a}$	$\dot{a}$	$\dot{a}$	$\dot{a}$	$\ddot{A}$	$\Ddot{\Ddot{A}}$	$\dot{A}$	\Dot{\Dot{A}}
$\grave{a}$	$\texttt{\grave}\{a\}$	$\hat{a}$	$\hat{a}$	À	\Grave{\Grave{A}}	$\hat{\hat{A}}$	\Hat{\Hat{A}}
$\tilde{a}$	$\verb \tilde  \{a\}$	$\vec{a}$	$\operatorname{\vec}\{a\}$	$ ilde{ ilde{A}}$	<pre>\Tilde{\Tilde{A}}</pre>	$ec{ec{A}}$	$\Vec{\Vec{A}}$

### 10 Array environment, examples

Simplest version: \begin{array}{cols}  $row_1 \setminus row_2 \setminus \dots row_m$  \end{array} where cols includes one character [1rc] for each column (with optional characters | inserted for vertical lines) and  $row_i$  includes character & a total of (n-1) times to separate the n elements in the row. Examples:

$$\left( \begin{array}{cc} 2\tau & 7\phi - \frac{5}{12} \\ 3\psi & \frac{\pi}{8} \end{array} \right) \left( \begin{array}{c} x \\ y \end{array} \right) \text{ and } \left[ \begin{array}{cc} 3 & 4 & 5 \\ 1 & 3 & 729 \end{array} \right]$$

 $f(z) = \left\{ \left( \sum_{z^2}+\cos z \right) & \left( \sum_{z^2}+\cos z$ 

$$f(z) = \begin{cases} \overline{\overline{z^2} + \cos z} & \text{for } |z| < 3\\ 0 & \text{for } 3 \le |z| \le 5\\ \sin \overline{z} & \text{for } |z| > 5 \end{cases}$$

### 11 Other Styles (math mode only)

Caligraphic letters: \$\mathcal{A}\$ etc.:  $\mathcal{ABCDEFGHIJKLMNOPQRSTUVWXYZ}$ 

Mathbb letters: \$\mathbb{A}\\$ etc.: ABCDEFGHIJKLMNOPQRSTUVWXYZ

Mathfrak letters: \$\mathfrak{A}\$ etc.: ABCDEFGHJJRLMNDPQRGTUVWXY3abc123

Math Sans serif letters: \$\mathsf{A}\\$ etc.: ABCDEFGHIJKLMNOPQRSTUVWXYZabc123

 $\begin{tabular}{ll} Math bold italic letters: define $$\mathbf{A} \otimes \mathbf{F} GHIJKLMNOPQRSTUVWXYZ & abc & 123 \end{tabular}$ 

#### 12 Font sizes

Math Mode:  $\int f^{-1}(x - x_a) dx$  $\int f^{-1}(x - x_a) dx$  $\int f^{-1}(x - x_a) dx$  $\int f^{-1}(x - x_a) dx$ 

\${\displaystyle \int f^{-1}(x-x\_a)\,dx}\$
\${\textstyle \int f^{-1}(x-x\_a)\,dx}\$
\${\scriptstyle \int f^{-1}(x-x\_a)\,dx}\$
\${\scriptscriptstyle \int f^{-1}(x-x\_a)\,dx}\$

Text Mode:

\tiny = smallest
\scriptsize = very small
\footnotesize = smaller
\small = small

### 13 Text Mode: Accents and Symbols

\'{o} \'{o} \"{o} \^{o} \~{o} ó ö ô ò ō \={o} \d s o \d{o} \.{o}  $\u{o}$ \H{o} \t{oo} \c{o} \r s ″ ∖H s ō \b{o} Ă \AA å \aa \ss \i \j 1 J Ø \0 \P \S \0  $\widehat{\mathbf{s}}$ \t s \v s Ø Æ \ae \AE \dag \ddag \copyright \pounds

```
$$
\left|\begin{matrix}
    1 & 2 & 3 \\
    4 & 5 & 6 \\
    7 & 8 & 9
\end{matrix} \right|
$$
```

## 显示效果如下:

```
\begin{vmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{vmatrix}
```

\$\mathbf{ABCDEFGHIJKLMNOPQRSTUVWXYZabc123}\$

### ${\bf ABCDEFGHIJKLMNOPQRSTUVWXYZabc123}$

\$\mathcal{ABCDEFGHIJKLMNOPQRSTUVWXYZabc123}\$

 $\mathcal{ABCDEFGHIJKLMNOPQRSTUVWXYZ}abc123$ 

\$\mathfrak{ABCDEFGHIJKLMNOPQRSTUVWXYZabc123}\$

ABCDEFGHIJKLMNDPQKGTUVWXY3abc123

\$\mathsf{ABCDEFGHIJKLMNOPQRSTUVWXYZabc123}\$

ABCDEFGHIJKLMNOPQRSTUVWXYZabc123

\$\mathbb{ABCDEFGHIJKLMNOPQRSTUVWXYZabc123}\$

ABCDEFGHIJKLMNOPQRSTUVWXYZabc123