GET
Get data
http://localhost:3001
This is a GET request and it is used to "get" data from an endpoint. There is no request body for a GET request, but you can use query parameters to help specify the resource you want data on (e.g., in this request, we have id=1).

A successful GET response will have a 200 OK status, and should include some kind of response body - for example, HTML web content or JSON data.

GET
Get data Rooms
http://localhost:3001/rooms
This is a GET request and it is used to "get" data from an endpoint. There is no request body for a GET request, but you can use query parameters to help specify the resource you want data on (e.g., in this request, we have id=1).

A successful GET response will have a 200 OK status, and should include some kind of response body - for example, HTML web content or JSON data.

GET
Get data Customers
http://localhost:3001/customers
This is a GET request and it is used to "get" data from an endpoint. There is no request body for a GET request, but you can use query parameters to help specify the resource you want data on (e.g., in this request, we have id=1).

A successful GET response will have a 200 OK status, and should include some kind of response body - for example, HTML web content or JSON data.

POST
Post data
https://postman-rest-api-learner.glitch.me//info
This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

Body
raw (json)
json
{
 "name": "Add your name in the body"
}
POST
Post data Booking
http://localhost:3001/bookings

This is a POST request, submitting data to an API via the request body. This request submits JSON data, and the data is reflected in the response.

A successful POST request typically returns a 200 OK or 201 Created response code.

Body
raw (json)
json

```json
{
  "customerName": "Harish",
  "date": "2024-08-20",
  "startTime": "10:00",
  "endTime": "12:00",
  "roomId": 1
}
```

PUT
Update data
https://postman-rest-api-learner.glitch.me//info?id=1
This is a PUT request and it is used to overwrite an existing piece of data. For instance, after you create an entity with a POST request, you may want to modify that later. You can do that using a PUT request. You typically identify the entity being updated by including an identifier in the URL (eg. id=1).

A successful PUT request typically returns a 200 OK, 201 Created, or 204 No Content response code.

Query Params
id
1
Body
raw (json)
json

```json
{
  "name": "Add your name in the body"
```