

Student 12 **HARITHA K S** 192366001RD

4 / 5 submitted

Q1. Program based on Classes and Objects

Score: 3.33 TC: 2/3 passed

CODE

```
import java.util.*;
class Student{
    int rollNo;
    String name;
    double marks;
    void displayDetails(){
        System.out.println("Roll No: "+rollNo);
        System.out.println("Name: "+name);
        System.out.println("Marks: "+marks);
    }
    public static void main(String[] args)
    {
        Scanner sc=new Scanner(System.in);
        Student s= new Student();

        s.rollNo=sc.nextInt();
        sc.nextLine();
        s.name=sc.nextLine();
        s.marks=sc.nextDouble();
        s.displayDetails();
    }
}
```

INPUT

```
101
Haritha
87
```

OUTPUT

```
Roll No: 101
Name: Haritha
Marks: 87.0
```

Q2. Initialize Object Data Using Setter Methods

Score: 5.00 TC: 3/3 passed

CODE

```
import java.util.*;
class Student{
    private int rollNo;
    private String name;
    private double marks;
    void setRollNo(int r){rollNo=r;}
    void setName(String n){name =n;}
    void setMarks(double m){marks=m;}
    void displayDetails(){
        System.out.println("Roll No: " +rollNo);
        System.out.println("Name: " +name);
        System.out.println("Marks: "+marks);
    }
    public static void main(String[]args)
    {
        Scanner sc=new Scanner(System.in);
        Student s=new Student();
        s.setRollNo(sc.nextInt());
        s.setName(sc.next());
        s.setMarks(sc.nextDouble());
        s.displayDetails();
    }
}
```

INPUT

```
101
Haritha
89.5
```

OUTPUT

```
Roll No: 101
Name: Haritha
Marks: 89.5
```

Q3. Student Details Using Default and Parameterized Constructors

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.*;
class Student{
    int rollNo;
    String name;
    double marks;
    Student(){
        rollNo=101;
        name="Rahul";
        marks=85.5;
    }
    Student(int r,String n,double m){
        rollNo=r;
        name=n;
        marks=m;
    }
    void displayDetails(){
        System.out.println("Roll No: " +rollNo);
        System.out.println("Name: " +name);
        System.out.println("Marks: " +marks);
    }
    public static void main(String[]args){
        Scanner sc=new Scanner(System.in);
        Student s1=new Student();
        s1.displayDetails();
        int r=sc.nextInt();
        sc.nextLine();
        String n=sc.nextLine();
        double m=sc.nextDouble();
        Student s2=new Student(r,n,m);
        s2.displayDetails();
    }
}
```

INPUT

```
102
Haritha
89.5
```

OUTPUT

```
Roll No: 101
Name: Rahul
Marks: 85.5
Roll No: 102
Name: Haritha
Marks: 89.5
```

Q4. Net Salary Calculation Using Single Inheritance

Score: 0.00 TC: 0/3 passed

CODE

```
import java.util.*;
class Employee{
    int id;
    String name;
    double basic;

    void getEmployeeDetails(int i,String n,double b){
        id=i;
        name=n;
        basic=b;
    }
}
class Salary extends Employee{
    void calculateSalary(){
        double hra = basic * 0.2;
        double da = basic * 0.1;
        System.out.println("Employee ID: " +id);
        System.out.println("Employee Name: "+name);
        System.out.println("Basic Salary: "+basic);
        System.out.println("HRA: "+ hra);
        System.out.println("DA: "+da);
        System.out.println("Net Salary: "+(basic+hra+da));
    }
    public static void main(String[]args){
        Scanner sc = new Scanner(System.in);
        Salary s = new Salary();
        s.getEmployeeDetails(sc.nextInt(),sc.next(),sc.nextDouble());
        s.calculateSalary();
    }
}
```

INPUT

```
101
Haritha
50000
```

OUTPUT

```
Error: Main method not found in class Employee, please define the main method as:
    public static void main(String[] args)
or a JavaFX application class must extend javafx.application.Application
```

Q5. Employee Gross Salary Calculation Using Multilevel Inheritance

— Not Submitted —