



Vidyavardhini's College of Engineering and Technology

Department of Artificial Intelligence & Data Science

Experiment No.5
Perform simple queries, string manipulation operations and aggregate functions.
Date of Performance:
Date of Submission:



Vidyavardhini's College of Engineering and Technology

Department of Artificial Intelligence & Data Science

Aim :- Write simple query to manipulate string operations and perform aggregate functions like (MIN, MAX, SUM, AVERAGE, COUNT).

Objective :- To apply aggregate functions and string manipulation functions to perform simple queries in the database system

Theory:

Simple Queries in SQL:

In SQL, a simple query is a request for data from a database table or tables. It allows users to retrieve specific information by specifying the columns they want to retrieve and any conditions for filtering rows based on certain criteria. Simple queries are the backbone of interacting with databases, enabling users to extract the data they need for analysis, reporting, or further processing.

String Manipulation Operations:

String manipulation operations in SQL involve modifying or transforming string values stored in database columns. These operations are crucial for tasks such as formatting data, combining strings, converting case, or extracting substrings. By using string functions and operators, users can manipulate text data to suit their requirements, whether it's for display purposes or for further analysis.

Aggregate Functions:

Aggregate functions in SQL are used to perform calculations on sets of values and return a single result. These functions allow users to summarize data across multiple rows, providing insights into the overall characteristics of the dataset. Common aggregate functions include calculating counts, sums, averages, minimums, and maximums of numerical values. They are essential tools for data analysis, enabling users to derive meaningful insights from large datasets.



Benefits of Understanding These Concepts:

- **Data Retrieval:** Simple queries allow users to fetch specific data from databases, facilitating data retrieval for various purposes.
- **Data Transformation:** String manipulation operations enable users to format and transform text data according to their needs, improving data consistency and readability.
- **Data Analysis:** Aggregate functions help users summarize and analyze large datasets, providing valuable insights into trends, patterns, and statistical measures.
- **Data Reporting:** By combining simple queries, string manipulation operations, and aggregate functions, users can generate reports and visualizations that communicate key findings effectively.

Implementation:

Database:



Result Grid			 Filter Rows:		Edit:	
	employee_id	employee_name	department	salary		
▶	1	John Doe	Finance	50000.00		
	2	Jane Smith	Finance	55000.00		
	3	Michael Johnson	HR	48000.00		
	4	Emily Brown	HR	52000.00		
	5	David Lee	IT	60000.00		
	6	Sarah Clark	IT	65000.00		
	7	Jennifer White	Marketing	52000.00		
	8	Kevin Taylor	Marketing	58000.00		

1)Concatenate two strings:

```
select concat(customer_name, ' lives in ',city) as info
from customer;
```

info

Saurabh lives in Vasai

Harsh lives in Mumbai

2)Get the length of employee names:

```
select customer_name, length(customer_name) as name_length
from customer;
```

customer_name	name_length
Saurabh	7
Harsh	5

3)Find the department with the longest name:

```
select customer_name
from customer
group by customer_name
order by length(customer_name) desc
limit 1;
```



customer_name

Saurabh

4) Calculate the total salary expenditure for all employees:

```
select sum(pinscode) as total_pinscode
from customer;
```

total_pinscode

802407

5) Find the highest and lowest salary in the company:

```
select max(customer_id) as highest_id,
min(customer_id) as lowest_id
from customer;
```

highest_id	lowest_id
------------	-----------

1234567	98765
---------	-------

6) Calculate the average salary of employees in each department:

```
select customer_id, avg(pinscode) as avg_pinscode
from customer
group by customer_id;
```

customer_id	avg_pinscode
-------------	--------------

98765	401205
-------	--------

1234567	401202
---------	--------

Conclusion:



The syntax and brief explanations for five common aggregate functions in SQL:

1. SUM():

Syntax: 'SUM(column_name)'

Explanation: Calculates the sum of all values in the specified column. It is commonly used to find the total of numeric values in a column.

2. AVG():

Syntax: 'AVG(column_name)'

Explanation: Calculates the average (mean) of all values in the specified column. It is useful for finding the average value of numeric data.

3. MAX():

Syntax: 'MAX(column_name)'

Explanation: Returns the maximum value from the specified column. It is used to find the highest value in a set of data.

4. MIN():

Syntax: 'MIN(column_name)'

Explanation: Returns the minimum value from the specified column. It is used to find the lowest value in a set of data.

5. COUNT():

Syntax: 'COUNT(column_name)' or 'COUNT(*)'

Explanation: Returns the number of rows that match the specified condition. It can count the number of non-null values in a column when a column name is provided, or it can count all rows when 'COUNT(*)' is used.

These aggregate functions are commonly used in SQL queries to perform calculations and summarizations on data within a table.