```
In [1]: import sys
         sys.version
 Out[1]: '3.11.9 (tags/v3.11.9:de54cf5, Apr 2 2024, 10:12:12) [MSC v.1938 64 bit (AMD64)]'
 In [2]: import numpy as np
 In [3]: np.__version__
 Out[3]: '2.2.5'
 In []: my_list = [0,1,2,3,4,5]
         my_list
 Out[]: [0, 1, 2, 3, 4, 5]
 In [5]: type(my_list)
 Out[5]: list
 In [6]: arr = np.array(my_list)
 Out[6]: array([0, 1, 2, 3, 4, 5])
 In [7]: print(type(arr))
         print(type(my_list))
        <class 'numpy.ndarray'>
        <class 'list'>
 In [8]: np.arange(10)
 Out[8]: array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9])
 In [9]: np.arange(10,20)
Out[9]: array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19])
In [10]: np.arange(10,50,5)
Out[10]: array([10, 15, 20, 25, 30, 35, 40, 45])
In [11]: np.arange(10,30,3)
Out[11]: array([10, 13, 16, 19, 22, 25, 28])
In [12]: np.arange(10,30,30, 3)
        TypeError
                                                  Traceback (most recent call last)
        Cell In[12], line 1
        ----> 1 np.arange(10,30,30, 3)
       TypeError: Cannot interpret '3' as a data type
```

```
In [13]: np.arange(8,20)
Out[13]: array([ 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19])
In [14]: np.arange(20,8)
Out[14]: array([], dtype=int64)
In [ ]: np.arange(-20,8)
Out[]: array([-20, -19, -18, -17, -16, -15, -14, -13, -12, -11, -10, -9, -8,
                 -7, -6, -5, -4, -3, -2, -1, 0, 1, 2, 3, 4,
                     7])
                 6,
In [16]: n = np.arange(-20,8)
Out[16]: array([-20, -19, -18, -17, -16, -15, -14, -13, -12, -11, -10, -9,
                                                                          -8,
                 -7, -6, -5, -4, -3, -2, -1, 0, 1, 2, 3,
                 6,
                     7])
In [17]: np.zeros(3)
Out[17]: array([0., 0., 0.])
In [18]: np.zeros(3, dtype=int)
Out[18]: array([0, 0, 0])
In [19]: z = np.zeros(5)
Out[19]: array([0., 0., 0., 0., 0.])
In [ ]: np.zeros((2,2))
Out[]: array([[0., 0.],
                [0., 0.]]
In [21]: np.zeros((3,3), dtype = int)
Out[21]: array([[0, 0, 0],
                [0, 0, 0],
                [0, 0, 0]])
In [22]: nd = np.zeros((5,9), dtype = int)
         nd
Out[22]: array([[0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0]])
In [23]: np.ones(3)
Out[23]: array([1., 1., 1.])
```

```
In [24]: np.ones(3)
Out[24]: array([1., 1., 1.])
In [25]: np.ones(3, dtype=int)
Out[25]: array([1, 1, 1])
In [26]: nd1 = np.ones((10,10), dtype = int)
         nd1
Out[26]: array([[1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1]])
```