

PROJECT PORTAL WORKFLOW MANAGEMENT

Complete Feature and Lifecycle Specification

A developer-facing description of every portal feature, interaction, role responsibility, workflow stage, revision loop, document rule, and lifecycle outcome.

Document version	3.0
Source code snapshot	Project-Portal-workFlow-Management(6).zip
Prepared date	14 July 2026
Scope	Features and lifecycles only

This document intentionally excludes system architecture, API design, deployment, security, testing strategy, and technical debt. It describes only the website features and how the business lifecycles operate.

Document Contents

- 1. Portal Purpose and Complete Operating Flow
- 2. Roles, Visibility, and Responsibility Boundaries
- 3. Global Application Features
- 4. Dashboard Features
- 5. Projects and Bids Features
- 6. Work Request Features
- 7. Workflow Action Center Features
- 8. Document Management Features
- 9. Notification Features
- 10. Companies and Divisions Features
- 11. Teams and Members Features
- 12. Settings and Controlled Lists Features
- 13. Bid Lifecycle
- 14. Project Lifecycle
- 15. Complete Work Request Lifecycle
- 16. Information Request Lifecycle
- 17. Revision Lifecycles
- 18. Document Lifecycle
- 19. Notification Lifecycle
- 20. Complete Status and Transition Catalogue
- 21. Lifecycle Rules, Warnings, and Completion Conditions
- 22. Source-to-Feature Mapping

How to use this document

Read Sections 3-12 to visualize the website screens and available features. Read Sections 13-21 to understand how a bid, project, work request, document, information request, revision, notification, and final client decision move through the portal.

1. Portal Purpose and Complete Operating Flow

Project Portal Workflow Management is a role-controlled workspace for handling bids, active projects, engineering work requests, document collaboration, internal reviews, client decisions, revision cycles, and final document listing.

The portal connects commercial intake and project coordination with PMO/ECM preparation, TMS drawing/checking/approval, CCR/Marketing delivery, and Client/Owner acceptance. The same work request remains the central lifecycle record from creation through final acceptance, rejection, revision, or HML listing.



1.1 Core business records

Record	Purpose in the portal
Company	Top-level organization such as HML, TMS, or the end client.
Division	Operational unit inside a company, such as CCR, ECM, PMO, TMS Engineering, or TMS IT.
Team	A named team attached to one company and division, with a lead and member list.
Member	A person with an email, company, division, optional team, role title, and active state.
Client	The external owner linked to bids and projects and used to scope Client/Owner visibility.
Bid / Project	The parent business record that owns intake documents and one or more work requests.
Work Request	The central workflow record that stores priority, assignments, current status, information requests, package selection, and complete history.
Attachment	A text document, uploaded file, combined text/file item, or metadata item with version, naming, revision, folder, uploader, and workflow-stage data.
Registry Document	A final accepted/listed document linked to its parent project and work request.
Portal Settings	Controlled lists that feed creation forms, document names, codes, categories, POL/POD, and file naming.

1.2 Main navigation model



Bids and Projects are also shown as expandable sidebar groups. Selecting a specific bid or project opens its dedicated dashboard workspace. Selecting a work request or clicking a notification opens the exact related request and can open the intended detail, history, upload, action, or focus view.

2. Roles, Visibility, and Responsibility Boundaries

Role	Feature responsibility
System Admin	Full workspace visibility. Can manage companies, divisions, teams, members, settings, projects/bids, work requests, and can perform workflow actions as a supervisor.
Prime Consultant	Full operational visibility and supervisor-level workflow control. Can manage organization, settings, projects/bids, and work requests.

Role	Feature responsibility
CCR Coordinator	Creates and manages bids/projects and work requests; handles marketing/client information loops, final package review, client delivery, client revision routing, and archive review requests.
ECM / PMO Lead	Sees work belonging to the lead's assigned or origin division. Assigns PM members, answers member questions, requests information, reviews PM submissions, requests rework, and forwards approved work to TMS.
ECM / PMO Member	Works on assigned PM packages, uploads files, requests information from the lead, submits work for PM lead quality control, and participates in division-related records.
TMS Manager	Owns engineering intake, assigns M1/M2/M3, answers TMS member information requests, requests PM or internal TMS revisions, and submits the final engineering package to CCR.
TMS-M1 Drawing	Receives assigned drawing work, uploads drawing documents, requests information from the TMS manager, and submits drawings to M2.
TMS-M2 Checking	Checks the drawing package and either approves it to M3 or requests revision from M1.
TMS-M3 Approval	Performs final TMS approval and either sends the package to Engineering Lead Review or returns it to M1.
Client / Owner	Sees only records for the linked client. Provides requested information, reviews final deliveries, accepts/rejects/requests revision, and assigns or rejects a fully accepted bid from Client Pending.

2.1 Resource visibility rules

Actor scope	Visible records
System Admin / Prime Consultant / CCR	All bids, projects, and work requests.
Client / Owner	Only bids/projects belonging to the actor's client and their related work requests.
Division Lead	Requests assigned to or originating from the lead's division; projects connected to those requests; information-request participation.
Division Member	Requests assigned to the member, requests in the member's assigned/origin division, and information-request participation.
TMS Manager	Engineering-stage requests from Forwarded to TMS through Final Submitted to Marketing, plus assigned/participating records.
TMS M1/M2/M3	Requests where the current member is assigned in any of the TMS drawing/checking/approval slots.

3. Global Application Features

3.1 Fixed application shell

The complete website runs inside one persistent application frame.

Feature detail	Description
Visible to	All roles.
What the user sees	A desktop left sidebar, top header, scrollable main content area, notification dropdown, module dialogs, mobile sidebar overlay, and bottom-right toast messages.
How it behaves	The shell remains visible while the selected dashboard workspace or route content changes. Desktop and mobile navigation share the same role-controlled items.

Implementation reference: `src/routes/__root.tsx`

3.2 Header and actor selector

The header identifies the portal and provides actor context.

Feature detail	Description
Visible to	All roles.
What the user sees	Portal icon, title “Project Portal Workflow Management”, supporting subtitle, role/user selector, notification bell, unread badge, current actor label, avatar initials, and mobile menu button.
How it behaves	Changing the actor immediately recalculates visible sidebar records, dashboard data, work request access, notification queue, document choices, and available workflow actions.

Implementation reference: `src/routes/__root.tsx`

3.3 Sidebar workspace navigation

The sidebar presents the current actor’s accessible engineering workspace.

Feature detail	Description
Visible to	All roles, with role-based records and system sections.
What the user sees	Dashboard link; expandable Bids / Proposals group with count; expandable Projects Portfolio group with count; individual bid/project names; Work Requests and Documents access; system-management items for System Admin and Prime Consultant.
How it behaves	Selecting a bid/project writes its ID into dashboard search state. Selecting a work-request-driven record automatically resolves and expands the parent bid or project.

Implementation reference: `src/components/AppSidebar.tsx`

3.4 Responsive navigation

The portal remains usable on mobile screens.

Feature detail	Description
Visible to	All roles.
What the user sees	The desktop sidebar is replaced by a slide-in mobile drawer with a backdrop and close button.
How it behaves	Selecting a mobile navigation item closes the drawer. The header menu button reopens it.

Implementation reference: `src/routes/__root.tsx`; `src/components/AppSidebar.tsx`

3.5 Shared feedback and modal behavior

User actions produce immediate interface feedback.

Feature detail	Description
Visible to	All roles based on action permission.
What the user sees	Success, warning, and error toasts; confirmation-style action panels; scrollable dialogs; empty states; disabled buttons with explanatory titles.
How it behaves	A parent Projects/Bids shell is visually hidden when its Create Work Request action opens the dedicated create dialog, preventing two large dialogs from appearing stacked.

Implementation reference: `src/routes/index.tsx`; `src/routes/projects.tsx`; `src/routes/work-requests.tsx`

4. Dashboard Features

The Dashboard is the operational entry point. It summarizes the actor’s accessible portfolio and provides direct access to folders, creation actions, critical workflow items, detailed bid/project workspaces, and system-wide routing history.

4.1 KPI summary cards

The top row provides an immediate workload summary.

Feature detail	Description
Visible to	All roles; values are calculated from the actor's visible records.
What the user sees	Active Engineering Projects, Active Bids / Proposals, Pending Reviews, and Approved Documents.
How it behaves	Clicking a card opens the corresponding detailed list or filtered workflow view. Project and bid counts use the actor's access scope; approved documents use final registry/listing data.

Implementation reference: `src/routes/index.tsx`

4.2 Quick Access Workspace Folders

Folder-style cards provide shortcut access to operational workspaces.

Feature detail	Description
Visible to	All roles according to module permission.
What the user sees	Bid folders, project folders, work request folders, document folders, item counts, progress/revision indicators, and status tone.
How it behaves	Opening a folder displays the relevant workspace or list without requiring the user to navigate away first.

Implementation reference: `src/routes/index.tsx`

4.3 Quick Actions

The dashboard exposes the next common task for the current actor.

Feature detail	Description
Visible to	Create actions: System Admin, Prime Consultant, CCR Coordinator. View actions: other roles according to access.
What the user sees	Create Bid / Project or Projects / Bids; Create Work Request or Work Requests; Documents.
How it behaves	For managers, the action opens creation interfaces. For other roles, the same card opens the available module. Create Work Request can first show an eligible parent picker, then opens the create form with the selected bid/project locked.

Implementation reference: `src/routes/index.tsx`

4.4 Critical workflow queue

The dashboard displays work requests that currently require attention.

Feature detail	Description
Visible to	All roles within their visible records.
What the user sees	Work request code, title, parent bid/project, stage/status, priority, assignment, latest activity, and available action controls.
How it behaves	Items can open the detailed work request view or action interface. The queue includes active work, shipment submissions, and review statuses.

Implementation reference: `src/routes/index.tsx`

4.5 System-wide activity trail

The dashboard shows recent routing and lifecycle changes.

Feature detail	Description
Visible to	All roles within visible work requests.
What the user sees	Actor, activity text, related request, parent record, timestamp, status movement, and notes.

Feature detail	Description
How it behaves	The activity list can be searched/sorted in expanded views and opens the related history/request context.

Implementation reference: `src/routes/index.tsx`

4.6 Bid workspace

Selecting a bid from the sidebar replaces the general dashboard with a bid-specific workspace.

Feature detail	Description
Visible to	Users who can see the selected bid.
What the user sees	Bid title/code, status, client, created date, progress, work request list, document/revision information, Create Work Request button, and workflow drill-down.
How it behaves	The user can open an individual work request, view its history, preview/download workflow files, or create another work request under the bid.

Implementation reference: `src/routes/index.tsx`

4.7 Project workspace

Selecting an active project opens a portfolio workspace focused on that project.

Feature detail	Description
Visible to	Users who can see the selected project.
What the user sees	Project header, client/status/progress, work request list, project documents, document filtering, revision counts, and Create Work Request.
How it behaves	The workspace lets the user move directly between project-level documents and each work request lifecycle.

Implementation reference: `src/routes/index.tsx`

4.8 Dashboard work request detail

A selected work request can be handled without leaving the dashboard.

Feature detail	Description
Visible to	Users with access to the selected request.
What the user sees	Status header, parent context, unique available action buttons, document preview carousel, assignment summary, current package, transfer history, and revision history.
How it behaves	Only valid actions for the current actor and current status are displayed. Document navigation supports previous/next preview and direct download.

Implementation reference: `src/routes/index.tsx`

5. Projects and Bids Features

5.1 Projects / Bids register

The register presents all accessible commercial and project records in one table.

Feature detail	Description
Visible to	All actors who can view projects; Client/Owner sees client-specific records.
What the user sees	Search, record-type filter, status filter, project/bid name, code, client, credentials state, record type, lifecycle status, work request count, progress, created date, action controls.

Feature detail	Description
How it behaves	Search matches name, code, type, status label, and client name. Non-client users filter Bid, Project, Archive, and status. Client users filter Pending, Active, Revision, and Archive.

Implementation reference: [src/routes/projects.tsx](#)

5.2 Create Bid / Project

Authorized users can create a new commercial bid or direct active project.

Feature detail	Description
Visible to	System Admin, Prime Consultant, CCR Coordinator.
What the user sees	Bid / Project Name, Type, Client, auto-filled Client Email, source channel, initial document rows/files, and bid-only naming fields.
How it behaves	A bid receives a BID code and BIDDING status. A direct project receives a PRJ code and ACTIVE status. Client credentials are marked as prepared/sent. Intake documents are stored under the new record.
Validation and restrictions	Name and client are mandatory. Bid creation additionally requires bidding number, POL, POD, cargo name/code, vessel name/code, and at least one initial text document or file.
Result	The new record appears at the top of the register and becomes available as a work request parent.

Implementation reference: [src/routes/projects.tsx](#); [src/lib/portal-data.tsx](#)

5.3 Bid naming information

Bid fields generate project codes, root folders, category folders, and uploaded file names.

Feature detail	Description
Visible to	System Admin, Prime Consultant, CCR Coordinator during bid creation.
What the user sees	Bidding Number; POL; POD; Cargo name/code; Vessel name/code; Shipment Number; Marketing Document code/name; optional custom cargo and vessel choices.
How it behaves	Project code is formed from the first letters of project name, POL, and POD. Shipment number is normalized to two digits. Settings-controlled cargo, vessel, and document codes feed naming.
Validation and restrictions	Cargo and vessel custom values must include both name and code. Codes are normalized to uppercase alphanumeric values.

Implementation reference: [src/routes/projects.tsx](#); [src/lib/portal-data.tsx](#)

5.4 Project/Bid progress display

The register and dashboard communicate lifecycle progress.

Feature detail	Description
Visible to	All actors with record access.
What the user sees	Progress bar and percentage.
How it behaves	Explicit progress override is used when present. Archived/completed records show 100%. A bid with any final HML listing shows 100%. Active projects calculate up to 90% from a 60% base plus 5% per work request. Active bids calculate up to 70% from a 45% base plus 3% per work request.

Implementation reference: [src/routes/projects.tsx](#)

5.5 Upload workflow document to a project or bid

Authorized users can add collaboration material directly to a parent record.

Feature detail	Description
Visible to	Any visible actor except a Client/Owner attempting to upload to another client's record.
What the user sees	Document name/code, title, category, workflow stage, file, text content, and optional note.
How it behaves	The upload is classified as a workflow file, named automatically, placed into generated folders, versioned, and becomes available in project details, work request views when associated, and the Documents explorer.
Validation and restrictions	Text content or a file is required.

Implementation reference: `src/routes/projects.tsx`; `src/lib/portal-data.tsx`

5.6 Project/Bid details dialog

The details dialog summarizes the record and its files.

Feature detail	Description
Visible to	Users with access to the record.
What the user sees	Name, code, record type, lifecycle status, complete document list, version badges, category, workflow stage, uploader, upload time, file size, text snippet, note, download button, and Upload New File action.
How it behaves	The file list includes both intake and workflow documents. Upload New File closes the detail dialog and opens the upload dialog.

Implementation reference: `src/routes/projects.tsx`

5.7 View Workflow action

The three-dot action opens the record's workflow.

Feature detail	Description
Visible to	Users with project/bid access.
What the user sees	View Workflow menu item.
How it behaves	The first related work request is opened. If no work request exists, a warning states that a work request must be created before the cycle page can be opened.

Implementation reference: `src/routes/projects.tsx`

5.8 Client Pending bid decision

After all required work request cycles are accepted, the client decides whether the bid becomes an active project.

Feature detail	Description
Visible to	Client/Owner for the linked client.
What the user sees	Assign and Reject buttons on a DRAFT bid that has final HML listing.
How it behaves	Buttons are enabled only when the bid has at least one work request and every related work request is HML_LISTED. Assign converts the bid to a project. Reject archives the bid.
Validation and restrictions	All related work requests must be accepted before either decision.

Implementation reference: `src/routes/projects.tsx`; `src/lib/portal-data.tsx`

5.9 Archived bid review request

An archived bid can be returned to client decision review.

Feature detail	Description
Visible to	System Admin, Prime Consultant, CCR Coordinator.

Feature detail	Description
What the user sees	Review Request button on archived records.
How it behaves	The bid returns to BIDDING, remains at 100% progress, and a related rejected/first work request moves to FINAL_SUBMITTED_TO_CLIENT with an “Archived bid was sent back to the Client for review” history record.
Validation and restrictions	An archived bid must contain a related work request.

Implementation reference: `src/routes/projects.tsx`; `src/lib/portal-data.tsx`

6. Work Request Features

A work request is the central executable unit. It always belongs to one bid or active project and carries the complete assignment, document, action, information-request, transfer, revision, and final-decision lifecycle.

6.1 Work request list and parent grouping

The page groups work requests under their parent bid or project.

Feature detail	Description
Visible to	All roles within their record scope.
What the user sees	Search field, parent folders, active/total counts, expandable request rows/cards, request code/title, status, stage, priority, assignment, document counts, and action controls.
How it behaves	Search matches work request title or code. Parent folders expand/collapse. Each role sees only requests matching its resource scope, pending information targets, or information requests it created.

Implementation reference: `src/routes/work-requests.tsx`

6.2 Create Work Request

Authorized users create a request under an eligible bid or active project.

Feature detail	Description
Visible to	System Admin, Prime Consultant, CCR Coordinator.
What the user sees	Parent type selector unless locked; parent record selector; Work Request Title; Work Request Type; Priority; Project Info / Attachment Category; Assigned Division; Instructions/Notes; controlled Document Name; multiple initial files; attachment note.
How it behaves	The parent type defaults to Bid unless opened from a selected project. Eligible bids exclude archived bids. Eligible projects must be ACTIVE. The request receives the next WR-### code, stores the selected division as assigned and origin division, begins at DIVISION_NOTIFIED, and records creation history. Initial files are attached to the work request and parent.
Validation and restrictions	Title and parent are mandatory. The selected parent must still be available and match the chosen type. Creation fails if the parent cannot be resolved.
Result	The request appears under its parent and becomes visible to the assigned division and supervisors.

Implementation reference: `src/routes/work-requests.tsx`; `src/lib/portal-data.tsx`

6.3 Work request details

The details dialog provides a complete view of request data and files.

Feature detail	Description
Visible to	Any actor with access to the request.

Feature detail	Description
What the user sees	Request code, title, parent, category, priority, attachment category, notes, status, assignment data, TMS assignments, workflow stage, document filters, attachment list, preview/download actions, and history access.
How it behaves	File filters support name search, type filter, and upload date. Primary and request-specific workflow files can be distinguished. Opening a file launches the preview dialog.

Implementation reference: `src/routes/work-requests.tsx`

6.4 Request workspace and available actions

The action dialog shows only the next valid controls for the current role and status.

Feature detail	Description
Visible to	Actors who pass the action permission rules.
What the user sees	Current status, pending action feedback, action chooser, dynamic action panels, assignment selects, document selectors, upload areas, comments/reasons, approval/rejection controls, and submit buttons.
How it behaves	The same dialog changes content for assignment, information requests, review decisions, PM submission, TMS actions, final delivery, client decisions, and revision routing. Duplicate action titles are deduplicated in the chooser.

Implementation reference: `src/routes/work-requests.tsx`

6.5 Upload workflow / collaboration file

Users can add new work files at any lifecycle stage they can access.

Feature detail	Description
Visible to	Users who can see the request.
What the user sees	Document code/name, category, workflow stage, text document, one or more files, note, revision indicator where applicable.
How it behaves	Text-only input becomes a history note instead of a file. File uploads become request-scoped workflow attachments on the parent, receive generated names, versions, folder paths, and an upload history entry.
Validation and restrictions	A file or text content is required. Revision uploads are automatically identified for rework/revision statuses.

Implementation reference: `src/routes/work-requests.tsx`; `src/lib/portal-data.tsx`

6.6 File preview and download

Work request attachments can be inspected from the request.

Feature detail	Description
Visible to	Users with request access.
What the user sees	Image preview, PDF iframe, text preview, unsupported-preview message, previous/next navigation in dashboard view, metadata, and Download.
How it behaves	The browser downloads stored file data when available. Text-only or metadata-only items download as a generated text file containing available details.

Implementation reference: `src/routes/work-requests.tsx`

6.7 Transfer history

Transfer history explains who moved the request and where it went.

Feature detail	Description
----------------	-------------

Feature detail	Description
Visible to	Users with request access.
What the user sees	Timeline entries with action, actor, from, to, time, and note.
How it behaves	Every lifecycle action prepends a history entry and updates the request's last transferred time.

Implementation reference: [src/routes/work-requests.tsx](#); [src/lib/portal-data.tsx](#)

6.8 Revision history

Revision history focuses on rework and revision events and their files.

Feature detail	Description
Visible to	Users with request access.
What the user sees	Revision request entries, revision submission entries, revision count/cycle indicators, attached revision documents, and chronological history.
How it behaves	Bid revisions receive alphabetic revision codes; project revisions receive two-digit numeric codes. File version and revision code are tracked separately.

Implementation reference: [src/routes/work-requests.tsx](#); [src/lib/portal-data.tsx](#)

6.9 Final HML document listing dialog

CCR can manually merge/list a final document for the compatibility completion route.

Feature detail	Description
Visible to	System Admin, Prime Consultant, CCR Coordinator when request status is FORWARDED_TO_CCR.
What the user sees	Final document name and category.
How it behaves	Submission changes the request to HML_LISTED, adds a history entry, and creates a Registry Document linked to the parent and work request.
Validation and restrictions	Document name is required.

Implementation reference: [src/routes/work-requests.tsx](#); [src/lib/portal-data.tsx](#)

7. Workflow Action Center Features

Workflow actions are permission-controlled twice: first by the request's current status, and second by the current actor's role and assignment. System Admin and Prime Consultant act as workflow supervisors. Other actors must be the correct division lead/member, TMS assignee, CCR Coordinator, or linked Client/Owner.

Visible action	Feature behavior
Request Info	Select an allowed target, enter a message, and create a pending information request without changing the main lifecycle status.
Respond to Request Info	Reply to the pending requester; the main status remains unchanged and any previous stacked information request becomes active again.
Assign PM Team Member	Select an eligible member from the assigned division. The request moves to PM Member Work.
Submit Work to PM Lead	PM member submits completed work for internal quality control.
Request Revision	The active revision target is determined by current status and actor: PM member, PM lead, TMS-M1, Engineering Lead, or Client revision route.
Forward	PM lead approves the PM package and sends it to TMS Engineering Lead.
Assign	TMS Manager assigns separate M1 Drawing, M2 Checking, and M3 Approval members.
Submit Drawing	M1 submits the drawing package to M2 Checking.

Visible action	Feature behavior
Approve / Request Revision at M2	M2 either advances to M3 or returns to M1.
Approve / Request Revision at M3	M3 either advances to Engineering Lead Review or returns to M1.
Submit Final to CCR / Marketing	TMS Manager selects the latest package files and transfers the engineering package to CCR.
Submit Final to Client	CCR selects delivery files and transfers the package to the Client.
Accept / Reject / Request Revision	Client decides the final delivery and can include revision files/comments.
Route Client Revision to TMS Manager	CCR sends a client revision back to the Engineering Lead/TMS route.
Send Revision Response to Client	CCR sends the updated selected package back to the Client.
Review Request	CCR returns an archived bid to client decision review.

7.1 Dynamic action input controls

- **Assignment inputs:** Division leader/member, M1, M2, and M3 selectors are shown only for the relevant assignment actions.
- **Comment inputs:** Each action can include an action-specific note, instruction, response, rejection reason, or revision request.
- **File inputs:** Engineering submission, marketing delivery, client revision, and revision response actions can upload or select package files.
- **Package selection:** The portal resolves the latest version of each selected stable document key and stores selected attachment IDs on the work request.
- **Revision target selection:** When multiple "Request Revision" actions are valid, the dialog shows a target selector before displaying the correct request form.
- **Email/recipient context:** The action interface displays the next responsible role/member so the user can see where the request will move.

8. Document Management Features

8.1 File Explorer layout

The Documents module presents all stored files as a structured file system.

Feature detail	Description
Visible to	Actors allowed to view documents.
What the user sees	Left folder tree, root and group nodes, expanded/collapsed folders, breadcrumbs, Up/Home navigation, current folder title, search, item counts, list/grid toggle, main folder/file area, upload action, preview dialog.
How it behaves	The root contains Bids / Proposals and Projects Portfolio. Opening folders updates the active path and expands parent nodes. Search filters the current folder's immediate children.

Implementation reference: `src/routes/documents.tsx`

8.2 Generated folder hierarchy

Files are organized using the portal's business naming rules.

Feature detail	Description
Visible to	All document users.
What the user sees	Root -> Bids / Proposals or Projects Portfolio -> project/bid root folder -> document code/name folder -> upload date or date/revision folder -> generated file.

Feature detail	Description
How it behaves	Folders are generated from stored attachment metadata. Folders sort before files and names sort naturally.

Implementation reference: `src/routes/documents.tsx`; `src/lib/portal-data.tsx`

8.3 List and grid views

Users can switch between a file-manager table and visual folder cards.

Feature detail	Description
Visible to	All document users.
What the user sees	List columns: Name, Date Modified, Type, Size. Grid cards show icon, name, type/count, and modified time.
How it behaves	Double-click/open behavior enters a folder or previews a file. Folder counts use direct child/descendant data.

Implementation reference: `src/routes/documents.tsx`

8.4 Document search

The active folder can be searched without leaving the explorer.

Feature detail	Description
Visible to	All document users.
What the user sees	Search box in the explorer toolbar.
How it behaves	Matches file/folder/project/bid/code/document names. Empty search shows all children. No matches shows a dedicated empty state.

Implementation reference: `src/routes/documents.tsx`

8.5 Upload from Documents

Users can upload one or more files directly inside a selected project/bid folder.

Feature detail	Description
Visible to	Users with document access and at least one work request under the selected parent.
What the user sees	Work Request selector, role-specific Document Name/code selector, multi-file drop area, selected file list, optional note.
How it behaves	The file is associated with the selected work request, automatically renamed, versioned, and placed in the generated folder path. The explorer updates immediately.
Validation and restrictions	A work request and at least one file are mandatory. If the folder has no work request, the portal warns that no work request is available.

Implementation reference: `src/routes/documents.tsx`

8.6 Role-specific document choices

The document code list changes by actor role.

Feature detail	Description
Visible to	All upload-capable actors.
What the user sees	Marketing/CCR roles receive Marketing Document codes. Division/TMS roles receive Engineering Document codes.
How it behaves	The selected option determines document code, name, group, category folder, and generated filename.

Implementation reference: `src/lib/portal-data.tsx`; `src/routes/documents.tsx`

8.7 Preview and download

Files can be reviewed without leaving the explorer.

Feature detail	Description
Visible to	All document users.
What the user sees	Image preview, PDF preview, text preview, unavailable-preview message, folder path, and Download button.
How it behaves	Unsupported binary types display an explanation and remain downloadable. Metadata-only items produce a fallback text download.

Implementation reference: `src/routes/documents.tsx`

8.8 Exact naming and version rules

Naming element	Current rule
Project code	First character of Project Name + first character of POL + first character of POD, uppercased.
Bid root folder	<Bidding Number> - <Client> - <Project Name> - <Cargo Name>.
Project root folder fallback	<PRJ Code> - <Client> - <Project Name> - <Cargo Name>.
Category folder	<Document Code> <Document Name>.
Normal date folder	DD-MM-YYYY.
Bid revision folder	DD-MM-YYYY Rev A, Rev B, ...
Project revision folder	DD-MM-YYYY Rev 01, Rev 02, ...
Bid file name	<Bidding Number> <ProjectCode>-<CargoCode>-<VesselCode>-<Shipment>-<DocumentCode>[-<Revision>] <Document Name>.<ext>.
Project file name	<ProjectCode>-<CargoCode>-<VesselCode>-<Shipment>-<DocumentCode>[-<Revision>] <Document Name>.<ext>.
File version	Starts at v1. Increments when another attachment matches the same normalized document code/name or file key within the relevant scope.
Revision code	Assigned only when the upload is marked as revision. It is independent from the file version.

Example

Bid 21128, project code DKM, cargo CRA, vessel CA2, shipment 01, document 100 Stowage Plan, first revision -> file name "21128 DKM-CRA-CA2-01-100-A Stowage Plan.pdf"; folder "21128 - DEME - DEME Offshore Cargo Coordination - Crane / 100 Stowage Plan / 14-07-2026 Rev A / ...".

9. Notification Features

9.1 Header notification inbox

The bell dropdown shows role-specific queue items from anywhere in the portal.

Feature detail	Description
Visible to	All roles.

Feature detail	Description
What the user sees	Unread badge, Notification Center heading, unread count, Read all button, scrollable notification list, New badge, title, subtitle, role message, time, and actor.
How it behaves	Opening the bell loads notifications derived from accessible project/work request lifecycle changes. The count is capped visually at 99+.

Implementation reference: `src/routes/__root.tsx`; `src/routes/notifications.tsx`

9.2 Full Notification Center

The standalone notification page shows the complete current actor queue.

Feature detail	Description
Visible to	All roles.
What the user sees	Page title, unread summary, Mark all read, notification cards, empty state.
How it behaves	Read state is stored separately. Mark all read clears the unread count for the current notification IDs.

Implementation reference: `src/routes/notifications.tsx`

9.3 Notification deep links

A notification opens the exact related business record.

Feature detail	Description
Visible to	Notification recipient.
What the user sees	Project notification or work request notification with target view.
How it behaves	Work request notifications navigate to the dashboard with parent bid/project ID and request ID. The requested view can be details, history, upload, action, or focus. Project notifications open the specific bid/project workspace.

Implementation reference: `src/routes/notifications.tsx`; `src/routes/work-requests.tsx`

9.4 Notification relevance

Notification items are filtered to the actor's workload and participation.

Feature detail	Description
Visible to	All roles.
What the user sees	Project and request queue messages based on status, assignment, client ownership, information-request target/requester, and role.
How it behaves	The same underlying lifecycle event can produce different role messages and target views depending on who must act next.

Implementation reference: `src/routes/notifications.tsx`

10. Companies and Divisions Features

10.1 Organization register

The Organization module displays the company/division hierarchy.

Feature detail	Description
Visible to	View: module users. Manage: System Admin and Prime Consultant.

Feature detail	Description
What the user sees	Company cards with icon, company name, abbreviation, type, nested divisions, division abbreviation/type, and Add Division button.
How it behaves	Each company card automatically lists divisions whose companyId matches the company.

Implementation reference: `src/routes/companies.tsx`

10.2 Add Company

Authorized users can add an organization.

Feature detail	Description
Visible to	System Admin and Prime Consultant.
What the user sees	Company name, abbreviation, type, Save and Cancel.
How it behaves	Saving appends the company to the organization register.
Validation and restrictions	Name and abbreviation are required.

Implementation reference: `src/routes/companies.tsx`; `src/lib/portal-data.tsx`

10.3 Add Division

Authorized users can create a division under a selected company.

Feature detail	Description
Visible to	System Admin and Prime Consultant.
What the user sees	Division name, abbreviation, type, Save and Cancel.
How it behaves	The dialog is opened from a specific company, so the new division is linked to that company.
Validation and restrictions	Division name and abbreviation are required.

Implementation reference: `src/routes/companies.tsx`; `src/lib/portal-data.tsx`

11. Teams and Members Features

11.1 Team register

The Teams module shows team structure and assigned members.

Feature detail	Description
Visible to	View: module users. Manage: System Admin and Prime Consultant.
What the user sees	Search, team cards, company/division, lead, member list, role titles, member counts, Create Team, Add Member, and Unassigned Members section.
How it behaves	Search matches team, company, division, lead, member name, email, and role title. Unassigned members are calculated from members not included in any team memberIds.

Implementation reference: `src/routes/teams.tsx`

11.2 Create Team

Authorized users define a team within one company/division.

Feature detail	Description
Visible to	System Admin and Prime Consultant.

Feature detail	Description
What the user sees	Team name, company, division filtered by company, optional lead member filtered to division, Save and Cancel.
How it behaves	The selected lead is automatically included in the team member list.
Validation and restrictions	Team name, company, and division are required. Duplicate team name within the same division is rejected.

Implementation reference: `src/routes/teams.tsx`; `src/lib/portal-data.tsx`

11.3 Add Member

Authorized users add a new person and optionally assign them to a team.

Feature detail	Description
Visible to	System Admin and Prime Consultant.
What the user sees	Name, email, company, division, team, role title, Save and Cancel.
How it behaves	Division choices follow company. Role-title options are derived from the selected division. If a team is chosen, the new member ID is added to that team.
Validation and restrictions	Name/email, valid email format, company/division, and role title are required. Duplicate email is rejected.

Implementation reference: `src/routes/teams.tsx`; `src/lib/portal-data.tsx`

12. Settings and Controlled Lists Features

Settings control the values shown in bid/project creation, work request setup, document upload, project code generation, and automatic file naming. Changing a list does not directly change workflow permissions or lifecycle transitions.

Settings area	Feature effect
General	Portal display name and live display preview.
POL Options	Port of Loading list used in bid creation and project-code generation.
POD Options	Port of Discharge list used in bid creation and project-code generation.
Cargo Codes	Cargo name/code pairs used in generated file names.
Vessel Codes	Vessel name/code pairs used in generated file names.
Marketing Documents	Marketing/CCR document name/code list.
Engineering Documents	PMO/ECM/TMS document name/code list.
Work Request Types	Task names available when creating a work request.
Project Info Categories	Information/attachment categories available in work request creation.
Attachment Categories	General categories available in upload forms.

12.1 Settings area selector

The page uses one selector to switch between controlled-list areas.

Feature detail	Description
Visible to	All viewers; only System Admin and Prime Consultant can modify.
What the user sees	Configuration summary, code/list/group counts, grouped settings selector, active-area summary, and active editor panel.
How it behaves	Selecting an area loads its current list and associated add/remove/reset controls.

Implementation reference: `src/routes/settings.tsx`

12.2 Add and remove values

Authorized users can maintain text lists and code/name pairs.

Feature detail	Description
Visible to	System Admin and Prime Consultant.
What the user sees	Add button, add-item dialog, name field, code field for code lists, remove button on each item.
How it behaves	Text values are trimmed and de-duplicated case-insensitively. Codes are normalized to uppercase alphanumeric and must be unique.
Validation and restrictions	Empty values are rejected; code entries require both name and code; duplicates are rejected.

Implementation reference: `src/routes/settings.tsx`

12.3 Restore default list

Each controlled list can be returned to its built-in values.

Feature detail	Description
Visible to	System Admin and Prime Consultant.
What the user sees	Restore/refresh control.
How it behaves	The selected list is replaced with its defined default list.

Implementation reference: `src/routes/settings.tsx`


12.4 Save general settings

The visible portal label can be changed.

Feature detail	Description
Visible to	System Admin and Prime Consultant.
What the user sees	Portal name field, preview, Save.
How it behaves	The setting updates the stored portal settings object.
Validation and restrictions	Portal name is required.

Implementation reference: `src/routes/settings.tsx`

13. Bid Lifecycle



- Bid creation:** CCR/System Admin/Prime Consultant enters the bid, client, intake documents, bidding number, POL/POD, cargo, vessel, shipment, and document data.
- Initial state:** The portal creates a BID-26xxx code, sets type BID, status BIDDING, origin division CCR, credentialsSent true, and stores initial documents as PRIMARY files.
- Work request creation:** Each required deliverable is created as a separate work request under the bid and routed to an assigned division.
- Operational cycles:** Every work request independently moves through PMO/ECM, TMS, CCR, and Client decision.

5. **Client acceptance of a work request:** The accepted request becomes HML_LISTED and a Registry Document is created if one does not already exist.
6. **Client Pending:** When a bid work request is accepted, the parent bid is set to DRAFT and 100% progress. The bid remains in the bid list until the client makes the commercial assignment decision.
7. **Decision gate:** Assign and Reject are enabled only when the bid has at least one work request and every related work request is HML_LISTED.
8. **Assign outcome:** The bid type changes to PROJECT, status changes to ACTIVE, progress resets to 0, BID- code becomes PRJ-, and all related work requests change parentType to PROJECT with conversion history.
9. **Reject outcome:** The bid status becomes ARCHIVED, progress becomes 100%, and each related work request receives archive history.
10. **Archive review:** CCR/System Admin/Prime Consultant can request a new client review. The bid returns to BIDDING and a related request returns to FINAL_SUBMITTED_TO_CLIENT.

Important bid completion rule

A single accepted work request can move the bid visually to Client Pending, but the client cannot Assign or Reject the whole bid until every related work request is accepted/HML_LISTED.

14. Project Lifecycle



11. **Direct creation:** An authorized user can create Type=Project. The portal assigns PRJ-26xxx, sets ACTIVE, and stores intake documents.
12. **Bid conversion:** A fully accepted Client Pending bid can be assigned and converted to an ACTIVE project while retaining its documents and work requests.
13. **Work package expansion:** The project can own multiple independent work requests for different deliverables or disciplines.
14. **Progress display:** ACTIVE projects use a 60% base plus 5% per related work request, capped at 90%, unless an explicit override is stored.
15. **Document accumulation:** Project intake, work request, revision, engineering, marketing, client, and accepted documents stay under one generated project root.
16. **Accepted output:** Each accepted work request becomes HML_LISTED and creates a final registry entry. Other work requests under the same project may remain active.

15. Complete Work Request Lifecycle


The standard lifecycle below is the main end-to-end route currently supported by the visible action center. Information requests can be inserted at almost any stage without changing the main status.



Lifecycle phase	Step description
-----------------	------------------

Lifecycle phase	Step description
1. Creation and PM intake	CCR creates the request. Status is DIVISION_NOTIFIED. A supervisor may assign a lead; the lead/supervisor assigns a PM member.
2. PM member preparation	Status MEMBER_REVIEW. The assigned member uploads work, can request information, and submits to the PM lead.
3. PM quality control	Status PM_MEMBER_SUBMITTED. The lead either requests rework (PM_REWORK_REQUESTED) or approves and forwards to TMS (FORWARDED_TO_TMS).
4. TMS assignment	TMS Manager assigns M1 Drawing, M2 Checking, and M3 Approval. Status TMS_ASSIGNED.
5. Drawing	M1 uploads/submits the drawing. Status moves to CHECKING_REVIEW.
6. Checking	M2 approves to APPROVAL_REVIEW or rejects to DRAWING_IN_PROGRESS.
7. Approval	M3 approves to ENGINEERING_LEAD_REVIEW or rejects to DRAWING_IN_PROGRESS.
8. Engineering Lead review	TMS Manager can request PM revision, request internal TMS revision, or submit the final engineering package to CCR.
9. CCR final review	Status FINAL_SUBMITTED_TO_MARKETING. CCR either requests engineering revision or submits selected final files to the Client.
10. Client decision	Status FINAL_SUBMITTED_TO_CLIENT. Client accepts, rejects, or requests revision.
11. Completion	Accept sets HML_LISTED and creates the final registry document. Reject sets REJECTED. Revision starts the appropriate revision loop.

15.1 PMO / ECM preparation cycle



- **Lead assignment:** Only System Admin or Prime Consultant can use the dedicated Assign Leader action at DIVISION_NOTIFIED.
- **Member assignment:** Supervisors or a division lead for the assigned/origin division can assign a PM member at DIVISION_NOTIFIED, LEADER_ASSIGNED, MARKETING_INFO_PROVIDED, ENGINEERING_REVISION_REQUESTED, or CLIENT_REVISION_REQUESTED.
- **Member information request:** The assigned member can use the generic Request Info action to contact the PM lead while the main status remains unchanged.
- **Submit work:** The assigned member can submit from MEMBER_REVIEW, PM_REWORK_REQUESTED, or PM_LEAD_RESPONDED.
- **Rework:** The PM lead returns a submitted package to PM_REWORK_REQUESTED. The same assigned member corrects and resubmits.
- **Forward:** At PM_MEMBER_SUBMITTED, the authorized lead approves the internal package and moves it to FORWARDED_TO_TMS.


15.2 TMS engineering cycle



- **Assignment:** TMS Manager or workflow supervisor selects three specific members. The manager's own member ID is stored as managerId.
- **M1 drawing:** M1 can submit from TMS_ASSIGNED or DRAWING_IN_PROGRESS. The drawing document name is stored and the request moves to CHECKING_REVIEW.

- **M2 checking:** Approval moves to APPROVAL_REVIEW. Rejection returns to DRAWING_IN_PROGRESS and the history targets M1.
- **M3 approval:** Approval moves to ENGINEERING_LEAD_REVIEW. Rejection returns to DRAWING_IN_PROGRESS and targets M1.
- **Member-to-manager clarification:** M1/M2/M3 can request information. The portal stores the previous TMS status and requester, moves temporarily to TMS_MEMBER_INFO_REQUESTED, then restores the previous status when the manager responds.
- **Engineering Lead choices:** Request PM revision -> ENGINEERING_REVISION_REQUESTED; request internal TMS revision -> DRAWING_IN_PROGRESS; submit final package -> FINAL_SUBMITTED_TO_MARKETING.

15.3 CCR and Client delivery cycle



- **Engineering submission:** The portal stores latest selected/fallback engineering attachment IDs in finalPackageAttachmentIds and clears previous client revision IDs.
- **CCR revision request:** CCR can return the package to ENGINEERING_LEAD_REVIEW before client submission.
- **Client submission:** CCR combines selected existing IDs and newly uploaded marketing files, stores the latest IDs, clears client revision IDs, and moves to FINAL_SUBMITTED_TO_CLIENT.
- **Accept:** The request becomes HML_LISTED. The final registry record is inserted automatically if missing.
- **Reject:** The request becomes REJECTED. The parent project/bid normally remains unchanged.
- **Revision:** The request becomes CLIENT_REVISION_REQUESTED and stores the latest client revision attachment IDs.

16. Information Request Lifecycle



17. **Target calculation:** The available target list depends on actor role and current assignments.
18. **Client targets:** Client/Owner can request CCR. CCR can request Client, PM Lead, or TMS Manager. Division Lead can request CCR, assigned PM Member, or TMS Manager. Division Member can request PM Lead. TMS members can request TMS Manager. TMS Manager can request PM Lead or assigned TMS members. Supervisors can target all available participants.
19. **Creation:** Request Info stores requester name/actor/member/role, target label/role/member/client, status at request, message, and request time.
20. **No main-stage change:** The generic request does not modify currentStatus. This keeps the business stage stable while clarification is pending.
21. **Stacking:** If another information request is already pending, it is pushed onto infoRequestStack before the new request becomes active.
22. **Response:** Only the target or a workflow supervisor can respond. The response is written to history; the previous stacked request becomes active again, or pendingInfoRequest is cleared.
23. **Visibility:** The requester and target can see the request even when normal role-based visibility would not include it.


16.1 Specialized clarification status loop

The data layer also supports explicit PM/Marketing/Client and PM Member/Lead clarification statuses. These statuses appear in labels, history, backward movement, and notification logic.

Status	Meaning
INFO_REQUESTED_FROM_MARKETING	PM Lead requested review/update/information from CCR / Marketing.
INFO_REQUESTED_FROM_CLIENT	CCR escalated the information request to the Client.
CLIENT_INFO_PROVIDED	Client returned requested information to CCR.
MARKETING_INFO_PROVIDED	CCR reviewed and returned the updated package to the PM Lead.
MEMBER_INFO_REQUESTED	PM Member requested clarification from the PM Lead.
PM_LEAD_RESPONDED	PM Lead resolved the clarification and returned guidance to the PM Member.
TMS_MEMBER_INFO_REQUESTED	A TMS member requested clarification from the TMS Manager; previous TMS status is preserved.


17. Revision Lifecycles

17.1 PM rework loop




The same PM member remains assigned. Revision uploads under PM_REWORK_REQUESTED receive a revision code and a new file version when the document key matches an earlier file.

17.2 Engineering requests PM revision




The request returns to the PM division while retaining its TMS assignments and complete history. The division lead can assign a member at ENGINEERING_REVISION_REQUESTED.


17.3 M2 checking revision loop




17.4 M3 approval revision loop




17.5 Engineering Lead internal TMS revision



17.6 CCR requests engineering revision



17.7 Client revision loop



- **Client files:** Latest uploaded revision files from the Client Acceptance stage are stored in clientRevisionAttachmentIds.
- **Route to TMS:** CCR moves the request to ENGINEERING_LEAD_REVIEW and the TMS Manager can reassign/continue the engineering chain when the latest history shows a CCR-to-TMS revision.
- **Direct response:** CCR can select updated files and send a revision response directly back to the Client, returning to FINAL_SUBMITTED_TO_CLIENT.
- **PM route:** A data-layer function exists to route a client revision to the PM Lead, but the visible permission check currently disables this action. The active UI route is TMS or direct CCR response.

18. Document Lifecycle



24. **Document selection:** The actor selects a controlled document code/name from the role-appropriate list.
25. **Input type:** The attachment can be text-only, file-only, text-and-file, or metadata.
26. **Naming context:** The parent bid/project, client, work request, settings, and upload time are used to generate names and paths.
27. **Version calculation:** The portal compares normalized document keys against existing primary files and workflow files for the same work request. Matching items increment the highest version.

28. **Revision calculation:** When isRevisionUpload is true, the portal counts prior revision uploads for the same document/work request and assigns A/B/C for bids or 01/02/03 for projects.
29. **Storage on parent:** All attachments are appended to the parent ProjectItem.initialDocuments array. Work request files receive workRequestId.
30. **History:** Work request uploads create a revisionHistory entry including document name, version, stage, and note.
31. **Package selection:** Final submissions use stable keys to select only the latest version of each chosen document. If no keys are selected at Engineering submission, latest files from Engineering Lead, M3, M2, and M1 stages are used as fallback.
32. **Acceptance:** The final accepted document is added to the Registry Document list using drawingDocumentName or a generated "Final Accepted Package" name.

19. Notification Lifecycle

Workflow/history event exists ->	Actor relevance calculated ->	Notification item generated ->	Unread ID checked ->	User opens item ->	Marked read ->	Deep link opens target view
-------------------------------------	----------------------------------	-----------------------------------	-------------------------	-----------------------	-------------------	-----------------------------

33. **Generation:** Notification items are derived from project/work request status, assignments, history, and actor scope.
34. **Recipient relevance:** The queue includes items the actor owns, is assigned to, must act on, requested information for, or has been targeted by.
35. **Unread state:** Notification IDs not present in the read set are shown as New and included in unreadCount.
36. **Mark read:** Opening one item marks that ID read before navigation.
37. **Read all:** The full current queue is marked read and a success message is displayed.
38. **Deep link:** Request notifications resolve the parent and open the selected bid/project plus request ID. Target view can be focus, details, history, upload, or action.

20. Complete Status and Transition Catalogue

The table below describes every active user-facing lifecycle transition plus the compatibility completion route. “Supervisor” means System Admin or Prime Consultant.

	Current state	Authorized actor	Required input/condition	Resulting state	Next owner	Lifecycle effect
Work request	Eligible Bid / Active Project	System Admin, Prime Consultant, CCR	Valid parent, title, division	DIVISION_NOTIFIED	Assigned PMO/ECM division	Creates WR-###, initial history, uploads files
Division lead	DIVISION_NOTIFIED	Supervisor	Select lead	LEADER_ASSIGNED	Selected division lead	Stores assignedLeaderId and history
PM member	DIVISION_NOTIFIED / LEADER_ASSIGNED / MARKETING_INFO_PROVIDED / ENGINEERING_REVISION_REQUESTED / CLIENT_REVISION_REQUESTED	Supervisor or assigned/origin division lead	Select member	MEMBER_REVIEW	Selected PM member	Stores assignedMemberId; sets leader from origin lead when needed
Request Info	Any visible stage with target options	Allowed participant	Select target and message	No status change	Selected target	Creates pendingInfoRequest; stacks previous request; history
Respond to Request Info	Pending info exists	Target or Supervisor	Response note	No status change	Original requester	History; restores stacked request or clears pending
Member submit	MEMBER_REVIEW / PM_REWORK_REQUESTED / PM_LEAD_RESPONDED	Assigned PM member or Supervisor	Prepared package/note	PM_MEMBER_SUBMITTED	PM lead	Submission history
Request revision	PM_MEMBER_SUBMITTED	Assigned/origin division lead or Supervisor	Revision note	PM_REWORK_REQUESTED	Assigned PM member	Rework history; future uploads revision-code
Forward	PM_MEMBER_SUBMITTED	Assigned/origin division lead or Supervisor	Approval note	FORWARDED_TO_TMS	TMS Engineering Lead	Transfer history
Engineering request PM	FORWARDED_TO_TMS / ENGINEERING_LEAD_REVIEW	TMS Manager or Supervisor	Revision note	ENGINEERING_REVISION_REQUESTED	Assigned PM division	Revision history
TMS chain	FORWARDED_TO_TMS or CCR-routed revision at ENGINEERING_LEAD_REVIEW	TMS Manager or Supervisor	Select M1, M2, M3	TMS_ASSIGNED	M1/M2/M3	Stores manager/drawing/checking/approval history
Member request lead	TMS_ASSIGNED / DRAWING_IN_PROGRESS / CHECKING_REVIEW / APPROVAL_REVIEW	Current assigned TMS member or Supervisor	Question/note	TMS_MEMBER_INFO_REQUESTED	TMS Manager	Stores previous TMS status and requester
Lead respond	TMS_MEMBER_INFO_REQUESTED	TMS Manager or Supervisor	Response	Restored previous TMS status	Original TMS requester	Clears temporary status/requester data
Submit drawing	TMS_ASSIGNED / DRAWING_IN_PROGRESS	Assigned M1 or Supervisor	Drawing name/package	CHECKING_REVIEW	Assigned M2	Stores drawingDocumentName; history
Approve	CHECKING_REVIEW	Assigned M2 or Supervisor	Approval note	APPROVAL_REVIEW	Assigned M3	Approval history
Request revision	CHECKING_REVIEW	Assigned M2 or Supervisor	Revision note	DRAWING_IN_PROGRESS	Assigned M1	Revision history
Approve	APPROVAL_REVIEW	Assigned M3 or Supervisor	Approval note	ENGINEERING_LEAD_REVIEW	TMS Engineering Lead	Final TMS approval history
Request revision	APPROVAL_REVIEW	Assigned M3 or Supervisor	Revision note	DRAWING_IN_PROGRESS	Assigned M1	Revision history
Engineering internal TMS	ENGINEERING_LEAD_REVIEW	TMS Manager or Supervisor	Revision note	DRAWING_IN_PROGRESS	Assigned M1	Internal TMS revision history
Engineering submit to CCR	ENGINEERING_LEAD_REVIEW	TMS Manager or Supervisor	Selected/latest package files	FINAL_SUBMITTED_TO_MARKETING	CCR / Marketing	Stores finalPackageAttachmentIds; clears client revision IDs
Request engineering	FINAL_SUBMITTED_TO_MARKETING	CCR or Supervisor	Revision note	ENGINEERING_LEAD_REVIEW	TMS Engineering Lead	Revision transfer history

Project Portal Workflow Management - Complete Status and Transition Catalogue

	Current state	Authorized actor	Required input/condition	Resulting state	Next owner	Lifecycle effect
Submit to Client	FINAL_SUBMITTED_TO_MARKETING	CCR or Supervisor	Select/upload delivery files	FINAL_SUBMITTED_TO_CLIENT	Client / Owner	Updates finalPackageAttachmentIds; clears revision IDs
Accept	FINAL_SUBMITTED_TO_CLIENT / REJECTED	Linked Client or Supervisor	Optional note	HML_LISTED	HML registry / parent record	Creates registry item; BID parent becomes D Client Pending
Reject	FINAL_SUBMITTED_TO_CLIENT	Linked Client or Supervisor	Reject reason	REJECTED	Work request archive	Parent unchanged except archive-review rejection
Request revision	FINAL_SUBMITTED_TO_CLIENT / REJECTED	Linked Client or Supervisor	Revision note/files	CLIENT_REVISION_REQUESTED	CCR / Marketing	Stores clientRevisionAttachmentIds
Route client revision to	CLIENT_REVISION_REQUESTED	CCR or Supervisor	Routing note	ENGINEERING_LEAD_REVIEW	TMS Engineering Lead	Revision route history
Send revision response	CLIENT_REVISION_REQUESTED	CCR or Supervisor	Select/upload updated files	FINAL_SUBMITTED_TO_CLIENT	Client / Owner	Updates final package; clears revision IDs
End bid review request	Parent BID status ARCHIVED	CCR or Supervisor	Optional note	FINAL_SUBMITTED_TO_CLIENT on target WR; parent BIDDING	Client / Owner	Progress 100; review history
Rejects archive review	FINAL_SUBMITTED_TO_CLIENT with archive-review history	Linked Client or Supervisor	Reason	REJECTED; parent ARCHIVED	Archive	Returns parent to archive
Accepts bid request	FINAL_SUBMITTED_TO_CLIENT	Linked Client or Supervisor	Optional note	HML_LISTED; parent BID DRAFT	Client Pending bid	Registry entry; progress 100
Assigns accepted bid	Parent BID DRAFT; all WR HML_LISTED	Linked Client	Assign	Parent PROJECT ACTIVE	Projects Portfolio	BID code -> PRJ code; related WR parentType updated
Rejects accepted bid	Parent BID DRAFT; all WR HML_LISTED	Linked Client	Reject	Parent ARCHIVED	Archive	Progress 100; related history
Compatibility member review	RETURNED_TO_DIVISION	Assigned PM member or Supervisor	Approve	DIVISION_MEMBER_APPROVED	Origin division lead	Compatibility history
Compatibility member review	RETURNED_TO_DIVISION	Assigned PM member or Supervisor	Reject note	FORWARDED_TO_TMS	TMS	Returns compatibility package to TMS
Compatibility manager	DIVISION_MEMBER_APPROVED	Origin division lead or Supervisor	Approval note	DIVISION_MANAGER_APPROVED	Origin division lead	Compatibility approval history
Compatibility forward to CCR	DIVISION_MANAGER_APPROVED	Origin division lead or Supervisor	Forward note	FORWARDED_TO_CCR	CCR	Compatibility transfer history
Compatibility final HML listing	FORWARDED_TO_CCR	CCR or Supervisor	Document name/category	HML_LISTED	HML registry	Creates Registry Document

21. Lifecycle Rules, Warnings, and Completion Conditions

Rule	Exact behavior
Work request parent is mandatory	A work request cannot be created independently; it must belong to a non-archived bid or ACTIVE project.
No workflow without a work request	View Workflow on a bid/project shows a warning when no related work request exists.
Action visibility is status + actor based	An action is hidden unless both the current status and actor assignment/role satisfy the permission check.
Supervisor override	System Admin and Prime Consultant can perform operational actions as workflow supervisors.
Client isolation	Client/Owner sees only the linked client's records and can act only on those records.
Information requests do not interrupt main stage	Generic Request Info/Respond Info adds a parallel pending clarification without modifying currentStatus.
TMS clarification restores prior stage	TMS member clarification temporarily changes status and then restores the exact prior TMS stage after response.
Latest-file package behavior	Final package selection resolves latest versions by stable document key; older versions are not selected when a newer match exists.
Revision and version differ	Version increments for a matching document key. Revision code increments only for uploads marked as revision.
Bid decision requires all work requests accepted	Client Assign/Reject for a Client Pending bid remains disabled until every related request is HML_LISTED.
Client rejection normally does not change parent	Rejecting one final work request sets the request REJECTED but leaves the parent project/bid status unchanged, except an archived-bid review rejection.
Final acceptance creates registry data	Client accept automatically inserts a Registry Document if the work request does not already have one.
Modal handoff	Opening Create Work Request from Projects/Bids hides the underlying module shell to avoid simultaneous large dialogs.
Document upload requires content	File/text upload actions reject empty input.
Settings duplicate protection	Text values and codes cannot be added twice; code lists require both name and code.

21.1 Work request status labels displayed to users

Internal status	Displayed label
CREATED	Created
DIVISION_NOTIFIED	PM Lead Initial Review
INFO_REQUESTED_FROM_MARKETING	PM Requested Info from Marketing
INFO_REQUESTED_FROM_CLIENT	Marketing Requested Info from Client
CLIENT_INFO_PROVIDED	Client Info Provided to Marketing
MARKETING_INFO_PROVIDED	Marketing Info Returned to PM
LEADER_ASSIGNED	PM Lead Assigned
MEMBER_REVIEW	PM Member Work
MEMBER_INFO_REQUESTED	PM Member Requested Info
PM_LEAD_RESPONDED	PM Lead Responded to Member
PM_MEMBER_SUBMITTED	PM Member Submitted to Lead
PM_REWORK_REQUESTED	PM Lead Requested Rework
FORWARDED_TO_TMS	Forwarded to TMS Engineering Lead
ENGINEERING_REVISION_REQUESTED	Engineering Requested PM Revision
TMS_MEMBER_INFO_REQUESTED	TMS Member Requested Lead Info
TMS_ASSIGNED	TMS Engineering Chain Assigned

Internal status	Displayed label
DRAWING_IN_PROGRESS	TMS-M1 Drawing
CHECKING_REVIEW	TMS-M2 Checking
APPROVAL_REVIEW	TMS-M3 Approval
ENGINEERING_LEAD_REVIEW	Engineering Lead Final Review
FINAL_SUBMITTED_TO_MARKETING	Final Submitted to Marketing
FINAL_SUBMITTED_TO_CLIENT	Final Submitted to Client
CLIENT_REVISION_REQUESTED	Client Requested Revision
RETURNED_TO_DIVISION	Returned to PM Member
DIVISION_MEMBER_APPROVED	PM Member Approved
DIVISION_MANAGER_APPROVED	PM Lead Approved
FORWARDED_TO_CCR	Forwarded to CCR
HML_LISTED	Client Accepted / HML Listed
REJECTED	Rejected

22. Source-to-Feature Mapping

Feature area	Primary implementation source
Application frame, header, module dialogs, mobile navigation	src/routes/__root.tsx
Sidebar groups, counts, role-based record scope	src/components/AppSidebar.tsx
Dashboard KPIs, folders, quick actions, bid/project workspaces, activity, dashboard request detail	src/routes/index.tsx
Projects/Bids register, creation, client-pending decision, archive review, project-level upload/details	src/routes/projects.tsx
Work request register, creation, action center, details, upload, preview, history, final listing	src/routes/work-requests.tsx
Documents explorer, tree, breadcrumbs, grid/list, upload, preview/download	src/routes/documents.tsx
Notification queue, unread state, mark read/all, deep links	src/routes/notifications.tsx
Companies and divisions	src/routes/companies.tsx
Teams, members, search, validation, unassigned members	src/routes/teams.tsx
Portal name and controlled lists	src/routes/settings.tsx
Roles, records, status types, naming/version/revision rules, workflow transitions, storage updates	src/lib/portal-data.tsx

Document completion

This specification is limited to the portal's features and lifecycles. It is intended to let a developer visualize the entire website, understand every major screen and action, and reproduce the current business behavior without mixing in architecture or deployment content.