Ex.No.4 Table tags and internal style sheets

Develop a web page using CSS to create a timetable for the class using different border style. (Table tags and internal style sheets)

AIM:

To develop a web page using CSS to create a timetable for the class using different border styles.

PROGRAM:

```
table_style.css
table{
       width:50%;
       margin:50px;
       padding:5PX;
       border:5px solid purple;
       border-collapse:separate;
       text-align:center;
       border-spacing:10px;
       font-family:verdana;
       font-size:10pt;
       color:violet;
       background-color:#cceedd;
}
th,td{
       border:1px solid red;
       color:green;
       padding:10px;
}
td{
       color:teal;
}
table:hover{
       border-radius:20px;
       box-shadow:30px 30px 20px grey;
}
pre{
       font-size:18px;
```

```
font-family:"comic sans ms";
    color:red
}
timetable.html
<!DOCTYPE html>
<html>
<head>
<title>Time Table</title>
k rel="stylesheet" href="table_style.css">
</head>
<body>
<caption><h1>Time Table</h1></caption>
Days/Period
YEAR
1
2
3
4
L
U
Ν
С
Η
В
R
Ε
Α
Κ
5
6
7
MONDAY
II
JAVA
LES
```

```
DS
JAVA
SEMINAR
III
RDBMS
CBT
WP
RDBMS LAB
TUESDAY
II
DS
MIS
LES
DS LAB
III
RDBMS
WP
CBT
CBT LAB
WEDNESDAY
II
JAVA
DS
LES
JAVA
IS
III
WP LAB
SE
CBT
SE
THURSDAY
```

II

```
IS
JAVA LAB
DS LAB
III
SE
RDBMS
WP
SEMINAR
RDBMS LAB
FRIDAY
II
IS
DS
MIS
DS
IS
JAVA LAB
III
WP
RDBMS
SE
CBT
CBT LAB
</body>
</html>
```

RESULT:

Thus the web page to create a timetable for the class using CSS with different border styles has been developed and executed successfully.