Ex.No.4   Table tags and internal style sheets

Develop a web page using CSS to create a timetable for the class using different border style. (Table tags and internal style sheets)

AIM:
To develop a web page using CSS to create a timetable for the class using different border styles.

PROGRAM:

```
<!DOCTYPE html>
<html>
<head>
<title>Time Table</title>
<style>
table{
        width:50%;
        margin:50px;
        padding:5PX;
        border:5px solid purple;
        border-collapse:separate;
        text-align:center;
        border-spacing:10px;
        font-family:verdana;
        font-size:10pt;
        color:violet;
        background-color:#cceedd;
}

th,td{
        border:1px solid red;
        color:green;
        padding:10px;
}

td{
        color:teal;
}

table:hover{
        border-radius:20px;
        box-shadow:30px 30px 20px grey;
}
```

```html
pre{
        font-size:18px;
        font-family:"comic sans ms";
        color:red
}
</style>
</head>
<body>
<table>
<caption><h1>Time Table</h1></caption>
<tr>
<th>Days/Period
<th>YEAR
<th>1
<th>2
<th>3
<th>4
<th rowspan="11"><pre>
L
U
N
C
H

B
R
E
A
K
</pre>
<th>5
<th>6
<th>7
</tr>
<tr>
<th rowspan="2">MONDAY
<td>II
<td colspan="2">JAVA
<td colspan="2">LES
<td>DS
<td>JAVA
<td>SEMINAR
</tr>
```

```
<tr>
<td>III
<td>RDBMS
<td>CBT
<td colspan="2">WP
<td colspan="3">RDBMS LAB
</tr>
<tr>
<th rowspan="2">TUESDAY
<td>II
<td>DS
<td>MIS
<td colspan="2">LES
<td colspan="3">DS LAB
</tr>
<tr>
<td>III
<td colspan="2">RDBMS
<td>WP
<td>CBT
<td colspan="3">CBT LAB
</tr>
<th rowspan="2">WEDNESDAY
<td>II
<td>JAVA
<td>DS
<td colspan="2">LES
<td colspan="2">JAVA
<td>IS
</tr>
<tr>
<td>III
<td colspan="4">WP LAB
<td>SE
<td>CBT
<td>SE
</tr>
<tr>
<th rowspan="2">THURSDAY
<td>II
<td colspan="2">IS
<td colspan="2">JAVA LAB
<td colspan="3">DS LAB
</tr>
```

```
<tr>
<td>III
<td>SE
<td>RDBMS
<td>WP
<td>SEMINAR
<td colspan="3">RDBMS LAB
</tr>
<tr>
<th rowspan="2">FRIDAY
<td>II
<td>IS
<td>DS
<td>MIS
<td>DS
<td>IS
<td colspan="2">JAVA LAB
</tr>
<tr>
<td>III
<td>WP
<td>RDBMS
<td>SE
<td>CBT
<td colspan="3">CBT LAB
</tr>
</table>
</body>
</html>
```

RESULT:

Thus the web page to create a timetable for the class using CSS with different border styles has been developed and executed successfully.