

Weekly Report

General Information

Group ID: 03
Project Name: Yum Recipe
Date Range: 2026-03-29 – 2026-04-04

Tasks Completed This Week

23127122 - Nguyễn Duy Thịnh

- Applying Redis for querying posts for the home feed, improving response time and reducing database load.
- Refactor post inheritance structure to support different post types.

► Evidence

•	add redis for getting social feed posts	Stephrss05	2026-03-31 10:51
•	modify follow system	Stephrss05	2026-03-31 10:49
•	add dtos for post and comment	Stephrss05	2026-03-28 15:40
•	android: add post's assets	Stephrss05	2026-03-26 22:01

23127205 - Lâm Hữu Khánh

- Redesigned Profile screen UI — avatar, stats row, tabs, search bar, button layout
- Implemented Profile backend: `GET/PUT /api/profile/me`, `GET /api/profile/{userId}` with privacy check
- Built Edit Profile screen with avatar picker, bio, location, website, social links
- Added Profile Recipes tab (user's recipe grid) + Favorites/Collections stub tabs


► Evidence

- Commit:

Commits on Apr 3, 2026		
fix(feed,fridge): update Feed UI, Fridge layout, and network client	d334d91	<>
LamKhanh05 committed yesterday		
fix(auth): improve AuthState, AuthViewModel, and auth fragments UI	753cc5a	<>
LamKhanh05 committed yesterday		
fix(profile): sync displayName + bio to SharedPreferences after profile update	a4db0af	<>
LamKhanh05 committed yesterday		

Commits on Apr 4, 2026		
feat(server): add User profile fields and update Recipe endpoints	f47b799	<>
LamKhanh05 committed 18 hours ago		
refactor(recipe): cleanup CreateRecipeFragment and RecipeRepository	1d70765	<>
LamKhanh05 committed 18 hours ago		
fix(feed): add binding null checks and adjust FAB padding	517152d	<>
LamKhanh05 committed 18 hours ago		
feat(profile): redesign EditProfileFragment and layout	56189d8	<>
LamKhanh05 committed 18 hours ago		
refactor(profile): integrate ProfileRepository in ProfileViewModel	df130bc	<>
LamKhanh05 committed 18 hours ago		
feat(profile): update ProfileTabAdapter to support 3 tabs	99cd111	<>
LamKhanh05 committed 18 hours ago		
feat(nav): add splashFragment as start destination in nav_graph	b8c01bc	<>
LamKhanh05 committed 18 hours ago		
chore(styles): use color resources in IngredientChip	b8720ba	<>
LamKhanh05 committed 18 hours ago		
chore(strings): reorganize strings and remove duplicate nav_fridge	47f14b7	<>
LamKhanh05 committed 18 hours ago		
feat(colors): update primary brand color to #FF4500 (Figma)	b2afde2	<>
LamKhanh05 committed 18 hours ago		
chore: remove deprecated bottom_nav_menu.xml	9c2b896	<>
LamKhanh05 committed 18 hours ago		
chore(nav-icons): add Figma-aligned navigation and UI icons	bdd3a9d	<>
LamKhanh05 committed 18 hours ago		
feat(profile): redesign profile screen to match Figma	5b656aa	<>
LamKhanh05 committed 18 hours ago		
feat(nav): redesign bottom navigation bar to match Figma	da4d52a	<>
LamKhanh05 committed 18 hours ago		

- Redesign Profile:



- Get own profile:

Profile

User profile management

GET

/api/profile/me

Get own profile

Returns the authenticated user's full profile including counts.

Parameters

No parameters

Cancel

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/profile/me' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJ0eW1odXVraGuaDIwMDVAZ21haWwvY29tIiwiaWF0IjoxNzcxMjIyMjc3LCJleHAiOjE3NzUzMDg2Nzd9.ZSYInCD3_r8HY2fxsUJ8rP1Kv-gFt9iG1LamqHkoGpk'
```

Request URL

http://localhost:8080/api/profile/me

Server response

Code

Details

200

Response body

```
{
  "success": true,
  "message": "Success",
  "data": {
    "userId": 31,
    "email": "lamhuukhanh2005@gmail.com",
    "displayName": "KhanhDepTrai",
  }
}
```

- Update profile:

GET

/api/profile/{userId}

Get user profile by ID

Returns a user's public profile. Private profiles return 403.

Parameters

Cancel

Name	Description
userId * required	
integer(\$int64)	1
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/profile/1' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer ey2hbGciOiJIUzI1NiIsInR5cCI6IHYwIj09.ey7zdWl0Ij1sYW1odXVraGFuZDIwMDVAZ21hbmVudj29tiWiakF0IjoxNzc1MjIyMjc3LCJleHAiOjE3NzUzMDg2NzQ9.ZSYIncD3_r8HY2FxsUU8rP1KV-gFt9iG1lamqHkoGpK'
```

Request URL

http://localhost:8080/api/profile/1

Server response

Code	Details
200	Response body <pre>{ "success": true, "message": "Success", "data": { "userId": 1, "email": "linh@example.com", "displayName": "Linh Tran", "avatarUrl": null, } }</pre>

- Get other profile:

GET

/api/profile/{userId}

Get user profile by ID

Returns a user's public profile. Private profiles return 403.

Parameters

Cancel

Name	Description
userId * required integer(\$int64) (path)	1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/profile/1' \
-H 'accept: */*' \
-H 'Authorization: Bearer ey3hb6ci0iJIUzI1N1J9.eyJzdWIiOiJzYW1odXVraGFuZDIwMDVAZ21haWwY29tIiwiaWF0IjoxNzc1MjIyMjc3LCJleHAiOjE3NzUzMDg2Nzd9.ZSYInCD3_r8HY2fxsUu8rP1Kv-gFt9iG1LamqHkoGPK'
```

Request URL


http://localhost:8080/api/profile/1

Server response


Code	Details
200	Response body <pre>{ "success": true, "message": "Success", "data": { "userId": 1, "email": "linh@example.com", "displayName": "Linh Tran", "avatarUrl": null, "coverImageUrl": null } }</pre>

23127326 - Lê Mai Hoài Bảo

- Implemented UI for create recipe.
- View Details
- Button to create recipe in Home Feed. The position of the button is at the bottom right corner of the screen, following the common design pattern for "create" actions in mobile apps. This allows users to easily access the recipe creation feature from the main feed.



- Screen to input recipe details (title, description, ingredients, steps, image).



Add Cover Photo

Up to 10MB, JPG or PNG

Recipe Title

e.g. Grandma's Apple Pie

Description

Share the story behind your recipe...

Type

Select type

Kcal

e.g. 400

Difficulty Level

Easy

Medium

Hard



Ingredients


+ Add Item

Ingredient name

Qty

Unit





- Commit for create recipe feature implementation.

```

commit fe99fae8aed920fb4b955a75c85f02accf3295fb (HEAD -> main, origin/main, origin/feature/UI-Search, origin/HEAD, feature/UI-Search)
Merge: 49029ae 27af916
Author: LE MAI HOAI BAO <152853155+HB4305@users.noreply.github.com>
Date: Wed Apr 1 23:04:25 2026 +0700

    Merge pull request #21 from lad94220/feature/UI-CRUD-Recipe

    feature/implement-UI-for-create-recipe

commit 27af9168f20cd830c08bfbba072856ebb8ba1dd95 (origin/feature/UI-CRUD-Recipe, feature/UI-CRUD-Recipe)
Merge: LE MAI HOAI BAO <152853155+HB4305@users.noreply.github.com>
Date: Wed Apr 1 22:53:18 2026 +0700

    feature: implement UI for create recipe

commit 49029aee202180c1aed07deab0b8b1b0836b3656
Merge: 37d5f40 590c763
Author: LE MAI HOAI BAO <152853155+HB4305@users.noreply.github.com>
Date: Sat Mar 28 16:03:29 2026 +0700

```

23127357 - Lê Anh Duy

- Finish the implementation of the Meal Plan, Meal Suggestion feature APIs/UI.
- Design the workflow for Admin Analytics and start implementing the backend for it.

```

graph TD
    A["User Actions"] -->|View Recipe| B["RecipeController"]
    A -->|Rate Recipe| C["ReviewController"]
    A -->|Save/Cook| D["MealPlanController"]

    B -->|Trigger| E["ActivityLogger Service"]
    C -->|Trigger| E
    D -->|Trigger| E

    E -->|Log Activity| F["UserActivityLog Table"]
    E -->|Update Metrics| G["RecipeAnalytics Table"]
    E -->|Update Metrics| H["IngredientTrend Table"]

    G -->|Scheduled Job 1 AM| I["Trend Calculation Service"]
    H -->|Scheduled Job 1 AM| I

    I -->|Calculate Scores| J["Calculate Trending Score  
views*0.3 + rates * 0.3  
+ saves * 0.2 + rating * 0.2"]

    J -->|Update Score| G
    J -->|Generate| K["DailyTrendSnapshot Table"]

```



```
G -->|Query| L["AdminTrendController"]
H -->|Query| L
K -->|Query| L

L -->|API Endpoints| M["Admin Dashboard
REST endpoints"]

M -->|/trends/dashboard| N["Trending Recipes
Trending Ingredients
User Engagement"]
M -->|/trends/recipes| O["Detailed Recipe Trends"]
M -->|/trends/ingredients| P["Ingredient Analysis"]
M -->|/trends/activity-timeline| Q["Time-Series Data"]

N -->|Display| R["Android UI
Charts & Visualizations"]
O -->|Display| R
P -->|Display| R
Q -->|Display| R
```

► Evidence

	apply cache for the ai suggestion recipe.	30 Mar 2026 13:54	lad94220	fdcfae8e
	apply caching for the meal planner	30 Mar 2026 13:41	lad94220	6d913a14
	at cooking step into the recipe model in frontend	30 Mar 2026 13:15	lad94220	3c892229
	add the auto trigger take suggestion at the meal planner view	30 Mar 2026 13:15	lad94220	a9d7aff3
	feat/admin-trend add repositories for the admin trend feature	2 Apr 2026 16:23	lad94220	6760ead3
	add the builder notation to entities	2 Apr 2026 16:22	lad94220	111a8a45
	add admin trend entities and modified the recipe table	2 Apr 2026 15:51	lad94220	98f38ee4
	add admin trend schema	2 Apr 2026 15:50	lad94220	92155313
	refactor: move into enum folder	2 Apr 2026 15:23	lad94220	3060b0e5

AI Usage Declaration

23127122 - Nguyễn Duy Thịnh

1. General Information

- **Tool name, version, and platform:** Anthropic Claude Sonet 4.6
- **Access time:** April 3, 2026

2. Usage Details

- **Purpose of use:** To assist in restructuring communication between Android app and server, generating xml layouts for post details and comments.

3. Content Declaration

- **Which content was generated by AI:** `PostMapper.java`, `fragment_post_detail.xml`, `item_comment.xml`

- **Which content was done independently and how I edited and validated it:** Refactored DTOs for consistency between Android app and server

4. Evidence

- **Prompts used:**

► Prompt

tôi đang thiết kế model cho phần feed của tính năng social trong app android sau khi nhận thông tin từ api, tôi nên sử dụng hướng nào:

1. Hướng Tiếp Cận Kế Thừa (Polymorphism)

Mô tả: Đây là cách thiết kế hệ thống dựa trên sự phân hóa đối tượng. Ông xây dựng một lớp cha là `BasePost` chứa các thông tin định danh và tương tác chung (ID, Author, Stats, Like/Comment). Sau đó, với mỗi loại nội dung đặc thù, ông tạo ra các lớp con riêng biệt như `RecipePost`, `ArticlePost`, `VideoPost`. Mỗi lớp con này chỉ mang theo đúng những "gói dữ liệu" (Metadata) mà nó cần.

Show more

Apr 3   

23127205 - Lâm Hữu Khánh

1. General Information

- **Tool name, version, and platform:** Claude Opus 4.6 (Anthropic), Claude Code CLI
- **Access time:** From 29/03/2026 to 04/04/2026

2. Usage Details

- **Prompts used:**
 - "Hãy đọc thật kỹ folder @.claude và sau đó hãy hoàn thiện các task sau giúp tôi: - Hoàn tất các Nhóm tính năng quản lý tài khoản - Chỉnh sửa thông tin cá nhân - Cài đặt tài khoản (riêng tư/công khai) - Tùy chỉnh ứng dụng, phần api backend"
 - "Hoàn thiện giao diện other profile thông qua link Figma" (kèm embed iframe Figma)
 - "Hoàn thiện giao diện own profile thông qua link Figma" (kèm embed iframe Figma)
 - "Hoàn thiện giao diện edit profile thông qua link Figma" (kèm embed iframe Figma)
- **Purpose of use:** Read project structure and implement UI/logic for 3 profile screens (Other Profile, Own Profile, Edit Profile), connect Figma designs to Android code, and wire up the Spring Boot backend API endpoints.

3. Content Declaration

- **Which content was generated by AI:**

- XML layouts: `fragment_profile.xml`, `fragment_edit_profile.xml`, `bottom_sheet_avatar_picker.xml`, `layout_profile_tab_stub.xml`, `component_recipe_grid_item.xml`
 - Java files (Android): `ProfileFragment.java`, `EditProfileFragment.java`, `ProfileViewModel.java`, `ProfileRepository.java`, `ProfileApiService.java`, `ProfileState.java`, `ProfileTabAdapter.java`, `RecipeGridAdapter.java`, `ProfileTabStubFragment.java`
 - Android DTOs: `UserProfileResponse.java`, `UpdateProfileRequest.java`, `ApiResponse.java`, `PageResponse.java`
 - Backend Spring Boot: `ProfileController.java`, `ProfileServiceImpl.java` (interface + implementation), `UserProfileResponse.java`, `UpdateProfileRequest.java` (server-side)
 - Additional backend prompt: modified `ProfileService` to add privacy checks (`isPublic`), separate endpoints for public vs. private profiles.
- **Which content was done independently and how I edited and validated it:**
 - **Activity Result API (camera + gallery):** Independently wrote `ActivityResultLauncher` in `EditProfileFragment` for image selection from gallery and camera capture, with runtime permission handling for CAMERA.
 - **Bottom Sheet Avatar Picker:** Independently implemented `BottomSheetDialog` with `BottomSheetAvatarPickerBinding`, wired listeners for both Gallery and Camera options.
 - **Dual-mode logic in ProfileFragment:** Independently wrote `isOwnProfile` flag logic to display the correct header — own profile shows Settings/Edit/Change Photo buttons, other profiles show Follow/Message/Share buttons.
 - **Avatar bitmap-to-base64 conversion:** Independently wrote `Glide CustomTarget` inside `EditProfileFragment.loadAvatarFromUri()` to encode selected images to data URI format (`data:image/jpeg;base64,...`) before uploading to the server.
 - **TabLayoutMediator + ViewPager2:** Independently connected `TabLayout` with `ViewPager2` via `TabLayoutMediator` in `ProfileFragment.setupTabs()`.
 - **ProfileState sealed class:** Independently designed the `ProfileState` sealed class with states: Idle, Loading, ProfileLoaded, SaveSuccess, FollowToggled, Error — ensuring type-safe UI state observation.
 - **Fallback session data:** In `ProfileViewModel.loadOwnProfile()`, independently wrote fallback logic to use local data from `AuthRepository` (EncryptedSharedPreferences) when the API call fails.
 - **AuthRepository sync:** After `updateProfile` succeeds, independently updated `AuthRepository` (avatar URL, display name, bio) to keep the session in sync.
 - **Privacy toggle (server):** Independently modified `ProfileServiceImpl` — added check for target user's `isPublic` flag; if private and not the owner, throws `ForbiddenException`.
 - **Dark/navy theme matching:** Independently customized all XML layouts to match the app theme (`@color/surface`, `@color/text_primary`, `@color/primary`, `@color/on_primary`).

4. Evidence

- **Prompts used:**

```
</> d:\LEARNING\CNTT_CLC(20...
```

Hãy đọc thật kỹ folder `@.claude` và sau đó hãy hoàn th

- Hoàn tất các Nhóm tính năng quản lý tài khoản
- Chỉnh sửa thông tin cá nhân
- Cài đặt tài khoản (riêng tư/công khai)
- Tùy chỉnh ứng dụng, phần api backend
- Hoàn thiện giao diện other profile thông qua link sau:

23127326 - Lê Mai Hoài Bảo

1. General Information

- **Tool name, version, and platform:** Claude Opus 4.6
- **Access time:** 13:00 02/04/2026

2. Usage Details

- **Prompts used:** My task is to implement the UI for create recipe. I have the images of the interface above; please do the following for me: The first image shows the current feed interface I have; add the button shown in the second image to it. When clicked, that button will lead to the create recipe UI as shown in the third image. The backend has already set up the API for creating recipes; integrate it into the create recipe UI.
- **Purpose of use:** To implement the UI for create recipe and integrate it with the backend API.


3. Content Declaration

- **Which content was generated by AI:**
 - Feed Screen layout (`fragment_feed.xml`): CoordinatorLayout, orange FAB, nav-to-create animation
 - Navigation graph (`nav_graph.xml`): createRecipeFragment destination + action with slide animations
 - Create Recipe UI layout (`fragment_create_recipe.xml`): full form layout matching reference image
 - Item layouts (`item_ingredient_input.xml`, `item_step_input.xml`): reusable dynamic form rows
 - CreateRecipeFragment.java: fragment logic with dynamic form handling, image picker, FAB navigation
 - CreateRecipeViewModel.java: Hilt ViewModel with API integration, validation, loading/error states
 - RecipeRepository.java: singleton repository handling POST /recipes API call
 - Model/DTO classes: CreateRecipeRequest, RecipeResponse, RecipeIngredient, RecipeStep
 - Drawable resources: ic_add, ic_timer, ic_camera, ic_save, ic_steps, ic_ingredients, ic_drag_handle, bg_circle_primary

- **Which content was done independently and how I edited and validated it:** I manually ran the app and tested the create recipe feature to ensure it works correctly. After creating a recipe, I verified the database to confirm the recipe was created with the correct information. I also reviewed all AI-generated code to ensure naming conventions, logic flow, and UI structure matched the existing codebase patterns.

4. Evidence

- **Prompts used:**



23127357 - Lê Anh Duy

1. General Information

- **Tool name, version, and platform:** Anthropic Claude Sonet 4.6, Codex 5.3
- **Access time:** From 29/03/2026 to 04/04/2026.

2. Usage Details

- **Purpose of use:**
 - To help implement the UI for the Meal Plan and Meal Suggestion features.
 - To assist, brainstorming the workflows and API design for for Admin Analytics.
 - Creating the plan for implementing the backend for Admin Analytics.
 - To generate the database schema changelog for the Analytics feature.

► Evidence

i have to implement this feature group for admin:

16. Trend Analysis Features

Analysis of data on trending recipes and dishes

Charts on ingredients and user trends

so what should i do? plan the details guide for me: database, workflow, etc. how can i track the trend of dishes, ...

so, because of this is a mobile project, so should i implement the admin on mobile?

i have complete the 1.1, please write the db changelog for 1.2,1.3,1.4,1.5 for me then i will create the entity by myself

but how can i normalize the ingredient in the db? the ingredient table is not exist and it has to be query from the recipe ingredient field but still not performance, how can solve this problem? make the ingredient table schema => normalize and save the id to the recipe instead?

but the ingredient user enter is not the same, so it may cause the duplicate, like egg/eggs or chillies/pepper

analysis and evaluate the cost and time to migrate from json saved into the table schema? is it long and complex?

@Transactional self-invocation (in effect, a method within the target object calling another method of the target object) does not lead to an actual transaction at runtime

3. Content Declaration

- **Which content was generated by AI:** `FavoriteRecipeId.java`, `ActivityLoggerPersistence.java`, `20260403-202200-add-table-fav-recipe.yaml`, `20260402-153000-create-recipe-metrics.yaml`, `20260402-153100-create-ingredient-trend.yaml`, `20260402-153200-create-user-activity-log.yaml`, `20260402-153300-create-daily-trend-snapshot.yaml`, `20260402-153400-alter-recipes-for-trend-fields.yaml`

Tasks Planned for Next Week

23127122 - Nguyễn Duy Thịnh

- Eventually finish the social media feature group.
- Start working on QR generator and scanner.

23127205 - Lâm Hữu Khánh

- Complete the API for set profile private/public
- Implement the Notification API

23127326 - Lê Mai Hoài Bảo

- Complete UI to Edit, Delete recipe.
- Implement UI for search recipe.
- Implement API for favorites list and collections.

23127357 - Lê Anh Duy

- Finish implementing the backend for Admin Analytics, including the scheduled jobs for trend calculation and the API endpoints for the admin dashboard.
- Start working on the Android UI for the Admin Analytics dashboard, integrating charts and visualizations to display the trending recipes, ingredients, and user engagement metrics.