

Weekly Report

General Information

Group ID: 03

Project Name: Yum Recipe

Date Range: 2026-03-22 – 2026-03-28

Tasks Completed This Week

23127122 - Nguyễn Duy Thịnh

- Implemented different UI for posts in home feed (normal post, share other post, share recipe post, share article post).
- Continue working on the server for social features.

► Evidence

- Commit Message:

```
cc44d0a (HEAD -> feature/g6-following-feed, origin/feature/g6-following-feed) add dtos for post and comment
58375ed android: add post's assets
e6335fe Merge branch 'main' into feature/g6-following-feed
db4980d server: change relation post-author entity
```

- UI fragments:



Alice Chef

8 hr. ago 

Just finished this amazing carbonara — turned out perfectly creamy without any cream! The key is working fast off the heat.



 28  142  15

**Bob Pastry**

Yesterday

After 3 attempts I finally nailed this one. The secret is the wine reduction.



Classic Beef Bourguignon

45 min

Medium

47 312 61

**Carla Food**

Yesterday

Great read on fermentation basics – highly recommend.




The Science of Fermentation: A Complete Guide

5 min read

From kimchi to kombucha, understanding how microbes tran...

14 89 33




23127205 - Lâm Hữu Khánh


- Implemented the UI for the **Other Profile** screen (`ProfileFragment`): displays other user's avatar, bio, follower/following count, and their posted recipes.
- Implemented the UI for the **Own Profile** screen (`ProfileFragment` with `ViewPager2` + `ProfileTabAdapter`): tab switching between "My Recipes" and "Saved", shows current user's avatar and edit option.
- Implemented the UI for the **Edit Profile** screen (`EditProfileFragment`); integrated Bottom Sheet for avatar selection from camera or gallery.


► Evidence

- Commit Message:



- UI Screens:





4.51 G



Thay đổi ảnh

Tên hiển thị

Khánh Lâm


Tiểu sử

0/150

Email

lamhuukhanh2005@gmail.com

Lưu



The image shows a mobile application interface for editing a user profile. At the top, there is a status bar with the time 4:51, a signal strength indicator, and a battery level icon. Below the status bar is a dark red header with a circular profile picture placeholder and a small orange square icon. The main content area is dark gray and contains three input fields: 'Tên hiển thị' (Display Name) with the value 'Khánh Lâm', 'Tiểu sử' (Bio) with a character count of 0/150, and 'Email' with the value 'lamhuukhanh2005@gmail.com'. At the bottom, there is a white section titled 'Thay đổi ảnh' (Change Photo) with two options: 'Chọn từ thư viện' (Choose from library) and 'Chụp ảnh mới' (Take new photo).

4:51

Thay đổi ảnh

Tên hiển thị

Khánh Lâm

Tiểu sử

0/150

Email

lamhuukhanh2005@gmail.com

Thay đổi ảnh

Chọn từ thư viện


Chụp ảnh mới

23127326 - Lê Mai Hoài Bảo

- Implement the feature to view recipe details (ingredients, quantities, etc.).
- Develop hands-free cooking mode using SpeechRecognizer API.
- Add timer functionality for cooking steps.

► View Details

- Implement the feature to view recipe details (ingredients, quantities, etc.).



1

Preheat your oven to 400°F (200°C). In a small bowl, whisk together the honey, soy sauce, ginger, and garlic.

2

Place the salmon fillets and trimmed asparagus on a baking sheet lined with parchment paper.

3

Brush the glaze generously over the salmon and toss the asparagus lightly with any remaining sauce.

4

Bake for 12–15 minutes until the salmon is flaky and the glaze is caramelized.

- Develop hands-free cooking mode using SpeechRecognizer API.

Cooking Mode

Hands-free voice-command cooking mode APIs

POST

/api/cooking-mode/command

Process voice command

Receives a voice command string from the mobile SpeechRecognizer, executes it, and returns cooking step data, timer actions, and TTS text for the mobile to read aloud.

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{
  "recipeId": 9007199254740991,
  "command": "string",
  "currentStepNumber": 1073741824,
  "timerRemainingSeconds": 1073741824,
  "timerState": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

'/*'


Controls Accept header.

Example Value

Schema

```
{
  "success": true,
  "message": "string",
  "data": {
    "commandType": "NEXT_STEP",
    "ttsText": "string",
    "stepData": {
      "stepNumber": 1073741824,
      "instruction": "string",
      "durationSeconds": 1073741824,
      "formattedDuration": "string",
      "ttsText": "string"
    },
    "timerInfo": {
      "action": "string",
      "durationSeconds": 1073741824,
      "remainingSeconds": 1073741824,
      "ttsText": "string"
    },
    "ingredients": [
      {
        "name": "string",
        "quantity": 0.1,
        "unit": "MICROGRAM",
        "ttsText": "string"
      }
    ]
  }
}
```

- Add timer functionality for cooking steps.



- Commit messges:
 - "Implemented recipe details view and hands-free cooking mode and timer for cooking steps."



- "Implemented the feature to view recipe details."



23127357 - Lê Anh Duy

- Implemented the UI and API for the Meal Plan feature.
- Implemented the UI and API for the User State feature.
- Add more mock data for Meal Plan.

► Evidence

create bmr calculator	lad94220	3/25/2026 5:30 PM	
update existing recipes kcal and add user stat tab	lad94220	3/25/2026 5:30 PM	
add UserStat.java model	lad94220	3/24/2026 2:46 PM	
add userStat service	lad94220	3/24/2026 2:45 PM	
change to use config and make app asynchronous	lad94220	3/23/2026 8:11 PM	
change to use config and make app asynchronous	lad94220	3/23/2026 8:08 PM	
fix the calling api to calculate the kcal correctly	lad94220	3/23/2026 7:50 PM	
Merge branch 'main' of https://github.com/lad94220	lad94220	3/22/2026 5:47 PM	
Merge pull request #18 · ../feature/recipe-man... LE MAI HOAI BAO*	lad94220	3/22/2026 5:44 PM	
modify recipe service tes ../recipe-management	lad94220	3/22/2026 5:35 PM	✓
add NutritionService.java	lad94220	3/22/2026 5:34 PM	
add api secret to application.properties	lad94220	3/22/2026 5:33 PM	
add api response from nutrition api	lad94220	3/22/2026 5:32 PM	
remove the energy field from user request	lad94220	3/22/2026 5:31 PM	
add calculate energy service	lad94220	3/22/2026 5:31 PM	
fix the RecipeType implementation	lad94220	3/22/2026 3:02 PM	

fixing the gemini config ../hotfix-authen-and-...	lad94220	Today 1:00 PM	✓
add meal plan service at server side	lad94220	Today 1:00 PM	
add meal plan service at android side	lad94220	Today 12:59 PM	
add android profile service	lad94220	Today 12:58 PM	
add user stat ui, icons, navigation control	lad94220	Today 12:57 PM	
update IngredientUnit	lad94220	Today 12:57 PM	
add user-stat and meal-plan api endpoint	lad94220	Today 12:55 PM	
add callback binding control	lad94220	Today 12:55 PM	
add json serialize name	lad94220	Today 12:55 PM	
fix the not response error	lad94220	Today 12:54 PM	
add userstat and meal plan key	lad94220	Today 12:54 PM	
hot fix the authentication repository	lad94220	Today 12:54 PM	

AI Usage Declaration

23127122 - Nguyễn Duy Thịnh

1. General Information

- **Tool name, version, and platform:** Gemini 3.1 Pro.
- **Access time:** March 26 2026.

2. Usage Details

- **Prompts used:**
 - "api design for infinite scroll social feed, I'm working on a spring boot project using rest api"

- "I need to refactor my UI. Please rewrite `item_feed_post.xml` and create `fragment_post_detail.xml` with these specs:
 1. Feed Style: Use an "X" (Twitter) layout (Avatar on left, content on right).
 2. Post Types: Implement 4 states using ViewStubs or a merging strategy:
 - Normal: Text + optional Image.
 - Shared: A nested "Post within a Post." If a post shares a share, flatten it to show only the original source.
 - Recipe: Card style with Prep Time, Difficulty, and a high-res cover image.
 - Article: Internal content card with a Title, 5-min read badge, and a short snippet.
 3. Detail View: X-style header for the post body.
 4. Comments: 2-level deep nested layout (Facebook/Old YouTube style).

Please provide the XML and the Java ViewHolder logic to switch between these types based on a 'PostType' enum."

- **Purpose of use:** Create the UI for 4 post types (Normal, Shared, Recipe, Article), find out how to implement the infinite scroll for the social feed.

3. Content Declaration

- **Which content was generated by AI:**
 - `include_post_content_article.xml`, `include_post_content_recipe.xml`, `include_post_content_shared.xml`, `include_post_content_normal.xml` – XML layout boilerplate for each post type.
- **Which content was done independently and how I edited and validated it:**
 - `SocialController.java`, `SocialService.java` (still working)
 - `FollowRepository.java`, `CommentRepository.java`, `PostRepository.java` (still working)
 - Entities/DTOs

4. Evidence

- **Prompts used:**

api design for infinite scroll social feed, I'm working on a spring boot project using rest api

23127205 - Lâm Hữu Khánh

1. General Information

- **Tool name, version, and platform:** Claude Opus 4.6 (Anthropic).

- **Access time:** From 19:00 March 23 to March 28, 2026.

2. Usage Details


- **Prompts used:**
 - "Hãy tưởng tượng bạn là 1 Senior Developer. Hãy đọc về cấu trúc thư mục của source code, về cách tổ chức và thực hiện layout. Từ đó hãy giúp tôi thực hiện các task sau:
 - Thực hiện tạo các giao diện như ảnh 1 (other profile), ảnh 2 (own profile), ảnh 3 (edit profile)"
- **Purpose of use:** Read project structure and design/create the UI for 3 profile screens (Other Profile, Own Profile, Edit Profile).

3. Content Declaration

- **Which content was generated by AI:**
 - `fragment_profile.xml` – XML layout boilerplate for Profile screen (RecyclerView for recipe list, CircleImageView for avatar, TextViews for user info, CardView styling).
 - `fragment_edit_profile.xml` – XML layout boilerplate for Edit Profile screen (TextInputLayouts for form fields, CircleImageView for editable avatar).
 - `bottom_sheet_avatar_picker.xml` – Bottom Sheet layout boilerplate with camera and gallery options.
 - `ProfileFragment.java` – Fragment boilerplate with ViewBinding, lifecycle setup, and RecyclerView initialization.
 - `EditProfileFragment.java` – Fragment boilerplate with ViewBinding and form field references.
- **Which content was done independently and how I edited and validated it:**
 - Implemented Bottom Sheet avatar picker using `ActivityResult API` (`registerForActivityResult`) with camera `Intent` and gallery picker in `EditProfileFragment`.
 - Integrated `ProfileTabAdapter` (ViewPager2) for Own Profile screen with two tabs: "My Recipes" and "Saved".
 - Customized fragment layouts to match the dark/navy theme used in other screens of the app.

4. Evidence

- **Prompts used:**



23127326 - Lê Mai Hoài Bảo

Prompt 1: "Implement the feature to view recipe details (ingredients, quantities, etc.)"

1. General Information

- **Tool name, version, and platform:** Claude Opus (Anthropic).
- **Access time:** 17:00 March 28, 2026.

2. Usage Details

- **Prompts used:** Implement a UI to view recipe details as shown above using the API from the backend: GET api/recipes/{id}. Note that the Home Feed is not yet complete. Find a way to view the recipe detail page without the Home Feed. Once the Home Feed is complete, we will add the navigation.

3. Content Declaration

- **Which content was generated by AI:**
 - **DTO / Model Layer:** `RecipeDetailResponse.java` – wraps API response (`success`, `message`, `data`); `RecipeDetail.java` – recipe model (title, author, difficulty, kcal, cover image, ingredients, steps); `Ingredient.java` – ingredient with quantity + unit formatting; `CookingStep.java` – step with `stepNumber`, `instruction`, `durationSeconds`, `imageUrl`; `RecipeType.java` – meal type enum (breakfast, lunch, etc.).
 - **Data Layer:** `RecipeDetailRepository.java` – fetches from GET /api/recipes/{id}, caches result in `MemoryCacheStore`.
 - **Presentation Layer:** `RecipeDetailViewModel.java` – MVVM with `LiveData<RecipeDetail>`, `LiveData<Boolean>` loading, `LiveData<String>` error; `RecipeDetailFragment.java` – binds data, handles Like/Save/Share/Voice Mode, navigates back; `IngredientAdapter.java` – checkboxable ingredient list adapter; `InstructionAdapter.java` – numbered steps with timer pill buttons.
 - **Layouts:** `fragment_recipe_detail.xml` – full recipe detail UI (hero image → actions → info panel → ingredients → instructions); `item_ingredient.xml` – checkbox + name row; `item_instruction.xml` – numbered step + timer pill.


- **Drawables:** `bg_checkbox_circle.xml` – orange outline/checked circle selector; `bg_timer_pill.xml` – orange-tinted pill for timer; `bg_trending_badge.xml` – orange pill badge; `gradient_bottom_dark.xml` – hero image gradient overlay.
- **Files Modified:** `ApiService.java` – added `GET recipes/{id}` endpoint; `nav_graph.xml` – added `recipeDetailFragment` with `recipeId: long` arg and navigation actions from `feedFragment`, `suggestionFragment`, `mealPlannerFragment`; `MainActivity.java` – hides bottom nav on recipe detail screen; `SuggestRecipeAdapter.java` – added `OnRecipeClickListener`, triggers navigation on item click; `SuggestionRecipe.java` – passes listener, added `navigateToRecipeDetail()` method.

- **Which content was done independently and how I edited and validated it:**

- Run app and navigate to recipe detail screen via hardcoded recipe ID (since Home Feed is not complete). Verify UI matches design mockup, data loads correctly from API, and interactions (like/save/share/voice mode) work as expected.

4. Evidence

- **Prompts used:**



Prompt 2: "Implement timer functionality for cooking steps"

1. General Information

- **Tool name, version, and platform:** Claude Opus (Anthropic).
- **Access time:** 15:00 March 28, 2026.

2. Usage Details

- **Prompts used:** Implement timer functionality for cooking steps.


3. Content Declaration

- **Which content was generated by AI:**
 - **Entity:** `CookingStep.java` – POJO replacing `List<String>` with structured step data (`stepNumber`, `instruction`, `durationSeconds`, `imageUrl`); `StepTimerResponse.java` – response DTO for the timer endpoint, includes `formattedDuration` (e.g. "8 min", "2 min 30 sec").
 - **Database Migration:** `db/changelog/20260328-000000-migrate-steps-to-cooking-step-format.yaml` – one-time migration that auto-converts all existing `["step text", ...]` arrays to the new `[{"stepNumber":1,"instruction":"step text",...}]` format on startup.
 - **Modified Entities/DTOs:** `Recipe.java`, `CreateRecipeRequest.java`, `UpdateRecipeRequest.java`, `RecipeDetailDTO.java` – changed `List<String> steps` → `List<CookingStep> steps`.

- **Service Layer:** `RecipeService.java` – added `getStepTimer(recipeId, stepNumber)` + `formatDuration()` helper.
- **Controller:** `RecipeController.java` – added `GET /api/recipes/{recipeId}/steps/{stepNumber}/timer` endpoint.
- **Mock Data Migration:** `db/changelog/20260308-184700-add-mock-data.yaml` – rewrote all 5 sample recipes with `CookingStep` JSON including realistic `durationSeconds`.
- **Which content was done independently and how I edited and validated it:**
 - Ran the one-time migration on existing database to verify backward compatibility and correct data transformation.
 - Test API endpoint with Postman to ensure correct timer formatting based on `durationSeconds` (e.g. 480 → "8 min", 150 → "2 min 30 sec").

4. Evidence

- **Prompts used:**



The screenshot shows a dark-themed code editor. At the top, there is a tab labeled "</> Bash tool output (zf198w)". Below the tab, the text "Implement timer functionality for cooking steps." is visible. At the bottom of the editor, the text "formatDuration() helper" is partially visible.

Prompt 3: "Develop hands-free cooking mode using SpeechRecognizer API"

1. General Information

- **Tool name, version, and platform:** Claude Opus (Anthropic).
- **Access time:** 16:00 March 28, 2026.

2. Usage Details

- **Prompts used:** Implement hands-free cooking mode using SpeechRecognizer API in Backend

3. Content Declaration

- **Which content was generated by AI:**
 - Entity/Enum: `VoiceCommandType.java` – enum with 11 command intents (`NEXT_STEP`, `TIMER_START`, `READ_INGREDIENTS`, etc.).
 - Request DTO: `VoiceCommandRequest.java` – request DTO with `recipeId`, `raw command`, `currentStepNumber`, `timer state`.
 - Response DTOs: `IngredientDTO.java` – ingredient DTO with `ttsText` builder (e.g. "2 cloves of garlic"); `CookingStepDTO.java` – step DTO with `ttsText` (e.g. "Step 3. Fry the onions for 8 minutes."); `TimerDTO.java` – timer action DTO: `START/PAUSE/RESUME/STOP` with seconds and TTS text; `CookingModeResponse.java` – unified response with `ttsText`, `stepData`, `timerInfo`, `ingredients`, etc.
 - Service Layer: `CookingModeService.java` – interface with `processCommand()`, `parseCommand()`; `CookingModeServiceImpl.java` – full implementation: keyword matching, step navigation, timer handling, ingredient queries.


- Controller: `CookingModeController.java` – REST controller with Swagger `@Tag` + `@Operation` docs; endpoint `POST /api/cooking-mode/command` (JWT-authenticated, requires valid `recipeId`).

- **Which content was done independently and how I edited and validated it:**

- Tested the endpoint with swagger-ui using various voice commands (e.g. "next step", "start timer", "read ingredients") to verify correct intent parsing and TTS response generation.

4. Evidence

- **Prompts used:**

A screenshot of a code editor with a dark theme. At the top, there is a tab labeled "</> Recipe.java". Below the tab, the text "Implement hands-free cooking mode using SpeechRecognizer API in Backend" is visible.

```
</> Recipe.java
```

```
Implement hands-free cooking mode using SpeechRecognizer API in Backend
```

23127357 - Lê Anh Duy

1. General Information

- **Tool name, version, and platform:** Gemini 3.1 Pro Preview, ChatGPT 5.1, Anthropic Claude Sonet 4.6
- **Access time:** From 22/03/2026 to 28/03/2026.

2. Usage Details

- **Purpose of use:**
 - To generate the mock data.
 - To fix the authentication repository error.
 - To generate the UI layout for the Meal Plan and User State features.

Failed to initialize EncryptedSharedPreferences

```
1,1,Garlic Butter Pasta,Simple weeknight pasta with garlic and
butter.,EASY,PUBLISHED,,2026-03-23 14:30:51.315364 +00:00,2026-03-
24 08:49:42.029540 +00:00,"[{""name"": ""Spaghetti"", ""unit"":
""GRAM"", ""quantity"": 200.0}, {""name"": ""Garlic"", ""unit"": ""PIECE"",
""quantity"": 4.0}, {""name"": ""Butter"", ""unit"": ""TABLESPOON"",
""quantity"": 2.0}]",[""Boil pasta until al dente.""", ""Saute garlic in
butter.""", ""Toss pasta with garlic butter and serve."""],255,2
```

please add more samples using db changelog for me. about 10 samples for each types

3. Content Declaration

- **Which content was generated by AI:**
 - The UI layout: `fragment_user_stat_setup.xml`, `UserStatSetupFragment.java`, `UserStatSetupViewModel.java`.
 - The mock data for Meal Plan.
 - The fix for the authentication repository error.

Tasks Planned for Next Week

23127122 - Nguyễn Duy Thịnh

- Finish implementing feature group for social feed.
- Implement feature group for artical creation and sharing.

23127205 - Lâm Hữu Khánh

- Implement API for Edit personal information.
- Binding the API Profile to UI
- Implement API for Notification

23127326 - Lê Mai Hoài Bảo

- Implement UI for create recipe.
- Implement UI for edit recipe.
- Implement UI for delete recipe.
- Implement UI for search results.

23127357 - Lê Anh Duy

Issues