Su2025MATH4991 – Chpt 6 Mk2v2

Archimedes of Syracuse: Mechanics, Infinity, and the Geometry of Imagination

Mr. Harley Caham Combest

May 2025

I. Cultural Invocation

- **Civilization**: Hellenistic Syracuse and Alexandria
- **Time Period**: ˜287–212 BCE
- **Roles**: Mathematician, Physicist, Engineer, Inventor, Astronomer

Opening Statement:
Archimedes did not just extend geometry — he exploded it. In the middle of a war, he calculated volumes no one had imagined. In a bathtub, he reshaped hydrostatics. He worked at the edge of finitude, trying to square the infinite with rigor. This is mathematics as physical intuition made proof.

II. Problem–Solution Cycles

Problem 1: Can a dead weight balance thought?

Topic: The Law of the Lever

- **Historical Challenge**: Why do some weights balance, and others tip the scale? Aristotle speculated; Archimedes proved.
- **Archimedean Breakthrough**: Using a postulate of symmetry, he deduced the Law of the Lever: *weights balance when they are inversely proportional to their distances from the fulcrum.*
- **Key Insight**: Not motion, but balance. Not forces, but geometry.



FIG. 6.1

FIG. 6.1 — A balanced lever with equal weights placed symmetrically. Archimedes uses geometric symmetry to derive the conditions for equilibrium.

Meta-Realization: Mathematics can explain physical reality not by simulating it, but by abstracting it.

Problem 2: Why does a stone float or sink?

Topic: Hydrostatics and Buoyancy

- **Legend**: Archimedes leaps from a bath shouting *Eureka!*. But what was the real insight?
- **Mathematical Principle**: A body submerged in a fluid displaces an amount of fluid equal to its own weight — if it floats.
- **Scientific Contribution**: Archimedes did not merely observe buoyancy — he derived it from principles of pressure and equilibrium.

Teaching Note: This is perhaps the first formulation of a *physical law* derived from mathematical reasoning.

Meta-Realization: Nature floats on number. Physical phenomena obey laws not just observable, but provable.





Problem 3: How do you count the sand in the universe?

Topic: The Sand-Reckoner and Number Systems

- **Philosophical Dilemma**: The Greeks lacked a system for naming extremely large numbers — their mathematics topped out around a "myriad" (10,000).
- **Archimedean Leap**: In the *Sand-Reckoner*, Archimedes introduced a recursive notation system powerful enough to name numbers like $10^{(8 \cdot 10^8)}$.
- **Astronomical Context**: He used this to calculate how many grains of sand would fill a universe large enough to accommodate the heliocentric model of Aristarchus — a world that dwarfed the Earth.

Orders Within Orders:

To do this, Archimedes grouped numbers into "orders," each representing a new layer of magnitude. One order could express up to a myriad-myriads. Then he built "periods" from orders — a structure of exponential stacking.

This was not just big arithmetic — it was the architecture of scale.

Meta-Realization: The infinite begins not in space, but in notation. Naming large things is the first step in measuring them.

Problem 4: How can you get closer and closer...and be exact?

Topic: Measurement of the Circle

- **Mathematical Problem**: What is the ratio of a circle's circumference to its diameter?
- **Archimedean Algorithm**: Use regular polygons with doubling sides — from a hexagon to a 96-gon — to enclose the circle.
- **Numerical Result**: He trapped π between $\frac{223}{71}$ and $\frac{22}{7}$, the best estimate in antiquity.

Geometric Limits Before Calculus:
With every new polygon, the approximation tightens. This is a method of convergence — long before the formal concept of a limit existed. Archimedes found a way to approach the infinite step by step, using only geometry.



FIG. 6.3 — Doubling-sided polygons (from hexagon to 96-gon) sandwich the true circle, narrowing bounds on π.



Meta-Realization: Approximation is not failure — it is method. The infinite can be approached through reasoned steps.

Problem 5: Can a curve square a circle or trisect an angle?

Topic: On Spirals

- **Invented Curve**: The spiral $r = a\theta$ becomes a tool for construction beyond straightedge and compass.
- **Construction Utility**: The spiral enables the trisection of angles and squaring of circles.
- **Kinematic Insight**: Archimedes used double motion (radial + rotational) to find tangents — anticipating velocity vector analysis.



FIG. 6.2

FIG. 6.2 — Spiral-based trisection. A dynamic point traces the spiral while its base rotates uniformly.

Meta-Realization: Movement creates shape. Shape enables thought. From kinematics, Archimedes distilled geometry.

Problem 6: What's the area under a curved sky?

Topic: Quadrature of the Parabola

- **Problem**: What is the area under a parabolic arc?
- **Solution**: Archimedes proves it equals $\frac{4}{3}$ the triangle with same base and height.
- **Infinite Series**: He constructs a converging geometric series of inscribed triangles.



FIG. 6.4

FIG. 6.4 — Recursive triangle approximation of a parabolic segment. The total area forms a geometric series.

Meta-Realization: Infinity can be reasoned about without being reached. This is proto-calculus in rigorous geometric dress.

Problem 7: Can you measure a 3D curved space?

Topic: Conoids and Spheroids

- **Goal**: Find volumes of solids like ellipsoids and paraboloids.
- **Technique**: Use slicing and bounding cylinders to compare volumes by exhaustion.
- **Contribution**: Archimedes effectively creates solid integration techniques — before the concept of limit.



FIG. 6.5

FIG. 6.5 — Grid slices through a curved solid allow upper and lower bounds for volume estimation.

Meta-Realization: The third dimension is no barrier. Geometric imagination can reach into the solid and carve truth.

Problem 8: What shape did Archimedes want on his tomb?

Topic: On the Sphere and Cylinder

- **Result**: The volume of a sphere is $\frac{4}{3}\pi r^3$, and the surface area is $4\pi r^2$.
- **Tombstone Symbol**: Archimedes asked for a sphere inscribed in a cylinder — the ratio of volumes is 2:3.
- **Legacy**: This was his proudest result — a triumph of mathematical elegance and rigor.

On the Sphere and Cylinder



FIG. 6.6

FIG. 6.6 — Sphere inscribed in a cylinder. Volume and area results follow from comparing circular slices.

Meta-Realization: Mathematics leaves monuments. The sphere and cylinder were his — not just to describe, but to prove.

Problem 9: What's a "shoemaker's knife"?

Topic: The Arbelos in the Book of Lemmas

- **Definition**: The arbelos is the region bounded by three semicircles, forming a crescent-like shape.
- **Archimedean Result**: A circle drawn with diameter along the perpendicular from the cusp bisects the area of the arbelos.
- **Visual Insight**: Despite its complexity, the arbelos hides symmetry and equality beneath its curved boundary.



FIG. 6.7

FIG. 6.7 — The arbelos and the surprising equality of areas with a constructed circle.

Meta-Realization: Even an oddly-shaped region can have hidden structure. Geometry reveals equality where intuition does not.

Problem 10: Can you trisect an angle "by touch"?

Topic: Neusis and Mechanical Trisection

- **Classical Constraint**: Trisection is impossible with straightedge and compass alone.
- **Archimedean Response**: Introduce *neusis* — placing a fixed-length segment to meet two constraints simultaneously.
- **Result**: Using neusis, he produces a trisection via geometry and ingenuity.



FIG. 6.8

FIG. 6.8 — Archimedean trisection using a circle and insertion (neusis) of a length segment.

Meta-Realization: When rules are bent, understanding grows. Trisection with neusis shows how constraints inspire creativity.

Problem 11: How do you subtract angles before sine?

Topic: The Broken Chord Theorem

- **Configuration**: A chord split unevenly is bisected by a perpendicular from the arc's midpoint.
- **Insight**: This geometrically encodes the identity $\sin(x - y) = \sin x \cos y - \cos x \sin y$.
- **Anticipation**: A pre-trigonometric structure that mirrors what sine subtraction will become.



FIG. 6.9

FIG. 6.9 — The broken chord and its bisecting property, a geometric precursor to trigonometric identities.

Meta-Realization: Geometry was already doing trigonometry — it just didn't have the words yet.

Problem 12: What if the greatest proofs were warmups?

Topic: The Method — Balancing to Discover Area

- **Lost and Found**: Archimedes' *Method* was rediscovered in a palimpsest in 1906.
- **Core Idea**: Treat area as made of infinitesimal slices that balance like weights on a lever.
- **Discovery, Not Proof**: He used mechanical reasoning to guess results, then proved them geometrically elsewhere.



FIG. 6.10

FIG. 6.10 — A parabolic segment's area found by balancing slices about a fulcrum.



FIG. 6.11

FIG. 6.11 — Cross-sectional balancing of circular slices from cone, sphere, and cylinder.



FIG. 6.12

FIG. 6.12 — The intersecting cylinder volumes used to model solids and discover volume relationships.

Meta-Realization: Archimedes wasn't just solving problems. He was inventing methods — 2,000 years before calculus.

III. Civilizational Logic Summary

- **Core Principles**: Balance, infinitesimal reasoning, mechanical analogy, constructive geometry
- **Mathematical Identity**: The physical-geometric unification of math and nature
- **Truth as Understood**: What balances, what converges, what builds

IV. Closing Dialectic

Summary Statement:
Archimedes turned geometry into a science of matter and a philosophy of proof. He lived in a city at war, but his mind moved in perfect balance.

Exit Prompt:
You are Archimedes. The world is at war. The Romans are invading. But you are bent over a parabola, proving that its area is four-thirds that of its triangle. What does that say about what you believe math is for?