

## LDIF of user1 (user1.ldif)

version: 1

```
dn: uid=user1,cn=users,O=HCL,C=US
objectClass: top
objectClass: person
objectClass: organizationalPerson
objectClass: inetOrgPerson
cn: user1
sn: user1
mail: user1@example.com
uid: user1
userPassword:: e1NIQX1XNnBoNU1tNVB6OEdnaVVMYIBnekczN21qOWc9
aclEntry: group:CN=REMOTE-ACLUSERS,
CN=SECURITYGROUPS,SECAUTHORITY=DEFAULT:n
ormal:rsc:system:rsc:at.secAcctValid:rwsc:at.secPwdFailCountTime:rwsc:at.sec
cPwdFailures:rwsc:at.secPwdLastChanged:rwsc:at.secPwdLastFailed:rwsc:at.sec
PwdLastUsed:rwsc:at.secPwdUnlockTime:rwsc:at.secPwdValid:rwsc
aclEntry: group:CN=IVACLD SERVERS,
CN=SECURITYGROUPS,SECAUTHORITY=DEFAULT:nor
mal:rsc:system:rsc:at.userPassword:wc:at.secAcctValid:rwsc:at.secPwdFailCou
ntTime:rwsc:at.secPwdFailures:rwsc:at.secPwdLastChanged:rwsc:at.secPwdLastF
ailed:rwsc:at.secPwdLastUsed:rwsc:at.secPwdUnlockTime:rwsc:at.secPwdValid:r
wsc
aclEntry:
group:CN=SECURITYGROUP,SECAUTHORITY=DEFAULT:object:ad:normal:rwsc:
sensitive:rwsc:critical:rwsc:system:rsc
aclEntry: group:CN=ANYBODY:normal:rsc:system:rsc:restricted:rsc
aclPropagate: TRUE
aclSource: O=HCL,C=US
createTimestamp: 20130220175310.276000Z
creatorsName: CN=ROOT
entryOwner: access-id:CN=ROOT
entryOwner: group:CN=SECURITYGROUP,SECAUTHORITY=DEFAULT
hasSubordinates: FALSE
ibm-allGroups: cn=usergrp1,cn=groups,O=HCL,C=US
ibm-capabilitiesubentry: cn=ibm-capabilities,O=HCL,C=US
ibm-effectiveAcl: group:CN=ANYBODY:restricted:rsc:system:rsc:normal:rsc
ibm-effectiveAcl:
group:CN=SECURITYGROUP,SECAUTHORITY=DEFAULT:system:rsc:cri
tical:rwsc:sensitive:rwsc:normal:rwsc:object:ad
ibm-effectiveAcl: group:CN=IVACLD SERVERS,
CN=SECURITYGROUPS,SECAUTHORITY=DEF
AULT:at.secPwdValid:rwsc:at.secPwdUnlockTime:rwsc:at.secPwdLastUsed:rwsc:at
.secPwdLastFailed:rwsc:at.secPwdLastChanged:rwsc:at.secPwdFailures:rwsc:at.
```

```
secPwdFailCountTime:rwsc:at.secAcctValid:rwsc:at.userPassword:wc:system:rsc
:normal:rsc
ibm-effectiveAcl: group:CN=REMOTE-ACLUSERS,
CN=SECURITYGROUPS,SECAUTHORITY=D
EFAULT:at.secPwdValid:rwsc:at.secPwdUnlockTime:rwsc:at.secPwdLastUsed:rwsc:
at.secPwdLastFailed:rwsc:at.secPwdLastChanged:rwsc:at.secPwdFailures:rwsc:a
t.secPwdFailCountTime:rwsc:at.secAcctValid:rwsc:system:rsc:normal:rsc
ibm-entryChecksum: 107:6:9:4A9E3E37:9CA80847
ibm-entryChecksumOp: 94:5:5:590921D1:5C0B0DAA
ibm-entryUuid: ab6a2ad3-e6d7-48a5-a9bb-136e60a58bdb
ibm-replicationIsQuiesced: FALSE
ibm-replicationThisServerIsMaster: TRUE
modifiersName: CN=ROOT
modifyTimestamp: 20130220175510.057000Z
numSubordinates: 0
ownerPropagate: TRUE
ownerSource: O=HCL,C=US
subschemaSubentry: cn=schema
```

---

### **LDIF of group1 (group1.ldif):**

version: 1

```
dn: cn=group1,cn=groups,O=HCL,C=US
objectClass: top
objectClass: groupOfUniqueNames
cn: group1
uniqueMember: uid=user1,cn=users,O=HCL,C=US
aclEntry: group:CN=REMOTE-ACLUSERS,
CN=SECURITYGROUPS,SECAUTHORITY=DEFAULT:n
ormal:rsc:system:rsc:at.secAcctValid:rwsc:at.secPwdFailCountTime:rwsc:at.se
cPwdFailures:rwsc:at.secPwdLastChanged:rwsc:at.secPwdLastFailed:rwsc:at.sec
PwdLastUsed:rwsc:at.secPwdUnlockTime:rwsc:at.secPwdValid:rwsc
aclEntry: group:CN=IVACLD SERVERS,
CN=SECURITYGROUPS,SECAUTHORITY=DEFAULT:nor
mal:rsc:system:rsc:at.userPassword:wc:at.secAcctValid:rwsc:at.secPwdFailCou
ntTime:rwsc:at.secPwdFailures:rwsc:at.secPwdLastChanged:rwsc:at.secPwdLastF
ailed:rwsc:at.secPwdLastUsed:rwsc:at.secPwdUnlockTime:rwsc:at.secPwdValid:r
wsc
aclEntry:
group:CN=SECURITYGROUP,SECAUTHORITY=DEFAULT:object:ad:normal:rwsc:
sensitive:rwsc:critical:rwsc:system:rsc
aclEntry: group:CN=ANYBODY:normal:rsc:system:rsc:restricted:rsc
```

aclPropagate: TRUE  
aclSource: O=HCL,C=US  
createTimestamp: 20130220180046.026000Z  
creatorsName: CN=ROOT  
entryOwner: access-id:CN=ROOT  
entryOwner: group:CN=SECURITYGROUP,SECAUTHORITY=DEFAULT  
hasSubordinates: FALSE  
ibm-allMembers: uid=user1,cn=users,O=HCL,C=US  
ibm-capabilitiesubentry: cn=ibm-capabilities,O=HCL,C=US  
ibm-effectiveAcl: group:CN=ANYBODY:restricted:rsc:system:rsc:normal:rsc  
ibm-effectiveAcl:  
group:CN=SECURITYGROUP,SECAUTHORITY=DEFAULT:system:rsc:critical:rwsc:sensitive:rwsc:normal:rwsc:object:ad  
ibm-effectiveAcl: group:CN=IVACLD SERVERS,  
CN=SECURITYGROUPS,SECAUTHORITY=DEF  
AULT:at.secPwdValid:rwsc:at.secPwdUnlockTime:rwsc:at.secPwdLastUsed:rwsc:at.  
.secPwdLastFailed:rwsc:at.secPwdLastChanged:rwsc:at.secPwdFailures:rwsc:at.  
secPwdFailCountTime:rwsc:at.secAcctValid:rwsc:at.userPassword:wc:system:rsc  
:normal:rsc  
ibm-effectiveAcl: group:CN=REMOTE-ACLUSERS,  
CN=SECURITYGROUPS,SECAUTHORITY=D  
EFAULT:at.secPwdValid:rwsc:at.secPwdUnlockTime:rwsc:at.secPwdLastUsed:rwsc:  
at.secPwdLastFailed:rwsc:at.secPwdLastChanged:rwsc:at.secPwdFailures:rwsc:a  
t.secPwdFailCountTime:rwsc:at.secAcctValid:rwsc:system:rsc:normal:rsc  
ibm-entryChecksum: 66:3:4:E40A1EF8:0DB4009E  
ibm-entryChecksumOp: 94:5:5:413C20BA:44FE0C9B  
ibm-entryUuid: 0044f8f6-5eb3-49d7-b257-b025616f8e3b  
ibm-replicationIsQuiesced: FALSE  
ibm-replicationThisServerIsMaster: TRUE  
modifiersName: CN=ROOT  
modifyTimestamp: 20130220180046.026000Z  
numSubordinates: 0  
ownerPropagate: TRUE  
ownerSource: O=HCL,C=US  
subschemaSubentry: cn=schema