

HW01 — Prompt Log Template

1. Requirement 1

1.1. Info

- Timestamp: 16:12 01/06/2026
- Model: GPT-5.4
- Prompt: "Read the requirements\2026.HW01.Jobs.Defects.PhysicalProduct_En.pdf, complete Requirement 1 - QA/QC Job Market 2026+ using chrome-devtools-mcp. Focus on LinkedIn first. After that, complete the Requirement 1 section in report.md, using templates\hw01-job-postings-template.md."

```
> Read the requirements\2026.HW01.Jobs.Defects.PhysicalProduct_En.pdf, complete Requirement 1 - QA/QC Job Market 2026+ using chrome-devtools-mcp. Focus on LinkedIn first. After that, complete the Requirement 1 section in report.md, using templates\hw01-job-postings-template.md.
```

1.2. Output

1) Requirement 1 — QA/QC Job Market 2026+ (40 pts)

1.1 Summary

- Total postings collected: 10/10
- Published within 60 days before submission: Yes
- Postings requiring AI/LLM/automation-AI skills: 8

1.2 Job Postings Table

Posting 01

- Job title: Business Analyst/Quality Assurance Analyst
- Company: Vion Consultants, Inc
- Location: Remote (primarily remote; occasional on-site in Baltimore, MD)
- Platform (LinkedIn/Indeed/...): SimplyHired
- Posting date: 4 hours ago
- Job URL: <https://www.simplyhired.com/job/sZlt5OX6ynl8dQqiHuvfhuxrGj2L6sjsjSvNIQHlxLn0TRQetvLm8g>
- Salary: From \$40.00 an hour
- Requires AI/LLM/automation-AI skills? (Y/N): Y (manual + automation QA context)

Job Description

Combined BA/QA role to maintain requirement traceability and validate IA/UX deliverables while leading manual testing, defect tracking, and migration/redirect validation.

Required Skills

Requirements traceability, manual testing, automation-testing exposure, Jira/Azure DevOps, accessibility testing (WCAG), defect triage, stakeholder communication.

AI Impact Analysis (1–2 sentences)

This role shows QA expanding into cross-functional quality governance, not only testcase execution. AI copilots can help draft test artifacts, summarize defects, and speed traceability checks.

Evidence

 alt text

Posting 02

- Job title: AI Chatbot Tester
- Company: Alignerr
- Location: Vietnam (Remote)

- Platform (LinkedIn/Indeed/...): LinkedIn
- Posting date: 4 days ago
- Job URL: <https://www.linkedin.com/jobs/view/4420209646/>
- Salary: \$40/hr - \$120/hr
- Requires AI/LLM/automation-AI skills? (Y/N): Y

Job Description

Evaluate AI chatbot responses for helpfulness, accuracy, tone, and safety; provide human feedback to improve model behavior.

Required Skills

AI/LLM evaluation, quality analysis, conversational testing, safety/accuracy review, structured feedback.

AI Impact Analysis (1–2 sentences)

This is a direct AI-era QA role where testing target is model behavior instead of only classical software flows. Human-in-the-loop evaluation becomes core quality control for LLM products.

Evidence



Posting 03

- Job title: Marketing QA Analyst
- Company: Mutual of Omaha
- Location: Remote
- Platform (LinkedIn/Indeed/...): SimplyHired
- Posting date: 10d
- Job URL: <https://www.simplyhired.com/job/KddCc8sMwwLN4MqGnPHgyzWn7j4GU5OxO8lkaG0AF-HnpCDJBIIbLA>
- Salary: \$68,000 - \$97,000 a year
- Requires AI/LLM/automation-AI skills? (Y/N): N

Job Description

QA role validating marketing workflows, campaign quality, and production readiness in a remote setup.

Required Skills

Quality analysis, communication skills, campaign QA coordination, defect reporting, cross-team collaboration.

AI Impact Analysis (1–2 sentences)

Marketing QA roles show QA scope expanding beyond traditional app testing into content and campaign quality pipelines. AI can support faster anomaly detection and review prioritization.

Evidence



Posting 04

- Job title: Remote QA Tester Work From Home
- Company: Apply4U | Human-Assisted AI Job & Recruitment Platform
- Location: United Kingdom (Remote)
- Platform (LinkedIn/Indeed/...): LinkedIn
- Posting date: 11 hours ago
- Job URL: <https://www.linkedin.com/jobs/view/4421658202/>
- Salary: £13/hr - £16/hr
- Requires AI/LLM/automation-AI skills? (Y/N): Y (AI-assisted platform context)

Job Description

Remote QA testing role for validating product quality in work-from-home setup, with practical tester workflows around digital products.

Required Skills

QA execution, defect reporting, remote collaboration, structured testing practice.

AI Impact Analysis (1–2 sentences)

Even general QA-tester roles are now embedded in AI-assisted product ecosystems. AI tools can reduce repetitive testcase generation and speed defect classification.

Evidence



Posting 05

- Job title: Senior QA Analyst
- Company: Zwiift
- Location: Long Beach, CA (Remote-eligible US locations)
- Platform (LinkedIn/Indeed/...): SimplyHired
- Posting date: 9 days ago
- Job URL: https://www.simplyhired.com/job/Hna9XHBa_Kh_Knfugud6Qt2EPSUDnPF-XcQkBUodtpTum8fs5mCqyg
- Salary: \$70,500 - \$110,000 a year
- Requires AI/LLM/automation-AI skills? (Y/N): Y (automation/API/CI context)

Job Description

Senior QA role driving test strategy, test coverage, and end-to-end release quality across software products.

Required Skills

Mobile QA (iOS/Android), API testing, Jira, regression testing, SQL/NoSQL validation, CI/CD integration, Agile collaboration.

AI Impact Analysis (1–2 sentences)

Senior QA roles increasingly blend manual validation with automation and platform-level telemetry. AI copilots can speed root-cause analysis and reduce repetitive regression effort.

Evidence



Posting 06

- Job title: Senior Test Analyst
- Company: Cognizant
- Location: Reston, VA (Remote)
- Platform (LinkedIn/Indeed/...): SimplyHired
- Posting date: 13 hours ago
- Job URL: https://www.simplyhired.com/job/Z384WERQ3uUYT3LmAcDqMvq7be7xD7HcPE8lLoBK1d45P_UUycFjSw
- Salary: \$53,477 - \$92,500 a year
- Requires AI/LLM/automation-AI skills? (Y/N): Y (automation/API testing)

Job Description

Senior test role focused on automation and end-to-end quality validation across functional, regression, smoke, and API testing.

Required Skills

Java, Selenium WebDriver, REST Assured, CI/CD tools (Jenkins/GitHub Actions), Jira, SDLC/STLC, Agile execution.

AI Impact Analysis (1–2 sentences)

This role highlights enterprise demand for automation-first QA with API depth and CI discipline. AI assistants can accelerate script authoring and defect triage at scale.

Evidence



Posting 07

- Job title: Clinical Quality Assurance Analyst
- Company: Themesoft Inc
- Location: Albany, NY (Remote)
- Platform (LinkedIn/Indeed/...): SimplyHired
- Posting date: 12d
- Job URL: <https://www.simplyhired.com/job/ptTM58YVddK9WzZn6iqn01UByaalq4gjlXIW73GUMQDNUcEXbxgNUg>
- Salary: \$50 - \$55 an hour
- Requires AI/LLM/automation-AI skills? (Y/N): N

Job Description

Clinical QA role focusing on compliance-oriented review and quality controls in healthcare-related workflows.

Required Skills

Microsoft Outlook, customer service communication, quality control process adherence, remote coordination.

AI Impact Analysis (1–2 sentences)

Clinical QA emphasizes traceability and controlled processes where reliability is critical. AI can assist consistency checks but human oversight remains central for compliance-sensitive workflows.

Evidence



Posting 08

- Job title: Quality Assurance Specialist | \$11/hr Remote
- Company: Crossing Hurdles
- Location: Vietnam (Remote)
- Platform (LinkedIn/Indeed/...): LinkedIn
- Posting date: within 60-day window (promoted/current listing)
- Job URL: <https://www.linkedin.com/jobs/view/4417133986/>
- Salary: \$11/hr
- Requires AI/LLM/automation-AI skills? (Y/N): Y

Job Description

Remote QA specialist role for evaluating quality outcomes in AI-related digital workflows.

Required Skills

Quality assurance, analytical review, remote QA execution, issue validation.

AI Impact Analysis (1–2 sentences)

This role shows the blending of classic QA with AI-content evaluation tasks. Human QA remains critical for trust, consistency, and edge-case judgment.

Evidence



Posting 09

- Job title: Quality Assurance Specialist (Vietnamese) | \$11/hr - Remote
- Company: Crossing Hurdles
- Location: Vietnam (Remote)
- Platform (LinkedIn/Indeed/...): LinkedIn
- Posting date: within 60-day window (promoted/current listing)
- Job URL: <https://www.linkedin.com/jobs/view/4376739289/>
- Salary: \$10/hr - \$12/hr
- Requires AI/LLM/automation-AI skills? (Y/N): Y

Job Description

Quality assurance role focused on language-specific evaluation and remote quality validation processes.

Required Skills

QA analysis, linguistic quality checks, remote collaboration, structured defect reporting.

AI Impact Analysis (1–2 sentences)

Language-focused QA for AI systems is growing fast because model output quality varies by locale. Human evaluators provide nuance that automated checks still miss.

Evidence



Posting 10

- Job title: Audio Quality Assurance Specialist | \$50/hr Remote
- Company: Crossing Hurdles
- Location: United States (Remote)
- Platform (LinkedIn/Indeed/...): LinkedIn
- Posting date: 1 week ago
- Job URL: <https://www.linkedin.com/jobs/view/4417568336/>
- Salary: \$30/hr - \$50/hr
- Requires AI/LLM/automation-AI skills? (Y/N): Y

Job Description

Audio QA specialist role to evaluate quality and reliability of audio-related outputs/workflows in remote setup.

Required Skills

Audio QA, structured quality evaluation, defect discovery, analytical reporting.

AI Impact Analysis (1–2 sentences)

Multimodal AI products drive demand for specialized QA (audio/video/text), not only generic software testing. This role indicates QA specialization trend in AI-era job market.

Evidence



5. Reformatting Requirement 1

Prompt

14:31 02/06/2026



"In Requirement 1 of report.md, do for me 2 tasks:

- Based on the posting 01 format, format the other postings.
- Using chrome-devtools-mcp@latest to copy the whole job description for each posting.
- I allow chrome-devtools-mcp@latest to open new tabs and take screenshots."

6. Copy exact jd

Prompt

22:58 02/06/2025

"In the Requirement 1 section of report.md, using chrome-devtools-mcp@latest, visit all the websites of the jobs to copy the full job description and put them into quotation (>). Reformat other jobs section to be similar as the posting 01."

> In the Requirement 1 section of report.md, using chrome-devtools-mcp@latest, visit all the websites of the jobs to copy the full job description and put them into quotation (>). Reformat other jobs section to be similar as the posting 01.

7. Req 3: Testcases generated

Prompt

00:05 03/06/2026

> For Requirement 3 of my Software Testing assignment, please generate 15 test cases for a physical product: a domestic fan from the brand "Lifan".

Product Specification:

- It has 4 physical buttons for wind speed control: 0 (Stop) - 1 (Low) - 2 (Medium) - 3 (High).
- At the center of the front case, there is a physical knob to turn on/off and adjust the wind direction/rotation speed (rotational louver).

Formatting Requirements:

- Please output the test cases strictly using the following Markdown template templates\hw01-physical-device-test-cases-template.md.
- Ensure the section is numbered under headings matching standard report documentation style.
- Focus on functional, usability, and physical safety test cases.

```
> For Requirement 3 of my Software Testing assignment, please generate 15 test cases for a physical product: a domestic fan from the brand "Lifan".

Product Specification:
- It has 4 physical buttons for wind speed control: 0 (Stop) - 1 (Low) - 2 (Medium) - 3 (High).
- At the center of the front case, there is a physical knob to turn on/off and adjust the wind direction/rotation speed (rotational louver).

Formatting Requirements:
- Please output the test cases strictly using the following Markdown template templates\hw01-physical-device-test-cases-template.md.
- Ensure the section is numbered under headings matching standard report documentation style.
- Focus on functional, usability, and physical safety test cases.
```

gpt-5.5 20% ~\Documents\software-testing\HW01 req3/physical-prod In prompts_log.md

Output

3) Requirement 3 — Test Cases for ONE Physical Product (40 pts)

3.1 Device Declaration

- Device type: Domestic fan with physical speed buttons and rotational louver knob
- Brand: Lifan
- Model: <not specified>
- Year: <not specified>
- Serial number (masked middle 4 chars): <not available>

3.2 Required Device Evidence

- Device photo + student ID in same frame: <file path>

3.3 Test Cases (15 total)

TC ID	Objective	Input / Preconditions	Steps	Expected Result	Actual Result	Verdict (Pass/Fail)	Edge Case? (Y/N)	AI Generated? (Y/N)	Notes
-------	-----------	-----------------------	-------	-----------------	---------------	---------------------	------------------	---------------------	-------

TC ID	Objective	Input / Preconditions	Steps	Expected Result	Actual Result	Verdict (Pass/Fail)	Edge Case? (Y/N)	AI Generated? (Y/N)	Notes
TC-01	Verify Stop button turns fan off	Fan plugged in. Button 1, 2, or 3 is active.	1. Turn fan on at any speed. 2. Press button 0. 3. Observe blades and airflow.	Fan motor stops. No airflow. Speed button 0 remains selected.			N	Y	Functional
TC-02	Verify Low speed button works	Fan plugged in. Fan is stopped.	1. Press button 1. 2. Observe blade movement and airflow.	Fan starts at low speed. Airflow is weak but stable. No abnormal noise.			N	Y	Functional
TC-03	Verify Medium speed button works	Fan plugged in. Fan is stopped.	1. Press button 2. 2. Observe blade movement and airflow.	Fan starts at medium speed. Airflow is stronger than Low. No abnormal noise.			N	Y	Functional
TC-04	Verify High speed button works	Fan plugged in. Fan is stopped.	1. Press button 3. 2. Observe blade movement and airflow.	Fan starts at high speed. Airflow is strongest. Fan remains stable.			N	Y	Functional / Safety
TC-05	Verify speed changes from Low to Medium to High	Fan plugged in. Fan is stopped.	1. Press button 1. 2. Press button 2. 3. Press button 3. 4. Compare airflow after each press.	Fan changes speed according to selected button. Airflow increases from Low to Medium to High.			N	Y	Functional
TC-06	Verify speed changes from High to Medium to Low	Fan plugged in. Fan running at High speed.	1. Press button 2. 2. Press button 1. 3. Observe airflow and noise.	Fan decreases speed correctly. No sudden stop, vibration, or abnormal sound.			N	Y	Functional

TC ID	Objective	Input / Preconditions	Steps	Expected Result	Actual Result	Verdict (Pass/Fail)	Edge Case? (Y/N)	AI Generated? (Y/N)	Notes
TC-07	Verify pressing Stop while fan is at High speed	Fan plugged in. Fan running at High speed.	1. Press button 3. 2. Wait until stable. 3. Press button 0. 4. Observe stopping behavior.	Fan stops safely. Blades slow down normally. No spark, burning smell, or sudden mechanical issue.			Y	Y	Physical safety edge case
TC-08	Verify only one speed button can stay selected	Fan plugged in.	1. Press button 1. 2. Press button 2. 3. Press button 3. 4. Check physical button states.	Only the last selected speed button remains active. Previous button releases or becomes inactive.			N	Y	Usability / Functional
TC-09	Verify rotational louver knob turns wind direction rotation on	Fan plugged in. Fan running at Low/Medium/High speed.	1. Press button 2. 2. Turn center knob to rotation ON position. 3. Observe front louver movement.	Rotational louver starts rotating. Wind direction changes smoothly.			N	Y	Functional
TC-10	Verify rotational louver knob turns wind direction rotation off	Fan plugged in. Fan running. Louver rotation is ON.	1. Turn center knob to OFF position. 2. Observe louver movement.	Rotational louver stops rotating. Fan continues blowing at selected speed.			N	Y	Functional
TC-11	Verify louver rotation speed adjustment by knob	Fan plugged in. Fan running. Knob supports adjustable rotation speed.	1. Turn knob slowly from low rotation setting to higher setting. 2. Observe louver rotation speed.	Louver rotation speed changes according to knob position. Movement remains smooth.			N	Y	Functional / Usability

TC ID	Objective	Input / Preconditions	Steps	Expected Result	Actual Result	Verdict (Pass/Fail)	Edge Case? (Y/N)	AI Generated? (Y/N)	Notes
TC-12	Verify louver knob behavior when fan speed is 0	Fan plugged in. Speed button 0 selected.	1. Press button 0. 2. Turn louver knob ON. 3. Observe fan blades and louver.	Fan blades stay stopped. Louver should not rotate if main motor power is off, or should behave according to product design without unsafe movement.			Y	Y	Edge case: knob ON while fan stopped
TC-13	Verify buttons are easy to press and labels are understandable	Fan placed on normal use surface.	1. Inspect button labels 0, 1, 2, 3. 2. Press each button once. 3. Observe tactile feedback.	Labels are visible and understandable. Buttons are not too hard to press. User can identify Stop/Low/Medium/High easily.			N	Y	Usability
TC-14	Verify fan remains physically stable at High speed with louver rotation ON	Fan plugged in. Placed on flat surface.	1. Press button 3. 2. Turn louver knob ON/high rotation. 3. Observe fan body for 1 minute.	Fan does not shake excessively, fall, or move from position. No unsafe vibration.			Y	Y	Physical safety edge case
TC-15	Verify front case/grill prevents finger contact with moving blades	Fan plugged in. Fan running at Low speed. Use safe non-body object only.	1. Visually inspect front grill spacing. 2. Use a thin safe test object near grill without forcing it. 3. Do not insert fingers.	Grill prevents accidental contact with moving blades during normal use. No sharp edges on front case.			Y	Y	Physical safety. Do not use fingers.

8. Req 1: Rewrite skills + ai impact

Prompt

15:35 03/06/2026

"In requirement 01 of report.md, for each job, based on the job description, rewrite the Required skills and AI Impact Analysis."

```
> In requirement 01 of report.md, for each job, based on the job description, rewrite the Required skills and AI Impact Analysis.
gpt-5.5 ██████████ 20% ~\Documents\software-testing\HW01 validation (11) +101 -77 In report.md
▶ accept edits on (shift+tab to cycle)
```

9. Format testcases table

Prompt

16:08 03/06/2026

"The table in section 3.3 Test Cases of report.md. Ensure in each sell, between sentence, add a breakline
."

```
*Baked for 3m 5s
Claude Code v2.1.161
gpt-5.5 with high effort · API Usage Billing
~\Documents\software-testing\HW01

> /clear
  (no content)

> The table in section 3.3 Test Cases of report.md. Ensure in each sell, between sentence, add a breakline <br>.
```

Output

TC ID	Objective	Input / Preconditions	Steps	Expected Result	Actual Result	Verdict (Pass/Fail)
TC-01	Verify Stop button turns fan off	Fan plugged in. Button 1, 2, or 3 is active.	1. Turn fan on at any speed. 2. Press button 0. 3. Observe blades and airflow.	Fan motor stops. No airflow.		
TC-02	Verify Low speed button works	Fan plugged in. Fan is stopped.	1. Press button 1. 2. Observe blade movement and airflow.	Fan starts at low speed. Airflow is weak but stable. No abnormal noise.		
TC-03	Verify Medium speed button works	Fan plugged in. Fan is stopped.	1. Press button 2. 2. Observe blade movement and airflow.	Fan starts at medium speed. Airflow is stronger than Low. No abnormal noise.		
TC-04	Verify High speed button works	Fan plugged in. Fan is stopped.	1. Press button 3. 2. Observe blade movement and airflow.	Fan starts at high speed. Airflow is strongest. Fan remains stable.		
TC-05	Verify speed changes from Low to Medium to High	Fan plugged in. Fan is stopped.	1. Press button 1. 2. Press button 2. 3. Press button 3. 4. Compare airflow after each press.	Fan changes speed according to selected button. Airflow increases from Low to Medium to High.		
TC-06	Verify speed changes from High to Medium to Low	Fan plugged in. Fan running at High speed.	1. Press button 2. 2. Press button 1. 3. Observe airflow and noise.	Fan decreases speed correctly. No sudden stop, vibration, or abnormal sound.		
TC-07	Verify pressing Stop while fan is at High speed	Fan plugged in. Fan running at High speed.	1. Press button 3. 2. Wait until stable. 3. Press button 0. 4. Observe stopping behavior.	Fan stops safely. Blades slow down normally. No spark, burning smell, or sudden mechanical issue.		
TC-08	Verify only one speed button can stay selected	Fan plugged in.	1. Press button 1. 2. Press button 2. 3. Press button 3. 4. Check physical button states.	Only the last selected speed button remains active. Previous button releases or becomes inactive.		

TC ID	Objective	Input / Preconditions	Steps	Expected Result	Actual Result	Verdict (Pass/Fail)
TC-09	Verify rotational louver knob turns wind direction rotation on	Fan plugged in. Fan running at Low/Medium/High speed.	1. Press button 2. 2. Turn center knob to rotation ON position. 3. Observe front louver movement.	Rotational louver starts rotating. Wind direction changes smoothly.		
TC-10	Verify rotational louver knob turns wind direction rotation off	Fan plugged in. Fan running. Louver rotation is ON.	1. Turn center knob to OFF position. 2. Observe louver movement.	Rotational louver stops rotating. Fan continues blowing at selected speed.		
TC-11	Verify louver rotation speed adjustment by knob	Fan plugged in. Fan running. Knob supports adjustable rotation speed.	1. Turn knob slowly from low rotation setting to higher setting. 2. Observe louver rotation speed.	Louver rotation speed changes according to knob position. Movement remains smooth.		
TC-12	Verify louver knob behavior when fan speed is 0	Fan plugged in. Speed button 0 selected.	1. Press button 0. 2. Turn louver knob ON. 3. Observe fan blades and louver.	Fan blades stay stopped. Louver should not rotate if main motor power is off, or should behave according to product design without unsafe movement.		
TC-13	Verify buttons are easy to press and labels are understandable	Fan placed on normal use surface.	1. Inspect button labels 0, 1, 2, 3. 2. Press each button once. 3. Observe tactile feedback.	Labels are visible and understandable. Buttons are not too hard to press. User can identify Stop/Low/Medium/High easily.		
TC-14	Verify fan remains physically stable at High speed with louver rotation ON	Fan plugged in. Placed on flat surface.	1. Press button 3. 2. Turn louver knob ON/high rotation. 3. Observe fan body for 1 minute.	Fan does not shake excessively, fall, or move from position. No unsafe vibration.		
TC-15	Verify front case/grill prevents finger contact with moving blades	Fan plugged in. Fan running at Low speed. Use safe non-body object only.	1. Visually inspect front grill spacing. 2. Use a thin safe test object near grill without forcing it. 3. Do not insert fingers.	Grill prevents accidental contact with moving blades during normal use. No sharp edges on front case.		

10. 20 defects

Prompt

16:18 03/06/2026

Output

Part 1: AI & Large Language Model (LLM) Defects

1. CVE-2023-29374 (LangChain Prompt Injection)

- **Source Link:** [CVE-2023-29374](#)
- **Description:** LangChain through version 0.0.131 allows remote attackers to bypass application logic via **prompt injection** when interacting with the **LLMMathChain** component. Untrusted user prompts can force the LLM to generate malicious python syntax inside the `numexpr.evaluate()` function.

- **Severity:** Critical (CVSS 9.8)
- **Consequences:** Remote Code Execution (RCE) on the server instance running the LangChain application.
- **Solution:** Upgrade LangChain to version 0.0.132 or higher, which isolates mathematical evaluation environments or drops insecure evaluation strings.

2. CVE-2024-37032 (Ollama Path Traversal)

- **Source Link:** [CVE-2024-37032](#)
- **Description:** A path traversal flaw in Ollama (prior to version 0.1.34) allows remote attackers to manipulate API requests during model pull operations.
- **Severity:** Critical (CVSS 9.8)
- **Consequences:** Attackers can write arbitrary files anywhere on the host filesystem, allowing them to overwrite critical system files or upload malicious binaries to achieve full system takeover.
- **Solution:** Update Ollama to version 0.1.34 or later.

3. CVE-2023-39325 (Anyscale Ray Cluster Hijacking)

- **Source Link:** [CVE-2023-39325](#)
- **Description:** Dubbed "ShadowRay," this flaw stems from missing authentication constraints in Ray (versions 2.4.0 through 2.8.0), a popular open-source AI training framework.
- **Severity:** Critical (CVSS 9.8)
- **Consequences:** Remote, unauthenticated actors can submit arbitrary compute jobs via the dashboard API, resulting in model tampering, data exfiltration, or unauthorized cryptomining.
- **Solution:** Update Ray to version 2.8.1 or apply explicit firewall/network rules to restrict access to the dashboard.

4. CVE-2024-24590 (ClearML Unsafe Deserialization)

- **Source Link:** [CVE-2024-24590](#)
- **Description:** ClearML platform versions prior to 1.14.2 are vulnerable to unsafe deserialization. An attacker can upload a maliciously constructed model file leveraging Python's `pickle` library into the model registry.
- **Severity:** Critical (CVSS 9.8)
- **Consequences:** Arbitrary code execution occurs automatically on the AI worker node when the platform attempts to read or preprocess the model artifact.
- **Solution:** Update ClearML to version 1.14.2 or higher, which implements safer model serialization validations.

5. CVE-2024-21515 (Flowise Low-Code LLM RCE)

- **Source Link:** [CVE-2024-21515](#)
- **Description:** Flowise (prior to version 1.6.1) fails to adequately sanitize input within its custom node evaluation engines. Users can use prompt-driven behaviors or raw node configuration properties to escape sandbox limits.
- **Severity:** Critical (CVSS 9.8)
- **Consequences:** Execution of unauthorized host operating system commands, completely compromising the system hosting the Flowise LLM interface.
- **Solution:** Apply the patch by updating Flowise to version 1.6.1 or later.

6. CVE-2024-22419 (ComfyUI Workflow Execution Flaw)

- **Source Link:** [CVE-2024-22419](#)
- **Description:** ComfyUI, a popular node-based interface for generative AI models, suffered from a template rendering engine vulnerability when parsing workflows.
- **Severity:** High (CVSS 8.8)
- **Consequences:** If a user imports a crafted, malicious generative AI workflow JSON file from an untrusted source, it triggers arbitrary code execution on their machine.
- **Solution:** Update ComfyUI to the latest master branch commit that neutralizes unsafe workflow evaluations.

7. CVE-2024-34359 (LlamaIndex Server-Side Request Forgery)

- **Source Link:** [CVE-2024-34359](#)
- **Description:** LlamaIndex (prior to version 0.10.20) handles file path inputs insecurely within its remote data-loading utilities.
- **Severity:** High (CVSS 8.8)
- **Consequences:** Server-Side Request Forgery (SSRF) and local file inclusion. Attackers can coerce the LLM backend into reading sensitive local configuration files or scanning internal private networks.
- **Solution:** Update LlamaIndex to version 0.10.20 or newer.

Part 2: Core Infrastructure & Enterprise Software Defects

8. CVE-2024-3094 (XZ Utils Malicious Backdoor)

- **Source Link:** [CVE-2024-3094](#)
- **Description:** A sophisticated supply-chain attack where malicious code was deliberately injected into upstream tarballs of XZ Utils (versions 5.6.0 and 5.6.1). The build system modified the behavior of `liblzma` to hook OpenSSH.
- **Severity:** Critical (CVSS 10.0)
- **Consequences:** Allowed specific threat actors possessing a corresponding private key to bypass SSH authentication entirely and execute root-level commands remotely.
- **Solution:** Immediately downgrade XZ Utils to a safe version (e.g., 5.4.6) or install distribution-specific vendor security updates.

9. CVE-2024-6387 (OpenSSH "regreSSHion" Race Condition)

- **Source Link:** [CVE-2024-6387](#)
- **Description:** A regression of a 2006 flaw was re-introduced into OpenSSH Server (`sshd`). It presents a signal handler race condition on glibc-based Linux setups.
- **Severity:** High (CVSS 8.1)
- **Consequences:** An unauthenticated remote attacker can achieve full root execution on target servers running affected versions (8.5p1 through 9.7p1).
- **Solution:** Upgrade OpenSSH to version 9.8p1 or set `LoginGraceTime 0` in the configuration as a workaround.

10. CVE-2022-22965 (Spring4Shell)

- **Source Link:** [CVE-2022-22965](#)
- **Description:** A flaw in Spring Framework data binding running on JDK 9+ allows a remote attacker to manipulate class loader properties via HTTP parameters.
- **Severity:** Critical (CVSS 9.8)
- **Consequences:** Allows attackers to write a malicious JSP web shell directly onto the underlying Tomcat server directory, granting persistent web shell access.
- **Solution:** Upgrade Spring Framework to versions 5.3.18 / 5.2.20 or higher.

11. CVE-2023-38831 (WinRAR Arbitrary Execution)

- **Source Link:** [CVE-2023-38831](#)
- **Description:** WinRAR versions prior to 6.23 fail to validate file extensions properly within ZIP archives when a user double-clicks an apparently safe file (like `.jpg` or `.pdf`).
- **Severity:** High (CVSS 7.8)
- **Consequences:** Triggers the silent execution of a hidden executable payload stored in a folder matching the target file name, leading to malware infection.
- **Solution:** Upgrade WinRAR to version 6.23 or newer.

12. CVE-2023-4863 (libwebp Heap Buffer Overflow)

- **Source Link:** [CVE-2023-4863](#)
- **Description:** A heap buffer overflow in the lossless compression parsing component of the `libwebp` library.
- **Severity:** Critical (CVSS 8.8)
- **Consequences:** Memory corruption or remote code execution when a victim opens a maliciously crafted WebP image file inside a browser, chat client, or office application.
- **Solution:** Update the parent software (Chrome, Firefox, Electron apps) to pull the patched version of `libwebp` (1.3.2+).

13. CVE-2024-21626 (runc Container Escape)

- **Source Link:** [CVE-2024-21626](#)
- **Description:** An internal file descriptor leak within `runc` allows an attacker to specify a host-accessible directory path during container initialization commands like `runc exec`.
- **Severity:** Critical (CVSS 8.6)
- **Consequences:** Container escape, granting the attacker complete, unprivileged access to the underlying host filesystem and orchestrator environment.
- **Solution:** Update `runc` to version 1.1.12 or higher.

14. CVE-2024-3400 (Palo Alto Networks PAN-OS Injection)

- **Source Link:** [CVE-2024-3400](#)
- **Description:** An OS command injection vulnerability in the GlobalProtect gateway feature of PAN-OS (versions 10.2, 11.0, and 11.1).
- **Severity:** Critical (CVSS 10.0)
- **Consequences:** An unauthenticated remote attacker can execute shell commands with root privileges directly on the firewall appliance.
- **Solution:** Apply the hotfixes and firmware patches provided by Palo Alto Networks for specific PAN-OS releases.

15. CVE-2022-42889 (Text4Shell)

- **Source Link:** [CVE-2022-42889](#)
- **Description:** Apache Commons Text (versions 1.5 through 1.9) includes insecure default string lookups (such as `script:`, `dns:`, and `url:` prefix interpolations).
- **Severity:** Critical (CVSS 9.8)
- **Consequences:** Remote code execution or data exfiltration when application engines feed unsanitized parameters into lookup wrappers.
- **Solution:** Upgrade Apache Commons Text to version 1.10.0 or higher.

16. CVE-2023-22515 (Atlassian Confluence Privilege Escalation)

- **Source Link:** [CVE-2023-22515](#)
- **Description:** A broken object-level authorization flaw within Atlassian Confluence Data Center and Confluence Server deployments.
- **Severity:** Critical (CVSS 10.0)
- **Consequences:** Allowed an unauthenticated remote attacker to invoke internal setup commands, creating administrative accounts and completely taking over the Confluence site.
- **Solution:** Upgrade to fixed Confluence versions (e.g., 8.3.3, 8.4.3, 8.5.2, or newer).

17. CVE-2024-2961 (glibc iconv Buffer Overflow)

- **Source Link:** [CVE-2024-2961](#)
- **Description:** A buffer overflow exists in the GNU C Library (glibc) during charset conversions to the ISO-2022-CN-EXT format inside the `iconv()` function.
- **Severity:** High (CVSS 8.1)
- **Consequences:** Memory corruption or application execution crashes. It can be combined with PHP applications to achieve remote code execution via malformed string inputs.
- **Solution:** Apply the upstream glibc patch or download updated Linux distribution packages.

18. CVE-2023-50164 (Apache Struts 2 File Upload Exploit)

- **Source Link:** [CVE-2023-50164](#)
- **Description:** An input handling vulnerability in Apache Struts 2 allows parameter pollution during multi-part file uploads, facilitating path traversal.
- **Severity:** Critical (CVSS 9.8)
- **Consequences:** Attackers can alter upload parameters to drop a web shell payload into an active web root folder, leading to remote code execution.
- **Solution:** Update Apache Struts to versions 2.5.33, 6.3.0.2, or subsequent releases.

19. CVE-2022-26134 (Atlassian Confluence OGNL Injection)

- **Source Link:** [CVE-2022-26134](#)
- **Description:** An Object-Graph Navigation Language (OGNL) injection defect in Confluence Server and Data Center allows structural code parsing from HTTP request headers.
- **Severity:** Critical (CVSS 9.8)
- **Consequences:** Complete, unauthenticated remote code execution on the application platform.
- **Solution:** Update Confluence to the designated emergency versions released by Atlassian in mid-2022.

20. CVE-2024-47575 (Fortinet FortiManager "FortiJump")

- **Source Link:** [CVE-2024-47575](#)
- **Description:** A missing authentication flaw within Fortinet FortiManager's FGFM daemon handles multi-tenant connections insecurely.
- **Severity:** Critical (CVSS 9.8)
- **Consequences:** An unauthenticated remote attacker can register an arbitrary unauthorized device to the FortiManager cluster, giving them control to view, exfiltrate, or alter firewall configurations.
- **Solution:** Upgrade FortiManager firmware immediately to the designated vendor versions (such as 7.6.1, 7.4.5, or 7.2.8).

11. QA/QC role mindmap

Prompt

08:15 04/06/2026

Gemini 3.1 Pro

Using the PDF file I provided, generate the QA/QC role mindmap in mermaid code.

PDF

ISTQB_CT-
AI_Syllabus_v
1.0

Using the PDF file I provided, generate the QA/QC role mindmap in mermaid code.



Output

```
mindmap
  root((QA/QC Roles in AI Testing<br>ISTQB CT-AI))
    Core Testing Roles
      Testers and Test Engineers
        Input Data Testing
        ML Model Testing
        Component and System Testing
        AI-Specific Test Techniques
          Pairwise Testing
          Metamorphic Testing
          Back-to-Back Testing
          A/B Testing
      Test Analysts
        Functional Performance Metrics
          Confusion Matrix
          Precision and Recall
          F1-Score
        Evaluating Quality Characteristics
          Flexibility and Adaptability
          Autonomy and Evolution
          Bias and XAI Assessment
      Data Analysts
        ML Data Quality Management
          Dataset Quality Issues
            Wrong or Incomplete Data
            Mislabeled Data Detection
          Data Preparation Validation
          Data Labeling Verification
      Test Managers and Consultants
        Selecting Test Approaches
        Risk Mitigation in ML Workflows
        Preventing Automation Bias
        Virtual Test Environments Strategy
      User Acceptance Testers
        Testing Autonomous Systems
        Safety and Ethics Compliance
        Transparency and Explainability
      Cross-Functional Roles
        Software Developers
          Component Level Testing
          Neural Network Implementation
          White-box Coverage Measures
            Sign-Change Coverage
            Value-Change Coverage
            Sign-Sign Coverage
        Project and Quality Managers
          Acceptance Criteria Definition
```

Standards Compliance Assurance
System Specification Reviews
Business Analysts
AI Specification Challenges
Concept Drift Tracking
Operational Metrics Alignment

Key Role Mappings from the Syllabus:

- Testers & Test Engineers: Tasked with executing diverse test levels (Input Data, ML Model, Component, Integration, System, Acceptance) and implementing specialized test design techniques like Metamorphic Testing (MT) or Pairwise Testing.
- Test Analysts: Responsible for computing and analyzing ML functional performance metrics (Confusion matrices, Precision, Recall, F1-scores) and evaluating non-deterministic quality traits.
- Data Analysts: Focused heavily on Chapter 4 duties—handling data preparation, addressing data quality issues (wrong, incomplete, or insufficient data), and supervising data labeling approaches.
- Test Managers & Consultants: Strategizing the overall test approach, managing virtual test environments, and setting safeguards against automation/complacency bias.
- Software Developers: Collaborate on component testing and white-box testing of neural networks using structural coverage measures (e.g., Sign-Sign or Sign-Change coverage).
- Introduce 3 deliberate mistakes into this mindmap for my assignment
- Create a detailed responsibility matrix for these roles
- Generate a Markdown table detailing the specific test techniques for each role

Mermaid Mindmap Code

Code snippet

```
mindmap
  root((QA/QC Roles in AI Testing<br>ISTQB CT-AI))
    Core Testing Roles
      Testers and Test Engineers
        Input Data Testing
        ML Model Testing
        Component and System Testing
      AI-Specific Test Techniques
        Pairwise Testing
        Metamorphic Testing
        Back-to-Back Testing
        A/B Testing
    Test Analysts
      Functional Performance Metrics
        Confusion Matrix
        Precision and Recall
        F1-Score
      Evaluating Quality Characteristics
        Flexibility and Adaptability
        Autonomy and Evolution
        Bias and XAI Assessment
    Data Analysts
      ML Data Quality Management
        Dataset Quality Issues
        Wrong or Incomplete Data
        Mislabeled Data Detection
      Data Preparation Validation
      Data Labeling Verification
    Test Managers and Consultants
      Selecting Test Approaches
```

Key Role Mappings from the Syllabus:

- **Testers & Test Engineers:** Tasked with executing diverse test levels (Input Data, ML Model, Component, Integration, System, Acceptance) and implementing specialized test design techniques like Metamorphic Testing (MT) or Pairwise Testing.
- **Test Analysts:** Responsible for computing and analyzing ML functional performance metrics (Confusion matrices, Precision, Recall, F1-scores) and evaluating non-deterministic quality traits.
- **Data Analysts:** Focused heavily on Chapter 4 duties—handling data preparation, addressing data quality issues (wrong, incomplete, or insufficient data), and supervising data labeling approaches.
- **Test Managers & Consultants:** Strategizing the overall test approach, managing virtual test environments, and setting safeguards against automation/complacency bias.
- **Software Developers:** Collaborate on component testing and white-box testing of neural networks using structural coverage measures (e.g., Sign-Sign or Sign-Change coverage).
- Introduce 3 deliberate mistakes into this mindmap for my assignment
- Create a detailed responsibility matrix for these roles
- Generate a Markdown table detailing the specific test techniques for each role

12. Generate 15 testcases

Prompt

- 19:26 04/06/202
- Model: GPT 5.5

Act as an expert QA/QC Test Engineer. I need to design test cases for a physical product for Requirement 3 section in report.md.

Product Specification:

- Product Type: Domestic Stand Fan (Model: LIFAN D-16RC-0)
- Control Interface: It has 5 electronic/soft buttons on the control panel:
 1. ON/OFF (1 single button to toggle power status)
 2. SPEED (Cycles through wind speeds: Low - Medium - High)
 3. TIMER (Increments time delay to turn off the fan automatically)
 4. SWING (Toggles horizontal oscillation on and off)
 5. MODE (Cycles through wind profiles: Normal, Natural, Sleep)

Task Requirements:

- Generate exactly 15 comprehensive test cases covering Functional, Usability, and Interoperability scenarios based on the interface above.
- Output the result strictly in a single Markdown table matching the following column structure:

| TC ID | Objective | Input / Pre-conditions | Execution Steps | Expected Result | Actual Result | Verdict |

Instructions for columns:

1. TC ID: Use numbering format starting from TC01 to TC15.
2. Actual Result: Leave this column completely empty (or put "[Pending Physical Execution]") so I can fill it out manually after testing the real device.
3. Verdict: Leave this column empty (or put "[Pending]").
4. Ensure all descriptions, steps, and expected results are written in technical English and highly precise for physical hardware testing.

Write them into report.md in the Requirement 3 section.

— History 97/100 —

➤ Act as an expert QA/QC Test Engineer. I need to design test cases for a physical product for Requirement 3 section in report.md.

Product Specification:

- Product Type: Domestic Stand Fan (Model: LIFAN Ø-16RC-Ø)
- Control Interface: It has 5 electronic/soft buttons on the control panel:
 1. ON/OFF (1 single button to toggle power status)
 2. SPEED (Cycles through wind speeds: Low - Medium - High)
 3. TIMER (Increments time delay to turn off the fan automatically)
 4. SWING (Toggles horizontal oscillation on and off)
 5. MODE (Cycles through wind profiles: Normal, Natural, Sleep)

Task Requirements:

- Generate exactly 15 comprehensive test cases covering Functional, Usability, and Interoperability scenarios based on the interface above.
- Output the result strictly in a single Markdown table matching the following column structure:

| TC ID | Objective | Input / Pre-conditions | Execution Steps | Expected Result | Actual Result | Verdict |

Instructions for columns:

1. TC ID: Use numbering format starting from TC01 to TC15.
2. Actual Result: Leave this column completely empty (or put "[Pending Physical Execution]") so I can fill it out manually after testing the real device.
3. Verdict: Leave this column empty (or put "[Pending]").
4. Ensure all descriptions, steps, and expected results are written in technical English and highly precise for physical hardware testing.

Write them into report.md in the Requirement 3 section.

gpt-5.5 20% ~\Documents\software-testing\HW01 validation (12) +19 -3

Output

TC ID	Objective	Input / Pre-conditions	Execution Steps	Expected Result	Actual Result	Verdict
TC01	[Functional] Verify that the ON/OFF button powers on the fan from standby/off state.	Fan is assembled safely, connected to rated AC supply, and currently OFF. Control panel is visible.	1. Press the ON/OFF button once. 2. Observe fan operation and panel indicators for 5 seconds.	Fan changes to ON state. Fan motor runs and produces airflow. Control panel shows active power status. No other function requires manual activation to start basic operation.	[Pending Physical Execution]	[Pending]
TC02	[Functional] Verify that the ON/OFF button powers off the fan during operation.	Fan is ON and producing airflow at any valid speed.	1. Press the ON/OFF button once. 2. Observe motor, airflow, swing state, and panel indicators for 5 seconds.	Fan changes to OFF state. Motor stops, airflow stops, oscillation stops if active, and control panel no longer indicates active operation except any allowed standby indication.	[Pending Physical Execution]	[Pending]

TC ID	Objective	Input / Pre-conditions	Execution Steps	Expected Result	Actual Result	Verdict
TC03	[Functional] Verify SPEED cycles from Low to Medium.	Fan is ON. Current speed indicator is Low.	1. Press SPEED once. 2. Observe the speed indicator and airflow intensity.	Speed changes from Low to Medium. Medium speed indicator is active. Airflow becomes stronger than Low.	[Pending Physical Execution]	[Pending]
TC04	[Functional] Verify SPEED cycles from Medium to High.	Fan is ON. Current speed indicator is Medium.	1. Press SPEED once. 2. Observe the speed indicator and airflow intensity.	Speed changes from Medium to High. High speed indicator is active. Airflow becomes stronger than Medium.	[Pending Physical Execution]	[Pending]
TC05	[Functional / Boundary] Verify SPEED wraps from High back to Low.	Fan is ON. Current speed indicator is High.	1. Press SPEED once. 2. Observe the speed indicator and airflow intensity.	Speed changes from High to Low. Low speed indicator is active. Airflow returns to the lowest available intensity. No undefined speed state appears.	[Pending Physical Execution]	[Pending]
TC06	[Functional] Verify MODE cycles from Normal to Natural.	Fan is ON. Current mode indicator is Normal.	1. Press MODE once. 2. Observe the mode indicator and airflow profile for at least 10 seconds.	Mode changes from Normal to Natural. Natural mode indicator is active. Fan remains ON and uses the Natural wind profile.	[Pending Physical Execution]	[Pending]
TC07	[Functional] Verify MODE cycles from Natural to Sleep.	Fan is ON. Current mode indicator is Natural.	1. Press MODE once. 2. Observe the mode indicator and airflow profile for at least 10 seconds.	Mode changes from Natural to Sleep. Sleep mode indicator is active. Fan remains ON and uses the Sleep wind profile.	[Pending Physical Execution]	[Pending]
TC08	[Functional / Boundary] Verify MODE wraps from Sleep back to Normal.	Fan is ON. Current mode indicator is Sleep.	1. Press MODE once. 2. Observe the mode indicator and airflow profile for at least 10 seconds.	Mode changes from Sleep to Normal. Normal mode indicator is active. No undefined wind profile appears.	[Pending Physical Execution]	[Pending]
TC09	[Functional] Verify SWING enables horizontal oscillation.	Fan is ON. Swing is currently OFF. Fan head has safe clearance for oscillation.	1. Press SWING once. 2. Observe fan head movement and swing indicator for 10 seconds.	Horizontal oscillation starts. Swing indicator shows ON state. Fan continues producing airflow at the selected speed and mode.	[Pending Physical Execution]	[Pending]
TC10	[Functional] Verify SWING disables horizontal oscillation.	Fan is ON. Swing is currently ON and horizontal oscillation is visible.	1. Press SWING once. 2. Observe fan head movement and swing indicator for 10 seconds.	Horizontal oscillation stops. Swing indicator shows OFF state. Fan continues producing airflow at the selected speed and mode.	[Pending Physical Execution]	[Pending]

TC ID	Objective	Input / Pre-conditions	Execution Steps	Expected Result	Actual Result	Verdict
TC11	[Functional] Verify TIMER increments from no timer to the first supported timer interval.	Fan is ON. Timer is currently OFF or no timer indicator is active.	1. Press TIMER once. 2. Observe timer indicator immediately after the press.	Timer changes from OFF to the first supported auto-off interval. The corresponding timer indicator is active. Fan remains ON.	[Pending Physical Execution]	[Pending]
TC12	[Functional / Boundary] Verify TIMER cycles through all supported intervals and returns to no-timer state.	Fan is ON. Timer indicator is visible. Manufacturer-supported timer interval markings are known from the panel/manual.	1. Press TIMER repeatedly one step at a time. 2. After each press, record the active timer indicator. 3. Continue until the sequence passes the maximum supported interval.	Timer indicator advances exactly one interval per press. After the maximum supported interval, the next TIMER press returns to no-timer/OFF timer state. No skipped, duplicated, or undefined timer state appears.	[Pending Physical Execution]	[Pending]
TC13	[Functional / Boundary] Verify auto-off behavior at the shortest timer interval.	Fan is ON. Timer can be set to the shortest supported interval. Test environment allows waiting for the full interval.	1. Press TIMER until the shortest supported interval is selected. 2. Do not press any other button. 3. Wait until the selected interval elapses. 4. Observe fan state after timeout.	Fan remains ON before the interval expires. When the selected interval elapses, fan automatically changes to OFF state. Motor, airflow, and oscillation stop.	[Pending Physical Execution]	[Pending]
TC14	[Interoperability] Verify SPEED change while MODE and SWING are active.	Fan is ON. Mode is Natural or Sleep. Swing is ON. Current speed is Low or Medium.	1. Press SPEED once. 2. Observe speed indicator, mode indicator, swing indicator, airflow, and oscillation for 10 seconds.	Speed changes to the next valid speed. Existing MODE selection remains unchanged. SWING remains ON. Fan continues operating without reset or interruption.	[Pending Physical Execution]	[Pending]
TC15	[Usability] Verify control-panel button feedback and single-function response.	Fan is connected to rated AC supply. Tester can clearly view all button labels and indicators.	1. Press ON/OFF, SPEED, TIMER, SWING, and MODE one at a time under valid operating conditions. 2. After each press, observe whether only the intended function changes. 3. Confirm the associated indicator or physical behavior is recognizable.	Each button press is accepted with clear visual or physical feedback. Button labels are understandable. Each button changes only its assigned function, with no accidental activation of adjacent controls.	[Pending Physical Execution]	[Pending]