Nome: Tiago Ribeiro Pereira
RA: 324155609

ENTREGA 1

1)

```
C:\Users\tiago>java -version
java version "24.0.1" 2025-04-15
Java(TM) SE Runtime Environment (build 24.0.1+9-30)
Java HotSpot(TM) 64-Bit Server VM (build 24.0.1+9-30, mixed mode, sharing)
```




```
C:\Users\tiago>git --version
git version 2.49.0.windows.1
```

2)



3)
https://github.com/HELLOMIX/delivery-api-tiago-ribeiro

```
C:\Users\tiago>cd ./.vscode\Projetos\Curso extensão - API\Entrega 1\delivery-api-tiago-ribeiro

C:\Users\tiago\.vscode\Projetos\Curso extensão - API\Entrega 1\delivery-api-tiago-ribeiro>git add .
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.gitattributes', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.mvn/wrapper/maven-wrapper.properties', LF will be replaced by CRLF the next time Git t
ouches it
warning: in the working copy of 'mvnw.cmd', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'pom.xml', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/main/java/com/deliverytech/delivery_api/DeliveryApiApplication.java', LF will be re
placed by CRLF the next time Git touches it
warning: in the working copy of 'src/main/resources/application.properties', LF will be replaced by CRLF the next time G
it touches it
warning: in the working copy of 'src/test/java/com/deliverytech/delivery_api/DeliveryApiApplicationTests.java', LF will
be replaced by CRLF the next time Git touches it

C:\Users\tiago\.vscode\Projetos\Curso extensão - API\Entrega 1\delivery-api-tiago-ribeiro>git commit -m "Primeiro commit
"
[main a3958c0] Primeiro commit
 9 files changed, 614 insertions(+), 20 deletions(-)
 create mode 100644 .gitattributes
 create mode 100644 .mvn/wrapper/maven-wrapper.properties
 create mode 100644 mvnw
 create mode 100644 mvnw.cmd
 create mode 100644 pom.xml
 create mode 100644 src/main/java/com/deliverytech/delivery_api/DeliveryApiApplication.java
 create mode 100644 src/main/resources/application.properties
```

```
 create mode 100644 src/test/java/com/deliverytech/delivery_api/DeliveryApiApplicationTests.java

C:\Users\tiago\.vscode\Projetos\Curso extensão - API\Entrega 1\delivery-api-tiago-ribeiro>git push
Enumerating objects: 27, done.
Counting objects: 100% (27/27), done.
Delta compression using up to 12 threads
Compressing objects: 100% (15/15), done.
Writing objects: 100% (25/25), 9.40 KiB | 1.88 MiB/s, done.
Total 25 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/HELLOMIX/delivery-api-tiago-ribeiro.git
   7463620..a3958c0  main -> main

C:\Users\tiago\.vscode\Projetos\Curso extensão - API\Entrega 1\delivery-api-tiago-ribeiro>
```


EXPLORER
README.md
DELIVERY-API-TIAGO-RIBEIRO
README.md > # delivery-api-tiago-ribeiro
.mvn
src
target
.gitattributes
.gitignore
HELP.md
LICENSE
mvnw
mvnw.cmd
pom.xml
README.md
1 # delivery-api-tiago-ribeiro

4)


EXPLORER
README.md
application.properties M
src > main > resources > application.properties
DELIVERY-API-TIAG...
.mvn
src
main
java \ com \ deliverytech \ delive...
controller
model
repository
service
DeliveryApiApplication.java
resources
static
templates
application.properties M
test
target
.gitattributes
.gitignore
HELP.md
LICENSE
mvnw
mvnw.cmd
pom.xml
README.md
1 spring.application.name=delivery-api
2
3 # Configuração do servidor
4 server.port=8080
5
6
7 # Configuração do H2 Database
8 spring.datasource.url=jdbc:h2:mem:deliverydb
9 spring.datasource.driverClassName=org.h2.Driver
10 spring.datasource.username=sa
11 spring.datasource.password=
12
13
14 # Console H2
15 spring.h2.console.enabled=true
16 spring.h2.console.path=/h2-console
17
18
19 # JPA/Hibernate
20 spring.jpa.database-platform=org.hibernate.dialect.H2Dialect
21 spring.jpa.hibernate.ddl-auto=create-drop
22 spring.jpa.show-sql=true
23 spring.jpa.properties.hibernate.format_sql=true
24
25
26 # Configurações de desenvolvimento
27 spring.devtools.restart.enabled=true
28
29
30 # Configurações específicas para JDK 21
31 spring.jpa.open-in-view=false
32 logging.level.org.springframework.web=DEBUG
33

5)



6)
https://github.com/HELLOMIX/delivery-api-tiago-ribeiro