TD4
Adli BOUZGUENDA

git status / git log / python src/main.py / git branch

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git status
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git --no-pager log --oneline -5
28fcbcb (HEAD -> Adli_BOUZGUENDA, origin/Adli_BOUZGUENDA) docs: add TD03 report
7c87c8e refactor: reuse market summary display
a41d3b8 Add files via upload
b584340 Add files via upload
5207db8 first td session
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ python src/main.py
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git branch
* Adli_BOUZGUENDA
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $
```

git switch -c feature/display-observation-dates

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git switch -c feature/display-observation-dates
Switched to a new branch 'feature/display-observation-dates'
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $ git branch
  Adli_BOUZGUENDA
* feature/display-observation-dates
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $
```

python src/main.py (sur la branche feature)

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $ python src/main.py
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First date   : 2026-09-01
Last date    : 2026-09-30
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First date   : 2026-09-01
Last date    : 2026-09-30
First close  : 6600.00
Last close   : 6742.00
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $
```

git status

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $ git status
On branch feature/display-observation-dates
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   src/main.py

no changes added to commit (use "git add" and/or "git commit -a")
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $
```

git diff

```
$ git --no-pager diff
diff --git a/src/main.py b/src/main.py
index 9083283..44e14de 100644
--- a/src/main.py
+++ b/src/main.py
@@ -34,11 +34,21 @@ def get_last_close(prices):
     return float(prices[-1]["close"])


+def get_first_date(prices):
+    return prices[0]["date"]
+
+
+def get_last_date(prices):
+    return prices[-1]["date"]
+
+
 def display_market_summary(asset, prices, show_currency=True):
     currency = f" {asset['currency']}" if show_currency else ""

     print(f"{asset['ticker']} - {asset['name']}")
     print(f"Observations : {len(prices)}")
+    print(f"First date   : {get_first_date(prices)}")
+    print(f"Last date    : {get_last_date(prices)}")
     print(f"First close  : {get_first_close(prices):.2f}{currency}")
     print(f"Last close   : {get_last_close(prices):.2f}{currency}")
```

git add + git diff --staged

```
$ git add src/main.py
$ git --no-pager diff --staged
diff --git a/src/main.py b/src/main.py
index 9083283..44e14de 100644
--- a/src/main.py
+++ b/src/main.py
@@ -34,11 +34,21 @@ def get_last_close(prices):
     return float(prices[-1]["close"])


+def get_first_date(prices):
+    return prices[0]["date"]
+
+
+def get_last_date(prices):
+    return prices[-1]["date"]
+
+
 def display_market_summary(asset, prices, show_currency=True):
     currency = f" {asset['currency']}" if show_currency else ""

     print(f"{asset['ticker']} - {asset['name']}")
     print(f"Observations : {len(prices)}")
+    print(f"First date   : {get_first_date(prices)}")
+    print(f"Last date    : {get_last_date(prices)}")
     print(f"First close  : {get_first_close(prices):.2f}{currency}")
     print(f"Last close   : {get_last_close(prices):.2f}{currency}")
```

git commit / git status / git log

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $ git commit -m "feat: display first and l
ast observation dates"
[feature/display-observation-dates bc9b4d8] feat: display first and last observation dates
 1 file changed, 10 insertions(+)
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $ git status
On branch feature/display-observation-dates
nothing to commit, working tree clean
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $ git --no-pager log --oneline -5
bc9b4d8 (HEAD -> feature/display-observation-dates) feat: display first and last observation dates
28fcbcb (origin/Adli_BOUZGUENDA, Adli_BOUZGUENDA) docs: add TD03 report
7c87c8e refactor: reuse market summary display
a41d3b8 Add files via upload
b584340 Add files via upload
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $
```

git log --graph

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $ git --no-pager log --oneline --graph --d
ecorate --all
* bc9b4d8 (HEAD -> feature/display-observation-dates) feat: display first and last observation dates
* 28fcbcb (origin/Adli_BOUZGUENDA, Adli_BOUZGUENDA) docs: add TD03 report
* 7c87c8e refactor: reuse market summary display
* a41d3b8 Add files via upload
* b584340 Add files via upload
| * f14aed7 (origin/henri-davroux) Rename rendus_tp_indiv to TD3
| * 131c9b3 Update TD3
| * 279c9d8 Create rendus_tp_indiv
| * 6f72f39 Add files via upload
| * 80b4f4c Rename TEAM_TEMPLATE.md to TEAM.md
| * 46e264c Update TEAM_TEMPLATE.md
|/
| * e04d499 (origin/elias_bejjani) Add files via upload
| * 2610300 Add files via upload
| | * e182331 (origin/Nicolas_Piquet) Add files via upload
| | * 973f17c Add files via upload
| | * 2a130cc Add files via upload
| | * 3b1dd5d Add files via upload
| | * b46aa2e Add Nicolas Piquet to the team list
| | | * 79bd4e8 (origin/main, origin/HEAD) Add files via upload
| | | * 68238d1 Update team member information in TEAM.md
| | | * 7de767b Add fourth team member to TEAM.md
| | |/
| | * 44c08d8 Update team member details in TEAM.md
| |/
| * 383ece3 Rename TEAM_TEMPLATE.md to TEAM.md
| * 9978780 Update TEAM_TEMPLATE.md
|/
* 5207db8 first td session
* ba5c9f4 Update Readme
```

git diff Adli_BOUZGUENDA..feature/display-observation-dates

```
$ git --no-pager diff Adli_BOUZGUENDA..feature/display-observation-dates
diff --git a/src/main.py b/src/main.py
index 9083283..44e14de 100644
--- a/src/main.py
+++ b/src/main.py
@@ -34,11 +34,21 @@ def get_last_close(prices):
     return float(prices[-1]["close"])


+def get_first_date(prices):
+    return prices[0]["date"]
+
+
+def get_last_date(prices):
+    return prices[-1]["date"]
+
+
 def display_market_summary(asset, prices, show_currency=True):
     currency = f" {asset['currency']}" if show_currency else ""

     print(f"{asset['ticker']} - {asset['name']}")
     print(f"Observations : {len(prices)}")
+    print(f"First date   : {get_first_date(prices)}")
+    print(f"Last date    : {get_last_date(prices)}")
     print(f"First close  : {get_first_close(prices):.2f}{currency}")
     print(f"Last close   : {get_last_close(prices):.2f}{currency}")
```

git switch Adli_BOUZGUENDA / git merge

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (feature/display-observation-dates) $ git switch Adli_BOUZGUENDA
Switched to branch 'Adli_BOUZGUENDA'
Your branch is up to date with 'origin/Adli_BOUZGUENDA'.
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git branch
* Adli_BOUZGUENDA
  feature/display-observation-dates
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git merge feature/display-observation-dates
Updating 28fcbcb..bc9b4d8
Fast-forward
 src/main.py | 10 ++++++++++
 1 file changed, 10 insertions(+)
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $
```

git log --graph apres merge / python src/main.py

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git --no-pager log --oneline --graph --decorate --all -8
* bc9b4d8 (HEAD -> Adli_BOUZGUENDA, feature/display-observation-dates) feat: display first and last observation dates
* 28fcbcb (origin/Adli_BOUZGUENDA) docs: add TD03 report
* 7c87c8e refactor: reuse market summary display
* a41d3b8 Add files via upload
* b584340 Add files via upload
| * f14aed7 (origin/henri-davroux) Rename rendus_tp_indiv to TD3
| * 131c9b3 Update TD3
| * 279c9d8 Create rendus_tp_indiv
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ python src/main.py
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First date   : 2026-09-01
Last date    : 2026-09-30
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First date   : 2026-09-01
Last date    : 2026-09-30
First close  : 6600.00
Last close   : 6742.00
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $
```

git branch / git branch --merged / git log --graph

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git branch
* Adli_BOUZGUENDA
  feature/display-observation-dates
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git branch --merged
* Adli_BOUZGUENDA
  feature/display-observation-dates
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git --no-pager log --oneline --graph --decorate --all -8
* bc9b4d8 (HEAD -> Adli_BOUZGUENDA, feature/display-observation-dates) feat: display first and last observation dates
* 28fcbcb (origin/Adli_BOUZGUENDA) docs: add TD03 report
* 7c87c8e refactor: reuse market summary display
* a41d3b8 Add files via upload
* b584340 Add files via upload
| * f14aed7 (origin/henri-davroux) Rename rendus_tp_indiv to TD3
| * 131c9b3 Update TD3
| * 279c9d8 Create rendus_tp_indiv
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $
```

git branch -d

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git branch -d feature/display-observation-dates
Deleted branch feature/display-observation-dates (was bc9b4d8).
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git branch
* Adli_BOUZGUENDA
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $
```

git push

```
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $ git push origin Adli_BOUZGUENDA
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 462 bytes | 462.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/HENRIDVX/esilv-marketpulse-g01-HANEteam
   28fcbcb..bc9b4d8  Adli_BOUZGUENDA -> Adli_BOUZGUENDA
@adli-bouzguenda ➜/workspaces/esilv-marketpulse-g01-HANEteam (Adli_BOUZGUENDA) $
```