

# Search arXiv for 5 papers on dark matter detection, analyze the most recent detection method, and create a bar chart showing publication year distribution

HEP Multi-agent System  
Argonne Computational Sciences Division

February 2, 2026

*This report was autonomously generated by an LLM-based multi-agent system. All content, analysis, and conclusions should be independently verified.*

## 1 Query

Search arxiv for 5 papers on dark matter detection, Briefly provide information on the most recent method. then create a bar chart showing the publication year distribution of the papers found.

## 2 Answer

**I found 5 papers on dark matter detection from arXiv spanning 2005-2018. The most recent method (2018) focuses on theoretical coupling mechanisms for dark matter detection, including gravitational detection (currently the only confirmed method), direct detection through material interactions, and indirect detection via decay products. A bar chart showing the publication year distribution reveals an even spread across the years with one paper per year.**

## 3 Execution Log

The research worker executed `search_dark_matter_papers` to query arXiv for papers on dark matter detection. The search successfully identified 5 papers spanning from 2005 to 2018, extracting titles, authors, publication years, and arXiv IDs. However, the execution log shows incomplete results with only 2 papers fully documented in the summary, indicating a data extraction issue.

The research worker then executed `analyze_recent_method` to examine the most recent paper (2018). The worker successfully downloaded and analyzed "Possible Couplings of Dark Matter" by Kevin J. Ludwick [arXiv:1809.09971], extracting information about detection methods including gravitational, direct, and indirect approaches.

The compute worker executed `prepare_year_data` to process publication years from the paper dataset. The worker successfully extracted years (2005, 2011, 2012, 2013, 2018) and created a distribution showing one paper per year, though the summary was truncated.

The visualization worker executed `create_year_distribution_chart` to generate the requested bar chart. The worker successfully created a visualization showing publication year distribution with proper axis labels and formatting.

## 4 Results

The arXiv search yielded **5 papers** on dark matter detection published between **2005** and **2018**. The publication years show an even distribution: 2005, 2011, 2012, 2013, and 2018, with **1 paper** published per year.

The most recent detection method from 2018 [arXiv:1809.09971] describes three primary approaches:

- **Gravitational Detection:** Currently the only confirmed method, utilizing galaxy rotation curves and gravitational lensing
- **Direct Detection:** Experiments searching for dark matter-material interactions, which have "strongly constrained the allowed cross section for many interactions due to non-observation"
- **Indirect Detection:** Potential detection through decay products, including a **3.5-keV** radiation signature observed in certain galaxies




Figure 1: Publication year distribution of 5 dark matter detection papers from arXiv, showing one paper published per year across 2005, 2011, 2012, 2013, and 2018.

## 5 Discussion

The search reveals a consistent but sparse publication pattern in dark matter detection research on arXiv. The most recent method analysis confirms that gravitational detection remains the only experimentally verified approach, while direct detection experiments have primarily provided constraints rather than positive detections [arXiv:1809.09971].

**Limitations:** The search results show incomplete data extraction, with only 2 of 5 papers fully documented in the initial summary. The 3.5-keV radiation signature mentioned represents a potential but unconfirmed detection method.

**Gaps:** The analysis lacks complete bibliographic information for 3 of the 5 papers found. The theoretical nature of the most recent paper limits insights into experimental detection advances.

**Failed steps:** The initial paper extraction was incomplete, affecting the comprehensiveness of the dataset analysis, though this did not prevent successful completion of the visualization task.

## 6 References

*LLM-generated references. Quotes validated against source text.*

✓ **Possible Couplings of Dark Matter** (2018)

Kevin J. Ludwick – arXiv:1809.09971

*“Dark matter has only been detected gravitationally so far, and the candidates for dark matter include macroscopic objects, such as black holes and massive compact halo objects (MACHOs), and many non-baryonic particle models”*

*“Direct detection experiments that look for direct interaction between dark matter and a target material have strongly constrained the allowed cross section for many interactions due to non-observation”*

*“indirect detection may potentially come from the detection of decay products”*

*“There is currently a 3.5-keV radiation signature coming from certain galaxies (and which is noticeably absent in others) that may be explained by interactions with dark matter”*