# AI CROP PATHOLOGY DIAGNOSTIC REPORT

Precision Agronomic Advisory • Neural Agriculture Platform

| FARMER NAME | LOCATION | CROP NAME | LANGUAGE / STATUS |
|---|---|---|---|
| **Ramesh Patel** | Regional Farming Zone | **Cotton (Field Plot)** | English (EN) • Verified |

## Cotton Leaf Curl Virus (Kukad / Churda Murda)

• Scientific: Begomovirus

**Confidence Rating: 94% | Severity Level: HIGH | Condition: POSSIBLE_DISEASE**

## OBSERVED SYMPTOMS

- Upward and downward leaf curling
- Thickening of veins on lower leaf surfaces
- Enation (leaf-like outgrowths) on underside

## PATHOGEN & CAUSAL FACTORS

Transmitted by whitefly (Bemisia tabaci) vectors during warm dry spells

## ACTION PLAN (WHAT TO DO NOW)

1. Immediate Check: Install yellow sticky traps (15-20 per acre) immediately.
2. Field Monitoring: Check under leaves every 48 hours for whitefly nymphs.
3. Long-term Prevention: Eradicate alternative weed hosts like Abutilon.

## BIOLOGICAL & ORGANIC CONTROLS

- Spray Neem seed kernel extract (NSKE 5%) or 10,000 ppm Neem oil (3ml/L).

## CHEMICAL CONTROL & PESTICIDE GUIDANCE

- Spray Diafenthiuron 50% WP @ 1.25g/L water if whitefly count exceeds 6 per leaf.

Chemical Safety Warning: Always wear protective masks and gloves while preparing and spraying chemical fungicides. Adhere strictly to recommended dilution and pre-harvest intervals. Consult your local Krishi Vigyan Kendra (KVK) officer.

IMPORTANT NOTICE: This diagnostic statement is an AI-assisted agronomic advisory based on visual symptom patterns and local microclimate modeling. Farmers are advised to physically inspect neighboring rows before applying chemical treatments.

**Scan to verify report authenticity**
thekhedut.ai/verify/report/REP-TEST-EN-001

Digitally generated & attested by The Khedut Autonomous Agricultural Intelligence Platform. Verified tamper-evident digital record.

THE KHEDUT
VERIFIED REPORT
DIGITALLY ATTESTED