

Centre No:

Centre Name:

Code: Subject:

Candidate Number: Candidate Name:

Signature: Jessica

Do not
write in
this
margin

1.a) int
double
char
boolean

b) INVALID
VALID
INVALID
VALID

~~g)~~ Hello
World
+

c) Hello World
!

println() has an enter ~~at~~ after output the data.

2.a) 22

b) a

c) Information

d) Technology

e) 12

f) error, there is not a substring of "xy2" in s.

g) INFORMATION TECHNOLOGY

h) Computer Technology

~~h)~~

3.a)	Line	x(global)	y(global)	y(local)	Output
	1	5	/	/	/
	2	5	2	/	/
	3	8	2	10	Inside update(): 8 10.
	4	8	2	13	Inside modify(): 8 13
	5	8	2	2	Outside: 8 2

b) Because the value of y printed inside update() is the value of the local variable y in the function update(). While the function main() used the global variable y. They are independence. independent.

4.a) Because the ^{local} variable score doesn't have a instant value in the function increaseScore. While the global variable score has already been created.

```
b) static void increaseScore() {
    score = score + 10;
}
```

The out put is: Final score: 10

5. ~~class~~ Type

```
public static void main() {
    int score = 10;
    double height = 10.5;
    char name = 'A';
    String place = "home";
    boolean isHomework = true;
    System.out.println(name + " is at " + place);
}
```

6. ~~class~~ Email {
 static

Centre No:

Centre Name:

Code: Subject:

Candidate Number: Candidate Name:

Signature: Tessica

Do not
write in
this
margin

b. `String fullName = " Michael Jackson " //note the extra spaces
String email = "mjackson@vcol.org";
String cleanName = fullName.substring(1, 17);
String cleanName = fullName.trim();
int space = in cleanName.indexOf(" ");
System.out.println(cleanName cleanName.substring(0, 7 (0, space space + 1) + " " +
cleanName.substring(space + 1)); // question (a)
System.out.println(cleanName cleanName.substring(7)); // (b)
System.out.println(cleanName.substring(0, 7)); // (c)
System.out.println(cleanName cleanName.toUpperCase()); // (d)
System.out.println
int domain = email.indexOf("@");
System.out.println(email.substring(0, email domain + 1)); // (e)
String newEmail = email.replace("mjackson", "mj");
System.out.println(newEmail newEmail);`

4