Northstar Workflow Spec

Oct 22, 2026 · @Abhishek

1. Purpose and principles

This spec defines how Northstar's workflow engine moves a lead from first message to closed, so it can be built and tested exactly; it is the reference for Phase 3 (workflow engine) and every phase that adds actions to it. The product context is in the Northstar Build Document.

Engine principles

1. **One engine, configured per business.** Industries differ by configuration (stages, steps, rules), never by code forks.
2. **Deterministic core, AI at the edges.** The engine decides transitions from events, rules and stage config. The AI proposes; the engine validates and executes.
3. **Every side effect is an action.** Sending a message, creating a payment link, issuing an invoice, writing a calendar event: each is a logged, idempotent, retryable action with a status.
4. **Nothing stops silently.** A failed action retries, then surfaces to a human.
5. **Humans can always step in.** Staff can pause automation, take over a conversation, or move a lead manually; manual moves are logged.
6. **Versioned configuration.** A lead runs on the workflow version it started with.
7. **Money and commitments are guarded.** Payment status comes only from Razorpay; quotes, bookings, invoices and refunds follow approval rules.

2. Core concepts

A business's workflow is a versioned set of stages; events move leads between stages, and each stage runs actions through typed steps.

Concept	Definition	Stored in
Workflow	A business's lead process, built from a template	`workflows`


Concept	Definition	Stored in
Workflow version	An immutable published snapshot of the workflow config	`workflow_versions`
Stage	A named state a lead is in (e.g. Quoted). Has required fields, entry actions, timers, allowed exits, approval flag	Version config
Side stage	A state outside the main path: Needs Human, Negotiating, Junk, Lost, Cancelled	Version config
Step type	A reusable capability with parameters (qualify, quote, advance payment, schedule…) attached to a stage	Engine code + config
Event	Something that happened: message received, payment captured, timer fired, staff action	`events` (append-only)
Trigger	An event, optionally with a condition, that causes a transition or action	Version config
Condition	A rule over lead fields that gates a transition or switches a step on/off	Version config
Transition	A move from one stage to another, with a guard and a reason	`timeline_events`
Timer	A scheduled event (follow-up, reminder, link expiry, slot-hold release)	Job queue
Action	One side effect with status, attempts and idempotency key	`actions`
Approval	A staff decision required before an action executes (approval mode)	`actions` (status Needs Review)

Runtime loop: event arrives → engine loads lead + its workflow version → evaluates triggers for the current stage → if a transition is allowed, moves the stage and records it → runs entry actions of the new stage → schedules timers. Every step of the loop is written to the lead's timeline.

3. Lead states and allowed transitions

The Reelrr default has ten main stages and five side stages; any transition not listed here is rejected by the engine unless an admin forces it manually, which is logged with a reason.

Leads move forward on events; expiry, negotiation and hand-off send them back



lead state machine · 10 stages, 5 side stages

Dashed paths are side transitions; Needs Human can be entered from any open stage, shown here from Qualifying only. The table below is the full list the engine enforces.

From	To	Trigger	Guard
—	New	First inbound message from an unknown phone	Phone not already an open lead in this workspace
New	Qualifying	Lead created	AI enabled for workspace and conversation
Qualifying	Scored	All required qualifying fields captured	Required fields valid

From	To	Trigger	Guard
Qualifying	Needs Human	AI low confidence, complaint, or explicit request for a person	—
Scored	Junk	Filter rule failed	—
Scored	Quoted	Quote sent	Score band not Junk; availability found for requested slot
Scored	Needs Human	No open slot for requested date	—
Quoted	Negotiating	Client taps Request Changes or asks for a discount	—
Negotiating	Quoted	Staff sends revised quote version	Discount within limit or admin approved
Quoted	Payment pending	Client taps Accept	Accepted version is the latest sent version
Payment pending	Booked	Razorpay `payment.captured` / link paid webhook	Amount ⩾ required advance; slot still held or re-confirmed
Payment pending	Quoted	Payment link expired	Slot released; fresh link offered
Booked	Scheduled	Staff assigned and calendar events created	Assigned staff free at slot
Scheduled	In progress	Job start time reached or staff marks started	—
In progress	Balance pending	Staff marks done	Amount due > 0
In progress	Completed	Staff marks done	Amount due = 0
Balance pending	Completed	Balance payment captured	Amount due = 0
Any open stage	Lost	Client declines, or no reply after final follow-up	Not Booked or later

From	To	Trigger	Guard
Booked / Scheduled	Cancelled	Client or admin cancels	Refund flow started per policy
Any open stage	Needs Human	Staff takeover, AI escalation, failed action needing review	—
Needs Human	Previous stage	Staff hands back to automation	—
Lost / Junk	Qualifying	Same contact messages again	New lead record linked to contact

Rules

- A lead is in exactly one stage at a time.
- Every transition writes a timeline entry: from, to, trigger, actor (AI / system / staff id), timestamp.
- Opt-out does not change stage; it blocks all outbound automation for the contact.

4. Stage-by-stage definitions (Reelrr default)

Each stage lists what must be true on entry, the fields it needs, the actions it runs, its timers and whether staff must approve in approval mode.

Stage	Required fields	Entry actions	Timers	Approval (approval mode)
1. New	phone, source	Create contact + lead; attach source, campaign, ad, click ID or chat-link code; send greeting (session message)	—	No

Stage	Required fields	Entry actions	Timers	Approval (approval mode)
2. Qualifying	— (collecting)	AI asks configured questions one or two at a time; extracts fields with confidence	Follow-up if no reply (section 8)	No
3. Scored	service, date, time, location, budget	Run filter rules; AI score 0–100 + reasons; set band; send Meta Lead event if Warm/Hot	—	No
4. Quoted	service lines, slot	Check availability; build quote version from catalogue; render PDF; send with Accept / Request Changes	Quote follow-up	**Yes**: quote send
5. Payment pending	accepted quote version, payment type	Create Razorpay link (advance % or full); hold slot until link expiry; send link; **send Meta pre-final event**	Payment reminder; link expiry; slot-hold release	**Yes**: payment link send
6. Booked	captured payment	Record ledger entry; generate + send GST invoice; auto-assign free staff	—	**Yes**: booking confirmation
7. Scheduled	assigned staff	Create events in platform + business + staff Google Calendars; send confirmation to client and staff	Job reminders (client + staff)	No

Stage	Required fields	Entry actions	Timers	Approval (approval mode)
8. In progress	—	Notify staff of job start; open job tasks	Overdue-task escalation	No
9. Balance pending	amount due > 0	Create balance Razorpay link; send	Balance reminders; escalation	**Yes**: balance link send
10. Completed	amount due = 0	Final invoice; thank-you; review request; Meta Purchase event with value; close lead	Review request reminder (once)	No

Side stages

Side stage	Entry actions	Exit
Needs Human	Pause AI for the conversation; notify assigned staff or admin; flag in inbox	Staff hands back (to previous stage) or moves lead manually
Negotiating	Notify staff with the client's request	Staff sends a revised quote version → Quoted
Junk	Stop automation; keep record for review	Staff restores → Qualifying
Lost	Stop automation; record reason	New inbound message → new lead
Cancelled	Release slot; delete calendar events; notify staff; start refund flow	Terminal

5. Step type catalogue

Step types are the building blocks a business switches on, orders and configures; each is implemented once in the engine and reused by every template.

Step type	What it does	Key parameters
`qualify`	AI conversation to collect fields	questions[], required_fields[], max_turns, language, tone
`score`	Filter rules + AI score	rules[], band_thresholds {hot, warm}, meta_lead_event (on/off)
`call` (discovery / counselling)	Book a call with staff	duration_min, staff_skill, calendar_required
`site_visit`	Book an on-site visit	duration_min, staff_skill, location_required
`quote`	Build and send a quote version	catalogue_filter, validity_days, discount_limit_pct, approval
`payment`	Create and send a Razorpay link	kind (advance / full / balance / fee), advance_pct, link_expiry_hours, approval
`invoice`	Generate and send GST invoice	template_id, on (payment_captured / manual)
`schedule`	Check availability, hold slot, create events	duration_min, buffer_min, slot_hold = link expiry, calendars (business / staff)
`assign`	Pick staff for the job	strategy (least_busy / round_robin / skill_match), required_skill
`job`	Service delivery with tasks	tasks[], overdue_after_hours
`batch_assign`	Put a customer into a batch/cohort (coaching)	batches[], capacity
`delivery`	Send delivery link/file to client	requires_approval, link_field
`review_request`	Ask for a review	delay_hours, review_url
`close`	Mark complete, send thank-you, Meta Purchase event	send_purchase_event (on/off)

Rules

- A step can be switched off without breaking the workflow; the engine skips it and moves to the next enabled step.
- `payment` with kind `advance` automatically implies a later `balance` payment step if the advance is below 100%.
- `schedule` and `assign` require Google Calendar connected for at least the business calendar; staff calendars are optional but recommended.

6. Events and triggers

Every input to the engine is a normalised event with a unique ID; the same event processed twice must have no extra effect.

Event	Source	Dedupe key
`message.received`	WhatsApp webhook	WhatsApp message ID
`message.status` (sent, delivered, read, failed)	WhatsApp webhook	message ID + status
`button.clicked` (Accept, Request Changes, confirm, reschedule)	WhatsApp interactive reply	message ID
`optout.received` (STOP and configured keywords)	WhatsApp message	message ID
`ai.fields_extracted`	AI worker	lead ID + turn
`ai.escalation`	AI worker	lead ID + turn
`payment.captured`	Razorpay webhook	Razorpay payment ID
`payment.link_expired`	Razorpay webhook or timer	link ID
`payment.failed`	Razorpay webhook	payment ID
`refund.processed`	Razorpay webhook	refund ID
`timer.fired` (follow-up, reminder, expiry, hold release)	Job queue	timer ID

Event	Source	Dedupe key
`staff.action` (approve, reject, mark done, take over, hand back, move stage, reassign, cancel)	Dashboard / WhatsApp	request ID
`calendar.changed`	Google Calendar sync	event ID + updated time
`sheet.edited` (opted-in fields only)	Sheets poll	row ID + version
`integration.disconnected`	Any connector	provider + tenant + time

Trigger format: `on: <event>` + optional `if: <condition>` + `do: transition | action[]`. Triggers are evaluated only for the lead's current stage plus global triggers (opt-out, takeover, cancellation).

7. Conditions and rules format

Conditions are small JSON expressions over lead fields, evaluated by the engine; no free-form code and no AI judgement inside a condition.

Operators: `eq`, `neq`, `gt`, `gte`, `lt`, `lte`, `in`, `not_in`, `contains`, `exists`, `within_zone`; combined with `all` (AND), `any` (OR), `not`.

Fields available: lead fields (service, budget, date, location, source, score, band), contact fields (is_repeat_customer, opt_out), workspace settings, and `requirements.<key>` for business-specific fields.

```
{
  "filter_rules": [
    {"id": "zone", "if": {"not": {"within_zone": ["location",
"service_zone"]}}, "then": "junk", "reason": "Outside service area"},
    {"id": "min_budget", "if": {"lt": ["budget", 15000]}, "then": "junk",
"reason": "Below minimum budget"}
  ],
  "step_conditions": [
    {"step": "site_visit", "enabled_if": {"gt": ["budget", 50000]}},
    {"step": "payment.advance", "skip_if": {"eq": ["is_repeat_customer",
true]}}
  ]
}
```

Rules

- Conditions are validated when the workflow is saved; an unknown field or operator blocks publishing.
- A missing field evaluates as false (never an error), except `exists`.
- Junk from a filter rule always stores the rule `id` and `reason` on the lead.

8. Timers, follow-ups and reminders

All timers are tenant-configurable; the values below are proposed starting defaults to validate in the pilot, and every timer respects quiet hours and opt-out.

Timer	Starts when	Default	On fire
Qualifying follow-up	Client stops replying mid-qualification	4 h, then 24 h (max 2 automated attempts)	Nudge message; after 2nd → task for staff, lead stays
Quote follow-up	Quote sent, no response	24 h, then 72 h (max 2)	Nudge; after 2nd → Lost unless staff extends
Payment reminder	Payment link sent	12 h before expiry	Reminder with same link
Payment link expiry	Payment link sent	24 h	Link expires; slot released; one fresh-link offer

Timer	Starts when	Default	On fire
Slot hold	Payment link sent	= link expiry	Slot returned to availability
Job reminder (client)	Scheduled	24 h and 2 h before start	Reminder with date, time, place, staff name
Job reminder (staff)	Scheduled	Morning of the job (8:00 tenant time) and 2 h before	Reminder with client details for that job only
Overdue task	Job task due	Due time + 4 h	Escalate to admin
Balance reminder	Balance link sent	Day 1, 3, 7	Reminder; after day 7 → escalate to staff
Review request	Completed	24 h after completion	One message; no repeat
Approval waiting	Action set to Needs Review	30 min, then 2 h	Notify approver again; then admin

Quiet hours: default 21:00–09:00 tenant time; a timer firing inside quiet hours is delayed to the next allowed time, except job reminders due within 2 hours.

Cancellation of timers: any reply from the client, a stage change, opt-out, takeover or cancellation re-checks and cancels pending timers that no longer apply.

9. Approval mode vs automatic mode

New businesses start in approval mode; the admin can switch to automatic, but some actions always need a human regardless of mode.

Action	Approval mode	Automatic mode
Greeting and qualifying messages	Auto	Auto
Score and band	Auto	Auto
Send quote (catalogue price, no discount)	Staff approves	Auto

Action	Approval mode	Automatic mode
Send quote with discount within limit	Staff approves	Auto
Send quote with discount above limit	Admin approves	Admin approves
Send payment link	Staff approves	Auto
Booking confirmation + staff assignment	Staff approves	Auto
Invoice after captured payment	Auto	Auto
Balance link	Staff approves	Auto
Refund	Owner/admin approves	Owner/admin approves
Cancellation after payment	Staff handles	Staff handles
Delivery link to client	Staff approves	Staff approves (configurable to auto)
Non-template promotional message	Staff approves	Staff approves

How approval works

1. The engine creates the action with status **Needs Review** and the drafted content (quote PDF, message text, amount).
2. The approver sees it in the dashboard (and a WhatsApp notification) with Approve, Edit, Reject.
3. Approve → action executes. Edit → new draft, then executes. Reject → lead goes to Needs Human.
4. Every action stores the mode it ran under and the approver.

10. Action execution model

Every side effect runs as an action through the job queue with a status, an idempotency key and a retry policy; the engine never calls an external service inline from a webhook.

Statuses: Pending → Processing → Succeeded | Failed | Needs Review (approval or manual check) | Skipped (staff chose to skip) | Cancelled (no longer applies).

Idempotency key = `tenant_id + lead_id + action_type + stage_entry_id (+ version or amount where relevant)`. Before calling a provider, the worker checks whether an action with that key already succeeded; providers that support idempotency headers get the same key.

Action type	Retry policy	On final failure
WhatsApp send	5 attempts, backoff 30 s → 1 m → 5 m → 15 m → 1 h	Failed; staff alerted; if outside 24-hour window, retry with template
Razorpay link create	5 attempts, same backoff	Failed; lead stays in stage; staff alerted
Invoice generate + send	5 attempts	Failed; payment record unaffected; retry from Failed Actions
Google Calendar write	8 attempts up to 6 h	Failed; platform calendar still correct; resync on reconnect
Sheets row upsert	Batched; retry until success, max 24 h	Integration marked error; outbox kept
Meta CAPI event	5 attempts up to 24 h	Failed; logged for admin view
AI call	3 attempts	Escalate lead to Needs Human

Failed Actions screen: shows lead, action, error, attempts, last try; buttons Retry, Skip (with reason), Open lead.

Alerts: same action failing 3 times, or any integration failing for more than 30 minutes, notifies the business admin; repeated failures across tenants notify the Northstar admin.

11. AI contract per stage

The AI gets a different, narrow set of tools in each stage; anything outside that set is impossible for it, not merely discouraged.

Stage	AI may	AI hands off when
New / Qualifying	Greet, ask configured questions, answer from approved FAQ, `update_allowed_fields`, `propose_stage_change` (→ Scored)	Confidence < threshold, complaint, client asks for a person, question not in FAQ
Scored	Explain next step; `check_availability`; `draft_quote`	No open slot; client asks for custom work outside catalogue
Quoted	Answer questions about the quote from its lines; detect Accept / Request Changes in free text	Any price negotiation or discount request (→ Negotiating)
Payment pending	Resend link, answer payment questions from FAQ	Payment problem, refund question
Booked → Completed	Answer logistics questions (date, place, staff name) from the lead record; `create_callback_task`	Reschedule, cancel, complaint, anything about money
Needs Human	Nothing (paused)	—

Every AI turn returns structured output: reply text, extracted fields with confidence + source message ID, proposed tool calls, escalate flag + reason. The engine validates the schema before using any of it.

Defaults

- Confidence threshold for using an extracted field: 0.8; below it the AI asks a clarifying question.
- Clarifying questions per field: max 2, then hand off.
- The AI never states a price, discount, date commitment or refund that is not in the lead record or catalogue.
- Customer text is treated as data; instructions inside it never change the AI's tools, rules or tenant.

12. WhatsApp messages per stage

Inside the 24-hour customer-service window the system sends free-form messages; outside it, only pre-approved templates, so every timed message below needs a template ready.

Message	Stage	Usually inside window?	Template needed	Expected category
Greeting + first question	New	Yes	No	—
Qualifying questions	Qualifying	Yes	No	—
Qualifying follow-up	Qualifying	Often no	Yes	Utility or marketing (Meta decides)
Quote PDF + Accept / Request Changes	Quoted	Yes	Yes (for resend outside window)	Utility
Quote follow-up	Quoted	Often no	Yes	Marketing likely
Payment link	Payment pending	Usually	Yes	Utility
Payment reminder / fresh link	Payment pending	Often no	Yes	Utility
Invoice PDF + booking confirmation	Booked	Often no	Yes	Utility
Job reminder (client)	Scheduled	No	Yes	Utility
Staff assignment / reminder (to staff)	Scheduled	No	Yes	Utility
Balance link + reminders	Balance pending	No	Yes	Utility

Message	Stage	Usually inside window?	Template needed	Expected category
Final invoice + thank-you	Completed	Maybe	Yes	Utility
Review request	Completed	No	Yes	Marketing likely

Rules

- Templates are created per business in their WhatsApp account during onboarding, from Northstar's starter set, in the business's language.
- The sender checks the window at send time; outside it, it switches to the matching template or fails the action with a clear reason.
- Opt-out (STOP and configured keywords) blocks all automated and promotional messages immediately; replies the client starts later are still answered.
- Message categories and pricing are set by Meta and can change; record the category returned on template approval.

13. Side flows

Each side flow below has a fixed sequence; the engine follows it the same way for every business, with only policy values configurable.

Negotiation

1. Client taps Request Changes or asks for a discount → Negotiating; AI stops pricing talk; staff notified.
2. Staff edits lines or discount → new quote version (v+1); previous version marked Superseded.
3. Discount above limit → admin approval first.
4. New version sent → Quoted. Only the latest sent version can be accepted.

Payment link expiry

1. Link expires unpaid → slot released → lead back to Quoted.
2. One message with a fresh link and re-checked slot availability.
3. Payment arrives on an old link after release → availability re-checked; free → Booked; not free → Needs Human to reschedule or refund.

Duplicate or excess payment: one ledger entry per Razorpay payment ID; any amount above the due amount is flagged "refund due" for admin.

Cancellation (after payment)

1. Client asks to cancel → Needs Human (AI never confirms cancellation).
2. Staff confirms → Cancelled: slot released, calendar events deleted, staff notified, reminders cancelled.
3. Refund amount calculated from the business policy → owner approves → Razorpay refund → ledger + credit note.

Reschedule

1. Client asks → staff (or AI, if enabled later) offers open slots.
2. New slot chosen → appointment moved, calendars updated, reminders rescheduled, assignment re-checked.
3. Old slot released. Stage unchanged.

Staff unavailable / reassignment

1. Leave marked or conflict detected → affected appointments flagged.
2. Auto-reassign to a free staff member with the required skill; none free → admin alerted.
3. Both staff notified; calendars moved; client optionally informed; history logged.

Opt-out

1. STOP (or configured keyword) → contact opt_out_at set.
2. All scheduled outbound timers for that contact cancelled; no further automated messages.
3. Stage unchanged; staff see an Opted out badge; transactional replies only if the client writes first.

14. Industry templates

Four templates plus Blank ship in the MVP; each is the same step types in a different order with different defaults, and the business edits its copy.

Template	Step order	Payment defaults	Notable settings
Shoot production (Reelrr)	qualify → score → schedule check → quote → payment (advance) → invoice → assign → job (shoot, editing) → delivery → payment (balance) → invoice → review → close	Advance 50%, link expiry 24 h	Questions: event type, date, location, car, deliverables, budget; crew skills
Agency	qualify → score → call (discovery) → quote (proposal) → payment (first retainer) → invoice → assign (account manager) → job (onboarding) → close	Full first month	Retainer renews outside MVP; proposal validity 7 days
AC / home service	qualify → score → site_visit → quote → payment (advance) → invoice → assign (technician) → job (service) → payment (balance) → invoice → review → close	Advance 30%	Location zone filter required; visit duration 60 min
Coaching	qualify → score → call (counselling) → quote (admission offer) → payment (fee) → invoice → batch_assign → close	Full fee or first instalment	Batch capacity check before quote
Blank	qualify → close	—	Business adds steps

The advance percentages and durations above are starting defaults, not recommendations for any specific business.

15. Workflow configuration example

The whole workflow is one validated JSON document per version; this abbreviated Reelrr example shows the shape the engine and the editor share.

```
{
  "workflow_id": "wf_reelrr",
  "version": 3,
  "template": "shoot_production",
  "approval_mode": true,
  "meta_conversion_stage": "payment_pending",
  "quiet_hours": {"start": "21:00", "end": "09:00"},
  "stages": [
    {
      "key": "qualifying",
      "name": "Qualifying",
      "step": "qualify",
      "params": {
        "questions": ["What is the event?", "Date and time?", "Location?",
"Which car?", "What deliverables do you need?", "Your budget?"],
        "required_fields": ["service", "date", "time", "location", "budget"],
        "max_turns": 12
      },
      "timers": [{"type": "follow_up", "after_hours": [4, 24],
"max_attempts": 2}],
      "exits": [{"to": "scored", "on": "ai.fields_extracted", "if":
{"all_required_fields": true}}]
    },
    {
      "key": "scored",
      "step": "score",
      "params": {"band_thresholds": {"hot": 75, "warm": 50},
"meta_lead_event": true},
      "exits": [{"to": "quoted", "on": "action.succeeded", "action":
"send_quote"}]
    },
    {
      "key": "payment_pending",
      "step": "payment",
      "params": {"kind": "advance", "advance_pct": 50, "link_expiry_hours":
24},
      "approval": true,
      "exits": [
```

```
        {"to": "booked", "on": "payment.captured"},
        {"to": "quoted", "on": "payment.link_expired"}
      ]
    }
  ],
  "filter_rules": [{"id": "min_budget", "if": {"lt": ["budget", 15000]},
"then": "junk"}]
}
```

The editor validates this document against a JSON Schema kept in the repo; publishing fails on any unknown step, field, stage key or unreachable stage.

16. Versioning and migration

Publishing creates a new immutable version; existing leads stay on their version unless an admin migrates them explicitly.

- **Draft → Publish:** edits happen on a draft; publish validates the schema, creates version n+1 and makes it the default for new leads.
- **Existing leads:** keep running on the version they started with, including its timers and approval settings.
- **Migration:** admin selects leads (or all leads in given stages) and a target version; the engine maps each lead's stage by stage key; any lead whose stage no longer exists goes to Needs Human with a note. Migration is logged per lead.
- **Rollback:** an older version can be re-published as the newest version; nothing is deleted.
- **Setting changes outside the workflow** (catalogue prices, GST details, staff list) apply immediately and are not versioned, except that a quote already sent keeps its own prices.

17. Test scenarios

Each scenario becomes an automated end-to-end test on staging with a test WhatsApp number and Razorpay test mode; Phase 3 is done only when all pass.

- [ ] Happy path: new lead → all 10 stages → Completed, with 50% advance and balance
- [ ] Full payment upfront: Balance pending skipped
- [ ] Lead fails budget rule → Junk with rule ID and reason; staff restores it
- [ ] AI low confidence → Needs Human; staff hands back; flow resumes at the same stage

- [ ] No reply in Qualifying: 2 follow-ups, then staff task
- [ ] Request Changes → Negotiating → v2 sent → v1 can no longer be accepted
- [ ] Discount above limit blocked until admin approves
- [ ] Payment link expires → slot released → fresh link → paid → Booked
- [ ] Payment on expired link after slot taken → Needs Human
- [ ] Same Razorpay webhook sent 3 times → one ledger entry, one invoice
- [ ] Overpayment → refund-due flag
- [ ] No staff free at requested slot → Needs Human, no quote sent
- [ ] Assigned staff marked on leave → appointment flagged and reassigned
- [ ] Cancellation after payment → refund per policy with owner approval → credit note
- [ ] Reschedule → calendars and reminders move; stage unchanged
- [ ] STOP received → all pending timers cancelled; no further automated sends
- [ ] Message due outside 24-hour window → template used
- [ ] Approval mode: quote waits in Needs Review; approve, edit and reject paths
- [ ] Step switched off (site visit) → workflow skips it cleanly
- [ ] Workflow v2 published → in-flight leads stay on v1; migration moves selected leads
- [ ] Google Calendar down → booking still recorded; events created after reconnect
- [ ] Two businesses run the same scenario in parallel → no data crosses tenants

18. Open questions

These defaults need Reelrr's confirmation before Phase 3 starts.

- [ ] Reelrr's exact qualifying questions and which fields are required
- [ ] Advance percentage (50% assumed) and payment link expiry (24 h assumed)
- [ ] Minimum budget and service zone for filter rules
- [ ] Score thresholds for Hot (75) and Warm (50)
- [ ] Crew skills used for assignment (camera, drone, editor…)
- [ ] Is editing a separate tracked task with its own deadline and assignee?
- [ ] Is delivery held until the balance is paid?
- [ ] Quiet hours (21:00–09:00 assumed)
- [ ] Cancellation and refund policy wording
- [ ] Which actions Reelrr wants in approval mode at launch