第 1 2 节


使用Skywalking UI监控Petclinic微服务

本课内容


- · 使用JMeter压测Petclinic微服务
- · 使用Skywalking UI监控Petclinic微服务




使用JMeter压测Petclinic微服务




Global Dashboard




Dashboard ~ Service View




Dashboard ~ Endpoint View




Dashboard ~ Instance View




拓扑视图




追踪~列表视图



追踪~树结构



追踪~表格



环境清理

```
1. william@jskill: ~/mydev/github/spring2go/spring-petclinic-msa/k8s/local-skywalking (zsh)
    ./jmeter (java) #1 × ..al-skywalking (zsh) #2
  local-skywalking git:(master) x kubectl delete -f .
deployment.apps "customers" deleted
service "customers" deleted
deployment.apps "gateway" deleted
service "gateway" deleted
deployment.apps "vets" deleted
service "vets" deleted
deployment.apps "visits" deleted
service "visits" deleted
deployment.apps "web" deleted
service "web" deleted
 local-skywalking git:(master) x kubectl get po
NAME
                              READY
                                      STATUS
                                                     RESTARTS
                                                                AGE
customers-6f9b49b5bb-c64bv
                                      Terminating 0
                              0/1
                                                                3h16m
                                      Terminating 0
gateway-69c875b46-vdlhr
                              0/1
                                                                3h16m
vets-574f8c8cf6-j46bc
                                      Terminating 0
                                                                3h16m
                              0/1
visits-b4589b886-j8wqv
                              0/1
                                      Terminating 0
                                                                3h16m
  local-skywalking git:(master) x kubectl get po
No resources found in default namespace.
   local-skywalking git:(master) x
```

```
1. william@jskill: ~/csdn/k8s-msa-in-action/ch08/10 (zsh)
→ 10 git:(master) x pwd
/Users/william/csdn/k8s-msa-in-action/ch08/10
→ 10 git:(master) x ls
skywalking-oap.yml skywalking-ui.yml
  10 git:(master) x kubectl delete -f .
deployment.apps "oap" deleted
service "oap" deleted
deployment.apps "ui-deployment" deleted
service "ui" deleted
→ 10 git:(master) x kubectl get po
No resources found in default namespace.
  10 git:(master) x kubectl delete ns skywalking
namespace "skywalking" deleted
→ 10 git:(master) ×
```

本课小结



- · 使用Skywalking UI监控Petclinic微服务
 - Dashboard ~ Global/Service/Endpoint/Intance View
 - 拓扑图
 - 追踪~列表/树结构/表格
- · Skywalking进一步参考
 - · 告警(Alarm)
 - 集群部署(Cluster) https://github.com/apache/skywalking/blob/6.x/docs/README.md
 - · 定制Agent Plugin
 - 配置