Modern Approaches to The Rich Vehicle Routing Problem

Henry F. R. Fellows

Division of Science and Mathematics University of Minnesota, Morris Morris, Minnesota, USA

?? November 2016 Computer Science Senior Seminar, Morris

Outline

- Routing in the real world
- The Vehicle Routing Problem
- Genetic and Memetic Algorithms
- Agent-based models and Probability Collectives
- Human Assisted Routing
- Conclusions

Routing Irl!

- The Post Office does routing!
- Uber does routing!
- Routing is expensive!

Traveling Salesman



Vehicle Routing Problem



Rich Vehicle Routing Problem

Decentralized Vehicle Routing Problem



Vehicle Routing Problem with Time Windows



Genetic Algorithms I

Genetic Algorithms II



Memetic Algorithms



Hybrid Genetic Search with Advanced Diversity Control



The algorithm.

```
Initialize population;
while number of interactions without improvement < lt<sub>NI</sub>, and time
 < T_{max} do
   Select parent solutions P_1 and P_2;
   Create offspring C from P_1 and P_2 (crossover):
   Educate C (local search procedure):
   if C infeasible then
       Insert C into infeasible subpopulation:
       Repair with probability P_rep;
   end
   if C feasible then
       Insert C into feasible subpopulation;
   end
   if maximum subpopulation size reached then
       Select survivors:
   end
   if best solution not improved for Italy iterations then
       Diversify population:
   end
   Adjust penalty parameters for infeasibility:
   if number of iterations modulo It_{dec} = 0 then
       Decompose the master problem:
       Use HGSADC on each subproblem:
       Reconstitute three solutions, and insert them in the population:
   end
```

return best feasible solution;

Might not include in paper



Agents!

Reverse Vickrey Auction

Distributed RVA routing Algorithm

Probability Collectives



Probability Collectives Algorithm I



Probability Collectives Algorithm II



Human Assisted Routing



Routing Irl!

- The HGSADC is the best.
- Probability Collectives is best distributed system.
- Humans are still better than computers at guessing.
- Challenges remain in routing with dynamic constraints.

Column Example

Same genome can lead to different physical structures or behavior depending on environmental factors.

