



AGENCY FOR HEALTHCARE RESEARCH AND QUALITY



MEPS Data Tools and Programming Overview

Emily M. Mitchell, PhD

Table of Contents



Data Tools

Public Use Files (PUFs)

Programming Example (SAS, Stata, R)

Table of Contents



Data Tools

Public Use Files (PUFs)

Programming Example (SAS, Stata, R)



Moving this June !!

MEPS Data Tools



meps.ahrq.gov

⌘ Survey Questionnaires

Data and Statistics

⌘ Data Overview

⌘ MEPS Topics

⌘ Publications Search

⌘ Summary Data Tables

⌘ MEPSnet Query Tools

⌘ Data Files

⌘ Data Centers

Communication

MEPS Topics

- [Access to Health Care](#)
- [Children's Health](#)
- [Children's Insurance Coverage](#)
- [Elderly Health Care](#)
- [Health Care Costs/Expenditures](#)
- [Health Care Disparities](#)
- [Health Insurance](#)
- [Medical Conditions](#)
- [Medicare/Medicaid/SCHIP](#)
- [Men's Health](#)
- [Mental Health](#)
- [Obesity](#)

[Click here for full topic list ...](#)

What's New Highlights

Upcoming Events

MEPS-HC Summary Data Tables

<https://meps.ahrq.gov/mepstrends/home/index.html>



Moving this June !!



Use, expenditures, and population

Utilization, spending, and population totals by demographic characteristics, event type, or source of payment.



Health insurance

Number and percentage of people by insurance coverage and demographic characteristics.



Accessibility and quality of care

Number and percentage of people with a usual source of care, difficulty accessing needed care, preventive care, diabetes care, and patient-reported quality of doctor's visits, by demographic characteristics.



Medical conditions, 1996–2015

Utilization, spending, and number of people with care for medical conditions by demographic characteristics, based on ICD-9 codes (1996-2015)



Medical conditions, 2016 and later

Utilization, spending, and number of people with care for medical conditions by demographic characteristics, based on ICD-10 codes (2016 and later)



Prescribed drugs

Purchases and spending by prescribed drug or therapeutic class.



MEPS-HC Summary Data Tables

https://meps.ahrq.gov/mepstrends/hc_ins/



Table

Plot

Select statistic:

Number of people



Show standard errors

Select variable:

Insurance coverage, all ages



Select Levels



Select data view:



Trends over time



Cross-sectional

Year:

to:

1996



2018



Number of people in thousands (standard errors) by insurance coverage, all ages, United States, 1996-2018

Year	Any private, all ages	Public only, all ages	Uninsured, all ages
2018	220,492 (6,159)	84,595 (2,641)	21,240 (959)
2017	220,527 (4,602)	82,755 (1,939)	21,498 (811)
2016	216,880 (5,962)	81,653 (2,279)	24,609 (1,152)
2015	214,446 (6,141)	80,828 (2,472)	26,149 (1,099)
2014	208,377 (5,913)	78,739 (2,549)	31,324 (1,309)
2013	201,609 (5,235)	73,576 (2,334)	40,537 (1,585)
2012	201,911 (5,328)	71,733 (2,377)	39,847 (1,496)
2011	203,056 (5,365)	69,113 (2,151)	38,957 (1,376)
2010	200,580 (5,089)	67,557 (2,118)	40,437 (1,614)



MEPS-HC Summary Data Tables

https://meps.ahrq.gov/mepstrends/hc_ins/



Select statistic:

Number of people ▼

☒ Show standard errors

Select variable:

Insurance coverage, all ages ▼

Select Levels ≡

Select data view:

☐ Trends over time

☒ Cross-sectional

Year:

2018 ▼

Group by:

Race/ethnicity ▼

Table

Plot

↓ Number of people in thousands (standard errors) by race/ethnicity and insurance coverage, all ages, United States, 2018

Race/ethnicity	Any private, all ages	Public only, all ages	Uninsured, all ages
Hispanic	29,509 (1,465)	21,583 (1,580)	9,137 (770)
Black	23,224 (1,327)	13,954 (904)	2,926 (299)
White	146,776 (5,097)	40,572 (1,658)	7,418 (421)
Amer. Indian, AK Native, or mult. races	6,942 (454)	3,599 (269)	544 (106)
Asian, Hawaiian, or Pacific Islander	14,040 (1,209)	4,888 (520)	1,214 (209)

-- Estimates suppressed due to inadequate precision (see [FAQs](#) for details).

* Relative standard error is greater than 30%

Source: Center for Financing, Access and Cost Trends, Agency for Healthcare Research and Quality, Medical Expenditure Panel Survey, 2018

Notes

Race/ethnicity

Table of Contents



Data Tools

Public Use Files (PUFs)

Programming Example (SAS, Stata, R)

MEPS Public Use Data Files

https://meps.ahrq.gov/mepsweb/data_stats/download_data_files.jsp



<ul style="list-style-type: none">MEPSnet Query ToolsData FilesData CentersCommunicationWhat's NewMailing ListDiscussion ForumParticipants' Corner	<h2>Select by year and/or data file type</h2> <p>Year: <input type="text" value="All available years ▼"/></p> <p>Data file types to include in search (check all that apply). Click information icon ⓘ for file details. Click link for full list of file types in category.</p> <ul style="list-style-type: none"><input type="checkbox"/> Search all data files ⓘ<input type="checkbox"/> <u>Household Component Full-Year files ⓘ</u> Expenditure and utilization data for the calendar year from several rounds of data collection.<ul style="list-style-type: none"><input type="checkbox"/> <u>Full-Year Consolidated Data files</u><input type="checkbox"/> <u>Full-Year Population Characteristics files</u><input type="checkbox"/> <u>Full-Year Medical Organizations Survey Final file</u><input type="checkbox"/> <u>Full-Year Medical Organizations Survey Preliminary file</u><input type="checkbox"/> <u>Medical Conditions files</u><input type="checkbox"/> <u>Risk Adjustment Scores files</u><input type="checkbox"/> <u>Employment Variables file</u><input type="checkbox"/> <u>Jobs files</u><input type="checkbox"/> <u>Person Round Plan files</u>
--	---

MEPS Public Use Data Files

- ▣ Data Overview
- ▣ MEPS Topics
- ▣ Publications Search
- ▣ Summary Data Tables
- ▣ MEPSnet Query Tools
- ▣ Data Files
- ▣ Data Centers
- Communication**
- ▣ What's New
- ▣ Mailing List
- ▣ Discussion Forum
- ▣ Participants' Corner

[Update notes](#)

Documentation	File type
Documentation	PDF (540 KB) / HTML
Codebook	PDF (212 KB) / HTML *
SAS Programming Statements	TXT (74 KB)
SPSS Programming Statements	TXT (6.2 KB)
STATA Programming Statements	TXT (8.4 KB)
R Programming Statements	TXT (5.3 KB)

Data	File type**
Data File, ASCII format	ZIP (1.3 MB) / EXE (1.8 MB)
Data File, SAS transport format	ZIP (1.5 MB) / EXE (2.0 MB)

Questionnaires — see [Survey Questionnaires](#)

*The PDF version of the codebook is recommended for printing; the HTML version is database driven and lets you navigate quickly to details on each variable.

**Right-click on the data file link, then select Save Target As or Save Link As to download the file.

MEPS Public Use Data Files

- ⌘ Data Overview
- ⌘ MEPS Topics
- ⌘ Publications Search
- ⌘ Summary Data Tables
- ⌘ MEPSnet Query Tools
- ⌘ Data Files
- ⌘ Data Centers
- Communication**
- ⌘ What's New
- ⌘ Mailing List
- ⌘ Discussion Forum
- ⌘ Participants' Corner

[Update notes](#)

Documentation

File type

Documentation	PDF (540 KB) / HTML
Codebook	PDF (212 KB) / HTML *
SAS Programming Statements	TXT (74 KB)
SPSS Programming Statements	TXT (6.2 KB)
STATA Programming Statements	TXT (8.4 KB)
R Programming Statements	TXT (5.3 KB)

Data


File type**


Data File, ASCII format	ZIP (1.3 MB) / EXE (1.8 MB)
Data File, SAS transport format	ZIP (1.5 MB) / EXE (2.0 MB)

Questionnaires — see [Survey Questionnaires](#)

*The PDF version of the codebook is recommended for printing; the HTML version is database driven and lets you navigate quickly to details on each variable.

**Right-click on the data file link, then select Save Target As or Save Link As to download the file.

<u>Name</u>	<u>Start</u>	<u>End</u>	<u>Description</u>
<u>REGION18</u> 	84	85	CENSUS REGION AS OF 12/31/18
<u>REGION31</u>	78	79	CENSUS REGION - R3/1
<u>REGION42</u>	80	81	CENSUS REGION - R4/2
<u>REGION53</u>	82	83	CENSUS REGION - R5/3



<u>VALUE</u>	<u>UNWEIGHTED</u>	<u>WEIGHTED</u>
-1 INAPPLICABLE	216	2,287,777
1 NORTHEAST	4,556	55,312,029
2 MIDWEST	6,388	67,715,629
3 SOUTH	11,795	123,494,938
4 WEST	7,506	77,517,515
TOTAL	30,461	326,327,888

MEPS Public Use Data Files

⌘ Data Overview
⌘ MEPS Topics
⌘ Publications Search
⌘ Summary Data Tables
⌘ MEPSnet Query Tools
⌘ Data Files
⌘ Data Centers
Communication
⌘ What's New
⌘ Mailing List
⌘ Discussion Forum
⌘ Participants' Corner

[Update notes](#)

Documentation	File type
Documentation	PDF (540 KB) / HTML
Codebook	PDF (212 KB) / HTML *
SAS Programming Statements	TXT (74 KB)
SPSS Programming Statements	TXT (6.2 KB)
STATA Programming Statements	TXT (8.4 KB)
R Programming Statements ★	TXT (5.3 KB)

For loading ASCII (.dat)
fixed-width files

Data	File type**
Data File, ASCII format	ZIP (1.3 MB) / EXE (1.8 MB)
Data File, SAS transport format	ZIP (1.5 MB) / EXE (2.0 MB)

[Questionnaires](#) — see [Survey Questionnaires](#)

*The PDF version of the codebook is recommended for printing; the HTML version is database driven and lets you navigate quickly to details on each variable.

**Right-click on the data file link, then select Save Target As or Save Link As to download the file.

MEPS Public Use Data Files

- ⌘ Data Overview
- ⌘ MEPS Topics
- ⌘ Publications Search
- ⌘ Summary Data Tables
- ⌘ MEPSnet Query Tools
- ⌘ Data Files
- ⌘ Data Centers
- Communication**
- ⌘ What's New
- ⌘ Mailing List
- ⌘ Discussion Forum
- ⌘ Participants' Corner

Update notes

Documentation	File type
Documentation	PDF (252 KB) / HTML
Codebook	PDF (19 MB) / HTML *
SAS Programming Statements	TXT (1.1 MB)
SPSS Programming Statements	TXT (947 KB)
STATA Programming Statements	TXT (1.1 MB)
R Programming Statements ★	TXT (92 KB)

Data	File type**
Data File, ASCII format	ZIP (7.9 MB) / EXE (8.4 MB)
Data File, SAS transport format	ZIP (9.7 MB) / EXE (10 MB)
Data File, SAS V9 format	ZIP (1.3 MB) / EXE (1.8 MB)
Data File, CSV format	ZIP (1.2 MB) / EXE (1.8 MB)
Data File, Stata format	ZIP (1.0 MB) / EXE (1.5 MB)

Starting DY 2019

https://github.com/HHS-AHRQ/MEPS

[Pull requests](#)[Issues](#)[Marketplace](#)[Explore](#)

HHS-AHRQ / MEPS

[Unwatch](#)

17

[Unstar](#)

64

[Fork](#)

37

[Code](#)[Pull requests](#) 0[Actions](#)[Security](#)[Insights](#)[Settings](#)

e-mitchell Adding 2018 jobs file

Latest commit 0a2e93a 23 days ago

[Quick_Reference_Guides](#)

Adding 2018 jobs file

23 days ago

[R](#)

Editing after QC meeting

7 months ago

[SAS](#)

Editing after QC meeting

7 months ago

[Stata](#)

Editing after QC meeting

7 months ago

[_images](#)

Editing READMEs and updating Variables reference guide for 2017

7 months ago

[README.md](#)

Editing READMEs and updating Variables reference guide for 2017

7 months ago

https://github.com/HHS-AHRQ/MEPS

[Pull requests](#)[Issues](#)[Marketplace](#)[Explore](#)

HHS-AHRQ / MEPS

[Unwatch](#)

17

[Unstar](#)

64

[Fork](#)

37

[Code](#)[Pull requests](#) 0[Actions](#)[Security](#)[Insights](#)[Settings](#)

e-mitchell Adding 2018 jobs file

Latest commit 0a2e93a 23 days ago


Quick_Reference_Guides	Adding 2018 jobs file	23 days ago
R	Editing after QC meeting	7 months ago
SAS	Editing after QC meeting	7 months ago
Stata	Editing after QC meeting	7 months ago
_images	Editing READMEs and updating Variables reference guide for 2017	7 months ago
README.md	Editing READMEs and updating Variables reference guide for 2017	7 months ago

Quick reference guides

FYC	Conditions	PMED Events	Events	Jobs	PRPL	Longitudinal
h12	h06r	h10a	h10*f1	h07	h24	-
h20	h18	h16a	h16*f1	h19	h47f1	h23
h28	h27	h26a	h26*f1	h25	h47f2	h35
h38	h37	h33a	h33*	h32	h47f3	h48
h50	h52	h51a	h51*	h40	h47f4	h58
h60	h61	h59a	h59*	h56	h57	h65
h70	h69	h67a	h67*	h63	h66	h71
h79	h78	h77a	h77*	h74	h76	h80
h89	h87	h85a	h85*	h83	h88	h86

MEPS Public Use Files (PUFs)

Entity Relationship Diagram (ERD) with survey and linkage variables



Record-Level and Identifiers

Person-level

- ▶ Full-year consolidated file
- ▶ Longitudinal files

Event-level

- ▶ Event files: PMED, DN, OM, IP, ER, OP, OB, HH

Condition-level

- ▶ Medical conditions file

Job-level

- ▶ Jobs file

Record-Level and Identifiers

Person-level

PANEL	DUID	PID	DUPERSID
22	<u>2290001</u>	101	<u>2290001</u> 101
22	<u>2290001</u>	102	<u>2290001</u> 102
22	<u>2290002</u>	101	<u>2290002</u> 101

Event-level

DUPERSID	EVNTIDX
2290001101	<u>2290001101</u> 003301
2290001101	<u>2290001101</u> 003401
2290002101	<u>2290002101</u> 002601
2290002101	<u>2290002101</u> 205301

Conditions-level

DUPERSID	CONDN	CONDIDX
2290001102	3	<u>2290001102</u> 003
2290002101	2	<u>2290002101</u> 002
2290002101	8	<u>2290002101</u> 008
2290002101	11	<u>2290002101</u> 011

Jobs-level

DUPERSID	RN	JOBNUM	JOBSIDX
2290001101	3	101	<u>2290001101</u> 3101
2290001101	3	104	<u>2290001101</u> 3104
2290001101	4	104	<u>2290001101</u> 4104
2290001102	3	103	<u>2290001102</u> 3103

Record-Level and Identifiers

Person-level

PANEL	DUID	PID	DUPERSID
22	<u>2290001</u>	101	<u>2290001</u> 101
22	<u>2290001</u>	102	<u>2290001</u> 102
22	<u>2290002</u>	101	<u>2290002</u> 101

Event-level

DUPERSID	EVNTIDX
2290001101	<u>2290001101</u> 003301
2290001101	<u>2290001101</u> 003401
2290002101	<u>2290002101</u> 002601
2290002101	<u>2290002101</u> 205301

Conditions-level

DUPERSID	CONDN	CONDIDX
2290001102	3	<u>2290001102</u> 003
2290002101	2	<u>2290002101</u> 002
2290002101	8	<u>2290002101</u> 008
2290002101	11	<u>2290002101</u> 011

Jobs-level

DUPERSID	RN	JOBNUM	JOBSIDX
2290001101	3	101	<u>2290001101</u> 3101
2290001101	3	104	<u>2290001101</u> 3104
2290001101	4	104	<u>2290001101</u> 4104
2290001102	3	103	<u>2290001102</u> 3103

Record-Level and Identifiers

Person-level

PANEL	DUID	PID	DUPERSID
22	<u>2290001</u>	101	<u>2290001</u> 101
22	<u>2290001</u>	102	<u>2290001</u> 102
22	<u>2290002</u>	101	<u>2290002</u> 101

Event-level

DUPERSID	EVNTIDX
2290001101	<u>2290001101</u> 003301
2290001101	<u>2290001101</u> 003401
2290002101	<u>2290002101</u> 002601
2290002101	<u>2290002101</u> 205301

Conditions-level

DUPERSID	CONDN	CONDIDX
2290001102	3	<u>2290001102</u> 003
2290002101	2	<u>2290002101</u> 002
2290002101	8	<u>2290002101</u> 008
2290002101	11	<u>2290002101</u> 011

Jobs-level

DUPERSID	RN	JOBNUM	JOBSIDX
2290001101	3	101	<u>2290001101</u> 3101
2290001101	3	104	<u>2290001101</u> 3104
2290001101	4	104	<u>2290001101</u> 4104
2290001102	3	103	<u>2290001102</u> 3103

Record-Level and Identifiers

2017

Person-level

PANEL	DUID	PID	DUPERSID
22	<u>90001</u>	101	<u>90001</u> 101
22	<u>90001</u>	102	<u>90001</u> 102
22	<u>90002</u>	101	<u>90002</u> 101

Jobs-level

DUPERSID	RN	JOBSN	JOBSIDX
90001101	3	1	<u>90001101</u> 301
90001101	3	4	<u>90001101</u> 304
90001101	4	4	<u>90001101</u> 404
90001102	3	3	<u>90001102</u> 303

2018

Person-level

PANEL	DUID	PID	DUPERSID
22	<u>2290001</u>	101	<u>2290001</u> 101
22	<u>2290001</u>	102	<u>2290001</u> 102
22	<u>2290002</u>	101	<u>2290002</u> 101

Jobs-level

DUPERSID	RN	JOBNUM	JOBSIDX
2290001101	3	101	<u>2290001101</u> 3101
2290001101	3	104	<u>2290001101</u> 3104
2290001101	4	104	<u>2290001101</u> 4104
2290001102	3	103	<u>2290001102</u> 3103

Variable Naming Conventions

Edited Variables end in an “X”

RACEX

Year-specific variables use last two digits of year

TOTEXP18
PERWT18F

Round-specific variables use two-digit round

- ▶ Some questions only asked in certain rounds, e.g. the Self-Administered Questionnaire in rounds 2 and 4

AGE31X
AGE42X
AGE53X

Estimation Variables

Weight Variables

- ▶ Person-level (e.g. PERWT18F, DIABW18F, SAQWT18F)
- ▶ Family-level (e.g. FAMWT18F, FAMWT18C)
- ▶ Longitudinal (e.g. LONGWT)

Variance-Estimation Variables (Stratum and PSU):

- ▶ After 2002 FY data: VARSTR, VARPSU
- ▶ 1996-2001 FY data: VARSTRyy, VARPSUyy
 - When calculating variances with **pooled data**, use STRA9618, PSU9618 in data file HC-036

MEPS Reserve Codes

-1	Inapplicable	Question was not asked due to skip pattern
-7	Refused	Question was asked and respondent refused to answer
-8	Don't Know	Question was asked and respondent did not know answer
-9	Not Ascertained	Interviewer did not record the data
-15	Cannot be computed	Value cannot be derived from data
-10	Top-Coded	Variable was top-coded for confidentiality

New for 2018

MEPS Reserve Codes

-1 Inapplicable

-7 Refused

-8 Don't Know

-9 Not Ascertained

-15 Cannot be computed

-10 Top-Coded

EXAMPLES

FYC file: Pregnancy

Event file: Expenditures
for phone calls

Jobs file: Hourly Wage



Table of Contents



Data Tools

Public Use Files (PUFs)

Programming Example (SAS, Stata, R)

Programming Example



Compare average medical expenses for persons under age 65 vs. 65 and older in 2018.*

* Not including people that have \$0 in expenses

Process

Compare average medical expenses for persons under 65 vs. 65 and older in 2018.*

1. Load datasets
2. Create new variables
3. Run survey procedure
4. Examine results

Process

Compare average medical expenses for persons under 65 vs. 65 and older in 2018.*

1. Load datasets

2. Create new variables

3. Run survey procedure

4. Examine results

2018 Full-Year Consolidated File
Person-level

Load datasets

- ⌘ Data Overview
- ⌘ MEPS Topics
- ⌘ Publications Search
- ⌘ Summary Data Tables
- ⌘ MEPSnet Query Tools
- ⌘ Data Files
- ⌘ Data Centers
- Communication**
- ⌘ What's New
- ⌘ Mailing List
- ⌘ Discussion Forum
- ⌘ Participants' Corner

Update notes

Documentation

File type

Documentation	PDF (540 KB) / HTML
Codebook	PDF (212 KB) / HTML *
SAS Programming Statements	TXT (74 KB)
SPSS Programming Statements	TXT (6.2 KB)
STATA Programming Statements	TXT (8.4 KB)
R Programming Statements ★	TXT (5.3 KB)

For loading ASCII (.dat)
fixed-width files

Data

File type**

Data File, ASCII format	ZIP (1.3 MB) / EXE (1.8 MB)
Data File, SAS transport format	ZIP (1.5 MB) / EXE (2.0 MB)

Must use ASCII for
2018 files in R/Stata



Questionnaires — see [Survey Questionnaires](#)

*The PDF version of the codebook is recommended for printing; the HTML version is database driven and lets you navigate quickly to details on each variable.

**Right-click on the data file link, then select Save Target As or Save Link As to download the file.

Load datasets

Store .dat or .ssp file in a local directory:

C:\MEPS\DATA		Search DATA	
Name	Date modified	Type	Size
 h209.dat	8/15/2020 10:59 AM	DAT File	130,888 KB
 h209.ssp	8/15/2020 10:59 AM	SSP File	142,902 KB

Load datasets

1996-2017

2018

SAS

```
FILENAME in1 'C:\MEPS\data\h201.ssp';  
proc xcopy in = in1 out = WORK IMPORT;  
run;
```

```
FILENAME in1 'C:\MEPS\data\h209.ssp';  
proc cimport data = h209 infile = in1;  
run;
```

Stata

```
import sasxport "C:\MEPS\data\h201.ssp"
```

```
cd C:\MEPS\DATA; clear;  
infix  
    long DUID 1-7  
    int PID 8-10  
...  
using H209.dat;
```

R

```
install.packages("foreign"); library(foreign);  
h201 = read.xport("C:/MEPS/data/h201.ssp")
```

```
install.packages("readr");  
meps_path = "C:/MEPS/data/h209.dat"  
source("https://meps.ahrq.gov/mepsweb/data_  
stats/download_data/pufs/h209/h209ru.txt")
```

PROGRAMMING STATEMENTS

Load datasets

<https://github.com/HHS-AHRQ/MEPS>



Search or jump to...



[Pull requests](#)

[Issues](#)

[Marketplace](#)

[Explore](#)




 [HHS-AHRQ / MEPS](#)

 Unwatch ▾


17

★ Unstar

64

 Fork


37

 Code

 Pull requests 0

 Actions

 Security

 Insights

 Settings



e-mitchell Adding 2018 jobs file

Latest commit 0a2e93a 23 days ago



[Quick_Reference_Guides](#)

Adding 2018 jobs file

23 days ago



[R](#)

Editing after QC meeting

7 months ago



[SAS](#)

Editing after QC meeting

7 months ago



[Stata](#)

Editing after QC meeting

7 months ago



[_images](#)

Editing READMEs and updating Variables reference guide for 2017

7 months ago



[README.md](#)

Editing READMEs and updating Variables reference guide for 2017

7 months ago

Process

Compare average medical expenses for persons under 65 vs. 65 and older in 2018.*

1. Load datasets
2. Create new variables
3. Run survey procedure
4. Examine results

Age groups:

AGELAST < 65

AGELAST >= 65

Any expenditures:

TOTEXP18 > 0

Create new variables

SAS

```
data h209;  
  set h209;  
  
  if 0 <= AGELAST <= 64 then agecat = 1;  
  else if AGELAST > 64 then agecat = 2;  
  
  if TOTEXP18 > 0 then has_exp = 1;  
  else if TOTEXP18 = 0 then has_exp = 0;  
run;
```

Stata

```
gen agecat = 1  
replace agecat = 2 if agelast > 64  
  
gen has_exp = 1  
replace has_exp = 0 if (totexp18 <= 0)
```

R

```
install.packages("dplyr")  
library(dplyr)  
  
h209 = h209 %>% mutate(  
  agecat = ifelse(AGELAST > 64, 2, 1),  
  has_exp = ifelse(TOTEXP18 <= 0, 0, 1) )
```

Create new variables

Quality check on new variables

agecat	agelast		
	Min	Mean	Max
1 (< 65)	0	31.6	64
2 (65+)	65	73.8	85

has_exp	totexp18		
	Min	Mean	Max
0	0	0	0
1	1	7,183	807,611

SAS

proc means
proc freq

Stata

bys
sum

R

group_by
summarise

Process

Compare average medical expenses for persons under 65 vs. 65 and older in 2018.*

1. Load datasets
2. Create new variables
- 3. Run survey procedure**
4. Examine results

Mean TOTEXP18

- by Age groups
- if has_exp == 1

Run survey procedure

SAS

```
proc surveymeans data = h209 mean;  
  stratum VARSTR;  
  cluster VARPSU;  
  weight PERWT18F;  
  var TOTEXP18;  
  domain has_exp * AGECAT;  
run;
```

R

```
library(survey); options(survey.lonely.psu='adjust');  
  
mepsdsgn = svydesign(  
  id = ~VARPSU,  
  strata = ~VARSTR,  
  weights = ~PERWT18F,  
  data = h209,  
  nest = TRUE)  
  
svyby(~TOTEXP18, by = ~agecat, FUN = svymean,  
  design = subset(mepsdsgn, has_exp==1))
```

Stata

```
svyset [pweight=perwt18f], strata(varstr) psu(varpsu) vce(linearized) singleunit(missing)  
  
svy, subpop(if has_exp==1): mean totexp18, over(agecat)
```

Run survey procedure

has_exp	agecat	totexp18	
		Mean	Std. Err.
1	1 (< 65)	5,650	133.2
	2 (65+)	12,866	329.0

Why survey procedures?

Correct Analysis

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,650	133.2
	2 (65+)	12,866	329.0

Why survey procedures?

Correct Analysis

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,650	133.2
	2 (65+)	12,866	329.0

Ignoring VARSTR, VARPSU

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,650	133.9
	2 (65+)	12,866	339.5

Why survey procedures?

Correct Analysis

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,650	133.2
	2 (65+)	12,866	329.0

Ignoring VARSTR, VARPSU

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,650	133.9
	2 (65+)	12,866	339.5

Ignoring VARSTR, VARPSU, and PERWT

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,639	120.8
	2 (65+)	13,123	312.8

Process

Compare average medical expenses for persons under 65 vs. 65 and older in 2018.*

1. Load datasets
2. Create new variables
3. Run survey procedure
4. Examine results



Examine results

Does output make sense?

- ▶ Population estimates
- ▶ Inflation adjustment?

Consistent with other published results?

- ▶ Stat briefs
- ▶ Summary tables

Are estimates reliable?

- ▶ Sample size ($n > 60$)
- ▶ Standard errors ($RSE < 0.3$)

Programming checklist

- ☐ Well-defined question
- ☐ Checked documentation
- ☐ Reserve codes addressed (-1, -9, -15, etc.)
- ☐ Datasets merged correctly
- ☐ Adequate sample size / precision (PERWT18F)
- ☐ Survey procedures
 - ☐ PERWT, VARSTR, VARPSU
 - ☐ Using correct weights (PERWT / FAMWT / LONGWT)
 - ☐ 'domain' analysis for subsets (SAS)
- ☐ Results make sense

Exercises (★ difficulty level)

SAS / Stata / R

<https://github.com/HHS-AHRQ/MEPS-workshop>

1. National health care expenses ★
2. Purchases and expenses for narcotic analgesics ★★
3. Pooling multiple years of MEPS data ★★★
4. Logistic regression ★★★

Emily.Mitchell@ahrq.hhs.gov