

MEPS Data Tools and Programming Overview

Emily M. Mitchell, PhD

Table of Contents



Data Tools

Public Use Files (PUFs)

Programming Example (SAS, Stata, R)

Table of Contents (cont.)



Data Tools

Public Use Files (PUFs)

Programming Example (SAS, Stata, R)

MEPS Data Tools

https://datatools.ahrq.gov



MEPS Home

About MEPS

- :: Survey Background
- :: Workshops & Events
- :: Data Release Schedule

Survey Components

- :: Household
- :: Insurance/Employer
- :: Medical Provider
- :: Survey Questionnaires

Data and Statistics

- :: Data Overview
- **::** MEPS Topics
- :: Publications Search
- :: MEPS Data Tools NEW!
- :: Data Files
- :: Data Centers

Communication

The Medical Expenditure Panel Survey (MEPS) is a set of large-scale surveys of families and individuals, their medical providers, and employers across the United States. MEPS is the most complete source of data on the cost and use of health care and health insurance coverage. Learn more about MEPS.

Contact MEPS

New to MEPS?

Select a profile:

- General user
- Researcher
- Policymaker
- Media
- Survey participant

MEPS Topics

- Access to Health Care
- Children's Health
- Children's Insurance Coverage Medicare/Medicaid/SCHIP
- Elderly Health Care
- Health Care Costs/Expenditures
- Health Care Disparities


- Health Insurance
- Medical Conditions
- Men's Health
- Mental Health
- Obesity

- Prescription Drugs
- Projected Data/Expenditures
- Quality of Health Care
- State and Metro Area Estimates
- The Uninsured
- Women's Health

MEPS Data Tools (cont.)

https://datatools.ahrq.gov







Medical Coverage and Expenditures



The **Medical Expenditure Panel Survey (MEPS)** helps researchers and the public explore health insurance coverage, access to care, quality of care, healthcare use, and expenditures.

Healthcare | MEPS-HC

Household Component

For the U.S. civilian population, explore topics like:

- Healthcare use and spending
- Health insurance coverage
- Access to care, quality of care, and diabetes care
- · Treated medical conditions
- Prescribed drugs

START

Health Insurance | MEPS-IC

Insurance Component

Explore national and state-level employer-based health insurance:

- Employer characteristics/offerings
- Employee take-up
- Premiums
- Contributions
- Cost-sharing


National- and state-level statistics and trends about employer-based health insurance

START

Medical Expenditure Panel Survey (MEPS) Household Component (HC)

Information on the health status of Americans, health insurance coverage, and access, use, and cost of health services.

For more information about MEPS, visit meps.ahrq.gov



Explore the MEPS-HC Data Tools

The MEPS Household Component collects data on all members of sample households from selected communities across the United States. These data can be used to produce nationally representative estimates of medical conditions, health status, use of medical care services, charges and payments, access to care, experience with care, health insurance coverage, income, and employment.

The summary tables provide frequently used summary estimates for the U.S. civilian non-institutionalized population.

This tool is provided as a convenience. It is the responsibility of the user to review the results for statistical significance and overall reasonableness.

Use, Expenditures, and Population

Utilization, spending, and population totals by demographic attributes, event type, or source of payment.

START

Health Insurance

Number and percentage of people by insurance coverage and demographic attributes.

START

Accessibility and Quality of Care

Information on access to care, preventive care, diabetes care, and patient-reported quality of doctor's visits.

START

Medical Conditions

Utilization, spending, and number of people with care for medical conditions by demographic attributes.

START

Prescribed Drugs

Purchases and spending by prescribed drug or therapeutic class.

START



earch Across Data Tools	
	Search

Medical Expenditure Panel Survey (MEPS) Household Component (HC)

Information on the health status of Americans, health insurance coverage, and access, use, and cost of health services.

For more information about MEPS, visit meps.ahrg.gov



Explore the MEPS-HC Data Tools

The MEPS Household Component collects data on all members of sample households from selected communities across the United States. These data can be used to produce nationally representative estimates of medical conditions, health status, use of medical care services, charges and payments, access to care, experience with care, health insurance coverage, income, and employment.

The summary tables provide frequently used summary estimates for the U.S. civilian non-institutionalized population.

This tool is provided as a convenience. It is the responsibility of the user to review the results for statistical significance and overall reasonableness.

Use, Expenditures, and Population

Health Insurance

Accessibility and Quality of Care

Medical Conditions

Prescribed Drugs

Statistics on the number of people with care for **medical conditions**, health care utilization, total expenditures, and mean expenditures per person by medical condition. Data can be viewed over time or for a single year by event type (such as prescription medicines or outpatient events), source of payment (such as Medicare or Medicaid), or demographic characteristics (such as age, race, or sex).

Select the Download Data button for an accessible MS Excel version of the data visualization. The file size will depend on parameters selected.

Medical Conditions

Trends

Mean expenditure per person with care (\$) by condition, United States, 1996 to 2019

Medical Conditions


Trends

Mean expenditure per person with care (\$) by condition, United States, 1996 to 2019

Cross-sectional



☐ Show SE/95% CI



Search by medical condition: (press enter to search)

Starting in 2016, coding of household-reported medical conditions transitioned from ICD-9/CCS to ICD-10/CCSR codes. Take caution when comparing data before and after this transition. Refer to the Notes section for details.

Clear Selected

Select from rows in the table below to graph data.

	D10000000		Select from rows in the table below to			to grapii dat			
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Acute Bronchitis and URI	160	152	166	216	165	229	266	239	223
Allergic reactions	163	140	278	244	257	256	276	270	280
Anemia and other deficiencies	1,890*		743*	1,235*	519	1,241	1,131	1,138	1,306
Back problems	934	982	1,096	1,208	1,235	1,183	1,256	1,318	1,488
Cancer	4,067	5,214	3,952	3,525	4,195	4,376	4,462	4,406	5,727
Cataract	1,378	1,265	1,277	1,490	1,233	1,078	1,509	1,183	1,333

Medical Conditions Mean expenditure per person with care (\$) by condition and age groups, United States, Trends 2019 **Cross-sectional** Medical Condition Mean expenditure per person with care (\$) Group Level **Estimates:** All persons Heart disease Mean expenditure per person... * Hyperlipidemia Group by: Age groups Hypertension **Group Levels:** 18-64 (All) Heart disease Hyperlipidemia Years: 2019 Hypertension ☐ Show SE/95% CI 18-44 Heart disease Hyperlipidemia Search by medical condition: Hunartancian 0 1,000 2,000 3,000 4,000 5,000 6,000 7,000 (press enter to search) **Clear Selected** Select from rows in the table below to graph data.

	All persons	Under 18	Under 5	5-17	18-64	18-44
Acute Bronchitis and URI	418	365	513		429	434
Allergic reactions	591	565	446		629	595
Anemia and other deficiencies	1,914	1771			1,436	1,331*
Back problems	3,169				2,693	2,300
Cancer	7,769				11,162	9,301

- Food Security Files (2016-2017) Data pertaining to food security
 Longitudinal Data Files A two-year longitudinal file representing each Panel in the MEPS survey
 Medical Organization Survey (2015-2016) Characteristics for usual source of care providers
 Pooled Linkage Variance Structure Standardized variance strata and PSU variables for a pooled analysis that includes data from the years 1996-2001
 Preventive Care SAQ (2014) Contains various person-level preventive health care data for adults
 - Go Reset

MEPS-HC Variable Explorer Tool: Annual/Main Public Use Files (PUFs) 1996 - 2019 Quick Search Search Table Variable Data File: Description Years (All) (All)

Selecting a variable under the years will navigate to the codebook on the AHRQ Medical Expenditure Panel Survey website.

Variable 2	Data	Description	2019	2018	2017	2016	
EDRECODE	FYC	EDUCATION RECODE (EDITED)					ED
EDRECODE	PIT	EDUCATION RECODE (EDITED)					ED
EDUCYEAR	FYC	YEARS OF EDUC WHEN FIRST ENTERED MEPS					
EDUCYR	FYC	YEARS OF EDUC WHEN FIRST ENTERED MEPS	EDUCYR	EDUCYR	EDUCYR	EDUCYR	Е
EDUCYR	PIT	YEARS OF EDUC WHEN FIRST ENTERED MEPS	EDUCYR	EDUCYR	EDUCYR	EDUCYR	Е
EDUCYR1	FYC	COMPLETED YEARS OF EDUCATION-RD1					
EDUCYR1	PIT	COMPLETED YEARS OF EDUCATION					




Table of Contents



Data Tools

Public Use Files (PUFs)

Programming Example (SAS, Stata, R)

MEPS Public Use Data Files

https://meps.ahrq.gov/mepsweb/data_stats/download_data_files.jsp





Select by year and/or data file type Year: All available years ▼ Data file types to include in search (check all that apply). Click information icon **(1)** for file details. Click link for full list of file types in category. Search all data files (1) Household Component Full-Year files 10 Expenditure and utilization data for the calendar year from several rounds of data collection. Full-Year Consolidated Data files Full-Year Population Characteristics files Full-Year Medical Organizations Survey Final file Full-Year Medical Organizations Survey Preliminary file Medical Conditions files Risk Adjustment Scores files Employment Variables file Jobs files

Person Round Plan files

** What's New
:: Mailing List
:: Discussion Forum
:: Participants' Corner

<u>Update notes</u>

Documentation	File type
Documentation	PDF (540 KB) / HTML
Codebook	PDF (212 KB) / HTML*
SAS Programming Statements	<u>TXT</u> (74 KB)
SPSS Programming Statements	TXT (6.2 KB)
STATA Programming Statements	<u>TXT</u> (8.4 KB)
R Programming Statements	<u>TXT</u> (5.3 KB)

Data	File type**
Data File, ASCII format	ZIP (1.3 MB) / EXE (1.8 MB)
Data File, SAS transport format	ZIP (1.5 MB) / EXE (2.0 MB)
Data File, SAS V9 format	ZIP (1.8 MB)
Data File, Stata format	ZIP (1.8 MB)
Data File, XLSX format	ZIP (6.9 MB)

Questionnaires — see <u>Survey Questionnaires</u>

Documentation	File type
Documentation	PDF (540 KB) / HTML
Codebook	PDF (212 KB) / HTML*
SAS Programming Statements	<u>TXT</u> (74 KB)
SPSS Programming Statements	<u>TXT</u> (6.2 KB)
STATA Programming Statements	<u>TXT</u> (8.4 KB)
R Programming Statements	<u>TXT</u> (5.3 KB)
Data	File type**
Data File, ASCII format	ZIP (1.3 MB) / EXE (1.8 MB)
Data File, SAS transport format	ZIP (1.5 MB) / EXE (2.0 MB)
Data File, SAS V9 format	ZIP (1.8 MB)
Data File, Stata format	ZIP (1.8 MB)
Data File, XLSX format	ZIP (6.9 MB)

Questionnaires — see <u>Survey Questionnaires</u>

** What's New

** Mailing List

:: Discussion Forum

** Participants' Corner

DVTTCH19	3733	3737	TOTAL DENTAL CARE VISIT CHARGES 19
DVTTRI19	3768	3771	ALL DENTAL CARE - TRICARE AMT 19
DVTVA19	3763	3767	ALL DENTAL CARE - VA/CHAMPVA AMT 19
DVTWCP19	3780	3782	ALL DENTAL CARE - WORKERS COMP AMT 19
EDUCYR	234	236	YEARS OF EDUC WHEN FIRST ENTERED MEPS
ELGRND19	163	163	ELIGIBILITY STATUS AS OF 12/31/19
ELGRND31	160	160	ELIGIBILITY - R3/1
ELGRND42	161	161	ELIGIBILITY - R4/2
ELGRND53	162	162	ELIGIBILITY - R5/3
EMPHAGED	341	342	AGE OF DIAGNOSIS-EMPHYSEMA
<u>EMPHDX</u>	338	340	EMPHYSEMA DIAGNOSIS (>17)
EMPST31	1088	1090	EMPLOYMENT STATUS RD 3/1
EMPST31H	1393	1394	EMPLOYMENT STATUS RD 3/1 (IMP)
EMPST42	1091	1093	EMPLOYMENT STATUS RD 4/2
EMPST42H	1395	1396	EMPLOYMENT STATUS RD 4/2 (IMP)
EMPST53	1094	1096	EMPLOYMENT STATUS RD 5/3

DVTTCH19	2722	2727	TOTAL DENT	AL CARE VICIT	CHARCEC 10
D)/TTDI10	VALUE			UNWEIGHTED	WEIGHTED
DVTTRI19	-15 CANNOT BE CO	OMPUTED		1	11,121
DVTVA19	-8 DK			160	1,545,846
DVTWCD10	-7 REFUSED			24	197,843
DVTWCP19	-1 INAPPLICABLE			2,041	24,727,352
<u>EDUCYR</u>	0 NO SCHOOL/KIN	DERGARTEN O	NLY	945	10,020,656
EL CRND10	1 - 8 ELEMENTARY	GRADES 1 - 8		4,197	42,854,987
ELGRND19	9 - 11 HIGH SCHO	OL GRADES 9	- 11	2,872	29,435,742
ELGRND31	12 GRADE 12			6,663	68,954,120
EL CDND42	13 1 YEAR COLLEG	E		1,452	18,228,523
ELGRND42	14 2 YEARS COLLE	GE		2,866	37,565,268
ELGRND53	15 3 YEARS COLLE	GE		722	9,617,079
EMPHACED	16 4 YEARS COLLE	GE		3,937	50,987,116
EMPHAGED	17 5+ YEARS COLL	.EGE		2,632	33,251,040
<u>EMPHDX</u>	TOTAL			28,512	327,396,693
EMPST31	1088	1090	EMPLOYMEN [*]	T STATUS RD 3,	/1
EMPST31H	1393	1394	EMPLOYMEN [*]	T STATUS RD 3,	/1 (IMP)
EMPST42	1091	1093	EMPLOYMEN [*]	T STATUS RD 4,	/2
EMPST42H	1395	1396	EMPLOYMEN [*]	T STATUS RD 4	/2 (IMP)
EMPST53	1094	1096	EMPLOYMEN [*]	T STATUS RD 5,	/3

What's NewMailing ListDiscussion Forum

:: Participants' Corner

Update notes

Documentation	File type
Documentation	PDF (540 KB) / <u>HTML</u>
Codebook	PDF (212 KB) / HTML*
SAS Programming Statements	<u>TXT</u> (74 KB)
SPSS Programming Statements	<u>TXT</u> (6.2 KB)
STATA Programming Statements	<u>TXT</u> (8.4 KB)
R Programming Statements	<u>TXT</u> (5.3 KB)

Data File, ASCII format ZIP (1.3 MB) / EXE (1.8 MB) ZIR (1.5 MB) / EXE (3.0 MB)
Data File SAS transport format ZID (1 5 MD) / EVE (2 0 MD)
Data File, SAS transport format <u>ZIP</u> (1.5 MB) / <u>EXE</u> (2.0 MB)
Data File, SAS V9 format ZIP (1.8 MB)
Data File, Stata format ZIP (1.8 MB)
Data File, XLSX format ZIP (6.9 MB)

Questionnaires — see **Survey Questionnaires**

** What's New

** Mailing List

:: Discussion Forum

:: Participants' Corner

Update notes

Documentation	File type
Documentation	PDF (540 KB) / HTML
Codebook	<u>PDF</u> (212 KB) / <u>HTML</u> *
SAS Programming Statements	<u>TXT</u> (74 KB)
SPSS Programming Statements	TXT (6.2 KB) For loading ASCII (.dat)
STATA Programming Statements	TXT (8.4 кв) fixed-width files
R Programming Statements	<u>TXT</u> (5.3 KB)

Data	File type**
Data File, ASCII format	ZIP (1.3 MB) / EXE (1.8 MB)
Data File, SAS transport format	ZIP (1.5 MB) / EXE (2.0 MB)
Data File, SAS V9 format	ZIP (1.8 MB)
Data File, Stata format	ZIP (1.8 MB)
Data File, XLSX format	ZIP (6.9 MB)

Questionnaires — see <u>Survey Questionnaires</u>




MEPS Public Use Data Files (cont.)



1996–2016	2017 and later
ASCII (.dat)	ASCII (.dat)
SAS transport (.ssp)	SAS transport (.ssp)
	SAS V9 (.sas7bdat)
	Stata (.dta)
	Excel (.xlsx)


https://github.com/HHS-AHRQ/MEPS





https://github.com/HHS-AHRQ/MEPS





Quick Reference Guides

FAMWTyyF

(D)

(D)



DUPERSID

PERWTyyX

VARSTR

VARPSU

YC	Conditions	PMED Events	Events	Jobs	PRPL	Long	gitudinal							
n12	h06r	h10a	h10*f1	h07	h24	-	"		MEPS Publ	lic I	Use	Files (P	UFs)	
h20	h18	h16a	h16*f1	h19	h47f1	h23		E	ntity Relationship Diagram	m (ER	RD) with	n survey and lir	nkage variabl	es
h28	h27	h26a	h26*f1	h25	h47f2	h35	Person Round P	n	Point in time (PIT)		Linkage	Merge Variable		PK = Primary Key
h38	h37	h33a	h33*	h32	h47f3	h48	(PRPL) PK EPCPIDX		PK DUPERSID VARSTR		(A) (B)	JOBSIDX PHLDRIDX = DU	PERSID	FK = Foreign Key yy = Survey year (e.g. '1
h50	h52	h51a	h51*	h40	h47f4	h58	FK JOBSIDX FK PHLDRIDX	>>B	o≼ VARPSU WGTSP13		(C) (D)	DUPERSID	a aposifia yess	+ 1
h60	h61	h59a	h59*	h56	h57	h65	FK DUPERSID ESTBIDX EPRSIDX	>	WGTRU13		(D*) (E) (F)	DUPERSID (for a EVNTIDX LINKIDX = EVNT		+0 0 or 1 → 1 or many
h70	h69	h67a	h67*	h63	h66	h71	¥ _	B	(D)		(F) (G)	RXRECIDX	IDX	>>> 0 or many
h79	h78	h77a	h77*	h74	h76	h80	(A)	_	↓ Full-Year Consolidated		(D	Fue	nt Files
h89	h87	h85a	h85*	h83	h88	h86	Jobs file PK JOBSIDX	(D)	PK DUPERSID VARSTR			<u>~</u> ~	Dental visits (Other medica	DV) I expenses (OM)
		,					Medical Organiza Survey (MOS	ons to D	'	D* F	Vari	I .	Inpatient stay Emergency ro Outpatient vis Office-based Home health PK EVNTII	pom (ER) sits (OP) visits (OB) events (HH)

PK DUPERSID

MOSWTyyF

VARSTR

VARPSU

Record Level and Identifiers



Person level

- ► FYC file
- ► Longitudinal files
- ▶ Point-in-Time file
- Medical Organizations Survey

Event level

- ► ER visits
- Inpatient stays
- Outpatient visits
- Office-based visits

- Dental visits
- Prescribed medicines
- ► Other medical expenses
- Home health

Conditions level

Medical Conditions file

Jobs/Insurance-level

- Jobs file
- Person Round Plan file



Person-level files

PANEL	DUID	PID	DUPERSID
22	2290001	101	<u>2290001</u> 101
22	2290001	102	<u>2290001</u> 102
22	2290002	101	2290002101

Event files

DUPERSID	EVNTIDX
2290001101	<u>2290001101</u> 003301
2290001101	<u>2290001101</u> 003401
2290002101	<u>2290002101</u> 002601
2290002101	<u>2290002101</u> 205301

Conditions file

DUPERSID	CONDN	CONDIDX
2290001102	3	<u>2290001102</u> 003
2290002101	2	<u>2290002101</u> 002
2290002101	8	<u>2290002101</u> 008
2290002101	11	<u>2290002101</u> 011

Jobs file

DUPERSID	RN	JOBNUM	JOBSIDX
2290001101	3	101	<u>2290001101</u> 3101
2290001101	3	104	<u>2290001101</u> 3104
2290001101	4	104	<u>2290001101</u> 4104
2290001102	3	103	2290001102 <mark>3103</mark>



Person-level files

PANEL	DUID	PID	DUPERSID
22	2290001	101	<u>2290001</u> 101
22	2290001	102	<u>2290001</u> 102
22	2290002	101	<u>2290002</u> 101

Event files

DUPERSID	EVNTIDX
2290001101	<u>2290001101</u> 003301
2290001101	<u>2290001101</u> 003401
2290002101	<u>2290002101</u> 002601
2290002101	<u>2290002101</u> 205301

Conditions file

DUPERSID	CONDN	CONDIDX
2290001102	3	<u>2290001102</u> 003
2290002101	2	<u>2290002101</u> 002
2290002101	8	<u>2290002101</u> 008
2290002101	11	<u>2290002101</u> 011

Jobs file

DUPERSID	RN	JOBNUM	JOBSIDX
2290001101	3	101	<u>2290001101</u> 3101
2290001101	3	104	<u>2290001101</u> 3104
2290001101	4	104	22900011014104
2290001102	3	103	<u>2290001102</u> 3103



Person-level files

PANEL	DUID	PID	DUPERSID
22	2290001	101	<u>2290001</u> 101
22	2290001	102	<u>2290001</u> 102
22	2290002	101	<u>2290002</u> 101

Event files

DUPERSID	EVNTIDX
2290001101	<u>2290001101</u> 003301
2290001101	<u>2290001101</u> 003401
2290002101	<u>2290002101</u> 002601
2290002101	<u>2290002101</u> 205301

Conditions file

DUPERSID	CONDN	CONDIDX
2290001102	3	<u>2290001102</u> 003
2290002101	2	<u>2290002101</u> 002
2290002101	8	<u>2290002101</u> 008
2290002101	11	<u>2290002101</u> 011

Jobs file

DUPERSID	RN	JOBNUM	JOBSIDX
2290001101	3	101	<u>2290001101</u> 3101
2290001101	3	104	<u>2290001101</u> 3104
2290001101	4	104	<u>2290001101</u> 4104
2290001102	3	103	<u>2290001102</u> 3103



2017

Person-level files

PANEL	DUID	PID	DUPERSID
22	90001	101	<u>90001</u> 101
22	90001	102	<u>90001</u> 102
22	90002	101	90002101

Jobs file

DUPERSID	RN	JOBSN	JOBSIDX
90001101	3	1	<u>90001101</u> 301
90001101	3	4	<u>90001101</u> 304
90001101	4	4	<u>90001101</u> 404
90001102	3	3	<u>90001102</u> 303

2018

Person-level files

PANEL	DUID	PID	DUPERSID
22	<u>22</u> 90001	101	<u>2290001</u> 101
22	<u>22</u> 90001	102	<u>2290001</u> 102
22	<u>22</u> 90002	101	<u>2290002</u> 101

Jobs file

DUPERSID	RN	JOBNUM	JOBSIDX
2290001101	3	101	<u>2290001101</u> 3101
2290001101	3	104	<u>2290001101</u> 3104
2290001101	4	104	22900011014104
2290001102	3	103	<u>2290001102</u> 3103

28

Variable Naming Conventions



Edited variables end in "X"

RACE**X**

Year-specific variables use last two digits of year

TOTEXP<u>19</u> PERWT**19**F

Round-specific variables use two-digit round

➤ Some questions only asked in certain rounds, e.g., the Self-Administered Questionnaire in rounds 2 and 4

AGE<u>**31**</u>X AGE<u>**42**</u>X AGE**53**X

2018 design changes indicated by "_M18" suffix

JTPAIN31**_M18**

Estimation Variables



Weight Variables

- ► Person-level (e.g., PERWT19F, DIABW19F, SAQWT19F)
- ► Family-level (e.g., FAMWT19F, FAMWT19C)
- ► Longitudinal (e.g., LONGWT)

Variance-Estimation Variables (Stratum and PSU)

- ▶ Data after FY 2002: VARSTR, VARPSU
- ► FY 1996–2001 data: VARSTRyy, VARPSUyy
- ▶ Pooling data across 2002 OR 2019: STRA9619, PSU9619 in data file HC-036

Example in handson sessions!

MEPS Reserve Codes



-1	Inapplicable	Question was not asked due to skip pattern
-7	Refused	Question was asked and respondent refused to answer
-8	Don't know	Question was asked and respondent did not know answer

Not ascertained Interviewer did not record the data

-9

-15

Cannot be computed Value cannot be derived from data

New starting in Data Year 2018

-10 Top-coded Variable was top-coded for confidentiality (e.g., hourly wage)

Table of Contents



Data Tools

Public Use Files (PUFs)

Programming Example (SAS, Stata, R)

Programming Example



Compare average medical expenses for persons under age 65 vs. 65 and older in 2019.*

* Not including people that have \$0 in expenses

Process



Compare average medical expenses for persons under 65 vs. 65 and older in 2019.

- 1. Load datasets.
- 2. Create new variables.
- 3. Run survey procedure.
- 4. Examine results.

Process (cont.)



Compare average medical expenses for persons under 65 vs. 65 and older in 2019.

- 1. Load datasets.
- 2. Create new variables.
- 3. Run survey procedure.
- 4. Examine results.

2019 Full-Year Consolidated file Person-level

Load Datasets



Data	File type**		
Data File, ASCII format	ZIP (11 MB) / EXE (12 MB)		
Data File, SAS transport format	ZIP (11 MB) / EXE (12 MB)		
Data File, SAS V9 format	<u>ZIP</u> (13 MB)		
Data File, Stata format	ZIP (13 MB)		
Data File, XLSX format	ZIP (8 C:\MEPS\data	∨ ტ 🧷	Search data
	Name	Date modified	Туре
	h216.dat	3/14/2022 10:29 AM	DAT File
		3/14/2022 9:37 AM	Stata Dataset
	h216.sas7bdat	3/14/2022 9:44 AM	SAS Data Set
	h216.ssp	3/14/2022 10:29 AM	SSP File
	h216.xlsx	3/14/2022 10:30 AM	Microsoft Excel W.

Load Datasets (cont.)



1996-2016

2017 and later

SAS

```
FILENAME in1 'C:\MEPS\data\h192.ssp';

proc xcopy in = in1 out = WORK IMPORT;

run; /* creates dataset WORK.h192 */
```

```
data WORK.h216;
  set "C:\MEPS\data\h216.sas7bdat";
run;
```

Stata

```
import sasxport5 "C:\MEPS\data\h192.ssp"
rename *, lower
```

```
use "C:\MEPS\data\h216.dta", clear
rename *, lower
```

R

```
install.packages("foreign")
library(foreign)

h192 = read.xport("C:/MEPS/data/h192.ssp")
```

```
install.packages("haven")
library(haven)

h216 = read_dta("C:/MEPS/data/h216.dta")
```

Process



Compare average medical expenses for persons under 65 vs. 65 and older in 2019.

- 1. Load datasets.
- 2. Create new variables.
- 3. Run survey procedure.
- 4. Examine results.

Age groups:

AGELAST < 65

AGELAST >= 65

Any expenditures:

TOTEXP19 > 0

Create New Variables



SAS

```
data h216;
set h216;

if 0 <= AGELAST <= 64 then agecat = 1;
else if AGELAST > 64 then agecat = 2;

if TOTEXP19 > 0 then has_exp = 1;
else if TOTEXP19 = 0 then has_exp = 0;
run;
```

Stata

```
gen agecat = 1
replace agecat = 2 if agelast > 64
gen has_exp = 1
replace has_exp = 0 if (totexp19 <= 0)</pre>
```

R

```
install.packages("dplyr")
library(dplyr)

h216 = h216 %>% mutate(
   agecat = ifelse(AGELAST > 64, 2, 1),
   has_exp = ifelse(TOTEXP19 <= 0, 0, 1) )</pre>
```

Create New Variables (cont.)



Quality check on new variables

	AGELAST		
agecat	Min	Mean	Max
1 (< 65)	0	32.3	64
2 (65+)	65	74.0	85

	TOTEXP19			
has_exp	Min Mean Max			
0	0	0	0	
1	1	7,746	797,307	

SAS proc means proc freq

Stata
bys
sum

R group_by summarise

Process



Compare average medical expenses for persons under 65 vs. 65 and older in 2019.

- 1. Load datasets.
- 2. Create new variables.
- 3. Run survey procedure.
- 4. Examine results.

Mean TOTEXP19

- by Age groups
- if has_exp == 1



Run Survey Procedure



SAS

```
proc surveymeans data = h216 mean;
    stratum VARSTR;
    cluster VARPSU;
    weight PERWT19F;
    var TOTEXP19;
    domain has_exp * AGECAT;
run;
```

R

```
install.packages("survey")
library(survey);
options(survey.lonely.psu='adjust');

mepsdsgn = svydesign(
  id = ~VARPSU, strata = ~VARSTR, weights = ~PERWT19F,
  data = h216, nest = TRUE)

svyby(~TOTEXP19, by = ~agecat, FUN = svymean,
  design = subset(mepsdsgn, has_exp==1))
```

Stata

```
svyset [pweight=perwt19f], strata(varstr) psu(varpsu) vce(linearized) singleunit(missing)
```

Run Survey Procedure (cont.)



		totexp19	
has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,847	123.3
	2 (65+)	13,464	369.1

Why Survey Procedures?



Correct Analysis

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,847	123.3
	2 (65+)	13,464	369.1

Why Survey Procedures? (cont.)



Correct Analysis

ł	has_exp	agecat	Mean	Std. Err.
	1	1 (< 65)	5,847	123.3
		2 (65+)	13,464	369.1

Ignoring VARSTR, VARPSU

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,847	133.0
	2 (65+)	13,464	338.4

Why Survey Procedures? (cont.)



Correct Analysis

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,847	123.3
	2 (65+)	13,464	369.1

Ignoring VARSTR, VARPSU

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	5,847	133.0
	2 (65+)	13,464	338.4

Ignoring VARSTR, VARPSU, and PERWT

has_exp	agecat	Mean	Std. Err.
1	1 (< 65)	6,059	131.3
	2 (65+)	13,656	323.7

Process



Compare average medical expenses for persons under 65 vs. 65 and older in 2019.

- 1. Load datasets.
- 2. Create new variables.
- 3. Run survey procedure.
- 4. Examine results.



Examine Results



Does output make sense?

- ► Population estimates
- ► Inflation adjustment?

Are estimates reliable?

- ► Sample size (n > 60)
- ► Standard errors (RSE < 0.3)

Consistent with other published results?

- ► Statistical Briefs
- ► MEPS-HC Data Tools

Programming Checklist



- Well-defined question
- □ Checked documentation
- □ Reserve codes addressed (-1, -9, -15, etc.)
- Datasets merged correctly
- □ Adequate sample size/ precision

- ☐ Survey procedures
 - ☐ PERWT, VARSTR, VARPSU
 - ☐ Using correct weights(PERWT / FAMWT / LONGWT)
 - ☐ "Domain" analysis for subsets (SAS)

☐ Results make sense

Exercises (* difficulty level)



SAS / Stata / R

https://github.com/HHS-AHRQ/MEPS-workshop

1. National healthcare expenses 🚖



2. Purchases and expenses for narcotic analgesics $\frac{1}{2}$



3. Pooling multiple years of MEPS data $\approx \approx \approx \approx$



4. Logistic regression $\stackrel{}{\sim}$

Thank you!



Emily.Mitchell@ahrq.hhs.gov