
IAMS

Internal Audit Management System

Staff User Manual

A complete guide to the system, its modules, and the full audit lifecycle

Galaxy Backbone Limited

Internal Audit Department · Version 1.0

Contents

1. Welcome to IAMS	4
1.1 What the system replaces	4
1.2 Who this manual is for	4
2. Roles, permissions, and access	5
2.1 How access works	5
2.2 The standard roles	5
3. Getting started	6
3.1 Signing in	6
3.2 Two-factor authentication (2FA)	6
3.3 Forgot password	6
3.4 Your profile	6
3.5 Your e-signature	6
3.6 Finding your way around	6
3.7 Notifications	7
4. The dashboard	8
5. Module guide	9
5.1 Audit Universe	9
5.2 Risk Register	9
5.3 Audit Planning	10
5.4 Engagements	10
5.5 Checklists (control testing)	11
5.6 Working Papers	11
5.7 Evidence and Evidence Requests	12
5.8 Findings	13
5.9 Reports	13
5.10 Follow-up	14
5.11 Workflow: approvals, assignments, escalations	14
5.12 Assets	15
5.13 Documents	15
5.14 Analytics and the committee pack	15
5.15 Settings and administration	15
5.16 Audit logs	15

6. How everything connects 17

7. Walkthrough: a complete audit, start to finish 18

7.1 Stage A — Foundation (once a year, roughly) 18

7.2 Stage B — Engagement setup 18

7.3 Stage C — Fieldwork 18

7.4 Stage D — Management response and reporting 18

7.5 Stage E — Follow-up and closure 19

8. Quick guides by role 20

8.1 If you are an auditee 20

8.2 If you are an approver (manager / director / CAE) 20

8.3 If you are an administrator 20

9. FAQ and troubleshooting 21

1. Welcome to IAMS

IAMS (Internal Audit Management System) is Galaxy Backbone's central platform for the entire internal audit lifecycle. Everything the audit function used to manage across spreadsheets, shared folders, and email — the audit universe, risk register, annual plans, engagements, fieldwork papers, evidence collection, findings, reports, approvals, and follow-up — lives in one system with one audit trail.

Every action in IAMS is permission-controlled, digitally recorded, and, where it matters, digitally signed. The system supports GBB's compliance obligations across ISO 27001, ISO 9001, ISO 20000, ISO 22301, NDPR, COBIT, NIST and PCI DSS.

1.1 What the system replaces

Before IAMS	In IAMS
Annual plan in a spreadsheet, updated by one person	Risk-ranked plan built from the audit universe, approved through a digital workflow
Working papers in Word files on a shared drive	Versioned working papers with templates, review comments, and sign-off
Evidence requested over email and lost in inboxes	Tracked evidence requests with due dates, statuses, and reminders
Findings followed up manually	Finding lifecycle with management responses, remediation evidence, verification, and formal closure
Report sign-off by circulating printed copies	Multi-level approve-and-sign workflow producing a frozen, signed PDF
"Who did what?" answered from memory	A tamper-evident audit log of every action in the system

1.2 Who this manual is for

All IAMS users: auditors, lead auditors, audit managers, directors, the Chief Audit Executive (CAE), auditees in business departments, audit committee members, and system administrators. Parts 1–3 apply to everyone; Part 4 explains each module; Parts 5–6 walk through a complete audit; Part 7 gives short role-specific guides.

Inside the application, the **Help** page (sidebar » Help) contains a condensed version of the lifecycle explanation with links into each screen.

2. Roles, permissions, and access

2.1 How access works

IAMS does not decide what you can see based on your job title. Every screen and every action is controlled by a **permission** — a fine-grained right such as *engagement:read*, *working_paper:approve*, or *report:issue*. Permissions are bundled into **roles**, and roles are assigned to you either manually by an administrator or automatically from your Azure (Entra ID) security groups.

If a button or menu item is missing from your screen, you do not hold the permission behind it. Contact your administrator rather than another user’s account.

2.2 The standard roles

Role	Typical person	What they mainly do
Auditor	Audit team member	Executes assigned engagements: checklists, working papers, evidence, findings
Audit Lead	Lead auditor on an engagement	Everything an auditor does, plus reviewing papers and closing findings
Audit Manager	Head of an audit team	Plans audits, creates engagements, first-level approvals, oversight of all engagements
Director	Directorate oversight	Second-level approvals, org-wide visibility, committee pack
CAE	Chief Audit Executive	Final approvals, report issuance, plan approval, committee pack
Auditee	Business department contact	Responds to findings, uploads requested evidence, tracks remediation
Audit Committee	Committee member	Downloads the periodic oversight pack; read-only dashboards
Viewer	Everyone else via SSO	Read-only baseline access
Super Admin	System administrator	Full access; user, role, and settings administration

Roles are starting bundles, not fixed job titles. Administrators can rename them, create new ones, and change which permissions each role carries under **Settings » Roles** — the system adapts to GBB’s structure, not the other way around.

3. Getting started

3.1 Signing in

Open the IAMS address in your browser. There are two ways in:

- **Sign in with Microsoft** — for GBB staff. Uses your normal work account (Entra ID). Your roles are derived from your Azure security groups automatically. No separate password to remember.
- **Email and password** — for local accounts created by an administrator (for example external co-source staff without a GBB account).

3.2 Two-factor authentication (2FA)

Local accounts must set up 2FA. On first login you will be prompted to enrol; you can skip for a short grace period, after which enrolment becomes mandatory. Microsoft sign-in users are covered by Entra ID's own MFA and skip IAMS 2FA.

1. Choose a method: **Authenticator app** (recommended — scan the QR code with Microsoft Authenticator, Google Authenticator, or similar) or **Email codes**.
2. Enter the 6-digit code to confirm enrolment.
3. Save your **backup codes** somewhere safe. Each works once if you lose your device.
4. From then on, each login asks for a fresh code after your password.

Lost your device and your backup codes? A super administrator can reset your 2FA from the Users screen. You will be asked to enrol again on next login.

3.3 Forgot password

On the login screen choose **Forgot password?** and enter your email. You will receive a link valid for 30 minutes; using it signs you out of all other sessions. This applies to local accounts only — Microsoft sign-in users reset through GBB IT as usual.

3.4 Your profile

Click your name (bottom of the sidebar) to open **Profile**. There you can edit your display name, phone and skills; change your password; manage 2FA and backup codes; sign out of all devices; and review exactly which roles and permissions you hold.

3.5 Your e-signature

Approvals in IAMS are signed. Before you can approve a report or working paper you need one active signature on file: go to **Settings » My Signature** and either draw your signature or upload an image (PNG/JPG). When you approve, your signature is embedded in the frozen, signed copy of the document.

3.6 Finding your way around

The sidebar is organised in the order you work:

- **Dashboard / Analytics** — your day at a glance and programme-wide metrics.
- **Audit Lifecycle** — Universe, Plans, Engagements, Findings, Reports: the core flow.

- **Audit Modules** — Risk register, Compliance/control library, and domain screens.
- **Workflow** — Approvals inbox, Assignments, Escalations, Requests.
- **System** — Assets, Documents, Analytics, Audit Logs, Users, Settings, Help.

Screens you cannot use are either hidden or shown disabled with an explanation. Tabs inside an engagement keep their place in the page address, so refreshing or sharing a link returns to the same tab.

3.7 Notifications

The bell icon shows in-app notifications: approvals waiting for you, evidence requested from you, findings assigned to you, reports issued, deadlines approaching. Most notifications are also emailed. Every notification links to the exact screen where action is needed.

4. The dashboard

The dashboard adapts to your role and permissions — two users can see quite different panels. The common building blocks:

- **My Work** — engagements you lead or are assigned to, items overdue, findings in remediation on your engagements.
- **Approval inbox** — how many approvals are waiting for your signature and the oldest one's age. Click through to act.
- **Documents requested from you** — for auditees: outstanding evidence requests with due dates.
- **Programme summary** — engagement counts and status breakdown for the year (oversight roles see all; auditors see their own).
- **Findings summary** — open findings by severity and status, overdue items, average days to close.
- **Risk overview** — register totals by band, top five risks, stale assessments needing attention.
- **Escalations** — active SLA breaches and stalled approvals, by level.
- **Recent activity** — the latest recorded actions across the system.

The **Analytics** page goes deeper: lifecycle cycle times, fieldwork durations, reporting and follow-up metrics, and risk coverage. Users with committee access also find the **Committee pack (PDF)** download button there (see 5.14).

5. Module guide

This part describes each module: what it is for, who uses it, the key actions, and how it connects to the rest of the system. Modules appear in the order of the audit lifecycle.

5.1 Audit Universe

Purpose. The master inventory of everything auditable at GBB — departments, systems, processes, projects and facilities. Every audit starts from a universe entity.

Who. Audit managers maintain it; everyone in the audit function reads it.

Key actions

- Create and maintain entities with an owner, category, audit frequency, and risk score.
- Open an entity to see its linked risks, engagement history, open findings count, and linked assets.

Connections

Universe entity » linked risks (Risk Register) » ranked into Annual Plans » audited through Engagements » findings feed back to its risk picture

The entity detail answers the perennial oversight question “when were they last audited and what is still open?” in one screen.

5.2 Risk Register

Purpose. The organisation’s risk log, feeding risk-based audit planning.

Who. Audit managers and risk owners maintain risks; assessors score them.

Key actions

- Maintain **categories** (create, edit, deactivate) for consistent classification.
- Register risks with an owner, category, and optional link to a universe entity.
- Record **assessments**: likelihood × impact = score (1–25). Assessments are immutable history — the trend over time is preserved.
- Use **Monitoring** to see high/critical risks, stale assessments, and organisation-wide summaries.

Score bands

Band	Score	Meaning
Critical	20–25	Immediate attention; prime candidate for the audit plan
High	13–19	Priority for audit coverage
Medium	6–12	Monitor; audit on normal frequency
Low	1–5	Accept or monitor lightly

Connections

Assessing a risk that is linked to a universe entity updates that entity's risk score, which in turn drives its ranking in planning recommendations. Findings can be linked to risks; when remediation of a linked finding is verified, the risk's owner is nudged to reassess.

5.3 Audit Planning

Purpose. Build and approve the annual (or periodic) audit plan.

Who. Audit managers draft plans; the CAE approves them.

Key actions

- Create a plan for a year, then add **plan items** — each one a universe entity with an audit type, priority, and planned window.
- Use the **recommendations panel**: the system ranks every active universe entity 0–100 by combining its risk score, unresolved findings, overdue-for-audit status, and time since last audit. Each suggestion shows the reasons behind its score. One click adds it to the plan.
- Submit the plan; it moves through the approval workflow. Rejected plans return to draft with the reason recorded.

Connections

Risk-ranked universe » Plan items » approved Plan » each item becomes an Engagement (rollover is tracked so nothing is audited twice or forgotten)

5.4 Engagements

Purpose. The engagement is the audit itself — the workspace where fieldwork, evidence, findings, and the report all live. Everything in Part 6 happens inside one.

Who. Created by audit managers; worked by the assigned team; visible to oversight; the auditee sees a restricted view.

Creating an engagement

Use the **Start Audit** wizard: choose an approved plan item (or ad-hoc with a justification), name the lead auditor, audit manager, and auditee, set the dates, SLA deadline, and the **budgeted hours** for the work, optionally tailor the control checklist, and pick supporting auditors — the wizard suggests candidates by skill match and current workload.

Status is earned, not clicked

An engagement moves *planned » in progress » under review » reported » closed*. Apart from **Start fieldwork** and **Issue report**, you never set the status by hand — the system advances it automatically when the stage's conditions are met (for example: all checklist controls tested and working papers approved before *under review*). The **What's next** panel always tells you exactly which condition is still open and who acts next.

The engagement workspace tabs

Tab	What happens there
Overview	Details, team, metrics, time tracking, status guidance
Checklists	Control-by-control testing (5.5)

Tab	What happens there
Working Papers	Fieldwork documentation and review (5.6)
Evidence	Files supporting the work (5.7)
Evidence Requests	Documents asked of the auditee (5.7)
Findings	Issues raised on this engagement (5.8)
Report	Draft, approve, sign, and issue (5.9)
Follow-up	Remediation tracking after issue (5.10)
Assets	Assets in scope (5.12)

Time tracking

The Overview tab carries a **Time tracking** card. Team members log hours against the engagement (date, hours, note); the card shows total logged against budgeted hours with an over-budget warning. You can delete your own entries; hours are internal to the audit team.

Who sees what

- **Oversight** (managers, directors, CAE) — everything, on every engagement.
- **The team** (lead, manager, assignees) — everything on their engagement.
- **The auditee** — overview, evidence requests addressed to them, findings once the report is issued, and follow-up. Working papers, checklists, and internal evidence are blocked, and the system enforces this on the server, not just in the interface.

5.5 Checklists (control testing)

Purpose. The structured test programme: every control in scope gets a test procedure and a result.

Who. The engagement team.

Key actions

- The checklist is pre-populated from the engagement's audit type template (IT, Financial, Compliance, Systems) or the custom set chosen in the wizard; administrators maintain the templates in Settings.
- Record each control as **pass / fail / N/A** with notes.
- On a **failed** control, click **Raise finding** — the finding form opens pre-filled from the control (what was tested, what failed), keeping a traceable line from test to finding. Once raised, the row shows a link to the finding.

Connections

Checklist completion is a gate for the engagement to advance; checklist outcomes can be snapshotted into a working paper as a "Control Test Results" section; failed controls become findings.

5.6 Working Papers

Purpose. The formal record of audit work — what was done, what was found, and the reviewer's sign-off. Approved papers are the evidence that the audit was performed properly.

Who. Auditors prepare; leads/managers review and approve.

Key actions

- Create from a **template** (walkthrough, control test, sampling, ITGC, and more — administrators manage these) or free-text. Content is written in Markdown with a live preview.
- **Import** an existing document (Word, Excel, PDF, text) — the system extracts the content into a reviewable draft and keeps the original file linked for traceability.
- Attach the engagement's checklist outcomes as a generated section when useful.
- **Submit for review**. The reviewer can approve & sign, reject with a reason, or **edit & approve** — fixing small issues in one step instead of a full resubmission loop.
- Reviewers and preparers discuss in the **comment thread** on the paper; comments can be resolved, and the preparer is notified of new ones.
- **Export** an approved paper as DOCX or PDF using the GBB template.

The sampling tool

From the Working Papers tab, open **Sampling tool**: upload a population file (CSV), choose the method (simple random, systematic interval, or high value), the sample size, and an optional seed. The tool draws a reproducible sample, stores both population and sample as engagement evidence, and generates a ready-made "Sampling Methodology" section you can turn into a working paper with one click.

Connections

Approved working papers gate the engagement's advance to review; findings can reference their source paper; final approval freezes a signed PDF copy (see 5.11).

5.7 Evidence and Evidence Requests

Purpose. Evidence is every file that supports the audit. Evidence Requests (the PBC list — "Provided by Client") digitalise asking the auditee for documents, replacing email chains.

Who. The team uploads internal evidence; auditees respond to requests addressed to them.

For the audit team

1. On the engagement's **Evidence Requests** tab, click **New request**: title, description, due date, and who should provide it (defaults to the engagement's auditee).
2. The assignee is notified in-app and by email, and sees the request on their dashboard.
3. When they upload, review the submission: **Accept** to mark it fulfilled, or **Return** with a reason — it goes back to them with your note.
4. Requests can be cancelled while unfulfilled; overdue ones are flagged.

For auditees

Your dashboard shows **Documents requested from you**. Open a request, read what is needed, and upload the file directly — it lands in the engagement's evidence, linked to the request, and the auditor is notified. If a submission is returned, the reason appears on the request.

Connections

Uploaded responses become normal engagement evidence (stored through the document module with versioning). Evidence can also be linked to specific working papers, findings, and assets, and can be formally disputed.

5.8 Findings

Purpose. A finding is an issue the audit raises: condition, cause, risk, and recommendation, tracked from discovery to verified closure.

Who. The team raises and manages findings; the auditee responds and remediates; closure is formally approved.

Anatomy of a finding

Title, description, category (IT / financial / compliance / operational), severity (critical / high / medium / low / informational), root cause, risk implication, recommendation, the responsible auditee, and a due date. A finding may reference the failed control it came from, a working paper, and a risk-register entry.

Lifecycle

open » management response received » in remediation » verified » pending closure » closed

1. **Raise** — from the Findings tab or straight from a failed checklist control.
2. **Management response** — the auditee records their response and remediation plan (this is the formal management position that also appears in the report).
3. **Remediation** — the auditee carries out the fix and uploads remediation evidence through the follow-up screen.
4. **Verification** — an auditor examines the evidence and verifies the fix.
5. **Closure** — closing a verified finding creates a closure approval (by default the engagement manager signs). Only when that approval completes is the finding closed; rejection returns it to verified.

Draft findings are internal until the report is issued — auditees see findings only post-issue, so positions are settled before the business sees them (management responses being the deliberate exception).

5.9 Reports

Purpose. The audit report is the engagement's formal product: executive summary, scope, methodology, and the findings with management responses.

Who. The lead/manager drafts; the approval chain (typically manager » director » CAE) approves and signs; the CAE issues.

Key actions

1. **Generate** the draft on the Report tab — the system assembles findings and metadata into the GBB report template; executive summary, scope, and methodology can be written or left to sensible defaults and edited after.
2. **Submit** for approval. The tab shows the approval chain by name — who has signed, who is next.
3. Each approver **approves & signs** (e-signature required), **rejects** with a reason, or **edits & approves** for small corrections without restarting the chain.
4. After final approval, the CAE (or report:issue holder) **issues** the report. Stakeholders are notified; findings open to the auditee; follow-up begins.

5. Export as DOCX or PDF at any point; after final approval a frozen **signed PDF** with every approver's signature embedded is stored permanently (see 5.11).

Connections

Report issuance is the gate to the *reported* status, starts the follow-up clock, and flips finding visibility for the auditee.

5.10 Follow-up

Purpose. Making sure agreed fixes actually happen — the stage where audits earn their value.

Who. Auditees respond and provide evidence; auditors verify.

Key actions

- Each finding carries one follow-up thread: management response, remediation evidence, and the verification result.
- Auditees upload remediation evidence directly, or link evidence already in the system.
- Auditors **verify** when satisfied; verification notifies the owners of related risks to consider reassessment — closing the loop back into the risk register.
- Overdue findings appear on dashboards and trigger reminders.

Connections

All findings closed (through closure approval) is the final gate to closing the engagement itself.

5.11 Workflow: approvals, assignments, escalations

Approvals inbox

Workflow » Approvals is one inbox for everything awaiting your signature: plans, working papers, reports, finding closures. Each row shows what the item is (title and engagement), who submitted it, your level in the chain, and a **Review before signing** link to the underlying record. Approving records your e-signature on the step; on final approval the system freezes a **signed document**: reports and working papers are regenerated as PDFs with all signatures embedded; plans and finding closures get a signing certificate. These immutable copies are stored in the document module and downloadable from the record.

Assignments

Managers staff engagements here (or in the wizard). The candidate list shows each person's skills, department, current workload, and a suggested match for the engagement type. Assignment grants the person team-level access to that engagement and notifies them.

Escalations

The system watches deadlines on its own. Engagements breaching their SLA and approvals sitting too long escalate automatically through four levels — from the people on the engagement up to director and CAE level — with in-app and email notices at each step. Escalations are acknowledged, not deleted; the history is permanent. Wait times per audit type and who is notified at the top levels are configurable in Settings.

Ad-hoc requests

Workflow » Requests handles signed request/approval chains outside the audit lifecycle (memos, authorisations). Completed requests produce signed PDF copies of their attachments with an integrity

block, verifiable later.

5.12 Assets

Purpose. A registry of the organisation's assets (systems, infrastructure, data stores) with ownership, classification, criticality and CIA ratings — so audits can be scoped against concrete assets.

Who. Administrators maintain the registry; owners/custodians attest; auditors link assets into their work.

- Track relationships between assets (depends on, runs on, stores data in, protected by).
- Owners periodically **attest** that the record is accurate; attestations are snapshotted.
- Link assets to universe entities, engagements (the engagement's Assets tab), findings, risks, and evidence.

5.13 Documents

Purpose. Central storage behind everything uploaded: evidence, report exports, signed copies, templates. Files are versioned — uploading a new version keeps the full history.

The **repository** view lets audit staff browse documents across their engagements. Access rules follow the engagement: auditees never see internal audit material through the repository.

5.14 Analytics and the committee pack

Analytics aggregates programme metrics: average cycle times per lifecycle stage, fieldwork durations, reporting throughput, follow-up performance, and risk coverage. Your permissions decide the scope you see.

The **Committee pack** is a one-click PDF for audit committee and executive oversight: engagement status and completion rate, overdue work, open findings by severity and age, reports issued, top risks by band, and recent escalations. Users with committee access download it from the Analytics page — no need to gather numbers by hand before a meeting.

5.15 Settings and administration

For administrators (*settings:manage*):

- **Roles & permissions** — create/edit roles, adjust their permission bundles.
- **Directory** — map Azure security groups to IAMS roles; membership syncs at login and nightly, and staff disabled in Azure are deactivated automatically.
- **Working paper & report templates** — the document structures the audit function uses.
- **Audit customisation** — lifecycle gates, SLA rules, checklist templates per audit type, the approval matrix (who signs at each level for each document type), the escalation matrix, taxonomy, and planning-priority weights.
- **System configuration** — retention rules, version pruning, notification templates.

Approvers in the matrix are defined by **permission**, not by role name — so restructuring roles never silently breaks an approval chain.

5.16 Audit logs

Every mutating action in IAMS — who, what, when, from where — is recorded in a tamper-evident log, searchable under **Audit Logs** (permission-gated). This is the compliance backbone of the system; it cannot be edited or disabled from the interface.

6. How everything connects

IAMS is one continuous chain, not a set of separate tools. Each stage produces exactly what the next one needs:

Universe (what could be audited) » Risk Register (what matters most) » Plan (what we will audit) » Engagement (the audit) » Checklists & Working Papers (the work) » Findings (what we found) » Report (what we tell management) » Follow-up (making it stick) » back to Risk & Universe

From	To	The connection
Risk Register	Planning	Recommendation scores rank universe entities by risk, findings, and audit age
Plan item	Engagement	Approved items convert to engagements; rollover tracked
Checklist	Findings	Failed control » pre-filled finding, permanently linked
Checklist	Working papers	Test outcomes snapshot into a paper section
Working papers	Engagement status	Approval is a gate to the review stage
Findings	Report	Issued report carries findings + management responses
Report issue	Follow-up	Starts remediation tracking; findings open to auditee
Follow-up verify	Risk Register	Linked risk owners nudged to reassess
Finding closure	Engagement closure	All findings closed is the final gate
Everything	Audit Logs	Every action recorded, always

Because the chain is enforced by lifecycle gates rather than habit, the system itself guarantees that no engagement reports without approved papers, no engagement closes with open findings, and no approval happens without a recorded signature.

7. Walkthrough: a complete audit, start to finish

One audit, every step, with the acting role in bold. Use this as the training script for a first end-to-end run.

7.1 Stage A — Foundation (once a year, roughly)

1. **Audit Manager:** review the **Universe** — add new departments/systems, retire obsolete ones, confirm owners and audit frequencies.
2. **Audit Manager / Risk owners:** update the **Risk Register** — new risks, fresh assessments so scores reflect reality.
3. **Audit Manager:** create the annual **Plan**; open the recommendations panel and add the top-ranked entities as plan items with quarters and priorities.
4. **Audit Manager:** submit the plan. **CAE:** review and approve & sign in the Approvals inbox.

7.2 Stage B — Engagement setup

1. **Audit Manager:** from the approved plan item, run the **Start Audit** wizard: title, lead auditor, auditee contact, dates, SLA, budgeted hours, checklist review, supporting auditors.
2. **System:** creates the engagement (status *planned*), populates the checklist, notifies the team.
3. **Lead Auditor:** when ready, click **Start fieldwork** — status moves to *in progress*.

7.3 Stage C — Fieldwork

1. **Team:** raise **Evidence Requests** for what the business must provide; **Auditee:** uploads against them; **Team:** accepts or returns.
2. **Team:** work through the **Checklist** — test each control, record pass/fail with notes. Log hours in **Time tracking** as you go.
3. **Team:** where sampling is needed, run the **Sampling tool** and create the methodology paper from it.
4. **Team:** document work in **Working Papers** (template or import), attaching control results where relevant; submit each for review.
5. **Lead / Manager:** review papers — comment threads for questions, then approve & sign, edit & approve, or reject.
6. **Team:** raise **Findings** from failed controls (or directly), each with root cause, risk implication, recommendation, severity, auditee, and due date.
7. **System:** once every control is tested and papers approved, the engagement advances to *under review* on its own.

7.4 Stage D — Management response and reporting

1. **Auditee:** record the **management response** on each finding — the agreed action and target date.
2. **Lead / Manager:** on the Report tab, **generate** the draft; polish the executive summary, scope, methodology.

3. Lead / Manager: **submit** the report. The chain (manager » director » CAE by default) signs in turn from the Approvals inbox — each sees exactly what they are signing, with a review link.

4. CAE: after final signature, **issue** the report. The system stores the frozen signed PDF, notifies stakeholders, opens findings to the auditee, and moves the engagement to *reported*.

7.5 Stage E — Follow-up and closure

1. Auditee: remediate; upload **remediation evidence** on each finding's follow-up.

2. Auditor: examine evidence; **verify** each finding when the fix is real. Related risk owners are nudged to reassess.

3. Lead / Manager: close each verified finding — the closure approval (engagement manager by default) signs it off.

4. System: with the report issued and every finding closed, the engagement closes. The universe entity's history updates; the audit is done and fully documented.

5. Director / CAE / Committee: results roll into Analytics and the next **Committee pack** automatically.

At any point, the engagement's **What's next** panel names the exact open condition and the person who acts next — if you are ever unsure, look there first.

8. Quick guides by role

8.1 If you are an auditee

- Watch your **dashboard**: evidence requested from you and findings needing your response appear there with due dates.
- Upload requested documents on the engagement's **Evidence Requests** tab — if a submission is returned, the reason is shown; fix and re-upload.
- When a report is issued, read your findings and record a **management response** on each.
- Upload **remediation evidence** when you have fixed the issue; the auditor verifies it.
- You will never see internal audit material (working papers, checklists) — that is by design, not an error.

8.2 If you are an approver (manager / director / CAE)

- Set up your **signature** once (Settings » My Signature) before your first approval.
- Work from **Workflow » Approvals** — everything awaiting you, oldest first. Use **Review before signing** to open the underlying record.
- Three choices: approve & sign, **edit & approve** for small fixes, or reject with a reason (rejection restarts the chain — prefer edit & approve for typos).
- Do not sit on items: stalled approvals escalate automatically and the delay is visible.

8.3 If you are an administrator

- Access flows from Azure groups: keep **Settings » Directory** mappings current; the nightly sync deactivates leavers automatically.
- Tune the system in **Settings**: roles, approval matrix, escalation matrix, lifecycle gates, checklist and document templates, retention.
- Check **Audit Logs** and the background **Jobs** screen periodically — all jobs should show green last runs.
- 2FA lockouts: reset the user's 2FA from the Users screen; they re-enrol on next login.

9. FAQ and troubleshooting

Question	Answer
I can't see a menu / button another colleague has.	You don't hold the permission behind it. Ask your administrator to review your roles.
Why can't I move the engagement to the next stage?	Statuses advance automatically when their conditions are met. The What's next panel lists exactly what is still open.
I approved, but the item shows another pending step.	Chains have multiple levels. Your signature is recorded; it is now with the next approver.
The auditee says they can't see a finding.	Findings become visible to auditees only after the report is issued.
I rejected a report for a typo. Was there a better way?	Yes — Edit & approve fixes small issues in one step without restarting the chain.
Where is the signed copy of an approved report?	On the Report tab (and in Documents): a frozen PDF with every approver's signature is stored at final approval.
I lost my phone and my 2FA backup codes.	A super administrator can reset your 2FA; you re-enrol at next login.
My upload fails.	Files are capped at 50 MB. For bigger items, split or compress, or contact the administrator.
A deadline passed — who gets told?	Escalations fire automatically: the engagement team first, then management, then director and CAE for long breaches.
Can anything be changed without a trace?	No. Every mutating action is written to the tamper-evident audit log.
How do I see everything I'm allowed to do?	Profile » your roles and effective permissions are listed in full.
Who provides the committee report before meetings?	Nobody has to compile it — users with committee access download the Committee pack PDF from Analytics.

IAMS — Internal Audit Management System · Galaxy Backbone Limited · For access issues contact your system administrator.