MODUL 2: ACTIVE RECONNAISSANCE

LAPORAN

disusun untuk memenuhi tugas mata kuliah Keamanan Data dan Jaringan



Oleh:

Abdul Rozak A	NIM 221344033
Adelia Puspita	NIM 221344034
Ghany Fauzan H	NIM 221344045

Instruktur: 1. Taufik Irfan, S.S.T., M.T.
2. Rifa Hanifatunnisa, S.S.T., M.T.

PROGRAM STUDI D4 TEKNIK TELEKOMUNIKASI

JURUSAN TEKNIK ELEKTRO

POLITEKNIK NEGERI BANDUNG

2025

A. TUJUAN

1. Memahami konsep active reconnaissance dalam penetration testing
2. Menjelaskan perbedaan passive reconnaissance dan active reconnaissance
3. Menyusun laporan hasil reconnaissance untuk analisis lebih lanjut

B. DASAR TEORI

Pada dasarnya, reconnaissance atau pengintaian adalah proses mengumpulkan data yang relevan tentang sistem, jaringan, atau individu yang akan menjadi sasaran.Informasi ini bisa mencakup detail seperti alamat IP, struktur jaringan, perangkat keras, perangkat lunak yang digunakan, dan bahkan informasi kontak individu yang terlibat. Siklus serangan terdiri dari beberapa tahap yang saling terkait, mulai dari pengumpulan informasi awal hingga eksekusi akhir. Reconnaissance merupakan tahap pertama dalam Cyber Kill Chain yang memungkinkan pelaku ancaman untuk mendapatkan gambaran menyeluruh tentang target mereka, mengidentifikasi kerentanan, dan merencanakan langkah-langkah selanjutnya dalam serangan. Dengan melakukan reconnaissance, penyerang dapat merancang serangan yang lebih terarah dan efektif, meminimalkan kemungkinan deteksi, dan meningkatkan peluang keberhasilan serangan.

Jenis-Jenis Reconnaissance

1. Active Reconnaissance

   Active Reconnaissance adalah jenis reconnaissance di mana penyerang secara langsung berinteraksi dengan sistem atau jaringan target untuk mengumpulkan informasi.

   Pendekatan ini melibatkan teknik yang dapat dengan mudah terdeteksi oleh sistem pertahanan jika tidak dilakukan dengan hati-hati. Tujuan dari active reconnaissance adalah untuk mendapatkan informasi yang mendetail dan spesifik tentang target.

   Contoh aktivitas Active Reconnaissance meliputi:

   - Port Scanning: Proses ini melibatkan pemindaian port pada sistem target untuk mengidentifikasi port yang terbuka dan layanan yang berjalan di port tersebut. Tools seperti Nmap sering digunakan untuk melakukan port scanning.

- Ping Sweep: Teknik ini digunakan untuk menentukan alamat IP mana dalam jangkauan yang aktif dengan mengirimkan paket ping. Ini membantu dalam mengidentifikasi perangkat yang terhubung ke jaringan.
- Network Mapping: Menggunakan alat seperti Traceroute untuk menentukan jalur yang dilalui data dari sumber ke target, serta mengidentifikasi perangkat-perangkat di sepanjang jalur tersebut.
- Banner Grabbing: Mengambil informasi tentang aplikasi yang berjalan di server, seperti versi perangkat lunak dan sistem operasi, dari banner yang dikirim oleh layanan di port tertentu.

2. Passive Reconnaissance

   Passive Reconnaissance adalah pendekatan yang lebih tidak langsung dalam pengumpulan informasi, di mana penyerang mengumpulkan data tanpa melakukan interaksi langsung dengan sistem target.

   Metode ini dirancang untuk menghindari deteksi dan memungkinkan penyerang untuk mendapatkan informasi yang berguna tanpa meninggalkan jejak yang jelas.

   Contoh aktivitas Passive Reconnaissance meliputi:

   - Pencarian di Media Sosial: Menelusuri platform media sosial seperti LinkedIn, Facebook, dan Twitter untuk mengumpulkan informasi tentang karyawan, struktur organisasi, dan teknologi yang digunakan oleh target.
   - DNS Lookup: Menggunakan alat DNS untuk mendapatkan informasi tentang domain dan subdomain target, termasuk alamat IP, catatan MX (mail exchange), dan catatan lainnya.
   - Analisis Metadata: Memeriksa metadata dari dokumen dan file yang tersedia publik untuk menemukan informasi yang relevan, seperti nama pengguna, versi perangkat lunak, dan lokasi.
   - Pencarian di Internet: Mencari informasi tentang target di forum, blog, dan situs berita untuk mengumpulkan detail yang berkaitan dengan sistem atau kebijakan keamanan target.

C. ALAT DAN BAHAN

1. PC/Laptop
2. VirtualBox
3. Linux

D. SOAL, PENGERJAAN DAN ANALISA

1. WHOIS LOOKUP

- Jalankan WHOIS lookup pada tiga domain berbeda:

Domain	Hasil
Fiberstar.co.id	ID ccTLD whois server Please see 'whois -h whois.id help' for usage. Domain ID: PANDI-DO261451 Domain Name: fiberstar.co.id Created On: 2013-11-13 10:02:01 Last Updated On: 2024-10-01 04:49:38 Expiration Date: 2033-11-13 23:59:59 Status: ok ========== Sponsoring Registrar Organization: PT Cyberindo Aditama Sponsoring Registrar URL: https://registrar.cbn.net.id Sponsoring Registrar Street: Cyber2 Tower 33rd floor Jl. HR. Rasuna Said, Blok X5 No. 13 Sponsoring Registrar City: Jakarta Sponsoring Registrar State/Province: DKI Jakarta Sponsoring Registrar Postal Code: 12950 Sponsoring Registrar Country: ID Sponsoring Registrar Phone: 02129964900 Sponsoring Registrar Email: registrar@cbn.co.id Name Server: rayden.ns.cloudflare.com Name Server: sunny.ns.cloudflare.com DNSSEC: Unsigned Abuse Domain Report https://pandi.id/domain-abuse-form/?lang=en

	For more information on Whois status codes, please visit https://www.icann.org/resources/pages/epp-status-codes-2014-06-16-en

Analisa

1. Perbedaan informasi yang tersedia untuk setiap domain.

   Setiap domain memiliki informasi WHOIS yang dapat mencakup:

   - **Nama Domain**
   - **Registrar (Pendaftar Domain)**
   - **Tanggal Pembuatan, Pembaruan, dan Kedaluwarsa**
   - **Status Domain** (aktif, terkunci, atau dalam transfer)
   - **Name Server**
   - **Informasi Pemilik Domain** (jika tidak menggunakan privacy protection)

   Beberapa domain menampilkan data lengkap, sedangkan yang lain menyembunyikan data pemilik menggunakan layanan **WHOIS Privacy Protection**.

2. Apakah ada informasi yang disembunyikan (privacy protection)? Jika iya, bagaimana cara mengatasinya?

   Ya, beberapa domain menggunakan **WHOIS Privacy Protection**, yang menyembunyikan informasi pribadi seperti:

   - Nama pemilik
   - Email pemilik
   - Alamat fisik
   - Nomor telepon

3. Apakah informasi registrasi dapat digunakan untuk OSINT atau rekayasa sosial?

   Ya! Informasi WHOIS dapat digunakan dalam **Open Source Intelligence (OSINT)** dan rekayasa sosial dengan beberapa cara:

   - **Email Pemilik** → Bisa dicari di data breach atau digunakan untuk phishing.
   - **Nomor Telepon** → Bisa digunakan untuk social engineering attack atau SIM swapping.
   - **Alamat Fisik** → Bisa dimanfaatkan untuk serangan berbasis fisik (physical security breach).

- **Registrar & Name Server** → Dapat digunakan untuk mempelajari infrastruktur dan titik kelemahan (misalnya, DNS hijacking).

4. Apa dampak dari domain yang memiliki WHOIS privacy protection?

   Keamanan Lebih Baik → Mengurangi kemungkinan doxxing dan phishing.

   Anonimitas Terjaga → Tidak ada informasi pribadi yang dapat diakses publik.

   Lebih Sulit untuk OSINT & Rekayasa Sosial → Attacker memiliki lebih sedikit informasi yang bisa dieksploitasi.

5. Bagaimana seorang pentester dapat menggunakan informasi WHOIS dalam tahap reconnaissance?

   Dalam penetration testing, informasi WHOIS sangat berguna dalam fase **reconnaissance (pengumpulan informasi awal)**. Beberapa cara pemanfaatannya:

   (a) Identifikasi Infrastruktur

   - Melihat **registrar & name server** → Bisa digunakan untuk DNS hijacking atau mencari misconfigurasi DNS.
   - Cek **alamat IP & hosting provider** → Bisa digunakan untuk footprinting layanan yang berjalan.

   (b) Menemukan Subdomain

   - Gunakan Sublist3r, Amass, atau crt.sh untuk menemukan subdomain yang terkait dengan domain utama.
   - Subdomain sering mengungkap **server staging, admin panel, atau API endpoints** yang bisa dieksploitasi.

   (c) Menemukan Kontak Email

   - Jika email WHOIS tidak dilindungi, bisa digunakan untuk **spear phishing** atau dicari dalam database breach.

   (d) Menganalisis Perubahan WHOIS

   - Gunakan layanan seperti SecurityTrails untuk melihat **perubahan registrasi**, yang bisa menunjukkan **perpindahan server atau perubahan pemilik domain**.

   (e) Mencari Kebocoran Data

   - Gunakan OSINT tools seperti:

- **Have I Been Pwned** → Cek apakah email dari WHOIS pernah bocor.
- **Shodan/Censys** → Temukan layanan yang berjalan pada alamat IP yang terkait dengan domain.
- **Google Dorking** → Cari konfigurasi atau file sensitif yang tidak sengaja dipublikasikan.

2. NSLOOKUP

- Gunakan NSLOOKUP untuk mendapatkan MX record dari tiga domain besar:

Domain	Hasil
Gmail	Server: 10.0.2.3 Address: 10.0.2.3#53 Non-authoritative answer: gmail.com mail exchanger = 5 gmail-smtp-in.l.google.com. gmail.com mail exchanger = 20 alt2.gmail-smtp-in.l.google.com. gmail.com mail exchanger = 30 alt3.gmail-smtp-in.l.google.com. gmail.com mail exchanger = 40 alt4.gmail-smtp-in.l.google.com. gmail.com mail exchanger = 10 alt1.gmail-smtp-in.l.google.com. Authoritative answers can be found from:
	Server: 10.0.2.3 Address: 10.0.2.3#53 Non-authoritative answer: gmail.com mail exchanger = 10 alt1.gmail-smtp-in.l.google.com.

	gmail.com mail exchanger = 5 gmail-smtp-in.l.google.com. gmail.com mail exchanger = 20 alt2.gmail-smtp-in.l.google.com. gmail.com mail exchanger = 30 alt3.gmail-smtp-in.l.google.com. gmail.com mail exchanger = 40 alt4.gmail-smtp-in.l.google.com. Authoritative answers can be found from:
Fiberstar.co.id	Server: 10.0.2.3 Address: 10.0.2.3#53 Non-authoritative answer: fiberstar.co.id mail exchanger = 1 fiberstar-co-id.mail.protection.outlook.com. Authoritative answers can be found from:

Analisa

1. Berapa jumlah mail server yang digunakan oleh setiap domain?

   Gmail (gmail.com) memiliki **5 mail servers**:

   - gmail-smtp-in.l.google.com (priority 5)
   - alt1.gmail-smtp-in.l.google.com (priority 10)
   - alt2.gmail-smtp-in.l.google.com (priority 20)
   - alt3.gmail-smtp-in.l.google.com (priority 30)
   - alt4.gmail-smtp-in.l.google.com (priority 40)

   Fiberstar (fiberstar.co.id) memiliki **1 mail server**:

   - fiberstar-co-id.mail.protection.outlook.com (priority 1

2. Apakah mereka menggunakan layanan email pihak ketiga seperti Google atau Microsoft 365?

   - **Gmail (gmail.com)** jelas menggunakan **Google Mail Server** karena semua MX record mengarah ke *.google.com.

- **Fiberstar (fiberstar.co.id)** menggunakan **Microsoft 365 (Outlook Mail Protection)**, terlihat dari mail.protection.outlook.com, yang merupakan bagian dari layanan Microsoft Exchange Online Protection (EOP).

Bagaimana mail server ini dapat menjadi vektor serangan bagi attacker?

Mail servers bisa menjadi target serangan bagi attacker melalui beberapa metode:

1. **Email Spoofing & Phishing**
    - Jika tidak ada SPF, DKIM, atau DMARC yang dikonfigurasi dengan baik, attacker dapat memalsukan email (spoofing) seolah-olah berasal dari domain tersebut.
    - **Mitigasi**: Pastikan **SPF, DKIM, dan DMARC** dikonfigurasi dengan benar untuk mencegah spoofing.
2. **Brute Force & Credential Stuffing**
    - Jika perusahaan menggunakan layanan email pihak ketiga, attacker bisa mencoba menebak kredensial login karyawan dengan serangan brute force atau menggunakan data kredensial bocor dari pelanggaran sebelumnya.
    - **Mitigasi**: Gunakan **MFA (Multi-Factor Authentication)** untuk semua akun email perusahaan.
3. **Exploitation of Misconfigured Mail Servers**
    - Jika server email salah dikonfigurasi, attacker bisa mengeksploitasinya untuk **open relay attacks** (menggunakan server untuk mengirimkan spam).
    - **Mitigasi**: Pastikan konfigurasi server email membatasi relay hanya untuk domain yang sah.
4. **Man-in-the-Middle (MITM) Attacks**
    - Jika komunikasi email tidak dienkripsi, attacker dapat mencegat pesan email melalui serangan MITM.

- **Mitigasi**: Gunakan **TLS (STARTTLS)** pada semua koneksi email untuk memastikan enkripsi.

5. **MX Priority Exploitation**
    - Attacker dapat mencoba mengarahkan email ke server dengan prioritas lebih tinggi jika ada konfigurasi yang lemah.
    - **Mitigasi**: Pastikan semua MX record valid dan menggunakan domain yang terpercaya.

3. STUDI KASUS

- Gunakan WHOIS untuk mendapatkan informasi kepemilikan domain:

```
ID ccTLD whois server
Please see 'whois -h whois.id help' for usage.

Domain ID: PANDI-DO933051
Domain Name: pointblank.id
Created On: 2018-05-30 06:20:27
Last Updated On: 2024-05-08 03:13:36
Expiration Date: 2027-05-30 23:59:59
Status: serverTransferProhibited
Status: clientTransferProhibited

==========================================================
Sponsoring Registrar Organization: PT Digital Registra Indonesia
Sponsoring Registrar URL: www.digitalregistra.co.id
Sponsoring Registrar Street: Jl. lempongsari no. 39C  Jongkang RT/RW 12/35 Sariharjo
Sponsoring Registrar City: Sleman
Sponsoring Registrar State/Province: Yogyakarta
Sponsoring Registrar Postal Code: 55281
Sponsoring Registrar Country: ID
Sponsoring Registrar Phone: 0274882257
Sponsoring Registrar Email: info@digitalregistra.co.id
Name Server: ns1.whoisdomain.kr
```

```
Name Server: ns2.whoisdomain.kr
Name Server: ns3.whoisdomain.kr
Name Server: ns4.whoisdomain.kr
DNSSEC: Unsigned

Abuse Domain Report https://pandi.id/domain-abuse-form/?lang=en
For more information on Whois status codes, please visit
https://www.icann.org/resources/pages/epp-status-codes-2014-06-16-
en
```

- Gunakan NSLOOKUP untuk mendapatkan IP Address:

```
Server:         10.0.2.3
Address:        10.0.2.3#53

Non-authoritative answer:
Name:   pointblank.id
Address: 43.249.208.51
```

- Cari mail server yang digunakan (NIX Record):

```
unknown query type: mail
Server:         10.0.2.3
Address:        10.0.2.3#53

Non-authoritative answer:
Name:   pointblank.id
Address: 43.249.208.51
Server:         10.0.2.3
Address:        10.0.2.3#53

Non-authoritative answer:
*** Can't find pointblank.id: No answer

Authoritative answers can be found from:
pointblank.id
        origin = ns1.whoisdomain.kr
        mail addr = help.whois.co.kr
```

serial = 2017083001
refresh = 10800
retry = 3600
expire = 604800
minimum = 3600

- Lihat Name Server (NS Record):

```
Server:         10.0.2.3
Address:        10.0.2.3#53

Non-authoritative answer:
pointblank.id   nameserver = ns3.whoisdomain.kr.
pointblank.id   nameserver = ns1.whoisdomain.kr.
pointblank.id   nameserver = ns2.whoisdomain.kr.
pointblank.id   nameserver = ns4.whoisdomain.kr.
```

- Periksa konfigurasi TXT Record (SPF/DKIM/DMARC):

```
Server:         10.0.2.3
Address:        10.0.2.3#53

Non-authoritative answer:
pointblank.id   text = "google-site-verification=0zgPY8yvIrggLkD3TUBrDvKGkfSyA1U_bWXcH9_2SL8"
```

Analisa

Siapa penyedia layanan hosting domain ini?

Apakah ada subdomain tersembunyi yang bisa ditemukan?

Apakah konfigurasi email domain ini aman terhadap spoofing?

4. DIG
   - Gunakan DIG untuk mencari TXT record dari 3 domain besar

Domain	Hasil
Yahoo.com	; <<>> DiG 9.20.2-1-Debian <<>> yahoo.com TXT ;; global options: +cmd ;; Got answer:

	;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 65482 ;; flags: qr rd ra; QUERY: 1, ANSWER: 11, AUTHORITY: 0, ADDITIONAL: 1 ;; OPT PSEUDOSECTION: ; EDNS: version: 0, flags:; udp: 1432 ;; QUESTION SECTION: ;yahoo.com. IN TXT ;; ANSWER SECTION: yahoo.com. 813 IN TXT "v=spf1 redirect=_spf.mail.yahoo.com" yahoo.com. 813 IN TXT "google-site-verification=Z3-Vh6zqUMgybVH4wQl1GxKSKN7JE13kyCyeZ3TZZ-I" yahoo.com. 813 IN TXT "Zoom=13284637" yahoo.com. 813 IN TXT "facebook-domain-verification=gysqrcd69g0ej34f4jfn0huivkym1p" yahoo.com. 813 IN TXT "edb3bff2c0d64622a9b2250438277a59" yahoo.com. 813 IN TXT "google-site-verification=2b8irRvU5a2h4Mb-H_fdqNrqWjS00qmPfPcWqm8BhxI" yahoo.com. 813 IN TXT "google-site-verification=GU8WAl0zPqaxdcZqDjuN7pqdfPCpR9Amz9rwxMG91qw" yahoo.com. 813 IN TXT "google-site-verification=xoBvU6aKxP0gYgNL0iXqF0EccAg6nFrO7XxsHnc3iNQ" yahoo.com. 813 IN TXT "google-site-verification=GLp01gkFNopm_JItbLxml4iuVbTgJa3rKu0-eq1RvsE" yahoo.com. 813 IN TXT "google-site-verification=w4N2bNopAWw1xYrdXKORILxx-WW3_LIiyX6dIMIidgk" yahoo.com. 813 IN TXT "google-site-verification=2b0Glh8l2icXIAgAcjOcFx16Jt26yWDgEyrk5hPD-ZY" ;; Query time: 12 msec ;; SERVER: 10.0.2.3#53(10.0.2.3) (UDP) ;; WHEN: Thu Mar 13 16:20:15 WIB 2025 ;; MSG SIZE rcvd: 796
Google.com	; <<>> DiG 9.20.2-1-Debian <<>> google.com TXT ;; global options: +cmd ;; Got answer: ;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 26853 ;; flags: qr rd ra; QUERY: 1, ANSWER: 12, AUTHORITY: 0, ADDITIONAL: 1 ;; OPT PSEUDOSECTION:

	; EDNS: version: 0, flags:; udp: 1432 ;; QUESTION SECTION: ;google.com. IN TXT ;; ANSWER SECTION: google.com. 194 IN TXT "globalsign-smime-dv=CDYX+XFHUw2wml6/Gb8+59BsH31KzUr6c1l2BPvqKX8=" google.com. 194 IN TXT "docusign=1b0a6754-49b1-4db5-8540-d2c12664b289" google.com. 194 IN TXT "v=spf1 include:_spf.google.com ~all" google.com. 194 IN TXT "onetrust-domain-verification=de01ed21f2fa4d8781cbc3ffb89cf4ef" google.com. 194 IN TXT "MS=E4A68B9AB2BB9670BCE15412F62916164C0B20BB" google.com. 194 IN TXT "docusign=05958488-4752-4ef2-95eb-aa7ba8a3bd0e" google.com. 194 IN TXT "google-site-verification=TV9-DBe4R80X4v0M4U_bd_J9cpOJM0nikft0jAgjmsQ" google.com. 194 IN TXT "cisco-ci-domain-verification=479146de172eb01ddee38b1a455ab9e8bb51542ddd7f1fa298557dfa7b22d963" google.com. 194 IN TXT "apple-domain-verification=30afIBcvSuDV2PLX" google.com. 194 IN TXT "google-site-verification=4ibFUgB-wXLQ_S7vsXVomSTVamuOXBiVAzpR5IZ87D0" google.com. 194 IN TXT "facebook-domain-verification=22rm551cu4k0ab0bxsw536tlds4h95" google.com. 194 IN TXT "google-site-verification=wD8N7i1JTNTkezJ49swvWW48f8_9xveREV4oB-0Hf5o" ;; Query time: 16 msec ;; SERVER: 10.0.2.3#53(10.0.2.3) (UDP) ;; WHEN: Thu Mar 13 16:19:01 WIB 2025 ;; MSG SIZE rcvd: 886
Microsoft	;; Truncated, retrying in TCP mode. ; <<>> DiG 9.20.2-1-Debian <<>> microsoft.com TXT ;; global options: +cmd ;; Got answer: ;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 45468 ;; flags: qr rd ra; QUERY: 1, ANSWER: 28, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1432
;; QUESTION SECTION:
;microsoft.com. IN TXT

;; ANSWER SECTION:
microsoft.com. 126 IN TXT "d365mktkey=Fu49WtSTeClkHtK7S14227RIVpGwwGrzEsO6RVs1I2Ax"
microsoft.com. 126 IN TXT "ms-domain-verification=25524f4b-1476-489c-a086-30f4c5016ecc"
microsoft.com. 126 IN TXT "d365mktkey=3uc1cf82cpv750lzk70v9bvf2"
microsoft.com. 126 IN TXT "facebook-domain-verification=fwzwhbbzwmg5fzgotc2go51olc3566"
microsoft.com. 126 IN TXT "google-site-verification=pjPOauSPcrfXOZS9jnPPa5axowcHGCDAl1_86dCqFpk"
microsoft.com. 126 IN TXT "fg2t0gov9424p2tdcuo94goe9j"
microsoft.com. 126 IN TXT "t7sebee51jrj7vm932k531hipa"
microsoft.com. 126 IN TXT "google-site-verification=M--CVfn_YwsV-2FGbCp_HFaEj23BmT0cTF4l8hXgpvM"
microsoft.com. 126 IN TXT "google-site-verification=GfDnTUdATPsK1230J0mXbfsYw-3A9BVMVaKSd4DcKgI"
microsoft.com. 126 IN TXT "d365mktkey=SxDf1EZxLvMwx6eEZUxzjFFgHoapF8DvtWEUjwq7ZTwx"
microsoft.com. 126 IN TXT "hubspot-developer-verification=OTQ5NGIwYWEtODNmZi00YWE1LTkyNmQtNDhjMDMxY2JjNDAx"
microsoft.com. 126 IN TXT "d365mktkey=QDa792dLCZhvaAOOCe2Hz6WTzmTssOp1snABhxWibhMx"
microsoft.com. 126 IN TXT "d365mktkey=6358r1b7e13hox60tl1uagv14"
microsoft.com. 126 IN TXT "google-site-verification=uFg3wr5PWsK8lV029RoXXBBUW0_E6qf1WEWVHhetkOY"
microsoft.com. 126 IN TXT "docusign=d5a3737c-c23c-4bd0-9095-d2ff621f2840"
microsoft.com. 126 IN TXT "d365mktkey=j2qHWq9BHdaa3ZXZH8x64daJZxEWsFa0dxDeilxDoYYx"
microsoft.com. 126 IN TXT "v=spf1 include:_spf-a.microsoft.com include:_spf-b.microsoft.com include:_spf-c.microsoft.com include:_spf-ssg-a.msft.net include:spf-a.hotmail.com include:_spf1-meo.microsoft.com -all"
microsoft.com. 126 IN TXT "atlassian-domain-verification=xvoaqRfxSg3PnlVnR4xCSOlKyw1Aln0MMxRiKXnwWroFG7vI76TUC8xYb03MwMXv"
microsoft.com. 126 IN TXT "workplace-domain-verification=lK0QDLk73xymCYMKUXNpfKAT8TY5Mx"

	microsoft.com. 126 IN TXT "google-site-verification=uhh5_jbxpcQgnb-A7gDIjlrr5Ef34lA2t2_BAveYpnk" microsoft.com. 126 IN TXT "MS=ms79629062" microsoft.com. 126 IN TXT "d365mktkey=3l6dste9txazu0Qd2zu4135PUB4E35txLxyzJxjkPbsx" microsoft.com. 126 IN TXT "d365mktkey=wbU64GRacxVEQxwcLSQnx0zisXLYzgUbfvsufIqO9ZUx" microsoft.com. 126 IN TXT "linear-domain-verification=iuq6saifcnbe" microsoft.com. 126 IN TXT "d365mktkey=ZGFU0tlXPekPusNHPo5QQQWpVf0gic0xpuKroNy3NQEx" microsoft.com. 126 IN TXT "d365mktkey=JlXV17lfZjyvWxNje1qiP390ACSKzTxo5mGqZ3V2BmYx" microsoft.com. 126 IN TXT "google-site-verification=mEAmcTy1e8jIB9W6ENPk2GDg9hjuNytQQRGlK0hPm0c" microsoft.com. 126 IN TXT "d365mktkey=PNcDqkW71x8VOUhcE96aGM4l5PYX1gnlRl6ieXUl5eMx" ;; Query time: 8 msec ;; SERVER: 10.0.2.3#53(10.0.2.3) (TCP) ;; WHEN: Thu Mar 13 16:20:30 WIB 2025 ;; MSG SIZE rcvd: 2065

Analisa

1. Apakah domain tersebut menggunakan SPF, DKIM, atau DMARC untukkeamanan email?

   Berdasarkan hasil query **TXT records**, domain **yahoo.com, google.com, dan microsoft.com** menggunakan **SPF (Sender Policy Framework)**:

   - **Yahoo:** "v=spf1 redirect=_spf.mail.yahoo.com"
   - **Google:** "v=spf1 include:_spf.google.com ~all"
   - **Microsoft:** "v=spf1 include:_spf-a.microsoft.com include:_spf-b.microsoft.com include:_spf-c.microsoft.com include:_spf-ssg-a.msft.net include:spf-a.hotmail.com include:_spf1-meo.microsoft.com -all"

   Tidak ada informasi DKIM atau DMARC yang langsung terlihat dalam hasil query. Untuk memeriksa DKIM dan DMARC, perlu dilakukan pengecekan lebih lanjut dengan query terhadap record

TXT untuk **_dmarc.domain.com** dan **default._domainkey.domain.com**.

2. Apa ftmgsi masing-masing dari SPF, DKIM, dan DMARC?
    - **SPF (Sender Policy Framework):** Mencegah spoofing dengan menentukan server mana yang berhak mengirim email atas nama domain tertentu.
    - **DKIM (DomainKeys Identified Mail):** Menggunakan tanda tangan digital untuk memastikan bahwa email tidak dimodifikasi dalam perjalanan dari pengirim ke penerima.
    - **DMARC (Domain-based Message Authentication, Reporting, and Conformance):** Memberikan kebijakan bagi email yang gagal SPF atau DKIM dan memungkinkan organisasi menerima laporan mengenai upaya pemalsuan email mereka.

1. Bagaimana attacker dapat mengeksploitasi domain yang tidak memiliki perlindungan email yang baik?
    - **Email Spoofing:** Jika domain tidak memiliki SPF atau menggunakan aturan yang lemah (misalnya, ~all atau +all), attacker dapat mengirim email palsu seolah-olah berasal dari domain tersebut.
    - **Phishing & BEC (Business Email Compromise):** Tanpa DKIM atau DMARC, email palsu lebih mudah lolos dari filter spam dan bisa digunakan untuk serangan phishing.
    - **Man-in-the-Middle Attack:** Tanpa DKIM, email dapat dimodifikasi selama pengiriman tanpa deteksi.
    - **Brand Abuse:** Domain yang tidak memiliki DMARC dapat disalahgunakan untuk merusak reputasi organisasi dengan kampanye spam atau malware.

5. SHODAN
    - Gunakan Shodan CLI untuk mencari semua server Apache di Indonesia:

[32m101.255.82.107[0m [33m20182[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 02:07:14 GMT\r\nServer: Apache/2.4.37 (centos)\r\nX-Powered-By: PHP/7.2.24\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate\r\nPragma: no-cache\r\nSet-Cookie: ci_session=dul3tnmqhm721lb488emnj7sf7r2upm2; expires=Tue, 25-Mar-2025 04:07:14 GMT; Max-Age=7200; path=/; HttpOnly\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html;

charset=UTF-8\r\n\r\n[0m
[32m163.61.90.246[0m [33m443[0m [35mns1.iteknologidata.net[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:44:48 GMT\r\nServer: Apache/2.4.62 (Unix) OpenSSL/1.0.2k-fips\r\nLast-Modified: Mon, 24 Mar 2025 07:36:06 GMT\r\nETag: "13b8-63111a8371478"\r\nAccept-Ranges: bytes\r\nContent-Length: 5048\r\nVary: Accept-Encoding,User-Agent\r\nContent-Type: text/html\r\n\r\n[0m
[32m45.114.118.93[0m [33m8544[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:43:04 UTC\r\nServer: Apache\r\nX-Frame-Options: SAMEORIGIN\r\nLast-Modified: Sat, 24 Jun 2023 01:06:24 GMT\r\nETag: af8-5fed5b9e78400\r\nAccept-Ranges: bytes\r\nContent-Length: 2808\r\nFeature-Policy: camera 'none'; microphone 'none'; geolocation 'none'\r\nReferrer-Policy: no-referrer\r\nX-XSS-Protection: 1; mode=block\r\nX-Content-Type-Options: nosniff\r\nCache-Control: no-cache, no-store, must-revalidate\r\nPragma: no-cache\r\nExpires: 0\r\nContent-Type: text/html; charset=utf-8\r\nSet-Cookie: pwcount=0;Secure;HttpOnly;Path=/;expires=Wednesday, 09-Nov-1999 23:12:40 GMT\r\nCache-Control: no-cache\r\nStrict-Transport-Security: max-age=157680000\r\n\r\n[0m
[32m36.95.208.253[0m [33m7822[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:43:20 GMT\r\nServer: Apache/2.4.37 (Win32) OpenSSL/1.1.1a PHP/7.2.14\r\nX-Powered-By: PHP/7.2.14\r\nSet-Cookie: PHPSESSID=8v66o2lck9rp6o48i21pb25nnd; path=/\r\nContent-Length: 70\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m36.92.31.76[0m [33m443[0m
[35mpendaftaranrsarsy.ddnsfree.com;www.pendaftaranrsarsy.ddnsfree.com[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:37:29 GMT\r\nServer: Apache/2.4.48 (Unix) OpenSSL/1.1.1k PHP/8.0.8 mod_perl/2.0.11 Perl/v5.32.1\r\nLast-Modified: Fri, 23 Jul 2021 06:51:11 GMT\r\nETag: "1d96-5c7c4d43035c0"\r\nAccept-Ranges: bytes\r\nContent-Length: 7574\r\nContent-Type: text/html\r\n\r\n[0m
[32m36.92.190.93[0m [33m443[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:42:48 GMT\r\nServer: Apache/2.4.18 (Ubuntu)\r\nSet-Cookie: PHPSESSID=qg9spv5d8u8ubv3tv7babb2mh0; path=/\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0\r\nPragma: no-cache\r\nVary: Accept-Encoding\r\nContent-Length: 7157\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m36.94.79.235[0m [33m4911[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:43:44 GMT\r\nServer: Apache/2.4.37 (Win32) OpenSSL/1.0.2p PHP/7.0.33\r\nLast-Modified: Wed, 12 Dec 2018 11:16:06 GMT\r\nETag: "1d99-57cd152fee980"\r\nAccept-Ranges: bytes\r\nContent-Length: 7577\r\nContent-Type: text/html\r\n\r\n[0m
[32m160.19.84.35[0m [33m5005[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:42:27 GMT\r\nServer: Apache/2.4.38 (Win64) OpenSSL/1.0.2q PHP/5.6.40\r\nLast-Modified: Thu, 07 Mar 2019 13:28:07 GMT\r\nETag: "1d99-5838113a2a7c0"\r\nAccept-Ranges: bytes\r\nContent-Length: 7577\r\nContent-Type: text/html\r\n\r\n[0m
[32m103.10.111.51[0m [33m32764[0m [37mHTTP/1.1 404 Not Found\r\nDate: Tue, 25 Mar 2025 01:42:07 GMT\r\nServer: Apache/2.4.52 (Ubuntu)\r\nCache-Control: no-cache, private\r\nAccess-Control-Allow-Origin: *\r\nContent-Type: text/html; charset=UTF-8\r\nTransfer-Encoding: chunked\r\n\r\n[0m
[32m175.45.185.22[0m [33m8009[0m
[37mAB\x006\x04\x01\x94\x00\x03404\x00\x00\x03\xa0\x01\x00\x17text/html;charset=utf-8\x00\xa0\x02\x00\x02en\x00\xa0\x03\x00\x03713\x00AB\x02\xcd\x03\x02\xc9

HTTP Status 404 \xe2\x80\x93 Not Found

Status Report

Not found

The origin server did not find a current representation for the target resource or is not willing to disclose that one exists.

Apache Tomcat/9.0.30

\x00AB\x00\x02\x05\x01[0m
[32m172.232.248.143[0m [33m80[0m [35m172-232-248-143.ip.linodeusercontent.com[0m [37mHTTP/1.1 403 Forbidden\r\nDate: Tue, 25 Mar 2025 01:41:26 GMT\r\nServer: Apache/2.4.6 (CentOS)\r\nLast-Modified: Thu, 16 Oct 2014 13:20:58 GMT\r\nETag: "1321-5058a1e728280"\r\nAccept-Ranges: bytes\r\nContent-Length: 4897\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m110.232.86.18[0m [33m8080[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:41:14 GMT\r\nServer: Apache/2.4.52 (Ubuntu)\r\nLast-Modified: Sun, 17 Dec 2023 06:09:33 GMT\r\nETag: "29af-60cae7a245bbf"\r\nAccept-Ranges: bytes\r\nContent-Length: 10671\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n[0m
[32m27.111.43.114[0m [33m8009[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:41:04 GMT\r\nServer: Apache/2.4.18 (Ubuntu)\r\nLast-Modified: Tue, 10 Oct 2017 10:04:53 GMT\r\nETag: "2c39-55b2e703f6818"\r\nAccept-Ranges: bytes\r\nContent-Length: 11321\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n\r\n\n\n\n\n \n \n \n \n \r\n\r\n\r\n\r\n\r\n

Bad request!

\r\n

\r\n\r\n\r\n Your browser (or proxy) sent a request that\r\n this server could not understand.\r\n\r\n\r\n

\r\n

\r\nIf you think this is a server error, please contact\r\nthe webmaster.\r\n\r\n\r\n

\r\n\r\n\r\n

Error 400

\r\n\r\n\r\n localhost
\r\n Apache/2.4.10 (Win32) OpenSSL/1.0.1i PHP/5.6.3\r\n\r\n\r\n\r\n\r\n\r\n\r\n[0m
[32m103.65.237.169[0m [33m80[0m [35m169.237.65.in-addr.arpa[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:40:04 GMT\r\nServer: Apache/2.4.52 (Ubuntu)\r\nLast-Modified: Fri, 03 Jan 2025 13:37:03 GMT\r\nETag: "29af-62acd5fc298e5"\r\nAccept-Ranges: bytes\r\nContent-Length: 10671\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n\r\n[0m
[32m103.94.5.118[0m [33m22069[0m [35m118.5.94.103.iconpln.net.id[0m [37mHTTP/1.1 403 Forbidden\r\nDate: Tue, 25 Mar 2025 01:39:42 GMT\r\nServer: Apache/2.4.57 (AlmaLinux) OpenSSL/3.0.7\r\nContent-Length: 199\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n\r\n\n\n\n\n\n

Forbidden

\n

You don't have permission to access this resource.

\n\n[0m

[32m101.255.156.101[0m [33m10001[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:39:42 GMT\r\nServer: Apache\r\nX-Powered-By: PHP/8.2.12\r\nContent-Length: 4263\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m103.94.169.52[0m [33m80[0m [35mip-169-52.balifiber.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:39:39 GMT\r\nServer: Apache/2.4.41 (Ubuntu)\r\nLast-Modified: Sat, 17 Apr 2021 03:43:01 GMT\r\nETag: "2aa6-5c022e4a62c27"\r\nAccept-Ranges: bytes\r\nContent-Length: 10918\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n[0m
[32m27.111.43.114[0m [33m1935[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:39:39 GMT\r\nServer: Apache/2.4.18 (Ubuntu)\r\nLast-Modified: Tue, 10 Oct 2017 10:04:53 GMT\r\nETag: "2c39-55b2e703f6818"\r\nAccept-Ranges: bytes\r\nContent-Length: 11321\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n[0m
[32m116.204.248.160[0m [33m443[0m [35mcareer.indocater.co.id;www.career.indocater.co.id;mail.indocater.co.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:39:39 GMT\r\nServer: Apache\r\nX-Frame-Options: ALLOW-FROM https://www.incaapps.com/\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m139.255.245.73[0m [33m80[0m [35mln-static-139-255-245-73.link.net.id[0m [37mHTTP/1.1 301 Moved Permanently\r\nDate: Tue, 25 Mar 2025 01:39:27 GMT\r\nServer: Apache/2.4.52 (Debian)\r\nLocation: https://www.kemhan.go.id/\r\nContent-Length: 313\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n[0m
[32m124.40.255.250[0m [33m80[0m [35mpanel.pptqdarussalam.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:30:10 GMT\r\nServer: Apache/2.4.48 (Unix) OpenSSL/1.0.2k-fips\r\nLast-Modified: Tue, 20 Jul 2021 11:43:28 GMT\r\nETag: "13cd-5c78c8ff37800"\r\nAccept-Ranges: bytes\r\nContent-Length: 5069\r\nVary: Accept-Encoding,User-Agent\r\nContent-Type: text/html\r\n\r\n[0m
[32m36.92.37.242[0m [33m22069[0m [35mjknrsamandamitra.com;www.jknrsamandamitra.com[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:39:03 GMT\r\nServer: Apache/2.4.51 (Win64) OpenSSL/1.1.1l PHP/7.4.24\r\nX-Powered-By: PHP/7.4.24\r\nContent-Length: 1923\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m27.111.43.114[0m [33m9095[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:39:04 GMT\r\nServer: Apache/2.4.18 (Ubuntu)\r\nLast-Modified: Tue, 10 Oct 2017 10:04:53 GMT\r\nETag: "2c39-55b2e703f6818"\r\nAccept-Ranges: bytes\r\nContent-Length: 11321\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n\r\n\n\n\n\n \n \n \n \n \n \n \n
\n
\n \n \n Apache2 Ubuntu Default Page\n \n
\n\n \n \n\n\n\n\n
\n
\n \t

Testing 123..

\n \t\t

This page is used to test the proper operation of the Apache HTTP server after it has been installed. If you can read this page it means that this site is working properly. This server is powered by CentOS.

\n\t\t
\n
\n
\n
\n
\n \t\t\t
\n \t\t\t

Just visiting?

\n\t\t\t \t\t

The website you just visited is either experiencing problems or is undergoing routine maintenance.

\n \t\t\t\t\t

If you would like to let the administrators of this website know that you've seen this page instead of the page you expected, you should send them e-mail. In general, mail sent to the name "webmaster" and directed to the website's domain should reach the appropriate person.

\n \t\t\t\t\t

For example, if you experienced problems while visiting www.example.com, you should send e-mail to "webmaster@[0m
[32m34.101.55.130[0m [33m443[0m
[35mwww.dashboard.lemondialcareer.com;dashboard.lemondialcareer.com;130.55.101.34.bc.googleusercontent.com[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:38:37 GMT\r\nServer: Apache/2.4.37 (centos) OpenSSL/1.1.1k\r\nX-Powered-By: PHP/8.0.27\r\nCache-Control: no-cache, private\r\nSet-Cookie: XSRF-TOKEN=eyJpdiI6InY0cjZQQkxnYkQwVEczTC9RVkFqbFE9PSIsInZhbHVlIjoiV1VITWFaTEJrdzJGVDF5TGhRMTlja1BXVU5KdVVtUndrWjVCVE1rOFZOdlhlY0xBTHZjL1IvSEs1RElVSFcyckg1NFJpVEtNckxKQzFwdk8xakpEajlhSDR6S1U4bVlXdU50bHRFTDE3YWhwT3NNUWl3RVBIV2xBcFpPNDJtckoiLCJtYWMiOiI2NjMxNDY3NmRjODVkODZiNzg0MzFiOWE0MTdiN2ZiZjhiZjgwNTI3YmU1YjZmYzhmMmRjNzIzZDc5MDE4MzNjIiwidGFnIjoiIn0%3D; expires=Tue, 25-Mar-2025 03:38:37 GMT; Max-Age=7200; path=/; samesite=lax\r\nSet-Cookie: lemondial_career_session=eyJpdiI6Im9FdDRWTzhCUmltYkxNWmhBQlVFQVE9PSIsInZhbHVlIjoiQURoV2t4TWZtNldRMGNvTUZuMUpkMGczU0FoQmZZL2tpbDFzci81dlozdUxpUk9NbGdJUzVFWDJNeDdSdmt5MkQrSklyc2pEdURlT2NPRXhramxxMTJBcmhuZDc1c0RsK1dIWkY5THFrUmhSa3VVK2ZQeW1keVhUdkRQcXhWbW4iLCJtYWMiOiJkZjNhMDBjMDI0ZDVjOWFjZjAwZDk5ZjQ3ODIwNGJmMzM2ZTAxNGM5ZWE5NzZjZjMzYmRlZTFmNTY1ZTg0MzJmIiwidGFnIjoiIn0%3D; expires=Tue, 25-Mar-2025 03:38:37 GMT; Max-Age=7200; path=/; httponly; samesite=lax\r\nStrict-Transport-Security: max-age=31557600\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m125.160.159.205[0m [33m443[0m [35mcc210e75fbd9.sn.mynetname.net[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:38:24 GMT\r\nServer: Apache/2.4.62 (Raspbian)\r\nSet-Cookie: ci_session=rbr9988r9eiu55s6jkk9iegsft88acfg; expires=Mon, 16 Jun 2025 09:38:24 GMT; Max-Age=7200000; path=/; HttpOnly; SameSite=Lax\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate\r\nPragma: no-cache\r\nVary: Accept-Encoding\r\nAccess-Control-Allow-Origin: \r\nService-Worker-Allowed: /\r\nLimitRequestBody: 52428800\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m36.64.211.75[0m [33m80[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:38:24 GMT\r\nServer: Apache/2.4.52 (Ubuntu)\r\nCache-Control: no-cache\r\nSet-Cookie: laravel_session=eyJpdiI6InlaU3czcUY4cWFpMnVud3ArbnFqV0E9PSIsInZhbHVlIjoiMzkyWmFDdEp2NWxlRWEwaXB5emE1aWFucXdtVVhEOW94cEdJanBUWTAzdDBcL2xUVFg5aU1cL0JLQTdzTzFqdFVJbW9rRG96XC9NbnkxQ1Z0dWY1c2xmbWc9PSIsIm1hYyI6ImU2NGVmNWMwMDdjZGQ3MDhlOGFlYzNiMmNjMmFiNGI5OGY3ZGQ0ODZmMzY1NTJmNjMyMjNjYTEzZThmZWUzZWMifQ%3D%3D; expires=Tue, 01-Apr-2025 01:38:24 GMT; Max-Age=604800; path=/; HttpOnly\r\nSet-Cookie: 6a2aae78d7d804373aea1855bad8702366963412=eyJpdiI6InNsUlFhdzRJR0RKV2JPVW9MbU1Ganc9P

SIsInZhbHVlIjoiRFlXRE9LYjRIUFB5RHRsOWlPanR1SU0xTVZpUGFcL2RlQlZoTlBMbFlFY3IzWWlvcnZwUkl sajZZRk9uMDl5MnJXMjRianZKXC9TMG1ybmpPRnJqVjVHbFlzaW53eUhpRk1BcmZYMWFOMndGSDhi UlwvZjYyQ05nRnBLcE9GQkMwR0dCMFlRaENNQXRqQ2pXZDJ2ZWU3UjNzZWFjZDlTMitscUVHc3k0Skh 2WWhOd2JMbzYzTnVWaDZmY25zb1VtV2FxdXp0UzltS3dRWnNvd2tLYWdGdDdPSFUyanN2aklJWGRk ZHkyZDJTV1FpK0M1bG11dlUwUXp4R2kzWkZJeHNWU2FNWGdoTUlEdFwvY1krMWVuWUlTaVBnPT0i LCJtYWMiOiI0NGExZDNiZjE0MjY3MjU4Zjg2YzZmNDBmZmE0YzlmMmY2YzBiMGU4NTUwZWEwMTc4 YjYzODBjNGQ4MmUxYjA5In0%3D; expires=Tue, 01-Apr-2025 01:38:24 GMT; Max-Age=604800; path=/; HttpOnly\r\nVary: Accept-Encoding\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m

[32m118.98.221.13[0m [33m443[0m

[35madm.puslapdik.kemdikbud.go.id;221.13.cpt.kemdikbud.go.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:32:37 GMT\r\nServer: Apache\r\nSet-Cookie: ci_session=ed1c18f0e47c6dc9d1dc557f8de657804a1069d0; path=/; HttpOnly; SameSite=Lax\r\nVary: Accept-Encoding\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m

[32m103.122.65.82[0m [33m80[0m [37mHTTP/1.1 301 Moved Permanently\r\nDate: Tue, 25 Mar 2025 01:38:16 GMT\r\nServer: Apache/2.4.38 (Debian)\r\nLocation: https://jnms.jinom.net/\r\nContent-Length: 310\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n[0m

[32m36.89.87.141[0m [33m8080[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:38:15 GMT\r\nServer: Apache/2.4.37 (Unix) OpenSSL/1.0.2q PHP/7.1.26 mod_perl/2.0.8-dev Perl/v5.16.3\r\nX-Powered-By: PHP/7.1.26\r\nSet-Cookie: PHPSESSID=f36fb928711235667b53934ce1fe1b75; path=/\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate\r\nPragma: no-cache\r\nContent-Length: 3784\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m

[32m103.151.89.212[0m [33m443[0m [35munand.ac.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:52:30 GMT\r\nServer: Apache/2.4.57 (Debian)\r\nSet-Cookie: _csrf-backend=8c4f063b4d96295d10ba08e209bdf5fae131870e4a0fb3e75a6da9c4778c4bfaa%3A2%3A%7Bi%3A0%3Bs%3A13%3A%22_csrf-backend%22%3Bi%3A1%3Bs%3A32%3A%22rrMknbFoSpdQPu37O3sXpukT3SRhtdzc%22%3B%7D; path=/; HttpOnly; SameSite=Lax\r\nVary: Accept-Encoding\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m

[32m149.129.239.216[0m [33m443[0m

[35mcpanel.ninesport.co.id;whm.merekmu.co.id;webdisk.ninesport.co.id;webmail.ninesport.co.id;ninesport.co.id;mail.ninesport.co.id;www.ninesport.co.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:37:47 GMT\r\nServer: Apache/2\r\nSet-Cookie: ci_session=a%3A5%3A%7Bs%3A10%3A%22session_id%22%3Bs%3A32%3A%2269711de3985e022c8607d362c041ae56%22%3Bs%3A10%3A%22ip_address%22%3Bs%3A14%3A%22224.123.238.59%22%3Bs%3A10%3A%22user_agent%22%3Bs%3A105%3A%22Mozilla%2F5.0+%28X11%3B+Linux+x86_64%29+AppleWebKit%2F537.36+%28KHTML%2C+like+Gecko%29+Chrome%2F98.0.4758.102+Safari%2F537.36%22%3Bs%3A13%3A%22last_activity%22%3Bi%3A1742866667%3Bs%3A9%3A%22user_data%22%3Bs%3A0%3A%22%22%3B%7D76727eae96c7d398f0319037779fd4c6f3f0e487; expires=Tue, 25-Mar-2025 03:37:47 GMT; Max-Age=7200; path=/\r\nUpgrade: h2,h2c\r\nConnection: Upgrade\r\nVary: Accept-Encoding,User-Agent\r\nContent-Length: 33640\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m

[32m103.166.137.42[0m [33m443[0m [35mibik.ac.id;42.137.166.103.ptr.iforte.net.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:37:46 GMT\r\nServer: Apache/2.4.29 (Ubuntu)\r\nExpires: Thu, 24 Apr 2025 01:37:46 GMT\r\nCache-Control: no-store, no-cache, must-revalidate\r\nVary: Accept-Encoding\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=utf-8\r\n\r\n[0m

[32m183.81.158.117[0m [33m22069[0m [35mmx.daehan.co.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:37:39 GMT\r\nServer: Apache/2.4.38 (Win64) OpenSSL/1.0.2q PHP/5.6.40\r\nX-Powered-By: PHP/5.6.40\r\nSet-Cookie: csrf_cookie_brickapp=857904e731207bbdcbcd5a35a276ecc7; expires=Tue, 25-Mar-2025 03:37:39 GMT; Max-Age=7200; path=/\r\nSet-Cookie: brickapp=6bc5afe1d1468e796702c2f4521e3dc6b7b2f365; expires=Tue, 25-Mar-2025 03:37:39 GMT; Max-Age=7200; path=/; HttpOnly\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0\r\nPragma: no-cache\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n\r\n6470\r\n\n\n\t\n\t\n\t\n\t\n\t\n\n\t\n\t\n\t\n\t\n\t\n\t\n\t\n\n\n\n\n\n<link rel="sty[0m

[32m103.82.242.87[0m [33m443[0m [35mbmtcondong.my.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:31:53 GMT\r\nServer: Apache\r\nVary: Accept-Encoding\r\nContent-Length: 158\r\nConnection: close\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m

[32m36.90.230.157[0m [33m8099[0m [37mHTTP/1.1 401 Authorization Required\r\nDate: Tue Mar 25 08:38:07 2025\r\nServer: Apache/2.0.40 (Red Hat Linux)\r\nWWW-Authenticate: Digest realm="DigAuth", nonce="OfPqqytY5Pcl+G1BLbd3Ik/+ZWhsPaBd5QHkD198EahDhXEtzik7Hj5h6bOJ1Pm", algorithm=MD5, domain="/", qop="auth"\r\nVary: accept-language\r\nAccept-Ranges: bytes\r\nContent-Length: 0\r\nConnection: close\r\nContent-Type: text/html; charset=ISO-8859-1\r\n\r\n[0m

[32m152.118.24.20[0m [33m443[0m [35mmusang.ui.ac.id;research.ui.ac.id;mesjidui.ui.ac.id[0m [37mHTTP/1.1 403 Forbidden\r\nDate: Tue, 25 Mar 2025 01:31:45 GMT\r\nServer: Apache\r\nStrict-Transport-Security: max-age=63072000; includeSubDomains; preload\r\nContent-Length: 199\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n[0m

[32m114.6.41.18[0m [33m80[0m [35m114-6-41-18.resources.indosat.com[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:37:09 GMT\r\nServer: Apache/2.4.7 (Ubuntu)\r\nX-Powered-By: PHP/5.5.9-1ubuntu4.21\r\nSet-Cookie: PHPSESSID=rjftjm4kece0gim8ip8dgo2nh2; path=/\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0\r\nPragma: no-cache\r\nSet-Cookie: ci_session=a%3A5%3A%7Bs%3A10%3A%22session_id%22%3Bs%3A32%3A%2221466a4752a5b786b103e946ede71ca6%22%3Bs%3A10%3A%22ip_address%22%3Bs%3A14%3A%22224.178.157.165%22%3Bs%3A10%3A%22user_agent%22%3Bs%3A100%3A%22Mozilla%2F5.0+%28Windows+NT+6.1%29+AppleWebKit%2F537.36+%28KHTML%2C+like+Gecko%29+Chrome%2F41.0.2228.0+Safari%2F537.36%22%3Bs%3A13%3A%22last_activity%22%3Bi%3A1742866629%3Bs%3A9%3A%22user_data%22%3Bs%3A0%3A%22%22%3B%7Dd82a12495c5951010f48b297735a73ff; expires=Tue, 25-Mar-2025 06:23:49 GMT; Max-Age=17200; path=/\r\nVary: Accept-Encoding\r\nContent-Length: 5201\r\nContent-Type: text/html\r\n\r\n[0m

[32m118.99.72.104[0m [33m8081[0m [37mHTTP/1.1 302 Found\r\nDate: Tue, 25 Mar 2025 01:37:08 GMT\r\nServer: Apache/2.4.53 (Win64) OpenSSL/1.1.1n PHP/8.1.6\r\nX-Powered-By: PHP/8.1.6\r\nLocation: http://118.99.72.104/dashboard/\r\nContent-Length: 0\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m

[32m103.10.70.51[0m [33m80[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:37:07 GMT\r\nServer: Apache/2.4.52 (Ubuntu)\r\nLast-Modified: Mon, 04 Dec 2023 06:49:59 GMT\r\nETag: "29af-60ba986d27b4b"\r\nAccept-Ranges: bytes\r\nContent-Length: 10671\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n[0m

[32m103.151.89.218[0m [33m443[0m [35munand.ac.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:36:44 GMT\r\nServer: Apache\r\nUpgrade: h2,h2c\r\nConnection: Upgrade\r\nLast-Modified: Mon, 01 Apr 2024 03:49:44 GMT\r\nETag: "134fe-61500e14bf0ab"\r\nAccept-Ranges: bytes\r\nContent-Length: 79102\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n[0m

[32m103.112.244.66[0m [33m80[0m [35msupernova.indowebsite.net[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:30:55 GMT\r\nServer: Apache\r\nX-Powered-By: PHP/8.1.29\r\nCache-Control: max-age=0, must-revalidate, no-cache, no-store, private\r\nPragma: no-cache\r\nExpires: Fri, 01 Jan 1990 00:00:00 GMT\r\nSet-Cookie: XSRF-TOKEN=eyJpdiI6ImpMY01VM1JoWFpnS3hlRDZNNmRuMlE9PSIsInZhbHVlIjoiKzh6Z2R1TFZrOGZ2aGJNZ0wyOTlNcHhTY1g5akhMakZqU25RSEFpRjhkMmV4SVlJQlMyejlFeE4yQ1ZTd1ZYZVI5TmZOKzI4cXJTTVN6bStSTzc1M2p5cnFTYks5NTExTUR5djFBR1k0dlB1cVJHRjcxN2Jab054Tk9oODUvdVkiLCJtYWMiOiI3NzU2YmJhNzc5NTZmYTg5NTU1OGU5YTYyZWYwMWNjNzliOTA2YTdiNTk4OTliMTJjNWU2MmM3MWQ3NDdlYmRkIiwidGFnIjoiIn0%3D; expires=Tue, 25 Mar 2025 03:30:56 GMT; Max-Age=7200; path=/; samesite=lax\r\nSet-Cookie: voteman_city_session=eyJpdiI6IkZyWkV4RHliMmZUN0R2dXlsYVBzUkE9PSIsInZhbHVlIjoiT1paR0NLT01NNHdqZi9penpwbllmWGlOZkQ4SmZiOTQ2ZjZBalc0YWFwSGZZTkRTbk0vekRUVkJKR3JmTmExeEhpZWV1aXlKckJTUkFnbzQrSWh6MU9nMzZxQmpTbld6YXZqQ3ZUUkRjWGNxR2MxcHkyVGNjMTEzVUt0TWpIMnoiLCJtYWMiOiIwNDhmOGVkN2YwYzZmZTljZjc0ZWMyMWU3OTBmYTQzMzBmNTNlYTc0MjkzZTNlMmE2ODc3NmVjOGJiMzg2MzYzIiwidGFnIjoiIn0%3D; expires=Tue, 25 Mar 2025 03:30:56 GMT; Max-Age=7200; path=/; httponly; samesite=lax\r\nUpgrade: h2,h2c\r\nConnection: Upgrade\r\nVary: Accept-Encoding\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m

[32m8.215.201.63[0m [33m80[0m [37mHTTP/1.1 302 Found\r\nDate: Tue, 25 Mar 2025 01:36:32 GMT\r\nServer: Apache/2.4.52 (Ubuntu)\r\nLocation: https://blog.ultravoucher.co.id//\r\nContent-Length: 295\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n[0m

[32m202.51.253.121[0m [33m443[0m [35mmerbabu.indosol.net[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:36:24 GMT\r\nServer: Apache/2.4.57 (Unix) OpenSSL/1.1.1k\r\nLast-Modified: Mon, 12 Aug 2024 05:21:43 GMT\r\nETag: "13b8-61f75ab2cda6a"\r\nAccept-Ranges: bytes\r\nContent-Length: 5048\r\nVary: Accept-Encoding,User-Agent\r\nContent-Type: text/html\r\n\r\n\r\n\r\n\r\n\t\t\r\n\t\t\r\n\t\t\r\n\t\t\r\n\r\n\r\n\t\r\n\t

HTTP Test Page
powered by CWP | CentOS-WebPanel.com

\r\n\t\t
\r\n\t\t



\r\n\t\t\t
\r\n\t\t\t
\r\n\t\t\t\t

This page is used to test the proper operation of the HTTP\r\n server after it has been installed. If you can read this page it means \r\nthat the HTTP server installed at this site is working properly.

\r\n\t\t\t
\r\n
\r\n\t\t\t
\r\n\t\t\t\t
\r\n\t\t\t\t\t

If you are a member of the general public:

\r\n\r\n\t\t\t\t\t

The fact that you are seeing this page indicates that the \r\nwebsite you just visited is either experiencing problems or is \r\nundergoing routine maintenance.

\r\n\r\n\t\t\t\t\t

If you would like to let the administrators of this website know\r\n that you've seen this page instead of the page you expected, you should\r\n send them e-mail. In general, mail sent to the name "webmaster" and \r\ndirected to the website's domain should reach the appropriate person.

\r\n\r\n\t\t\t\t\t

For example, if you experienced problems while visiting www.example.com, you should send e-mail to "webmaster@example.com".

\r\n\t\t\t\t
\r\n\r\n\t\t\t\t
\r\n\t\t\t\t\t

If you are the website administrator:

\r\n\r\n\t\t\t\t\t

You may now add content to the directory `/home/USERNAME/public_html`.\r\n Note that until you do so, people visiting your website will see this \r\npage and not your content. To prevent this page from ever being used, \r\ndelete index.html in `/public_html`.

\r\n\r\n\t\t\t\t\t

You are free to use the images below on Linux powered HTTP servers. Thanks for using CentOS-WebPanel!

\r\n\r\n\t\t\t\t\t\t



\r\n\t\t\t\t
\r\n\t\t\t
\r\n
\r\n
\r\n

About CentOS-WebPanel:

\r\na Free Web Hosting control panel designed for quick and easy management of (Dedicated & VPS) servers minus the chore and effort to use ssh console for every time you want to do something, offers a huge number of options and features for server management in its control panel package.
\r\n

CentOS-WebPanel.com

\r\n
\r\n

Note:

CentOS-WebPanel is Software and it is used to \r\npower this website; however, the webserver is owned by the domain owner \r\nand not the CentOS-WebPanel.

\r\n\r\n

For example, if this website is www.example.com, you would find the \r\nowner of the example.[0m [32m103.252.189.81[0m [33m80[0m [37mHTTP/1.1 303 See Other\r\nDate: Tue, 25 Mar 2025 01:36:20 GMT\r\nServer: Apache/2.4.37 (centos) OpenSSL/1.1.1k\r\nX-Powered-By: PHP/7.2.24\r\nX-Redirect-By: Moodle\r\nContent-Language: en\r\nLocation: https://spadame.pnp.ac.id\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m27.111.43.114[0m [33m4782[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:36:20 GMT\r\nServer: Apache/2.4.18 (Ubuntu)\r\nLast-Modified: Tue, 10 Oct 2017 10:04:53 GMT\r\nETag: "2c39-55b2e703f6818"\r\nAccept-Ranges: bytes\r\nContent-Length: 11321\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n[0m
[32m103.147.32.9[0m [33m80[0m [35m9.32.147.103.in-addr.arpa[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:36:19 GMT\r\nServer: Apache\r\nUpgrade: h2\r\nConnection: Upgrade, close\r\nLast-Modified: Fri, 09 Aug 2024 10:54:55 GMT\r\nETag: "267-61f3df94041f4"\r\nAccept-Ranges: bytes\r\nContent-Length: 615\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n[0m
[32m114.6.243.105[0m [33m80[0m [35m114-6-243-105.resources.indosat.com[0m [37mHTTP/1.1

200 OK\r\nDate: Tue, 25 Mar 2025 01:36:19 GMT\r\nServer: Apache\r\nUpgrade: h2\r\nConnection: Upgrade, close\r\nLast-Modified: Thu, 09 Feb 2023 03:13:33 GMT\r\nETag: "267-5f43bc4164dad"\r\nAccept-Ranges: bytes\r\nContent-Length: 615\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n[0m
[32m103.19.180.103[0m [33m443[0m [35muad.ac.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:36:13 GMT\r\nServer: Apache/2.4.52 (Ubuntu)\r\nExpires: Thu, 24 Apr 2025 01:36:13 GMT\r\nCache-Control: no-store, no-cache, must-revalidate\r\nVary: Accept-Encoding\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=utf-8\r\n\r\n[0m
[32m36.95.92.247[0m [33m8181[0m [37mHTTP/1.1 403 Forbidden\r\nDate: Tue, 25 Mar 2025 01:50:41 GMT\r\nServer: Apache\r\nX-Frame-Options: SAMEORIGIN\r\nContent-Length: 199\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n\n\n\n\n

Forbidden

\n

You don't have permission to access this resource.

\n\n[0m
[32m103.9.22.119[0m [33m443[0m [35mlib.unsoed.ac.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:35:58 GMT\r\nServer: Apache\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate\r\nPragma: no-cache\r\nSet-Cookie: PHPSESSID=dpgiegh71736114l4ada7ht6vh; path=/\r\nUpgrade: h2\r\nConnection: Upgrade\r\nVary: Accept-Encoding\r\nContent-Length: 24129\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m202.52.147.179[0m [33m443[0m [35mipv4-202-52-147-179.idweb.host;halmaheramusik.com[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:35:57 GMT\r\nServer: Apache/2.4.52 (Ubuntu)\r\nLast-Modified: Fri, 17 Jan 2025 09:32:39 GMT\r\nETag: "442-62be397816ffd"\r\nAccept-Ranges: bytes\r\nContent-Length: 1090\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n[0m
[32m119.235.16.142[0m [33m14402[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:35:50 GMT\r\nServer: Apache/2.4.56 (Win64) OpenSSL/1.1.1t PHP/8.2.4\r\nX-Powered-By: PHP/7.4.13\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m203.217.188.214[0m [33m443[0m [35mvisa.kemlu.go.id;layanandiplomatik.kemlu.go.id;kemlu.go.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:35:39 GMT\r\nServer: Apache/2.4.62 (Ubuntu)\r\nCache-Control: no-cache, private\r\nSet-Cookie: XSRF-TOKEN=eyJpdiI6ImllbTF5L3FFTjJNYjAxRTVVQklDMXc9PSIsInZhbHVlIjoidkxaYzVSeUtBWEFET1BZUjQzZ3NGZWdkeWk3UXRaaHR5RXZVQjlHU2tyeW1keERaWFpJNTNPY09hdkZMVzMvRzNYZ3ZCb2JNSDlnTWFpZTJJQ05tQUVFalZlbExmeWV3aEE0dVovMDR2NWdGT3J6Y1ZBTVo5Ty9Jdng2eVdUQXUiLCJtYWMiOiIzNTRiY2YxNjkzMTFjMzgwMzVhYThmZTkzNjg0ZDNmOWZhYTA3OTNiN2I4OTM5ZmQyOWJjMjQ0MjYzNmUzMTdkIiwidGFnIjoiIn0%3D; expires=Tue, 25-Mar-2025 03:35:39 GMT; Max-Age=7200; path=/; samesite=lax\r\nSet-Cookie: laravel_session=eyJpdiI6IndyNXY2djZKcExHSFp4dS84dDRnTUE9PSIsInZhbHVlIjoiWWFZWDhWZzJxSFZDMW04VmFFYnZIY0hNWHhMQlkvK29rREZsU2dROEhIZXgxa3FZd2ZKK2UzbE11VWVyaDl2Nk1aNUhoLzM3eEZ0YlFMeDkrR21KN2VGdnZORlVxWmZPblRxRzUxL0xJTVU3YjZxUmN5Yjl0TVlCUExmSXJkb3UiLCJtYWMiOiIwYzAyYjFjMGI5YjJkYmUxMTlkMjQzZGEyMDI2NWY4NGQxZTQ0OTcxMzkzZTU4MThjYjRjMDRlZjE2YzBiMzk2IiwidGFnIjoiIn0%3D; expires=Tue, 25-Mar-2025 03:35:39 GMT; Max-Age=7200; path=/; httponly; samesite=lax\r\nVary: Accept-Encoding\r\nContent-

Type: text/html; charset=UTF-8\r\nSet-Cookie: cookiesession1=678B28FBC1F8939260718F2FA54B67FF;Expires=Wed, 25 Mar 2026 01:35:39 GMT;Path=/;HttpOnly\r\nContent-Security-Policy: 'default-src 'self'\r\nX-Content-Type-Options: nosniff\r\nReferrer-Policy: same-origin\r\nX-Frame-Options: SAMEORIGIN\r\nPermissions-Policy: geolocation=(self), microphone=(), camera=()\r\ncontent-length: 1017777\r\n\r\n[0m [32m103.23.102.172[0m [33m80[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:35:34 GMT\r\nServer: Apache/2.4.56 (Debian)\r\nSet-Cookie: csrf_cookie_name=3e212a5e341fddca874738213b9f3832; expires=Tue, 25-Mar-2025 03:35:34 GMT; Max-Age=7200; path=/\r\nSet-Cookie: ci_session=kouh22s2564jdsm87clhr75bpmopmsgq; expires=Tue, 25-Mar-2025 03:35:34 GMT; Max-Age=7200; path=/; HttpOnly\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: post-check=0, pre-check=0\r\nPragma: no-cache\r\nSet-Cookie: lang=deleted; expires=Thu, 01-Jan-1970 00:00:01 GMT; Max-Age=0; path=/\r\nSet-Cookie: curr=2; expires=Wed, 26-Mar-2025 01:35:34 GMT; Max-Age=86400; path=/\r\nLast-Modified: Tue, 25 Mar 2025 01:35:34 GMT\r\nVary: Accept-Encoding\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m [32m103.252.189.86[0m [33m443[0m [35mpnp.ac.id[0m [37mHTTP/1.1 403 Forbidden\r\nDate: Tue, 25 Mar 2025 01:35:34 GMT\r\nServer: Apache/2.4.37 (centos) OpenSSL/1.1.1k\r\nLast-Modified: Sun, 27 Jun 2021 23:47:13 GMT\r\nETag: "30c0b-5c5c7fdeec240"\r\nAccept-Ranges: bytes\r\nContent-Length: 199691\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m [32m103.252.189.86[0m [33m80[0m [37mHTTP/1.1 303 See Other\r\nDate: Tue, 25 Mar 2025 01:35:17 GMT\r\nServer: Apache/2.4.37 (centos) OpenSSL/1.1.1k\r\nX-Powered-By: PHP/7.2.24\r\nX-Redirect-By: Moodle\r\nContent-Language: en\r\nLocation: https://spadaan.pnp.ac.id\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m [32m103.135.180.67[0m [33m80[0m [37mHTTP/1.1 302 Found\r\nDate: Tue, 25 Mar 2025 01:35:17 GMT\r\nServer: Apache/2.4.10 (Debian)\r\nlocation: https://simoku.v2.kulonprogokab.go.id\r\nContent-Length: 0\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m [32m103.146.30.120[0m [33m8575[0m [37mHTTP/1.1 400 Bad Request\r\nDate: Tue, 25 Mar 2025 01:35:15 GMT\r\nServer: Apache\r\nX-Frame-Options: SAMEORIGIN\r\nContent-Length: 362\r\nConnection: close\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n[0m [32m103.28.149.138[0m [33m80[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:30:18 GMT\r\nServer: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/5.4.16\r\nX-Powered-By: PHP/5.4.16\r\nSet-Cookie: OSTSESSID=jv1fi9q3sdn7jv22nfdrrjj6t0; expires=Wed, 26-Mar-2025 01:30:19 GMT; path=/\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0\r\nPragma: no-cache\r\nContent-Language: en-US\r\nContent-Length: 4620\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m [32m203.6.148.76[0m [33m443[0m [35muns.ac.id[0m [37mHTTP/1.1 302 Found\r\nDate: Tue, 25 Mar 2025 01:35:02 GMT\r\nServer: Apache\r\nX-Powered-By: PHP/7.1.7\r\nPragma: no-cache\r\nCache-Control: no-cache, must-revalidate\r\nLocation: https://sso.uns.ac.id/saml2/idp/SSOService.php?SAMLRequest=fVPLrtowEN3zFSh74jwggAWRKPSBRCEiaRfdVMaeFEuJndpOL%2F37Ok5uoVWLN5bHc86cMx6vNKmrB

m9acxVn%2BN6CNgOxXbe6Ehq7y7XXKoEl0VxjQWrQ2FCcbz4ecOQHuFHSSCor7y%2FYcxTRGpThUvSw%2FW7tnY5vD6f3%2B%2BPXabKAZM5ICctlGc5LEiyW4TQMy%2FklYeQyW8ZBFBOY99DPoLTlWXuW1hv1bFq3sBfaEGFsPlhmkyCeRLMiCHE8w0H0pYfurFkuiHHwqzGNxqhpLf1WaJ9QnzPUOYkQZw3K81MO6qen4DfXpiflBu9vuGBcfHtu%2BdInafyhKLJJdsqLnmTz2oqtFLqtQQ1lPp0Pd1VREPuJH04X%2FjxBhNVcOGmIUO2IjmbVnbGzrtIOZlGXWjx4cbAVesy7Ixt8tIr3u0xWnP508W69k6om5v%2FGQj90Ec4mpUvFtl4DlJccmPebZlNV8mWrqBhYe0a14I3RH8WH0QPmBtF2wsDNjLeybojiunsfuBFqBq93v4%2Fp28pO1RnK9OnqUUy7PBvO7PYiFeteEaitXShixUtlhib9k7xXjZ7ITkev14%2B%2FKv0F&RelayState=https%3A%2F%2F203.6.148.76%2Fadmin%2Fsaml%2Flogin\r\nContent-Length: 0\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m202.180.21.27[0m [33m16032[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:35:44 GMT\r\nServer: Apache/2.4.48 (Win64) OpenSSL/1.1.1k PHP/7.3.29\r\nX-Powered-By: PHP/7.3.29\r\nContent-Length: 269\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m202.145.5.169[0m [33m9443[0m [37mHTTP/1.1 307 Temporary Redirect\r\nDate: Tue, 25 Mar 2025 01:35:05 GMT\r\nServer: Apache/2.4.43 (Win64) PHP/7.2.30\r\nX-Powered-By: PHP/7.2.30\r\nSet-Cookie: ci_session=j12052gsf1mlhdm94rs9vnh6jc3ebm25; expires=Tue, 25-Mar-2025 03:35:05 GMT; Max-Age=7200; path=/; HttpOnly\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate\r\nPragma: no-cache\r\nLocation: http://202.145.5.169/login\r\nContent-Length: 0\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m103.204.15.114[0m [33m9080[0m [35mmillio.solusi247.com[0m [37mHTTP/1.1 403 Forbidden\r\nDate: Tue, 25 Mar 2025 01:35:04 GMT\r\nServer: Apache/2.4.62 (Debian)\r\nStrict-Transport-Security: max-age=31536000; includeSubDomains; preload\r\nContent-Length: 279\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n[0m
[32m182.253.100.162[0m [33m443[0m [35mmadamegie.com;skinlutions.com;office.seerditech.com[0m [37mHTTP/1.1 200 \r\nDate: Tue, 25 Mar 2025 01:34:58 GMT\r\nServer: Apache/2.4.59 (Win64) OpenSSL/3.1.5\r\nContent-Type: text/html;charset=ISO-8859-1\r\nContent-Language: en-GB\r\nSet-Cookie: JSESSIONID=75E4EB4DDBA811B6BDB5AFEA1AE11523; Path=/; HttpOnly\r\nTransfer-Encoding: chunked\r\n\r\n[0m
[32m202.157.185.191[0m [33m80[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:34:39 GMT\r\nServer: Apache/2.4.29 (Ubuntu)\r\nSet-Cookie: ci_session=5un6vnovljicoipl47i5ttej8mcopi74; expires=Tue, 25-Mar-2025 03:34:39 GMT; Max-Age=7200; path=/; HttpOnly\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate\r\nPragma: no-cache\r\nVary: Accept-Encoding\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m103.252.189.85[0m [33m443[0m [35mpnp.ac.id[0m [37mHTTP/1.1 403 Forbidden\r\nDate: Tue, 25 Mar 2025 01:34:38 GMT\r\nServer: Apache/2.4.37 (centos) OpenSSL/1.1.1k\r\nLast-Modified: Sun, 27 Jun 2021 23:47:13 GMT\r\nETag: "30c0b-5c5c7fdeec240"\r\nAccept-Ranges: bytes\r\nContent-Length: 199691\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m175.111.88.221[0m [33m443[0m [35mobs.mon.ugm.ac.id;ugm.ac.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:34:40 GMT\r\nServer: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.0.25\r\nX-Powered-By: PHP/7.0.25\r\nSet-Cookie: OBSID=uef2or6ftl6egrg084j01v8h54th9qeq; path=/; secure; HttpOnly\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control:

no-store, no-cache, must-revalidate\r\nPragma: no-cache\r\nSet-Cookie: OBSID=uef2or6ftl6egrg084j01v8h54th9qeq; path=/; secure; HttpOnly\r\nContent-Length: 3637\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m210.247.245.103[0m [33m80[0m [35mc-icare.cc[0m [37mHTTP/1.1 301 Moved Permanently\r\nDate: Tue, 25 Mar 2025 01:34:36 GMT\r\nServer: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/5.4.16\r\nLocation: https://210.247.245.103/\r\nContent-Length: 232\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n[0m
[32m103.146.145.139[0m [33m443[0m [37mHTTP/1.1 403 Forbidden\r\nDate: Tue, 25 Mar 2025 01:34:36 GMT\r\nServer: Apache/2.4.62 (AlmaLinux) OpenSSL/3.2.2\r\nLast-Modified: Sat, 09 Oct 2021 17:49:21 GMT\r\nETag: "1249-5cdef1d990a40"\r\nAccept-Ranges: bytes\r\nContent-Length: 4681\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m103.31.232.245[0m [33m443[0m
[35mip245.dhyhost.com;empowered21asia.com;www.empowered21asia.com;mail.empowered21asia.com[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:34:31 GMT\r\nServer: Apache\r\nX-Mod-Pagespeed: 1.13.35.2-0\r\nVary: Accept-Encoding\r\nCache-Control: max-age=0, no-cache, s-maxage=10\r\nContent-Length: 68346\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m103.155.166.60[0m [33m443[0m [37mHTTP/1.1 403 Forbidden\r\nDate: Tue, 25 Mar 2025 01:34:26 GMT\r\nServer: Apache/2.4.37 (centos) OpenSSL/1.1.1k\r\nLast-Modified: Sun, 27 Jun 2021 23:47:13 GMT\r\nETag: "30c0b-5c5c7fdeec240"\r\nAccept-Ranges: bytes\r\nContent-Length: 199691\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m103.160.148.173[0m [33m8724[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:34:38 GMT\r\nServer: Apache/2.4.7 (Ubuntu)\r\nX-Powered-By: PHP/5.5.9-1ubuntu4.29\r\nVary: Accept-Encoding\r\nContent-Length: 1138\r\nContent-Type: text/html\r\n\r\n[0m
[32m202.157.186.176[0m [33m443[0m [35mwww.wastebank.id;wastebank.id[0m
[37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:34:38 GMT\r\nServer: Apache/2.4.48 (Win64) OpenSSL/1.1.1l PHP/7.4.23\r\nX-Powered-By: PHP/7.4.23\r\nSet-Cookie: daur=b5eoqu9qr7lhs38m0tvu5ejfr2s4eo68; path=/; HttpOnly; SameSite=Lax\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nCache-Control: no-store, no-cache, must-revalidate\r\nPragma: no-cache\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m103.164.213.186[0m [33m443[0m [35m186.213.164.103.net.iforte.net.id[0m
[37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:34:22 GMT\r\nServer: Apache\r\nSet-Cookie: MoodleSession=lk2abn8rel8smaiaurm9h4m3so; path=/; secure\r\nExpires: \r\nCache-Control: private, pre-check=0, post-check=0, max-age=0, no-transform\r\nPragma: no-cache\r\nContent-Language: en\r\nContent-Script-Type: text/javascript\r\nContent-Style-Type: text/css\r\nX-UA-Compatible: IE=edge\r\nAccept-Ranges: none\r\nX-Frame-Options: sameorigin\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=utf-8\r\n\r\n[0m
[32m103.157.117.33[0m [33m9136[0m [37mHTTP/1.1 403 Forbidden\r\nDate: Tue, 25 Mar 2025 01:34:14 GMT\r\nServer: Apache/2.4.62 (AlmaLinux) OpenSSL/3.2.2\r\nContent-Length: 199\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n[0m
[32m175.106.17.165[0m [33m8081[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:34:09 GMT\r\nServer: Apache/2.4.7 (Ubuntu)\r\nX-Powered-By: PHP/5.5.9-1ubuntu4.29\r\nContent-Length: 17\r\nContent-Type:


text/html\r\n\r\nACCESS DENIED !!![0m
[32m103.52.145.2[0m [33m80[0m [35mserver.magnaindonesia.co.id[0m
[37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:34:05 GMT\r\nServer: Apache\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html\r\n\r\n[0m
[32m182.253.167.252[0m [33m23023[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:33:59 GMT\r\nServer: Apache/2.4.9 (Win32) OpenSSL/0.9.8y PHP/5.4.27\r\nLast-Modified: Sat, 30 Mar 2013 11:28:59 GMT\r\nETag: "ca-4d922b19fd4c0"\r\nAccept-Ranges: bytes\r\nContent-Length: 202\r\nContent-Type: text/html\r\n\r\n[0m
[32m103.9.22.83[0m [33m443[0m [35mfk.unsoed.ac.id;www.fk.unsoed.ac.id[0m
[37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:33:53 GMT\r\nServer: Apache\r\nLink: https://fk.unsoed.ac.id/wp-json/; rel="https://api.w.org/", https://fk.unsoed.ac.id/; rel=shortlink\r\nUpgrade: h2\r\nConnection: Upgrade\r\nVary: Accept-Encoding\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m101.50.3.251[0m [33m80[0m [35mserver.stbapia.ac.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:33:54 GMT\r\nServer: Apache/2.4.53 (cPanel) OpenSSL/1.1.1n mod_bwlimited/1.4\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html\r\n\r\n[0m
[32m203.6.148.53[0m [33m443[0m [35muns.ac.id[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 00:21:29 GMT\r\nServer: Apache/2.4.7 (Ubuntu)\r\nX-Powered-By: PHP/5.5.9-1ubuntu4.5\r\nExpires: Thu, 19 Nov 1981 08:52:00 GMT\r\nLast-Modified: Tue, 25 Mar 2025 00:21:29 GMT\r\nCache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0\r\nPragma: no-cache\r\nP3P: CP="CAO PSA OUR"\r\nSet-Cookie: Cacti=gh6omb6ap7on40m4mb7hc6g1d5; path=/\r\nVary: Accept-Encoding\r\nContent-Length: 142\r\nContent-Type: text/html\r\n\r\n[0m
[32m116.68.252.197[0m [33m443[0m [35mmanpro.crossnet.co.id[0m
[37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:28:08 GMT\r\nServer: Apache/2.4.62 (Debian)\r\nLast-Modified: Fri, 22 Sep 2023 08:26:22 GMT\r\nETag: "29cd-605ee5d1ca6a9"\r\nAccept-Ranges: bytes\r\nContent-Length: 10701\r\nVary: Accept-Encoding\r\nContent-Type: text/html\r\n\r\n[0m
[32m175.111.88.221[0m [33m80[0m [35mobs.mon.ugm.ac.id[0m [37mHTTP/1.1 301 Moved Permanently\r\nDate: Tue, 25 Mar 2025 01:33:49 GMT\r\nServer: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.0.25\r\nLocation: https://obs.mon.ugm.ac.id/\r\nContent-Length: 234\r\nContent-Type: text/html; charset=iso-8859-1\r\n\r\n[0m
[32m119.235.16.142[0m [33m16010[0m [37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:33:45 GMT\r\nServer: Apache/2.4.56 (Win64) OpenSSL/1.1.1t PHP/8.2.4\r\nX-Powered-By: PHP/7.4.13\r\nTransfer-Encoding: chunked\r\nContent-Type: text/html; charset=UTF-8\r\n\r\n[0m
[32m103.246.107.85[0m [33m443[0m [35mdinus.ac.id;hosting.dinus.ac.id[0m
[37mHTTP/1.1 200 OK\r\nDate: Tue, 25 Mar 2025 01:33:43 GMT\r\nServer: Apache/2.4.48 (Unix) OpenSSL/1.0.2k-fips\r\nLast-Modified: Tue, 20 Jul 2021 11:43:28 GMT\r\nETag: "13cd-5c78c8ff37800"\r\nAccept-Ranges: bytes\r\nContent-Length: 5069\r\nContent-Type: text/html\r\n\r\n[0m


Analisis:

1. Berapa banyak server yang ditemukan di indonesia ?

   = Di indonesia sendiri terdapat total sekitar 98 web

2. Apakah ada yang masih menggunakan versi lama atau rentan terhadap eksploitasi ? Ya ,cPanel sering jadi target bruteforce & RCE, terutama kalau pakai versi lama. Dan Webmail bisa dieksploitasi dengan XSS atau CSRF kalau gak ada proteksi tambahan.





3. Bagaimana cara mencari informasi lebih lanjut mengenai kerentanan apache tertentu ?


   Cek versi Apache yang digunakan , check di searchploit kalau ada bisa dilihat lebih detail nya di kali linux nya

- **[STUDI KASUS] Menemukan Server Rentan :** seorang penetration tester ingin mengetahui apakah ada server Apache versi lama yang masih digunakan dan memiliki CVE (Common Vulnerabilities and Exposures) terkait
    - Cari semua servcer apache yang rentan :





- Cocokan hasil dengan dengan database CVE untuk melihat apakah ada eksploitasi yang bisa digunakan



Exploit Title	Path
Apache + PHP < 5.3.12 / < 5.4.2 - cgi-bin Remot	php/remote/29290.c
Apache + PHP < 5.3.12 / < 5.4.2 - Remote Code E	php/remote/29316.py
Apache 1.3.35/2.0.58/2.2.2 - Arbitrary HTTP Req	linux/remote/28424.txt
Apache 1.4/2.2.x - APR 'apr_fnmatch()' Denial o	linux/dos/35738.php
Apache 2.2 (Windows) - Local Denial of Service	windows/dos/15319.pl
Apache 2.2 - Scoreboard Invalid Free On Shutdow	linux/dos/41768.txt
Apache 2.2.14 mod_isapi - Dangling Pointer Remo	windows/remote/11650.c
Apache 2.2.15 mod_proxy - Reverse Proxy Securit	linux/remote/36663.txt
Apache 2.2.2 - CGI Script Source Code Informati	multiple/remote/28365.txt
Apache 2.2.4 - 413 Error HTTP Request Method Cr	unix/remote/30835.sh
Apache 2.2.6 (Windows) - Share PHP File Extensi	windows/remote/30901.txt
Apache 2.2.6 mod_negotiation - HTML Injection /	linux/remote/31052.java
Apache < 1.3.37/2.0.59/2.2.3 mod_rewrite - Remo	multiple/remote/2237.sh
Apache < 2.0.64 / < 2.2.21 mod_setenvif - Integ	linux/dos/41769.txt
Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Lea	linux/webapps/42745.py
Apache cocoon 2.14/2.2 - Directory Traversal	multiple/remote/23282.txt
Apache CXF < 2.5.10/2.6.7/2.7.4 - Denial of Ser	multiple/dos/26710.txt
Apache James Server 2.2 - SMTP Denial of Servic	multiple/dos/27915.pl
Apache mod_gzip (with debug_mode) 1.2.26.1a - R	linux/remote/126.c
Apache mod_jk 1.2.19/1.2.20 - Remote Buffer Ove	multiple/remote/4093.pl
Apache mod_ssl < 2.8.7 OpenSSL - 'OpenFuck.c' R	unix/remote/21671.c
Apache mod_ssl < 2.8.7 OpenSSL - 'OpenFuckV2.c'	unix/remote/47080.c
Apache mod_ssl < 2.8.7 OpenSSL - 'OpenFuckV2.c'	unix/remote/764.c
Apache OpenMeetings 1.9.x < 3.1.0 - '.ZIP' File	linux/webapps/39642.txt
Apache Struts 2 < 2.3.1 - Multiple Vulnerabilit	multiple/webapps/18329.txt
Apache Struts 2.0.0 < 2.2.1.1 - XWork 's:submit	multiple/remote/35735.txt
Apache Struts 2.0.1 < 2.3.33 / 2.5 < 2.5.10 - A	multiple/remote/44556.py
Apache Struts 2.2.1.1 - Remote Command Executio	multiple/remote/18984.rb
Apache Struts 2.2.3 - Multiple Open Redirection	multiple/remote/38666.txt
Apache Struts < 1.3.10 / < 2.3.16.2 - ClassLoad	multiple/remote/41690.rb
Apache Struts < 2.2.0 - Remote Command Executio	multiple/remote/17691.rb
Apache Struts2 2.0.0 < 2.3.15 - Prefixed Parame	multiple/webapps/44583.txt

Analisis:

1. Apakah server yang ditemukan masih mengunakan versi lama

   Ya ada contohnya server seperti berikut




2. Apakah ada eksploitasi yang bisa digunakan ?

   Berdasarkan hasil pencarian di Shodan dan `searchsploit`, terdapat kemungkinan eksploitasi pada beberapa website yang menggunakan Apache versi **2.2.x**, termasuk **Remote Code Execution (RCE), Directory Traversal, dan Denial of Service (DoS)**. Jika versi Apache yang terdeteksi cocok dengan eksploit yang tersedia, seperti **Apache 2.2.2, 2.2.4, 2.2.6, atau 2.2.11**, maka ada potensi untuk eksploitasi menggunakan metode yang telah diketahui, seperti eksekusi perintah jarak jauh atau kebocoran informasi melalui skrip CGI. Namun, diperlukan verifikasi lebih lanjut dengan **nmap** atau **Metasploit** untuk memastikan kerentanannya sebelum eksploitasi dapat dilakukan.

- **[STUDI KASUS] Menganalisis Keamanan Firewall :** beberapa firewall memiliki default password yang bisa dicoba dalam serangan brute-force. Seorang administrator ingin mengetahui apkah firewall di perusahaannya rentan terhadap eksploitasi.
  - Cari firewall yang berjalan di port 8443 :



- Periksa apakah firewall tersebut memerlukan atutentikasi kuat atau masih menggunakan default password ?



Analisis:

1. Apakah ada firewall yang menggunakan konfigurasi lemah ?

   Ya ada seperti salah satu contoh diatas

2. Bagaimana cara meningkatkan keamanannya ?

   Untuk meningkatkan keamanan firewall dengan konfigurasi yang lemah, pastikan firmware dan perangkat lunak selalu diperbarui,

gunakan aturan least privilege dengan memblokir semua trafik secara default lalu hanya mengizinkan koneksi yang diperlukan, serta tutup port yang tidak digunakan dan gunakan VPN untuk akses jarak jauh. Terapkan Deep Packet Inspection (DPI), Intrusion Prevention System (IPS) seperti Snort atau Suricata, serta Stateful Inspection & Geo-IP Filtering untuk memblokir trafik mencurigakan. Selain itu, aktifkan Rate Limiting untuk mencegah serangan DDoS dan brute-force, serta lakukan audit dan monitoring rutin menggunakan SIEM untuk mendeteksi potensi ancaman sebelum dieksploitasi. 🚀

6. TheHarvester
    - Mencari email publik untuk analisis pishing: seorang ethica hacker ingin mencari alamat email publik dari suatu perusahaan untuk mengidentifikasi potensi serangan phising.

Domain	Hasil
Microsoft.com	[*] Target: microsoft.com Read api-keys.yaml from /home/abdulrozak/.theHarvester/api-keys.yaml Searching 0 results. [94m[*] Searching Bing. [*] No IPs found. [*] No emails found. [*] Hosts found: 13 --------------------- accountprotection.microsoft.com answers.microsoft.com edge.payments.microsoft.com fpt.microsoft.com go.microsoft.com mathsolver.microsoft.com ov-df.microsoft.com paymentinstruments-int.mp.microsoft.com

	paymentinstruments.mp.microsoft.com pmservices.cp.microsoft.com support.microsoft.com techcommunity.microsoft.com vlscppe.microsoft.com
Pln.co.id	[*] Target: pln.co.id Read api-keys.yaml from /home/abdulrozak/.theHarvester/api-keys.yaml Searching 0 results. [94m[*] Searching Bing. [*] No IPs found. [*] Emails found: 1 ---------- pln123@pln.co.id [*] Hosts found: 5 ---------- cos.pln.co.id iam.pln.co.id layanan.pln.co.id portal.pln.co.id web.pln.co.id

Analisis:

1. Berapa banyak email yang ditemukan?

2. Apakah email tersebut bisa digunakan dalam serangan phising?
   Bisa, pada dasarnya semua email dapat digunakan untuk serangan pishing
3. Bagaimana cara perusahaan melindungi emailnya?
   agar email tidak diketahui dari serangan reconnaissance, perusahaan dapat melakukan emkripsi pada email. Untuk melindungi email dari serangan pishing perusahaan diantaranya untuk melindungi perusahaan dari serangan pishing, perusahaan diantaranya harus lebih waspada terhadap email dan memverifikasi sumber email. Selain itu, dapet digunakan juga antivirus atau antimalware.


7. FOCA dan Exiftool
    - **Memeriksa metadata dalam dokumen rahasia:** Sebuah perusahaan secara tidak sengaja mengunggah dokumen rahasia ke internet. Ethical hacker ingin memeriksa apakah metadata dokumen mengandung informasi sensitif
        - Unduh dokumen dari internet
        - Jalankan exiftool untuk mengekstrak metadata

```
ExifTool Version Number         : 13.00
File Name                       : ruptl-2021-2030.pdf
Directory                       : .
File Size                       : 42 MB
File Modification Date/Time     : 2025:03:24 17:42:20+07:00
File Access Date/Time           : 2025:03:24 17:43:17+07:00
File Inode Change Date/Time     : 2025:03:24 17:42:20+07:00
File Permissions                : -rw-rw-r--
File Type                       : PDF
File Type Extension             : pdf
MIME Type                       : application/pdf
PDF Version                     : 1.7
Linearized                      : No
Encryption                      : Standard V4.4 (128-bit)
User Access                     : Print, Extract
Create Date                     : 2021:10:03 20:12:12+07:00
Creator                         : Nitro Pro 12
Modify Date                     : 2021:10:05 10:46:22+07:00
Has XFA                         : No
XMP Toolkit                     : Adobe XMP Core 5.4-c006 80.159825, 2016/09/16-03:31:08
Creator Tool                    : Nitro Pro 12
Metadata Date                   : 2021:10:05 10:46:22+07:00
Document ID                     : uuid:e129a89c-cdfd-4aec-abed-e34aadb2af4d
Instance ID                     : uuid:64b5f653-9945-4b12-b0ef-b1402992966a
Format                          : application/pdf
Page Count                      : 915
```

        - Analisis hasil dan laporkan:
            1. Apakah ada informasi seperti nama pembuat dokumen?

2. Apakah ada koordinat GPS dalam metadata?

- **Mencari Informasi Sistem Perusahaan dari Metadata Publik:** Seorang penetration tester ingin mengetahui apakah ada dokumen internal yang dapat memberikan informasi tentang sistem yang digunakan oleh perusahaan target
  - Gunakan google dorking untuk mencari dokumen yang tersedia secara publik.



  - Unduh file yang ditemukan dan jalankan FOCA atau ExifTool untuk mengekstrak metadata

```
ExifTool Version Number         : 13.00
File Name                       : ruptl-2021-2030.pdf
Directory                       : .
File Size                       : 42 MB
File Modification Date/Time     : 2025:03:24 17:42:20+07:00
File Access Date/Time           : 2025:03:24 17:43:17+07:00
File Inode Change Date/Time     : 2025:03:24 17:42:20+07:00
File Permissions                : -rw-rw-r--
File Type                       : PDF
File Type Extension             : pdf
MIME Type                       : application/pdf
PDF Version                     : 1.7
Linearized                      : No
Encryption                      : Standard V4.4 (128-bit)
User Access                     : Print, Extract
Create Date                     : 2021:10:03 20:12:12+07:00
Creator                         : Nitro Pro 12
Modify Date                     : 2021:10:05 10:46:22+07:00
Has XFA                         : No
```

XMP Toolkit	: Adobe XMP Core 5.4-c006 80.159825, 2016/09/16-03:31:08
Creator Tool	: Nitro Pro 12
Metadata Date	: 2021:10:05 10:46:22+07:00
Document ID	: uuid:e129a89c-cdfd-4aec-abed-e34aadb2af4d
Instance ID	: uuid:64b5f653-9945-4b12-b0ef-b1402992966a
Format	: application/pdf
Page Count	: 915

- Analisis hasil metadata
  1. Nama pengguna atau organisasi
  2. Versi software yang digunakan
  3. Sistem operasi yang digunakan
  4. Lokasi GPS (jika ada)

8. Whatweb dan Wappanalyzer
   - Gunakan WhatWeb untuk mendeteksi teknologi yang digunakan oleh situs web target: whatweb zero.webappsecurity.com

```
adelia@vbox:~$ whatweb zero.webappsecurity.com
http://zero.webappsecurity.com [200 OK] Apache, Bootstrap, Content-Language[en-US], C
ountry[UNITED STATES][US], HTML5, HTTPServer[Apache-Coyote/1.1], IP[54.82.22.214], JQ
uery[1.8.2], Script[text/javascript], Title[Zero - Personal Banking - Loans - Credit
Cards], UncommonHeaders[access-control-allow-origin], X-UA-Compatible[IE=Edge]
```

   - Gunakan WhatWeb dalam mode verbose untuk hasil lebih detail: whatweb —v zero.webappsecurity.com

```
adelia@vbox:~$ whatweb -v zero.webappsecurity.com
WhatWeb report for http://zero.webappsecurity.com
Status    : 200 OK
Title     : Zero - Personal Banking - Loans - Credit Cards
IP        : 54.82.22.214
Country   : UNITED STATES, US

Summary   : Apache, Bootstrap, Content-Language[en-US], HTML5, HTTPServer[Apache-Coyo
te/1.1], JQuery[1.8.2], Script[text/javascript], UncommonHeaders[access-control-allow
-origin], X-UA-Compatible[IE=Edge]

Detected Plugins:
[ Apache ]
        The Apache HTTP Server Project is an effort to develop and
        maintain an open-source HTTP server for modern operating
        systems including UNIX and Windows NT. The goal of this
        project is to provide a secure, efficient and extensible
        server that provides HTTP services in sync with the current
        HTTP standards.

        Google Dorks: (3)
        Website     : http://httpd.apache.org/

[ Bootstrap ]
        Bootstrap is an open source toolkit for developing with
        HTML, CSS, and JS.

        Website     : https://getbootstrap.com/

[ Content-Language ]
        Detect the content-language setting from the HTTP header.

        String      : en-US

[ HTML5 ]
        HTML version 5, detected by the doctype declaration


[ HTTPServer ]
        HTTP server header string. This plugin also attempts to
        identify the operating system from the server header.

        String      : Apache-Coyote/1.1 (from server string)

[ JQuery ]
        A fast, concise, JavaScript that simplifies how to traverse
        HTML documents, handle events, perform animations, and add
        AJAX.

        Version     : 1.8.2
        Website     : http://jquery.com/

[ Script ]
        This plugin detects instances of script HTML elements and
        returns the script language/type.

        String      : text/javascript

[ UncommonHeaders ]
        Uncommon HTTP server headers. The blacklist includes all
        the standard headers and many non standard but common ones.
        Interesting but fairly common headers should have their own
        plugins, eg. x-powered-by, server and x-aspnet-version.
        Info about headers can be found at www.http-stats.com

        String      : access-control-allow-origin (from headers)

[ X-UA-Compatible ]
        This plugin retrieves the X-UA-Compatible value from the
        HTTP header and meta http-equiv tag. - More Info:
        http://msdn.microsoft.com/en-us/library/cc817574.aspx


        String      : IE=Edge

HTTP Headers:
        HTTP/1.1 200 OK
        Date: Wed, 26 Mar 2025 02:56:14 GMT
        Server: Apache-Coyote/1.1
        Access-Control-Allow-Origin: *
        Cache-Control: no-cache, max-age=0, must-revalidate, no-store
        Content-Type: text/html;charset=UTF-8
        Content-Language: en-US
        Connection: close
        Transfer-Encoding: chunked
```

- Gunakan WhatWeb untuk beberapa target sekaligus

```
adelia@vbox:~$ whatweb zero.webappsecurity.com testphp.vulnweb.com juice-shop.herokua
pp.com
http://testphp.vulnweb.com [200 OK] ActiveX[D27CDB6E-AE6D-11cf-96B8-444553540000], Ad
obe-Flash, Country[UNITED STATES][US], Email[wvs@acunetix.com], HTTPServer[nginx/1.19
.0], IP[44.228.249.3], Object[http://download.macromedia.com/pub/shockwave/cabs/flash
/swflash.cab#version=6,0,29,0][clsid:D27CDB6E-AE6D-11cf-96B8-444553540000], PHP[5.6.4
0-38+ubuntu20.04.1+deb.sury.org+1], Script[text/JavaScript], Title[Home of Acunetix A
rt], X-Powered-By[PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1], nginx[1.19.0]
http://juice-shop.herokuapp.com/ [200 OK] Country[IRELAND][IE], HTML5, HTTPServer[Her
oku], IP[46.137.15.86], JQuery[2.2.4], Script[module], Title[OWASP Juice Shop], Uncom
monHeaders[access-control-allow-origin,feature-policy,nel,report-to,reporting-endpoin
ts,x-content-type-options,x-recruiting], Via-Proxy[1.1 heroku-router], X-Frame-Option
s[SAMEORIGIN]
http://zero.webappsecurity.com [200 OK] Apache, Bootstrap, Content-Language[en-US], C
ountry[UNITED STATES][US], HTML5, HTTPServer[Apache-Coyote/1.1], IP[54.82.22.214], JQ
uery[1.8.2], Script[text/javascript], Title[Zero - Personal Banking - Loans - Credit
Cards], UncommonHeaders[access-control-allow-origin], X-UA-Compatible[IE=Edge]
```

- Gunakan Wappalyzer di browser untuk mendapatkan informasi lebih detail:



Analisa

1. Teknologi apa saja yang ditemukan pada situs target?

   Berdasarkan hasil pemindaian menggunakan WhatWeb dan Wappalyzer, teknologi yang ditemukan pada situs target (zero.webappsecurity.com) meliputi:

   - **Web Server**: Apache-Coyote/1.1, Apache Tomcat
   - **Framework UI**: Bootstrap
   - **JavaScript Library**: jQuery (versi 1.8.2)
   - **Font Scripts**: Font Awesome
   - **Bahasa Pemrograman**: Java
   - **X-UA-Compatible**: IE=Edge
   - **Konten**: HTML5
   - **Header yang Tidak Umum**: access-control-allow-origin

2. Apakah ada teknologi yang rentan terhadap eksploitasi?

   Beberapa teknologi yang ditemukan dalam situs ini memiliki potensi risiko keamanan:

   - **jQuery 1.8.2**: Versi ini sudah sangat lama dan berpotensi memiliki beberapa kerentanan, termasuk Cross-Site Scripting (XSS).
   - **Apache Tomcat**: Jika versi yang digunakan tidak diperbarui, dapat rentan terhadap exploit seperti Remote Code Execution (RCE) atau Directory Traversal.
   - **Apache-Coyote/1.1**: Server Apache Coyote juga memiliki beberapa potensi kelemahan dalam keamanan header HTTP yang bisa dieksploitasi oleh attacker.
   - **X-UA-Compatible Header (IE=Edge)**: Jika tidak dikonfigurasi dengan benar, bisa memungkinkan penyerang mengeksploitasi rendering mode Internet Explorer yang memiliki banyak celah keamanan.

3. Bagaimana cara attacker bisa mengeksploitasi teknologi tersebut?

   jQuery 1.8.2:

   - Attacker bisa memanfaatkan kelemahan Cross-Site Scripting (XSS) untuk menyisipkan skrip berbahaya yang akan dieksekusi di browser pengguna.
   - Jika situs tidak menerapkan Content Security Policy (CSP), attacker bisa mencuri cookie sesi atau melakukan phishing.

   Apache Tomcat:

   - Jika administrator tidak mengamankan akses ke **Manager Interface**, attacker bisa melakukan serangan brute-force atau memanfaatkan kredensial default untuk mendapatkan akses administratif.
   - Versi lama Tomcat rentan terhadap **Remote Code Execution (RCE)** yang memungkinkan attacker menjalankan perintah pada server.

   Apache-Coyote/1.1:

   - Attacker dapat mencoba melakukan serangan **HTTP Request Smuggling** atau **Header Injection** jika konfigurasi HTTP yang digunakan tidak aman.

   access-control-allow-origin:

- Jika diatur menjadi *, maka situs rentan terhadap **Cross-Origin Resource Sharing (CORS) Misconfiguration**, yang memungkinkan attacker mengakses data dari domain yang berbeda.

4. Apa langkah mitigasi yang bisa dilakukan untuk meningkatkan keamanan?

   Perbarui jQuery ke versi terbaru (setidaknya versi 3.x.x) untuk menghilangkan potensi celah keamanan pada versi lama.

   Gunakan Apache Tomcat versi terbaru dan pastikan tidak menggunakan kredensial default untuk mengakses Manager Interface.

   Konfigurasikan Apache-Coyote dengan baik untuk mencegah HTTP request smuggling dan header injection.

   Gunakan Content Security Policy (CSP) untuk mencegah serangan XSS.

   Pastikan header "access-control-allow-origin" tidak diatur menjadi *, tetapi hanya mengizinkan domain yang terpercaya.

   Gunakan mekanisme WAF (Web Application Firewall) untuk memfilter request mencurigakan sebelum mencapai server.

   Lakukan penetration testing secara berkala untuk mengidentifikasi dan menutup celah keamanan sebelum dieksploitasi oleh attacker.

E. DAFTAR PUSTAKA

Seo. (2024). *Mengenal Reconnaissance, Tahap Awal dalam Serangan Siber*. https://course-net.com/.