U) DELETE FROM 1 WHERE BH INLSELEG
BH FROM B WHERE BNAMES ((5) 16 122);
2) SELECT & BIVAME FROM B
JOIN L ON B. BH = LBH
JOLNS on LS# = S. S#
WHERE S. CLASS=1201';
3, SELECT DISTING LIBH
FROM L LI JOIN L 12 ON LIBH -18#
AND 4.5# <> 12.5#
JOLN S SI ON 4. S# = SI.S# AND SI. SNAME-E
='小明' LEFT JOIN S S2 ON L2.S# = S2.5#
AND S2. SNAME: 小参, WHERE S2.S# IS MUL
1) SELECT BBH, CouNI(x) As Borrow Count
FROM L GROUP BY BH;

111 SELECT SH FROM S WHERE DH = YDOFF OR DER SH ASC; CZI SELECT SA, SNAME FROM S. WHERE SNAME LIKE '3%', 3, CREATE VEW SUMC AS SELECT S. SH, S. SMAME, COUNT LSC.CH) As Count FROM S LEFT TOLK SC ON S.SH = SC. SH GROUP By S. St, S. SNAME.; 4) SELECT S. SNAME FROM S JOIN SG SG, DN SG#=595# AND SCI. C#= 1008 JOIN SC SC2 DN S. S#= SU. S# AND Sc2. CH = 1003)

3. W) SELECT S-S4, S.SNAME FROM S WHERE EXISTS (SELECT) FROM SC WHERE SC. 5# = S.S#); 2) SELECT S.S, S. SNAME FROM S -----WHERE NOT EXISTS (SELECT) FROM SC WHERE SC. SH = 5. SH);