

© Zahra Shakeri, Dalla Lana School of Public Health, University of Toronto



Institute of Health Policy, Management and Evaluation
UNIVERSITY OF TORONTO

Dalla Lana
School of Public Health


2


8


FROM NEIGHBOURHOODS TO GROUNDWORK!


K-MEANS CLUSTERING

Similar to KNN, K-means also relies on the **concept of proximity** in data space. While KNN focuses on classification based on the labels of its nearest neighbours, K-Means focuses on clustering data into groups based on their proximity to each other, **without using labels**.









Group #1


Group #2

The main idea is to divide a set of data points into K distinct clusters where each data point belongs to the cluster with the closest mean.

K-MEANS CLUSTERING

FROM NEIGHBOURHOODS TO GROUPING!

Similar to KNN, K-means also relies on the **concept of proximity** in data space. While KNN focuses on classification based on the labels of its nearest neighbours, K-Means focuses on clustering data into groups based on their proximity to each other, **without using labels**.



The main idea is to divide a set of data points into K distinct clusters where each data point belongs to the cluster with the closest mean.

K-MEANS CLUSTERING

EXAMPLE-MONITORING MENTAL HEALTH IN DIFFERENT NEIGHBORHOODS

The main idea is to divide a set of data points into K distinct clusters where each data point belongs to the cluster with the closest mean.

Context: In a given city, officials are concerned about the mental well-being of residents due to various stress factors like unemployment, crime, housing issues, etc. They have survey data from residents across the city, where each individual has rated their stress level and provided their address (or geolocation 📍).

