

References

- Abrahams, E., Anderson, P. W., Licciardello, D. C., and Ramakrishnan, T. V. (1979). Scaling Theory of Localization: Absence of Quantum Diffusion in Two Dimensions, *Physical Review Letters* **42**, 673–676.
- Abrahams, E., Anderson, P. W., Lee, P. A., and Ramakrishnan, T. V. (1981). Quasiparticle lifetime in disordered two-dimensional metals, *Physical Review B* **24**, 6783–6789.
- Abramowitz, M. and Stegun, I. A., editors, *Handbook of mathematical functions*, (Dover, 1964).
- Abrikosov, A. A. and Khalatnikov, I. M. (1959). The theory of a Fermi liquid, *Reports on Progress in Physics, The Physical Society of London* **22**, 329–367.
- Abrikosov, A. A., Gorkov, L. P., and Dzyaloshinski, I. E., *Methods of Quantum Field Theory in Statistical Physics* (Dover Publications Inc., New York, 1963).
- Aleiner, I. L. and Glazman, L. I. (1994). Novel edge excitations of two-dimensional electron liquid in a magnetic field, *Physical Review Letters* **72**, 2935–2938.
- (1995). Two-dimensional electron liquid in a weak magnetic field, *Physical Review B* **52**, 11296–11312.
- Allen, S. J., Jr., Tsui, D. C., and Logan, R. A. (1977). Observation of the two-dimensional plasmon in silicon inversion layers, *Physical Review Letters* **38**, 980–983.
- Almbladh, C.-O. and von Barth, U. (1985). Exact results for the spin densities, exchange-correlation potentials, and density-functional eigenvalues, *Physical Review B* **31**, 3231–3244.
- Altshuler, B. L. and Aronov, A. G. (1985). Electron-electron interactions in disordered conductors, in *Electron-electron interactions in disordered systems*, edited by A. L. Efros and M. Pollak (North Holland, Amsterdam), p. 1–153.
- Anderson, P. W. (1958). Random-Phase Approximation in the Theory of Superconductivity, *Physical Review* **112**, 1900–1916.
- Basic Notions of Condensed Matter Physics* (Benjamin/Cummings, Menlo Park, 1984).
- Andersson, Y., Langreth, D. C., and Lunqvist, B. I. (1996). van der Waals Interactions in Density-Functional Theory, *Physical Review Letters* **76**, 102–105.
- Ando, T., Fowler, A. B., and Stern, F. (1982). Electronic properties of two-dimensional systems, *Review of Modern Physics* **54**, 437–672.
- Arovas, D., Schrieffer, J. R., and Wilczek, F. (1984). Fractional statistics and the quantum Hall effect, *Physical Review Letters* **53**, 722–723.
- Asgari, R., Davoudi, B., Polini, M., Tosi, M. P., Giuliani, G. F., and Vignale, G. (2004). Comparative study of many-body theories of quasiparticle properties in a two-dimensional electron gas, *unpublished*.

- Ashcroft, N. and Wilkins, J. (1965). Low temperature specific heat of simple metals, *Physics Letters* **14**, 285–287.
- Ashcroft, N. W. and Mermin, N. D., *Solid State Physics*, Saunders College, Philadelphia (1976).
- Attaccalite, C., Moroni, S., Gori-Giorgi, P., and Bachelet, G. (2002). Correlation energy and spin polarization in the 2D electron gas, *Physical Review Letters* **88**, 256601.
- Atwal, G. S., Khalil, I. G., and Ashcroft, N. W. (2003). Dynamical local-field factors and effective interactions in the two-dimensional electron liquid, *Physical Review B* **67**, 115107.
- Aulbur, W. G., Jonsson, L. W., and Wilkins, J. W. (2000). Quasiparticle calculations in solids, *Solid State Physics*, edited by H. Ehrenreich and F. Spaepen (Academic Press, New York) **54**, 1–218.
- Bach, V., Lieb, E. H., Loss, M., and Solovej, J. P. (1994). There are no unfilled shells in unrestricted Hartree-Fock theory, *Physical Review Letters* **72**, 2981–2984.
- Bardeen, J. (1951). Electron-Vibration Interactions and Superconductivity, *Review of Modern Physics* **23**, 261–270.
- Bardeen, J., Cooper, L. N., and Schrieffer, J. R. (1957). Theory of Superconductivity, *Physical Review* **108**, 1175–1204.
- Barrett, S. E., Dabbagh, G., Pfeiffer, L. N., West, K. W., and Tycko, R. (1995). Optically Pumped NMR Evidence for Finite-Size Skyrmions in GaAs Quantum Wells near Landau Level Filling $\nu = 1$, *Physical Review Letters* **74**, 5112–5115.
- Baus, M. and Hansen, J.-P. (1980). Statistical Mechanics of Simple Coulomb Systems, *Physics Reports* **59**, 1–94.
- Baym, G. and Kadanoff, L. P., *Quantum Statistical Mechanics* (W. A. Benjamin, New York, 1962).
- Bernu, B., Candido, L., and Ceperley, D. M. (2001). Exchange frequencies in the 2D Wigner crystal, *Physical Review Letters* **86**, 870–873.
- Bickers, N. E., Scalapino, D. J., and White, S. R. (1989). Conserving Approximations for Strongly Correlated Electron Systems: Bethe-Salpeter Equation and Dynamics for the Two-Dimensional Hubbard Model, *Physical Review Letters* **62**, 961–964.
- Bloch, F. (1929). The electron theory of ferromagnetism and electrical conductivity, *Z. Physik* **57**, 545–555.
- Bohm, D. and Pines, D. (1953). A Collective Description of Electron Interactions: III. Coulomb Interactions in a Degenerate Electron Gas, *Physical Review* **92**, 609–625.
- Böhm, H., Conti, S., and Tosi, M. P. (1996). Plasmon dispersion and dynamic exchange-correlation potentials from two-pair excitations in degenerate plasmas, *Journal of Physics: Condensed Matter* **8**, 781–797.
- Bonsall, L. and Maradudin, A. A. (1977). Some static and dynamical properties of a two-dimensional Wigner crystal, *Physical Review B* **15**, 1959–1973.
- Brooks, H. (1953). Cohesive Energy of Alkali Metals, *Physical Review* **91**, 1027–1028. (1958). Quantum theory of cohesion, *Nuovo Cimento Supplement* **7**, 165–244.
- Brosens, F., Devreese, J. T., and Lemmens, L. F. (1980). Dielectric function of the electron gas with dynamical-exchange decoupling. I and II, *Physical Review B* **21**, 1349–1379.
- Brout, R., *Phase Transitions*, W. A. Benjamin, New York (1965).
- Brückner, K. A. and Sawada, K. (1958). Magnetic Susceptibility of an Electron Gas at High Density, *Physical Review* **112**, 328–329.
- Burke, K., Perdew, J. P., and Wang, Y. (1998) in *Electronic density functional Theory: recent progress and new directions* ed. Dobson, J. F., Vignale, G., and Das, M. P. (Plenum Press, New York, 1998), p. 81–111.

- Bychkov, Yu. A., Iordanskii, S. V., and Eliashberg, G. M. (1981). Two-dimensional electrons in a strong magnetic field, *Soviet Physics JETP Letters* **33**, 143–146.
- Callen, H. B. and Welton, T. R. (1951). Irreversibility and Generalized Noise, *Physical Review* **83**, 34–40.
- Capelle, K. and Vignale, G. (2001). Nonuniqueness of the potential of spin-density functional theory, *Physical Review Letters* **86**, 5546–5549.
- Carr, W. J., Jr. (1961). Energy, Specific Heat, and Magnetic Properties of the Low-Density Electron Gas, *Physical Review* **122**, 1437–1446.
- Casida, M. E. (1995) in *Recent Advances in Density-Functional Methods*, ed. D. P. Chong (World Scientific, Singapore), Part I, Chapter 5.
- Castellani, C., Di Castro, C., Lee, P. A., and Ma, M. (1984). Interaction-driven metal-insulator transitions in disordered fermion systems, *Physical Review B* **30**, 527–543.
- Castellani, C., Kotliar, G., and Lee, P. A. (1986). Fermi-liquid theory of interacting disordered systems and the scaling theory of the metal-insulator transition, *Physical Review Letters* **59**, 323–326.
- Celli, V. and Mermin, N. D. (1965). Ground State of an Electron Gas in a Magnetic Field, *Physical Review* **140**, A839–A853.
- Ceperley, D. M. and Alder, B. J. (1980). Ground State of the Electron Gas by a Stochastic Method, *Physical Review Letters* **45**, 566–569.
- Ceperley, D. M. (2004). Introduction to quantum Monte Carlo methods applied to the electron gas, to appear in *The electron liquid paradigm in condensed matter physics*, Proceedings of the International School of Physics “Enrico Fermi”, Course CLVII, edited by G. F. Giuliani and G. Vignale.
- Chakraborty, T. (1985). Elementary excitations in the fractional quantum Hall effect, *Physical Review B* **31**, 4026–4028.
- Chakraborty, T. and Pietiläinen, P. (1988), *The Fractional Quantum Hall Effect: Properties of an incompressible Quantum Fluid* (Springer-Verlag, New York).
- Chang, A. M., Pfeiffer, L. N., and West, K. W. (1996). Observation of Chiral Luttinger Behavior in Electron Tunneling into Fractional Quantum Hall Edges, *Physical Review Letters* **77**, 2538–2541.
- Chang, A. M. (2003). Chiral Luttinger liquids at the fractional Quantum Hall edge, *Reviews of Modern Physics* **75**, 1449–1505.
- Chaplik, A. V. (1971). Energy spectrum and electron scattering processes in inversion layers, *Soviet Physics JETP* **33**, 997–1000.
- Chayes, J. T., Chayes, L., and Ruskai, M. B. (1985). Density functional approach to quantum lattice systems, *Journal of Statistical Physics* **38**, 497–518.
- Chklovskii, D. B., Shklovskii, B. I., and Glazman, L. I. (1992). Electrostatics of edge channels, *Physical Review B* **46**, 4026–4034; *ibidem* **46**, 15606 (E).
- Chow, W. W., Koch, S. W., and Sargent, M. (1994), *Semiconductor Laser Physics* (Springer-Verlag, Berlin), Chapter 6.
- Chui, S. T., Hakim, T. M., and Ma, K. B. (1986). Solid versus fluid, and the interplay between fluctuations, correlations, and exchange in the fractional quantized Hall effect, *Physical Review B* **33**, 7110–7121.
- Conti, S. and Vignale, G. (1996). Collective modes and electronic spectral function in smooth edges of quantum Hall liquids, *Physical Review B* **54**, 14309–14312.
- Conti, S. (1997). *Ground state properties and excitation spectrum of correlated electron systems*, Ph. D. thesis, Scuola Normale Superiore, Pisa, Italy, July 1997.

- Conti, S. and Vignale, G. (1998). Dynamics of the two-dimensional electron gas in the lowest Landau level: a continuum elasticity approach, *J. Cond. Mat. Phys* **10**, L779–786.
- (1999). Elasticity of an electron liquid, *Physical Review B* **60**, 7966–7980.
- Corradini, M., Del Sole, R., Onida, G., and Palumbo, M. (1998). Analytical expressions for the local-field factor $G(q)$ and the exchange-correlation kernel $K_{xc}(r)$ of the homogeneous electron gas, *Physical Review B* **57**, 14569–14571.
- Coulter, P. G. and Datars, W. R. (1980). Open Orbits in Potassium, *Physical Review Letters* **45**, 1021–1024.
- Crommie, M. F., Lutz, C. P., and Eigler, D. M. (1993). Imaging standing waves in a two-dimensional electron gas, *Nature* **363**, 524–527.
- Czachor, A., Holas, A., Sarma, S. R., and Singwi, K. S. (1982). Dynamical correlations in a two-dimensional electron gas: First-order perturbation theory, *Physical Review B* **25**, 2144–2159.
- Dabrowski, B. (1986). Dynamical local-field factor in the response function of an electron gas, *Physical Review B* **34**, 4989–4995.
- D’Amico, I. and Vignale, G. (2000). Theory of spin Coulomb drag in spin-polarized transport, *Physical Review B* **62**, 4853–4857.
- Daneshvar, A. J. et al. (1997). Magnetization instability in a two-dimensional system, *Physical Review Letters* **79**, 4449–4452.
- Daniel, E. and Vosko, S. H. (1960). Momentum Distribution of an Interacting Electron Gas, *Physical Review* **120**, 2041–2044.
- Darwin, C. G. (1930). The diamagnetism of the free electron, *Proceedings of the Cambridge Philosophical Society* **27**, 86–90.
- Das Sarma, S. and Pinczuk, R., editors (1990). *Perspectives in Quantum Hall Effect* (Wiley, New York).
- Davisson, C. and Germer, L. H. (1927). Diffraction of electrons by a nickel crystal, *Physical Review* **30**, 705–740.
- Davoudi, P., Polini, M., Giuliani, G. F., and Tosi, M. P. (2001a). Analytical expressions for the charge-charge local-field factor and the exchange-correlation kernel of a two-dimensional electron gas, *Physical Review B* **64**, 153101.
- (2001b). Analytical expressions for the spin-spin local-field factor and the spin-antisymmetric exchange-correlation kernel of a two-dimensional electron gas, *Physical Review B* **64**, 233110.
- Decker, P. L., Mapother, D. E., and Shaw, R. W. (1958). Critical Field Measurements on Superconducting Lead Isotopes, *Physical Review* **112**, 1888–1898.
- De Picciotto, R., Reznikov, M., Heiblum, M., Umansky, V., Bunin, G., and Mahalu, D. (1997). Direct observation of a fractional charge, *Nature* **389**, 162–164.
- Di Castro, C. and Raimondi, R. (2004). Disordered electron systems, to appear in *The electron liquid paradigm in condensed matter physics*, Proceedings of the International School of Physics “Enrico Fermi”, Course CLVII, edited by G. F. Giuliani and G. Vignale.
- Dirac, P. A. M. (1928). Quantum theory of the electron, *Proceedings of the Royal Society, London* **117**, 610–624.
- (1929). Quantum mechanics of many-electron systems, *Proceedings of the Royal Society, London* **123**, 714–733.
- (1930). Exchange phenomena in the Thomas atom, *Proceedings of the Cambridge Philosophical Society* **26**, 367–385.

- Dobson, J. F. (1994). Harmonic-Potential Theorem: Implications for Approximate Many-Body Theories, *Physical Review Letters* **73**, 2244–2247.
- Dobson, J. F., Dinte, B. P., and Wang, J. (1996). Van der Waals functionals via local approximations for susceptibilities in *Electronic Density Functional Theory: Recent Progress and New Directions*, ed. by J. F. Dobson, G. Vignale, and M. P. Das (Plenum, 1998), p. 261–284.
- Dobson, J. F., Bünner, M., and Gross, E. K. U. (1997). Time-Dependent Density Functional Theory beyond Linear Response: An Exchange-Correlation Potential with Memory, *Physical Review Letters* **79**, 1905–1908.
- Dobson, J. F., Vignale, G., and Das, M. P., editors (1998). *Electronic Density Functional Theory: Recent Progress and New Directions* (Plenum Press, New York).
- Dolgov, O. V., Kirzhnits, D. A., and Maksimov, E. G. (1981). On an Admissible Sign of the Static Dielectric Function of Matter, *Reviews of Modern Physics* **53**, 81–93.
- Doniach, S. and Sondheimer, E. H., *Green's functions for solid state physicists* (Benjamin/Cummings, Reading, 1974).
- Dreizler, R. M. and Gross, E. K. U. (1990). *Density Functional Theory* (Springer-Verlag, Heidelberg).
- Dresselhaus, M. S., Dresselhaus, G., and Eklund, P. C., *Science of fullerenes and carbon nanotubes* (Academic Press, 1996).
- Drummond, N. D., Radnai, Z., Trail, J. R., Towler, M. D., and Needs, J. R. (2004). Diffusion quantum Monte Carlo study of three-dimensional Wigner crystals, *Physical Review B* **69**, 085116.
- DuBois, D. F. (1959). Electron interactions. I. Field theory of a degenerate electron gas, *Annals of Physics* **7**, 174–237.
- Dyson, F. J. and Lenard, A. J. (1967). Stability of matter I, *Journal of Mathematical Physics* **8**, 423–434.
- Dyson, F. J. (1967). Ground-state energy of a finite system of charged particles, *Journal of Mathematical Physics* **8**, 1538–1545.
- Ebert, H., Battocletti, M., and Gross, E. K. U. (1997). Current density functional theory of spontaneously magnetized solids, *Europhysics Letters* **40**, 545–550.
- Efros, A. L. and Shklovskii, B. I. (1975). Coulomb gap and low temperature conductivity of disordered systems, *Journal of Physics C* **8**, L49–L51.
- Egger, R. and Grabert, H. (1995). Friedel oscillations for interacting fermions in one dimension, *Physical Review Letters*, **75**, 3505–3508.
- Ehrenreich, H. and Cohen, M. (1959). Self-Consistent Field Approach to the Many-Electron Problem, *Physical Review* **115**, 786–790.
- Eisenstein, J. P., Pfeiffer, L. N., and West, K. W. (1992). Coulomb barrier to tunneling between parallel two-dimensional electron systems, *Physical Review Letters* **69**, 3804–3807.
- (1994). Negative Compressibility of Interacting Two dimensional Electron and Quasiparticle Gases, *Physical Review Letters* **68**, 674–677.
- Engel, E. and Vosko, S. H. (1990). Wave-vector dependence of the exchange contribution to the electron-gas response functions: An analytic derivation, *Physical Review B* **42**, 4940–4953.
- Esfarjani, K. and Chui, S. T. (1990). Solidification of the two-dimensional electron gas in high magnetic fields, *Physical Review B* **42**, 10758–10760.
- Ewald, P. P. (1921). Die Berechnung optischer und elektrostatischer Gitterpotentiale, *Annalen der Physik (Leipzig)* **64**, 253–287.

- Fang, F. F. and Stiles, P. J. (1968). Effect of a tilted magnetic field on a two-dimensional electron gas, *Physical Review* **174**, 823–828.
- Fano, G. and Ortolani, F. (1988). Interpolation formula for the energy of a two-dimensional electron gas in the lowest Landau level, *Physical Review B* **37**, 8179–8181.
- Fano, U. (1961). Effects of Configuration Interaction on Intensities and Phase Shifts, *Physical Review* **124**, 1866–1878.
- Farid, B., Heine, V., Engel, G. E., and Robertson, I. J. (1993). Extremal properties of the Harris-Foulkes functional and an improved screening calculation for the electron gas, *Physical Review B* **48**, 11602–11621.
- Fedders, A. and Martin, P. C. (1966). Itinerant Antiferromagnetism, *Physical Review* **143**, 245–259 (1966).
- Ferconi, M. and Vignale, G. (1994). Current-density-functional theory of quantum dots in a magnetic field, *Physical Review B* **50**, 14722–14725.
- Ferconi, M., Geller, M. R., and Vignale, G. (1995). Edge structure of fractional quantum Hall liquids from density functional theory, *Physical Review B* **52**, 16357–16360.
- Fermi, E. (1925). Quantization of the monatomic perfect gas, *Rendiconti dell'Accademia Nazionale dei Lincei* **3**, 145–149.
- (1927). Application of statistical gas methods to electronic systems, *Rendiconti dell'Accademia Nazionale dei Lincei* **6**, 602–607.
- Ferrell, R. A. (1957). Characteristic Energy Loss of Electrons Passing through Metal Foils. II. Dispersion Relation and Short Wavelength Cutoff for Plasma Oscillations, *Physical Review* **107**, 450–462.
- (1958). Rigorous Validity Criterion for Testing Approximations to the Electron Gas Correlation Energy, *Physical Review Letters* **1**, 443–445.
- Fetter, A. L. and Walecka, J. D., *Quantum Theory of Many-Particle Systems* (McGraw-Hill, New York, 1971).
- Feynman, R. P. (1953). Atomic theory of the lambda transition in helium, *Physical Review* **91**, 1291–1301. See also *Statistical Mechanics* (W. A. Benjamin, New York, 1972).
- Finkelstein, A. M. (1983). Influence of Coulomb interaction on the properties of disordered metals, *Soviet Physics JETP* **57**, 97–108.
- Fock, V. (1928). Quantising a harmonic oscillator in a magnetic field, *Zeitschrift für Physik* **47**, 446–448.
- (1930). Approximate method of solution of the problem of many bodies in quantum mechanics, *Zeitschrift für Physik* **61**, 126–148.
- Foulkes, W. M. C., Mitas, L., Needs, R. J., and Rajagopal, G. (2001). Quantum Monte Carlo simulations of solids, *Rev. Mod. Phys.* **73**, 33–83.
- Friedel, J. (1958). Metallic alloys, *Nuovo Cimento Suppl.* **7**, 287–311.
- Fröhlich, H. (1950). Theory of the Superconducting State. I. The Ground State at the Absolute Zero of Temperature, *Physical Review* **79**, 845–856.
- (1952). Interaction of electrons with lattice vibrations, *Proc. Roy. Soc. (London)* **A215**, 291–298.
- Gell-Mann, M. (1957). Specific Heat of a Degenerate Electron Gas at High Density, *Physical Review* **106**, 369–372.
- Gell-Mann, M. and Brueckner, K. A. (1957). Correlation Energy of an Electron Gas at High Density, *Physical Review* **106**, 364–368.
- Ghosh, S. K. and Dhara, A. K. (1988). Density-functional theory of many-electron systems subjected to time-dependent electric and magnetic fields, *Physical Review A* **38**, 1149–1158.

- Girvin, S. M. (1984). Anomalous quantum Hall effect and two-dimensional classical plasmas: Analytic approximations for correlation functions and ground-state energies, *Physical Review B* **30**, 558–560.
- Girvin, S. M. and Jach, T. (1984). Formalism for the quantum Hall effect: Hilbert space of analytic functions, *Physical Review B* **29**, 5616–5625.
- Girvin, S. M., MacDonald, A. H., and Platzman, P. M. (1986). Magneto-roton theory of collective excitations in the fractional quantum Hall effect, *Physical Review B* **33**, 2481–2494.
- Giuliani, G. F. and Quinn, J. J. (1982). Lifetime of a quasiparticle in a two-dimensional electron gas, *Physical Review B* **26**, 4421–4428.
- (1985a). Spin-polarization instability in a tilted magnetic field of a two-dimensional electron gas with filled Landau levels, *Physical Review B* **31**, 6228–6232.
- (1985b). Breakdown of the random phase approximation in the fractional quantum Hall effect regime, *Physical Review B* **31**, 3451–3455.
- Giuliani, F. G., Quinn, J. J., and Ying, S. C. (1983). Quantization of the Hall conductance in a two-dimensional electron gas, *Physical Review B* **28**, 2969–2978.
- Glazman, L. I. and Fischer, M. P. A. (1996). Transport in a one-dimensional Luttinger liquid, in *Mesoscopic electron transport*, edited by L. Sohn, L. P. Kowenhoven, and G. Schön, (NATO ASI Series No. 345, Kluwer, 1997).
- Glick, A. and Ferrell, R. A. (1959). Single particle excitations of a degenerate electron gas, *Annals of Physics* **11**, 359–376.
- Glick, A. J. and Long, W. F. (1971). High-Frequency Damping in a Degenerate Electron Gas, *Physical Review B* **4**, 3455–3460.
- Godby, R. W., Sham, L. J., and Schlüter, M. (1986). Accurate Exchange-Correlation Potential for Silicon and Its Discontinuity on Addition of an Electron, *Physical Review Letters* **56**, 2415–2418.
- Goldman, V. J., Santos, M., Shayegan, M., and Cunningham, J. E. (1990). Evidence for two-dimensional quantum Wigner crystal, *Physical Review Letters* **65**, 2189–2192.
- Goldman, V. J. and Su, B. (1995). Resonant tunneling in the quantum Hall regime: measurement of fractional charge, *Science* **267**, 1010–1012.
- Goldman, V. J. (2000). Quantum Hall effect today, *Physica B* **280**, 372–377.
- Goldstone, J. and Gottfried, K. (1959). Collective excitations of Fermi gases, *Nuovo Cimento* **13**, 849–852.
- Gonze, X., Ghosez, Ph., and Godby, R. W. (1995). Density-Polarization Functional Theory of the Response of a Periodic Insulating Solid to an Electric Field, *Physical Review Letters* **74**, 4035–4038.
- Goodman, B. and Sjölander, A. (1973). Application of the Third Moment to the Electric and Magnetic Response Function, *Physical Review B* **8**, 200–214.
- Gori-Giorgi, P. and Perdew, J. P. (2001). Short-range correlation in the uniform electron gas: Extended Overhauser model, *Physical Review B* **64**, 155102.
- Gori-Giorgi, P., Moroni, S., and Bachelet, G. B. (2004). Pair-distribution function of the two-dimensional electron gas, cond-mat/0403050.
- Görling, A. (1992). Kohn-Sham potentials and wave functions from electron densities, *Physical Review A* **46**, 3753–3757.
- Görling, A. and Levy, M. (1994). Exact Kohn-Sham scheme based on perturbation theory, *Physical Review A* **50**, 196–204.
- Goudsmit, S. and Uhlenbeck, G. E. (1925). Coupling possibilities of the quantum vectors in the atom, *Zeitschrift für Physik* **35**, 618–625.

- Grabowski, M. and Sham, L. J. (1984). Superconductivity from non-phonon interactions, *Physical Review B* **29**, 6132–6142.
- Gradshteyn, I. S. and Ryzhik, I. M., *Table of Integrals, Series, and Products*, 4th Edition, Academic Press, San Francisco (1965).
- Grayson, M., Tsui, D. C., Pfeiffer, L. N., West, K. W., and Chang, A. M. (1998). Continuum of Chiral Luttinger Liquids at the Fractional Quantum Hall Edge, *Physical Review Letters* **80**, 1062–1065.
- Greene, M. P., Lee, H. J., Quinn, J. J. and Rodriguez, S. (1969). Linear response theory for a degenerate electron gas in a strong magnetic field, *Physical Review B* **177**, 1019–1036.
- Gross, E. K. U. and Kohn, W. (1985). Local density-functional theory of frequency-dependent linear response, *Physical Review Letters* **55**, 2850–2853; **57**, 923(E).
- Gross, E. K. U. and Dreizler, R. M., editors (1995), *Density Functional Theory*, NATO ASI Series, Vol. 137 (Plenum Press, New York).
- Gross, E. K. U., Dobson, J. F., Petersilka, M. in *Density Functional Theory II*, ed. R. F. Nalewajski, Vol. 181 of Topics in Current Chemistry, (Springer, Berlin, 1996), p. 81.
- Haldane, F. D. M. (1981). Luttinger liquid theory of one-dimensional quantum fluids: I. Properties of the Luttinger model and their extension to general 1D interacting spinless Fermi gas, *Journal of Physics C: Solid State Physics* **14**, 2585–2609.
- Halperin, B. I. (1982). Quantized Hall conductance, current-carrying edge states, and the existence of extended states in a two-dimensional disordered potential, *Physical Review B* **25**, 2185–2190.
- (1984). Statistics of Quasiparticles and the Hierarchy of Fractional Quantized Hall States, *Physical Review Letters* **52**, 1583–1586, 2390(E).
- Halperin, B. I., Lee, P. A., and Read, N. (1993). Theory of the half-filled Landau level, *Physical Review B* **47**, 7312–7343.
- Ham, F. (1962). Energy Bands of Alkali Metals. II. Fermi Surface, *Physical Review* **128**, 2524–2541.
- Hamann, D. R. and Overhauser, A. W. (1966). Electron-Gas Spin Susceptibility, *Physical Review* **143**, 183–197.
- Hameeuw, K. J., Brosens, F., and Devreese, T. J. (2003). Dynamical exchange corrections to the dielectric function in a two-dimensional electron gas, *Solid State Communications* **126**, 695–698.
- Hammond, B. L., Lester, Jr., W. A., and Reynolds, P. J. (1994). *Monte Carlo methods in ab initio quantum chemistry*, (World Scientific, Singapore, 1994).
- Hartree, D. R. (1928). Wave mechanics of an atom with non Coulomb central field. Part I. Theory and methods, *Cambridge Philosophical Society Proceedings* **24**, 89–110.
- Hasegawa, M. and Watabe, J. (1969). Theory of plasmon damping in metals. I. General formulation and application to an electron gas, *Journal of the Physical Society of Japan* **27**, 1393–1414.
- Hasegawa, T. and Shimizu, M. (1975). Electron correlations at metallic densities, II. Quantum mechanical expression of dielectric function with Wigner distribution function, *Journal of the Physical Society of Japan* **38**, 965.
- Hatsugai, Y., Bares, P.-A., and Wen, X. G. (1993). Electron spectral function of an interacting two dimensional electron gas in a strong magnetic field, *Physical Review Letters* **71**, 424–427.

- Haussmann, R., Mori, H., and MacDonald, A. H. (1996). Correlation Energy and Tunneling Density of States in the Fractional Quantum Hall Regime, *Physical Review Letters* **76**, 979–982.
- He, S., Platzman, P. M., and Halperin, B. I. (1993). Tunneling into a two-dimensional electron system in a strong magnetic field, *Physical Review Letters* **71**, 777–780.
- Hedin, L. (1965). New Method for Calculating the One-Particle Green's Function with Application to the Electron-Gas Problem, *Physical Review* **139**, A796–A823.
- Hedin, L. and Lunqvist, S. (1969), *Solid State Physics* **23**, eds. F. Seitz, D. Turnbull, and H. Ehrenreich (Academic, New York), p. 1.
- Hedin, L. and Lunqvist, B. I. (1971). Explicit local exchange-correlation potentials, *Journal of Physics C* **4**, 2064–2083.
- Heinonen, O. and Kohn, W. (1987). Internal structure of a Landau quasiparticle wave packet, *Physical Review B* **36**, 3565–3576.
- Heinonen, O., editor (1998), *Composite Fermions* (World Scientific, Singapore).
- Hirjibehedin, C. F., Pinczuk, A., Dennis, B. S., Pfeiffer, L. N., and West, K. W. (2002). Evidence of electron correlation in plasmon dispersion of ultralow density two-dimensional electron systems, *Physical Review B* **65**, 161309.
- Hohenberg, P. and Kohn, W. (1964). Inhomogeneous electron gas, *Physical Review* **136**, B864–871.
- Holas, A., Aravind, P. K., and Singwi, K. S. (1979). Dynamic correlations in an electron gas. I. First-order perturbation theory, *Physical Review B* **20**, 4912–4934.
- (1982). Dynamic correlations in an electron gas. II. Kinetic-equation approach, *Physical Review B* **25**, 561–578.
- Holas, A. and Rahman, S. (1987). Dynamic local-field factor of an electron liquid in the quantum versions of the Singwi-Tosi-Land-Sjölander and Vashishta-Singwi theories, *Physical Review B* **35**, 2720–2731.
- Holas, A. and Singwi, K. S. (1989). High-frequency damping of collective excitations in fermion systems. I. Plasmon damping and frequency-dependent local-field factor in a two-dimensional electron gas, *Physical Review B* **40**, 158–166.
- Holas, A. (1992) in *Strongly Coupled Plasma Physics*, edited by F. J. Rogers and H. Dewitt, NATO Advanced Study Institute Series B: Physics (Plenum, New York, 1986), Vol. **154**, 463–482.
- Holas, A. and Balawender, R. (2002). Maitra-Burke example of initial state dependence in time-dependent density functional theory, *Physical Review A* **65**, 034502.
- Holm, B. and von Barth, U. (1998). Fully self-consistent GW self-energy of the electron gas, *Physical Review B* **57**, 2108–2117.
- Hood, R. Q., Chou, M. Y., Williamson, A. J., Rajagopal, G., and Needs, R. J. (1998). Exchange and correlation in silicon, *Physical Review B* **57**, 8972–8982.
- Hubbard, J. (1957). The description of collective motions in terms of many-body perturbation theory: II. The correlation energy of a free electron gas, *Proceedings of the Royal Society (London)* **A243**, 336–352.
- Iijima, S. (1991). Helical microtubules of graphitic carbon, *Nature* **354**, 56.
- Iwamoto, N. and Pines, D. (1984). Theory of electron liquids. I. Electron-hole pseudopotential, *Physical Review B* **29**, 3924–3935.
- Jain, J. K. (1989). Composite-fermion approach for the fractional quantum Hall effect, *Physical Review Letters* **63**, 199–202.
- Jain, J. K. (2000). The composite fermion: a quantum particle and its quantum fluids, *Physics Today* **53**, Issue 4, 39–45.

- Jensen, E. and Plummer, E. W. (1985). Experimental Band Structure of Na, *Physical Review Letters* **55**, 1912–1915.
- Johansson, P. and Kinaret, J. M. (1994). Tunneling between two two-dimensional electron systems in a strong magnetic field, *Physical Review B* **50**, 4671–4686.
- Jones, M. D. and Ceperley, D. M. (1996). Crystallization of the One-Component Plasma at Finite Temperature, *Physical Review Letters* **76**, 4572–4575.
- Kadanoff, L. P. and Baym, G. (1962), *Quantum Statistical mechanics* (The Benjamin/Cummings Publishing Company, Reading, Massachusetts).
- Kallin, C. and Halperin, B. I. (1984). Excitations from a filled Landau level in the two dimensional electron gas, *Physical Review B* **30**, 5655–5668.
- Kamilla, R. K. and Jain, J. K. (1997). Composite Fermions in the Hilbert Space of the Lowest Electronic Landau Level, *International Journal of Modern Physics B* **11**, 2621–2660.
- Kasuya, T. (1956). Electrical resistance of ferromagnetic metals, *Progress of Theoretical Physics* **16**, 58–63.
- Kim, Y.-H. and Görling, A. (2002). Excitonic Optical Spectrum of Semiconductors Obtained by Time-Dependent Density-Functional Theory with the Exact-Exchange Kernel, *Physical Review Letters* **89**, 096402.
- Kimball, J. C. (1973). Short-Range Correlations and Electron-Gas Response Functions, *Physical Review A* **7**, 1648–1652.
- Kleinman, L. (1984). Exchange density-functional gradient expansion, *Physical Review B* **30**, 2223–2225.
- Klimontovitch, Y. and Silin, V. P. (1952). On the spectra of systems of interacting particles, *Zh. Exp. Teor. Fiz.* **23**, 151–160.
- Kohn, W. and Vosko, S. H. (1960). Theory of Nuclear Resonance Intensity in Dilute Alloys, *Physical Review* **119**, 912–918.
- Kohn, W. (1961). Cyclotron Resonance and de Haas-van Alphen Oscillations of an Interacting Electron Gas, *Physical Review* **123**, 1242–1244 (1961).
- (1986). Discontinuity of the exchange-correlation potential from a density-functional viewpoint, *Physical Review B* **33**, 4331–4333.
- Kohn, W. and Luttinger, J. M. (1965). New Mechanism for Superconductivity, *Physical Review Letters* **15**, 524–526.
- Kohn, W. and Sham, L. J. (1965). Self-Consistent Equations Including Exchange and Correlation Effects, *Physical Review* **140**, A1133–A1138.
- Kohn, W. and Vashishta, P. (1983). General density functional theory, in *Theory of the inhomogeneous electron gas*, edited by S. Lundqvist and N.H. March (New York : Plenum Press).
- Koulakov, A. A., Fogler, M. M., and Shklovskii, B. I. (1996). Charge Density Wave in Two-Dimensional Electron Liquid in Weak Magnetic Field, *Physical Review Letters* **76**, 499–502.
- Krieger, J. B., Li, Y., and Iafrate, G. J. (1992). Construction and application of an accurate local spin-polarized Kohn-Sham potential with integer discontinuity: Exchange-only theory, *Physical Review A* **45**, 101–126.
- Ku, W. and Eguiluz, A. G. (1999). Plasmon Lifetime in K: A Case Study of Correlated Electrons in Solids Amenable to Ab Initio Theory, *Physical Review Letters* **82**, 2350–2353.
- Kubo, R. (1957). Statistical Mechanical Theory of Irreversible Processes I, *Journal of the Physical Society of Japan* **12**, 570–586.

- Kukkonen, C. A. and Overhauser, A. W. (1979). Electron-electron interaction in simple metals, *Physical Review B* **20**, 550–557.
- Kushida, T., Murphy, J. C., and Hanabusa, M. (1976). Volume dependence of the Pauli susceptibility and the amplitude of the wave functions for Li and Na, *Physical Review B* **13**, 5136–5153.
- Kwon, Y., Ceperley, D. M., and Martin, R. M. (1994). Quantum Monte Carlo calculation of the Fermi-liquid parameters in the two-dimensional electron gas, *Physical Review B* **50**, 1684–1694.
- Lam, J. (1971). Momentum Distribution and Pair Correlation of the Electron Gas at Metallic Densities, *Physical Review B* **3**, 3243–3248.
- Lam, P. K. and Girvin, S. M. (1984). Liquid-solid transition and the fractional quantum Hall effect, *Physical Review B* **30**, 473–475; **31**, 613 (1985) (E).
- Lamelas, F. J., Werner, S. A., Shapiro, S. M., and Mydosh, J. A. (1995). Intrinsic spin-density-wave magnetism in Cu-Mn alloys, *Physical Review B* **51**, 621–624.
- Landau, L. D. (1930). Paramagnetism of metals, *Zeitschrift für Physik*, **64**, 629–637.
- (1957a). Theory of the Fermi liquid, *Soviet Physics JETP* **3**, 920–925.
- (1957b). Oscillations in a Fermi liquid, *Sov. Phys. JETP* **5**, 101–108.
- (1959). On the theory of the Fermi liquid, *Sov. Phys. JETP* **8**, 70–74.
- Langer, J. S. and Vosko, S. H. (1959). The shielding of a fixed charge in a high-density electron gas, *Journal of Physics and Chemistry of Solids* **12**, 196–205.
- Langreth, D. (1975). Linear and nonlinear response theory with applications, in *Linear and Nonlinear transport in Solids*, ed. J. T. Devreese and V. E. van Doren (Plenum Press) p. 3–32.
- Langreth, D. C. and Perdew, J. P. (1980). Theory of nonuniform electronic systems. I. Analysis of the gradient approximation and a generalization that works, *Physical Review B* **21**, 5469–5493.
- Larson, B. C. *et al.* (1996). Inelastic X-ray scattering as a probe of the many-body local-field factor in metals, *Physical Review Letters* **77**, 1346–1349.
- Laughlin, R. B. (1981). Quantized Hall conductivity in two dimensions, *Physical Review B* **23**, 5632–5633.
- (1983). Anomalous Quantum Hall Effect: An Incompressible Quantum Fluid with Fractionally Charged Excitations, *Physical Review Letters* **50**, 1395–1398.
- (1999). Nobel lecture: Fractional quantization, *Reviews of Modern Physics* **71**, 863–874.
- Leiderer, P. (1997). Nonlinear Effects – The Multielectron Dimple, in *Two-Dimensional Electron Systems*, edited by E. Andrei (Kluwer Academic Publisher, 1997), p. 317–339.
- Lein, M., Gross, E. K. U., and Perdew, J. P. (2000). Electron correlation energies from scaled exchange-correlation kernels: Importance of spatial versus temporal nonlocality, *Physical Review B* **61**, 13431–13437.
- Lenard, A. and Dyson, F. J. (1968). Stability of Matter. II, *Journal of Mathematical Physics* **9**, 698–711.
- Lerner, I. V. and Lozovik, Yu. E. (1978). Mott exciton in a quasi-two-dimensional semiconductor in a strong magnetic field, *Soviet Physics JETP* **51**, 588–592 (1980).
- Levesque, D., Weis, J. J., and MacDonald, A. H. (1984). Crystallization of the incompressible quantum-fluid state of a two-dimensional electron gas in a strong magnetic field, *Physical Review B* **30**, 1056–1058.
- Levy, M. (1979). Universal variational functionals of electron densities, first-order density matrices, and natural spin-orbitals and solution of the v -representability problem *Proceedings of the National Academy of Science USA* **76**, 6062–6065.
- (1982). Electron densities in search of Hamiltonians, *Physical Review A* **26**, 1200–1208.

- Levy, M., Perdew, J. P., and Sahni, V. (1984). Exact differential equation for the density and ionization energy of a many-particle system, *Physical Review A* **30**, 2745–2748.
- Lieb, E. H. and Narnhofer, H. (1975). The thermodynamic limit for jellium, *Journal of Statistical Physics* **12**, 291–310.
- Lieb, E. H. and Thirring, W. E. (1975). Bound for the Kinetic Energy of Fermions Which Proves the Stability of Matter, *Physical Review Letters* **35**, 687–689; **35**, 1116 (E).
- Lieb, E. H. and Oxford, S. (1981). Improved lower bound on the indirect Coulomb energy, *International Journal of Quantum Chemistry*, **19**, 427–439.
- Lieb, E. H. (1985). Density functionals for Coulomb systems, *Density Functional Methods in Physics, NATO ASI Series B123*, ed. by Dreizler, R. M. and Da Providencia, J. (Plenum Press, New York), p. 31–80.
- Lien, W. H. and Phillips, N. E. (1964). Low-Temperature Heat Capacities of Potassium, Rubidium, and Cesium, *Physical Review* **133**, A1370–A1377.
- Lilly, M. P. *et al.* (1999). Evidence for an anisotropic state of two dimensional electrons in high Landau levels, *Physical Review Letters* **82**, 394–397.
- Lindhard, J. (1954). On the properties of a gas of charged particles, *Det Kongelige Danske Videnskabernes Selskab, Matematisk-fysike Meddelelser* **28**, No. 8.
- Liu, K. L. and Vosko, S. H. (1989). A time-dependent spin density functional theory for the dynamical spin susceptibility, *Canadian Journal of Physics* **67**, 1015–1021.
- Liu, K. L. (1991). Exchange-correlation effects on the dynamical spin susceptibility of a homogeneous electron gas, *Canadian Journal of Physics* **69**, 573–580.
- Lopez, A. and Fradkin, E. (1991). Fractional quantum Hall effect and Chern-Simons gauge theories, *Physical Review B* **44**, 5246–5262.
- Luther, A. and Peschel, I. (1974). Single-particle states, Kohn anomaly, and pairing fluctuations in one dimensions, *Physical Review B*, **9**, 2911–2919.
- Luttinger, J. M. and Kohn, W. (1955). Motion of Electrons and Holes in Perturbed Periodic Fields, *Physical Review*, **97**, 869–883.
- Luttinger, J. M. (1963). An exactly soluble model of a many-fermion system, *Journal of Mathematical Physics*, **4**, 1154–1162.
- Lyo, In-Whan and Plummer, E. W. (1988). Quasiparticle band structure of Na and simple metals, *Physical Review Letters* **60**, 1558–1561.
- Maasilta, I. J. and Goldman, V. I. (1997). Line shape of resonant tunneling between fractional quantum Hall edges, *Physical Review B* **55**, 4081–4084.
- MacDonald, A. H. and Girvin, S. M. (1988). Density matrices for states in the lowest Landau level of a two-dimensional electron gas, *Physical Review B* **38**, 6295–6297.
- MacDonald, A. H. (editor) *Quantum Hall effect: a perspective* (Kluwer, Boston, 1989).
- Macke, W. von (1950). Über die Wechselwirkungen im Fermi-Gas, *Zeitschrift für Naturforschung* **5a**, 192–208.
- Mahan, G. D., *Many-Particle Physics* (Plenum Press, New York, 1981).
- (1994). GW approximations, *Comments in Condensed Matter Physics* **16**, 333–354.
- Mahan, G. D. and Sernelius, B. E. (1989). Electron-electron interactions and the bandwidth of metals, *Physical Review Letters* **62**, 2718–2720.
- Maitra, N. and Burke, K. (2001). Demonstration of initial-state dependence in time-dependent density-functional theory, *Physical Review A* **63**, 042501; *ibidem* **64**, 039901 (E).
- Maldague, P. F. (1978). Many-body corrections to the polarizability of the two dimensional electron gas, *Surface Science* **73**, 296–302.

- Mandal, S. S. and Jain, J. K. (2002). Relevance of Inter-Composite-Fermion Interaction to the Edge Tomonaga-Luttinger Liquid, *Physical Review Letters* **89**, 096801.
- Manoharan, H. C., Shayegan, M., and Klepper, S. J. (1994). Signatures of a novel Fermi liquid in a two-dimensional composite metal, *Physical Review Letters* **73**, 3270–3273.
- Marinescu, D. C., Quinn, J. J., and Giuliani, G. F. (2002). Tunneling between dissimilar quantum wells: A probe of the energy-dependent quasiparticle lifetime, *Physical Review B* **65**, 045325.
- Martin, D. L. (1961). Specific Heat of Sodium at Low Temperatures *Physical Review* **124**, 438–441.
- Martin, B. D. and Heer, C. V. (1964). Atomic heat of Cesium from 0.3° K to 2° K, *Bulletin of the American Physical Society* **9**, 250.
- Martin, R. M. and Ortiz, G. (1997). Functional theory of extended Coulomb systems, *Physical Review B* **56**, 1124–1140.
- Mattis, D. C. and Lieb, E. H. (1965). Exact solution of a many-fermion system and its associated boson field, *Journal of Mathematical Physics*, **6**, 304–312.
- Mayer, M. and El Naby, M. H. (1963). Die optischen Konstanten des Kaliums und die Theorie von Drude, *Zeitschrift für Physik* **174**, 280–288.
- McMillan, W. L. and Mochel, J. (1981). Electron Tunneling Experiments on Amorphous $\text{Ge}_{1-x}\text{Au}_x$, *Physical Review Letters* **46**, 556–557.
- Mearns, D. (1988). Inequivalence of the physical and Kohn-Sham Fermi surfaces, *Physical Review B* **38**, 5906–5912.
- Mermin, N. D. (1965). Thermal Properties of the Inhomogeneous Electron Gas, *Physical Review* **137**, A1441–1443.
- (1970). Lindhard Dielectric Function in the Relaxation-Time Approximation, *Physical Review B* **1**, 2362–2363.
- Mermin, N. D. and Wagner, H. (1966). Absence of Ferromagnetism or Antiferromagnetism in One- or Two-Dimensional Isotropic Heisenberg Models, *Physical Review Letters* **17**, 1133–1136.
- Millikan, R. A. (1911). On the elementary electrical charge and the Avogadro constant, *Physical Review* **32**, 349.
- Milliken, F. P., Umbach, C. P., and Webb, R. (1995). Indications of a Luttinger liquid in the fractional quantum Hall regime, *Solid State Communications* **97**, 309–313.
- Morf, R. and Halperin, B. I. (1986). Monte Carlo evaluation of trial wave functions for the fractional quantized Hall effect: Disk geometry, *Physical Review B* **33**, 2221–2246.
- (1992). Static response from Quantum Monte Carlo calculations, *Physical Review Letters* **69**, 1837–1840.
- Moroni, S., Ceperley, D. M., and Senatore, G. (1995). Static Response and Local Field Factor of the Electron Gas, *Physical Review Letters* **75**, 689–692.
- Mukhopadhyay, G., Kalia, R. K., and Singwi, K. S. (1975). Dynamic Structure Factor of an Electron Liquid, *Physical Review Letters* **34**, 950–952.
- Murphy, S. Q., Eisenstein, J. P., Pfeiffer, L. N., and West, K. W. (1995). Lifetime of two-dimensional electrons measured by tunneling spectroscopy, *Physical Review B* **52**, 14825–14828.
- Murphy, S. (2004). A Brief Guide to Electronic Lifetimes in 2D, to appear in *The electron liquid paradigm in condensed matter physics*, Proceedings of the International School of Physics “Enrico Fermi”, Course CLVII, edited by G. F. Giuliani and G. Vignale.

- Murthy, G. and Shankar, R. (2003). Hamiltonian theories of the fractional quantum Hall effect, *Reviews of Modern Physics* **75**, 1101–1158.
- Nagao, T., Hildenbrandt, T., Henzler, M., and Hasegawa, S. (2001). Dispersion and damping of a two-dimensional plasmon in a metallic surface-state band, *Physical Review Letters* **86**, 5747–5750.
- Negele, J. W. and Orland, H., *Quantum Many-Particle Systems* (Addison-Wesley, Redwood City, 1988).
- Ng, T. K. and Singwi, K. S. (1986). Effective interactions for self-energy. I. Theory, *Physical Review B* **34**, 7738–7742; Effective interactions for self-energy. II. Application to electron and electron-hole liquids, *ibidem*, 7743–7747.
- (1987). Time-Dependent Density-Functional Theory in the Linear-Response Regime, *Physical Review Letters* **59**, 2627–2630.
- Ng, T. K. (1989). Transport properties and a current-functional theory in the linear-response regime, *Physical Review Letters* **62**, 2417–2420.
- Nifosj R., Conti, S., and Tosi, M. P. (1998). Dynamic exchange-correlation potentials for the electron gas in dimensionality $D = 3$ and $D = 2$, *Physical Review B* **58**, 12758–12769.
- Niklasson, G. (1974). Dielectric function of the uniform electron gas for large frequencies or wave vectors, *Physical Review B* **10**, 3052–3061.
- Nozières, P. and Pines, D. (1958a). Correlation Energy of a Free Electron Gas, *Physical Review* **111**, 442–454.
- (1958b). A dielectric formulation of the many-body problem: Application to the free electron gas, *Nuovo Cimento* **9**, 470–490.
- Nozières, P., *Theory of interacting Fermi systems* (W. A. Benjamin, New York, 1964).
- Okamoto, T., Osoya, K., Kawaji, S., and Yagi, A. (1999). Spin Degree of Freedom in a Two-Dimensional Electron Liquid, *Physical Review Letters* **82**, 3875–3878.
- Oliveira, L. N., Gross, E. K. U., and Kohn, W. (1988). Density-Functional Theory for Superconductors, *Physical Review Letters* **60**, 2430–2433.
- Oliveira, L. N., Mearns, D., and Kohn, W. (1988). Zeros of the Frequency-Dependent Linear Density Response, *Physical Review Letters* **61**, 1518.
- Onida, G., Reining, L., and Rubio, A. (2002). Electronic excitations: density-functional versus many-body Green's-function approaches, *Reviews of Modern Physics* **74**, 601–659.
- Onsager, L., Mittag, L., and Stephen, M. J. (1966). Integrals in the theory of electron correlations, *Annalen der Physik* **7**, 71–77.
- Ortiz, G. and Ballone, P. (1994). Correlation energy, structure factor, radial distribution function, and momentum distribution function of the spin-polarized uniform electron gas, *Physical Review B* **50**, 1391–1405; *ibidem* **56**, 9970 (E).
- Ortiz, G., Harris, M., and Ballone, P. (1999). Zero temperature phases of the electron gas, *Physical Review Letters* **82**, 5317–5320.
- Overhauser, A. W. (1960a). Giant Spin Density Waves, *Physical Review Letters* **4**, 462–465.
- (1960b). Mechanism of antiferromagnetism in dilute alloys, *Journal of Physics and Chemistry of Solids* **13**, 71–80.
- (1962). Spin Density Waves in an Electron Gas, *Physical Review* **128**, 1437–1452.
- (1968). Exchange and Correlation Instabilities of Simple Metals, *Physical Review* **167**, 691–698.
- (1971). Simplified theory of electron correlations in metals, *Physical Review B* **3**, 1888–1898.

- (1985). Broken symmetry in simple metals, *Highlights of Condensed Matter Theory*, edited by F. Bassani, F. Fumi, and M. P. Tosi (North Holland, 1985).
- (1995). Pair correlation function of an electron gas, *Canadian Journal of Physics* **73**, 683–686.
- Pan, W. *et al.* (2003). Fractional Quantum Hall Effect of Composite Fermions, *Physical Review Letters* **90**, 016801.
- Parks, R. D., editor, *Superconductivity*, M. Dekker Publisher, New York (1969).
- Parr, R. G. and Yang, W. (1989). *Density Functional Theory of Atoms and Molecules* (Oxford University Press, New York).
- Pauli, W. (1925). Relation between the closing-in of electronic groups in the atom and the structure of complexes in the spectrum, *Zeitschrift für Physik* **31**, 765–783.
- (1927). Gas degeneration and paramagnetism, *Zeitschrift für Physik* **41**, 81–102.
- Peierls, R. E. (1955), *Quantum theory of solids* (Clarendon, Oxford).
- Pellegrini, V., Pinczuk, A., Dennis, B. S., Plaut, A. S., Pfeiffer, L. N., and West, K. W. (1998). Evidence of Soft-Mode Quantum Phase Transitions in Electron Double Layers, *Science* **281**, 799–802.
- Penn, D. R. (1980). Mean free paths of very-low-energy electrons: the effects of exchange and correlation, *Physical Review B* **22**, 2677–2682.
- Perdew, J. P. and Zunger, A. (1981). Self-interaction correction to density-functional approximations for many-electron systems, *Physical Review B* **23**, 5048–5079.
- Perdew, J. P., Parr, R. G., Levy, M., and Balduz, J. L. (1982). Density-Functional Theory for Fractional Particle Number: Derivative Discontinuities of the Energy, *Physical Review Letters* **49**, 1691–1694.
- Perdew, J. P. and Wang Y. (1986). Accurate and simple density functional for the electronic exchange energy: Generalized gradient approximation, *Physical Review B* **33**, 8800–8802; *ibidem* **40**, 3399 (1989) (E).
- (1992a). Accurate and simple analytic representation of the electron-gas correlation energy, *Physical Review B* **45** 13244–13249.
- (1992b). Pair-distribution function and its coupling-constant average for the spin-polarized electron gas, *Physical Review B* **46**, 12947–12954; *ibidem* **56**, 7018 (1997) (E).
- Perdew, J. P., Burke, K., and Ernzerhof, M. (1996). Generalized Gradient Approximation Made Simple. *Physical Review Letters* **77**, 3865–3868.
- Perrot, F. (1982). Temperature-dependent nonlinear screening of a proton in an electron gas, *Physical Review A* **25**, 489–495.
- Perrot, F. and Dharma Wardana, M. W. C. (1984). Exchange and correlation potentials for electron-ion systems at finite temperatures, *Physical Review A* **30**, 2619–2626.
- Petersilka, M., Gossmann, U. J., and Gross, E. K. U. (1996). Excitation Energies from Time-Dependent Density-Functional Theory, *Physical Review Letters* **76**, 1212–1215.
- Pinczuk, A., Schmitt-Rink, S., Danan, G., Valladares, J. P., Pfeiffer, L. N., and West, K. W. (1989). Large exchange interactions in the electron gas of GaAs quantum wells, *Physical Review Letters* **63**, 1633–1636.
- Pinczuk, A., Dennis, B. S., Pfeiffer, L. N., and West, K. W. (1993). Observation of collective excitations in the fractional quantum Hall effect, *Physical Review Letters* **70**, 3983–3986.
- (1998). Light scattering by collective excitations in the fractional quantum hall regime, *Physica B* **249**, 40–43.

- Pines, D. and Bohm, D. (1952). A Collective Description of Electron Interactions: II. Collective vs Individual Particle Aspects of the Interactions, *Physical Review* **85**, 338–353.
- Pines, D. (1953). A Collective Description of Electron Interactions: IV. Electron Interaction in Metals *Physical Review* **92**, 626–636.
- (1955). Electron interaction in metals, *Solid State Physics* (F. Seitz and D. Turnbull, editors) **1**, 368–450.
- (1960). Plasma oscillations of electron gases, *Physica* **26**, S103–S123.
- (1962). *The Many Body Problem*, W.A. Benjamin, New York (1962).
- (1963). *Elementary Excitations in Solids*, W.A. Benjamin, New York (1963).
- Pines, D. and Nozières, P. (1966). *The Theory of Quantum Liquids* (W. A. Benjamin, Inc., New York).
- Platzman, P. M. *et al.* (1992). X-ray-scattering determination of the dynamic structure factor of Al metal, *Physical Review B* **46**, 12943–12946.
- Prange, R. and Kadanoff, L. P. (1964). Transport Theory for Electron-Phonon Interactions in Metals, *Physical Review* **134**, A566–A580.
- Prange, R. E. and Girvin, S. M., editors (1987), *The Quantum Hall Effect* (Springer-Verlag, New York).
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., and Flannery, B. P., *Numerical Recipes*, (Cambridge University Press, Cambridge, 1992).
- Pudalov, V. M., D'Iorio, M., Kravchenko, S. V., and Campbell, J. W. (1993). Zero-magnetic-field collective insulator phase in a dilute 2D electron system, *Physical Review Letters* **70**, 1866–1869.
- Pudalov, V. M. *et al.* (2002). Low density spin susceptibility and effective mass of mobile electrons in Si inversion layers, *Physical Review Letters* **88**, 196404.
- Puff, R. D. (1965). Application of Sum Rules to the Low-Temperature Interacting Boson System, *Physical Review* **137**, A406–A416.
- Qian, Z. and Vignale, G. (2002). Dynamical exchange-correlation potentials for an electron liquid, *Physical Review B* **65**, 235121.
- (2003). Dynamical exchange-correlation potentials for the electron liquid in the spin channel, *Physical Review B* **68**, 195113.
- Qian, Z., Constantinescu, A., and Vignale, G. (2003). Solving the ultra-nonlocality problem in time dependent spin density functional theory, *Physical Review Letters* **90**, 066402.
- Qian, Z., Vignale, G., and Marinescu, D. C. (2004). The spin-mass of an electron liquid, *Physical Review Letters* **93**, 106601.
- Qian, Z. (2004). Long wavelength behavior of the dynamical spin-resolved local field factor in a two-dimensional electron liquid, cond-mat/0404325.
- Quinn, J. J. and Ferrell, R. A. (1958). Electron Self-Energy Approach to Correlation in a Degenerate Electron Gas, *Physical Review* **112**, 812–827.
- (1961). Quasi-particle approach to interaction in an idealized metal, *Journal of Nuclear Energy, Part C*, **2**, 18–24.
- Quong, A. A. and Eguluz, A. G. (1993). First-principles evaluation of dynamical response and plasmon dispersion in metals, *Physical Review Letters* **70**, 3955–3958.
- Rahman, S. and Vignale, G. (1984). Fine structure in the dynamic form factor of an electron liquid, *Physical Review B* **30**, 6951–6959.
- Rajagopal, A. K. and Callaway, J. (1973). Inhomogeneous Electron Gas, *Physical Review B* **7**, 1912–1919.

- Rajagopal, A. K. and Kimball J. C. (1977). Short-ranged correlations and the ferromagnetic electron gas, *Physical Review B* **18**, 2819–2825.
- Rajagopal, A. K., Kimball J. C., and Banerjee, M. (1978). Correlations in a two-dimensional electron system, *Physical Review B* **15**, 2339–2345.
- Rammer, J. and Smith, H. (1986). Quantum field theoretical methods in transport theory of metals, *Review of Modern Physics* **58**, 323–359.
- Rapcewicz, K. and Ashcroft, N. W. (1991). Fluctuation attraction in condensed matter: A nonlocal functional approach, *Physical Review B* **44**, 4032–4035.
- Rapisarda, F. and Senatore, G. (1996). Diffusion Monte Carlo study of electrons in two-dimensional layers, *Australian Journal of Physics*, **49**, 161–182.
- Rasolt, M. and Geldart, D. J. W. (1986). Exchange and correlation energy in a nonuniform fermion fluid, *Physical Review B* **34**, 1325–1328.
- Reimann, S. M. and Manninen, M. (2002). Electronic structure of quantum dots, *Reviews of Modern Physics* **74**, 1283–1342.
- Reizer, M. Yu. (1989). Relativistic effects in the electron density of states, specific heat, and the electron spectrum of normal metals, *Physical Review B* **40**, 11571–11575.
- Reizer, M. and Wilkins, J. W. (1997). Electron-electron relaxation in heterostructures, *Physical Review B* **55**, R7363–7366.
- Rice, T. M. (1965). The effects of electron-electron interactions on the properties of metals, *Annals of Physics* **31**, 100–129.
- Richardson, C. F. and Ashcroft, N. W. (1994). Dynamical local-field factors and effective interactions in the three-dimensional electron liquid, *Physical Review B* **50**, 8170–8181.
- Ritchie, R. N. (1959). Interaction of Charged Particles with a Degenerate Fermi-Dirac Electron Gas, *Physical Review* **114**, 644–654.
- Rimberg, A. J. and Westerwelt, R. M. (1989). Electron energy levels for a dense electron gas in parabolic GaAs/Al_xGa_{1-x}As quantum wells, *Physical Review B* **40**, 3970–3974.
- Roddaro, S. *et al.* (2003). Nonlinear Quasiparticle Tunneling between Fractional Quantum Hall Edges, *Physical Review Letters* **90**, 046805.
- Roukes, M. L. *et al.* (1987). Quenching of the Hall Effect in a One-Dimensional Wire, *Physical Review Letters* **59**, 3011–3014.
- Rowland, T. (1960). Nuclear Magnetic Resonance in Copper Alloys. Electron Distribution Around Solute Atoms, *Physical Review* **119**, 900–912.
- Rudermann, M. A. and Kittel, C. (1954). Indirect Exchange Coupling of Nuclear Magnetic Moments by Conduction Electrons, *Physical Review* **96**, 99–102.
- Runge, E. and Gross, E. K. U. (1984). Density-Functional Theory for Time-Dependent Systems, *Physical Review Letters* **52**, 997–1000.
- Sakurai, J. J. (1985). *Modern Quantum Mechanics* (Addison-Wesley Publishing Company, Inc., Redwood City).
- Saminadayar, L., Glattli, D. C., Jin, Y., and Etienne, B. (1997). Observation of the $e/3$ Fractionally Charged Laughlin Quasiparticle, *Physical Review Letters* **79**, 2526–2529.
- Santoro, G. and Giuliani, G. F. (1988a). Acoustic plasmons in a conducting double layer, *Physical Review B* **37**, 937–940.
- (1988b). Exact limits of the many-body local fields in a two-dimensional electron gas, *Physical Review B* **37**, 4813–4815.
- (1989). Electron self-energy in two dimensions, *Physical Review B* **39**, 12818–12827.

- Sawada, K., Brueckner, K. A., Fukuda, N., and Brout, R. (1957). Correlation Energy of an Electron Gas at High Density: Plasma Oscillations, *Physical Review* **108**, 507–514.
- Scarola, V. W., Park, K., and Jain, J. K. (2000). Rotons of composite fermions: Comparison between theory and experiment, *Physical Review B* **61**, 13064–13072.
- Schindlmayr, A. and Godby, R. W. (1998). Systematic Vertex Corrections through Iterative Solution of Hedin's Equations Beyond the GW Approximation, *Physical Review Letters* **80**, 1702–1705.
- Schmid, A. (1974). On the dynamics of electrons in an impure metal, *Zeitschrift für Physik* **271**, 251–256.
- Schöne, W.-D. and Eguluz, A. G. (1998). Self-consistent calculation of quasiparticle states in metals and semiconductors, *Physical Review Letters* **81**, 1662–1665.
- Schülke, W., Schulte-Schrepping, H., and Schmitz, J. R. (1993). Dynamic structure of electrons in Al metal studied by inelastic x-ray scattering, *Physical Review B* **47**, 12426–12436.
- Schulz, H. J. (1993). Wigner crystal in one dimension, *Physical Review Letters* **71**, 1864–1867.
- Schulz, H. J., Cuniberti, G., and Pieri, P. (1995). Fermi liquids and Luttinger liquids, in *Field Theories for Low-Dimensional Condensed Matter Systems*, edited by G. Morandi *et al.* (Springer, Berlin, 2000) (cond-mat/9807366).
- Schulze-Wischeler, F., Mariani, E., Hohls, F., and Haug, R. J. (2004). Direct measurement of the g-factor of composite fermions, *Physical Review Letters* **92**, 156401.
- Schumacher, R. T., Carver, T., and Slichter, C. P. (1954). Measurement of the Spin Paramagnetism of Conduction Electrons, *Physical Review* **95**, 1089–1090.
- Schumacher, R. T. and Slichter, C. P. (1956). Electron Spin Paramagnetism of Lithium and Sodium, *Physical Review* **101**, 58–65.
- Schumacher, R. T. and Vehse, W. E. (1960). Paramagnetic susceptibility of Sodium metal at 4° K, *Bulletin of the American Physical Society* **4**, 296.
- (1963). The paramagnetic susceptibility of sodium metal, *Journal of Physics and Chemistry of Solids* **24**, 297–307.
- Seitz, F., *Modern Theory of Solids*, McGraw-Hill, New York (1940).
- Senatore, G., Moroni, S., and Ceperley, D. M. (1996). The Local Field of the Electron Gas, *Proceedings of the International Conference on the Physics of Strongly Coupled Plasmas*, edited by W. D. Kraeft and M. Schlanges (World Scientific, Singapore), p. 429–434.
- (1999). Static response of homogeneous quantum fluids by diffusion Monte Carlo, *Quantum Monte Carlo methods in physics and chemistry*, edited by M.P. Nightingale and C. J. Umrigar (Kluwer, Dordrecht).
- Sham, L. J. (1971). In *Computational methods in band theory*, ed. by Marcus, P. J., Janak, F. and Williams, A. R. (Plenum, New York), p. 458.
- Shankar, R. (1994). Renormalization-group approach to interacting fermions, *Reviews of Modern Physics* **66**, 129–192.
- Sharp, R. T. and Horton, G. K. (1953). A Variational Approach to the Unipotential Many-Electron Problem, *Physical Review* **90**, 317.
- Sholl, C. A. (1967). The calculation of electrostatic energies in metals by plane-wise summation, *Proceedings of the Physical Society, London* **92**, 434–445.
- Shytov, A. V., Levitov, L. S., and Halperin, B. I. (1998). Tunneling into the Edge of a Compressible Quantum Hall State, *Physical Review Letters* **80**, 141–144.

- Silverstein, S. D. (1962). Influence of Electron Interactions on Metallic Properties. I. Specific Heat, *Physical Review* **128**, 631–637.
- (1963). Effects of Electron Correlations on the Properties of Alkali Metals, *Physical Review* **130**, 912–913.
- Simkin, D., Ph.D. Thesis, Univ. Illinois, unpublished (1963).
- Singwi, K. S., Tosi, M. P., Land, R. H., and Sjölander, A. (1968). Electron Correlations at Metallic Densities, *Physical Review* **176**, 589–599.
- Singwi, K. S. and Tosi, M. P. (1981). Correlations in electron liquids *Solid State Physics* **36**, edited by H. Ehrenreich, F. Seitz, and D. Turnbull (Academic, New York), 177–266.
- Skudlarski, P. and Vignale, G. (1993). Exchange-correlation energy of a three-dimensional electron gas in a magnetic field, *Physical Review B* **48**, 8547–8559.
- Slater, J. C. (1951). A Simplification of the Hartree-Fock Method, *Physical Review* **81**, 385–390.
- Slichter, C. P., *Principles of Magnetic Resonance*, 3rd edition (Springer-Verlag, Berlin, 1990), Chapter 4.
- Sommerfeld, A. (1928). Electron theory of metals on the basis of Fermi statistics, *Zeitschrift für Physik* **47**, 1–32 and 43–60.
- Spruch, L. (1991). Pedagogic notes on Thomas-Fermi theory (and on some improvements): atoms, stars, and the stability of bulk matter, *Review of Modern Physics* **63**, 151–209.
- Steffens, O., Suhrke, M., and Rössler, U. (1998). Spontaneously broken time-reversal symmetry in quantum dots, *Europhysics Letters* **44**, 222–228.
- Stern, F. (1967). Polarizability of a Two-Dimensional Electron Gas, *Physical Review Letters* **18**, 546–548.
- Stormer, H. L. (1992). Two-dimensional electron correlation in high magnetic fields, *Physica B* **177**, 401–408.
- Strěda, P. (1982). Theory of quantised Hall conductivity in two dimensions, *J. Phys. C* **15**, L717–L722.
- Sturm, A. and Gusarov, K. (2000). Dynamical correlations in the electron gas, *Physical Review B* **62**, 16474–16491.
- Suhl, H. and Werthamer, R. N. (1961). Higher Random-Phase Approximations in the Many-Body Problem, *Physical Review* **122**, 359–366.
- (1962). Renormalization of Many-Fermion Momentum-Space Distributions in Higher Random Phase Approximations, *Physical Review* **125**, 1402–1406.
- Takada, Y. (1993). s- and p-wave pairings in the dilute electron gas: Superconductivity mediated by the Coulomb hole in the vicinity of the Wigner-crystal phase, *Physical Review B* **47**, 5202–5211.
- (1995). Exact self-energy of the many-body problem from conserving approximations, *Physical Review B* **52**, 12708–12719.
- Takada, Y. and Goto, H. (1998). Exchange and correlation effects in the three-dimensional electron gas in strong magnetic fields and application to graphite, *Journal of Physics: Condensed Matter* **10**, 11315–11325.
- Tamm, I. (1932). Possible type of electron binding on crystal surfaces, *Zeitschrift für Physik* **76**, 849–850.
- Tanaka, S. and Ichimaru, S. (1989). Spin-dependent correlations and thermodynamic functions for electron liquids at arbitrary degeneracy and spin polarization, *Physical Review B* **39**, 1036–1051.

- Tanatar, B. and Ceperley, D. M. (1989). Ground state of the two-dimensional electron gas, *Physical Review B* **39**, 5005–5016.
- Teller, E. (1962). On the Stability of Molecules in the Thomas-Fermi Theory, *Review of Modern Physics* **34**, 627–631.
- Tesanovic, Z., Axel, F., and Halperin, B. I. (1988). “Hall crystal” versus Wigner crystal, *Physical Review B* **39**, 8525–8551.
- Theis, T. N. (1980). Plasmons in inversion layers, *Surface Science* **98**, 515–532.
- Thomas, L. H. (1927). Calculation of atomic fields, *Proceedings of the Cambridge Philosophical Society* **33**, 542–548.
- Thomson, J. J. (1897). Cathode rays, *Philosophical Magazine* **44**, 293–316.
- Thouless, D. J. (1984). Wannier functions for magnetic subbands, *J. Phys. C: Solid State Physics* **17**, L325–L327.
- Ting, C. S., Ying, S. C., and Quinn, J. J. (1977). Theory of cyclotron resonance of interacting electrons in a semiconducting surface inversion layer, *Physical Review B* **16**, 5394–5404.
- Toigo, F. and Woodruff, T. O. (1971). Calculation of the Dielectric Function for a Degenerate Electron Gas with Interaction. II. Frequency Dependence, *Physical Review B* **4**, 4312–4315.
- Tokatly, I. V. and Pankratov, O. (2001). Many-Body Diagrammatic Expansion in a Kohn-Sham Basis: Implications for Time-Dependent Density Functional Theory of Excited States, *Physical Review Letters* **86**, 2078–2081.
- Tomonaga, S. (1950). Remarks on Bloch’s method of sound waves applied to many-fermion problems, *Progress of Theoretical Physics* **5**, 544–569.
- Trugman, S. A. (1983). Localization, percolation, and the quantum Hall effect, *Physical Review B* **27**, 7539–7546.
- Tsui, D. C., Störmer, H. L., and Gossard, A. C. (1982). Two-Dimensional Magnetotransport in the Extreme Quantum Limit, *Physical Review Letters* **48**, 1559–1562.
- Tutuc, E., De Poortere, E. P., Papadakis, S. J., and Shayegan, M. (2001). In-plane magnetic field-induced spin polarization and transition to insulating behavior in two-dimensional hole system, *Physical Review Letters* **86**, 2858–2861.
- Ueda, S. (1961). The pair correlation function of an imperfect electron gas in high densities, *Progress of Theoretical Physics* **26**, 45–50.
- Ullrich, C. A. and Vignale, G. (2002). Time-dependent current density functional theory for the linear response of weakly disordered systems, *Physical Review B* **65**, 245102.
- Vakili, K., Shkolnikov, Y. P., Tutuc, E., De Poortere, E. P., and Shayegan, M. (2004). Spin susceptibility of two-dimensional electrons in narrow AlAs quantum wells, *Physical Review Letters* **92**, 226401.
- Vanderbilt, D. (1997). Nonlocality of Kohn-Sham Exchange-Correlation Fields in Dielectrics, *Physical Review Letters* **79**, 3966–3999.
- van Faassen, M., de Boeij, P. L., van Leeuwen, R., Berger, J. A., and Snijders, J. G. (2002). Ultranonlocality in Time-Dependent Current-Density-Functional Theory: Application to Conjugated Polymers, *Physical Review Letters* **88**, 186401.
- van Gisbergen, S. J. A., Kootstra, F., Schipper, P. R. T., Gritsenko, O. V., Snijders, J. G., and Baerends, E. J. (1998). Density-functional-theory response-property calculations with accurate exchange-correlation potentials, *Physical Review A* **57**, 2556–2571.
- van Gisbergen, S. J. A., Schipper, P. R. T., Gritsenko, O. V., Baerends, E. J., Snijders, J. G., Champagne, B., and Kirtman, B. (1999). Electric Field Dependence of the

- Exchange-Correlation Potential in Molecular Chains, *Physical Review Letters* **83**, 694–697.
- van Leeuwen, R. (1998). Causality and Symmetry in Time-Dependent Density-Functional Theory, *Physical Review Letters* **80**, 1280–1283.
- (1999). Mapping from Densities to Potentials in Time-Dependent Density-Functional Theory, *Physical Review Letters* **82**, 3863–3866.
- (2001). Key concepts in time-dependent density functional theory, *International Journal of Modern Physics* **15**, 1969–2023.
- van Wees, B. J., van Houten, H., Beenakker, C. W. J., Williamson, J. G., Kouwenhoven, L. P., van der Marel, D., Foxon, C. T., and Harris, J. J. (1988). Quantized conductance of point contacts in a two-dimensional electron gas, *Physical Review Letters* **60**, 848–850.
- Vashishta, P. and Singwi, K. S. (1972). Electron Correlations at Metallic Densities. V, *Physical Review B* **6**, 875–887.
- Vasiliev, I., Ögüt, S., and Chelikowsky, J. R. (1999). Ab Initio Excitation Spectra and Collective Electronic Response in Atoms and Clusters, *Physical Review Letters* **82**, 1919–1922.
- Vignale, G. and Singwi, K. S. (1984). Possibility of superconductivity in the electron-hole liquid, *Physical Review B* **31**, 2729–2749.
- (1985). Effective two-body interaction in Coulomb Fermi liquids, *Physical Review B* **32**, 2156–2166.
- Vignale, G. and Rasolt, M. (1987). Density functional theory in strong magnetic fields, *Physical Review Letters* **59**, 2360–2363.
- Vignale, G., Rasolt, M., and Geldart, D. J. W. (1988). Diamagnetic susceptibility of a dense electron gas, *Physical Review B* **37**, 2502–2507.
- Vignale, G. (1988). Exact behavior of the density and spin susceptibilities of a Fermi liquid for large wave vectors: Derivation from diagrammatic many-body theory, *Physical Review B* **38**, 6445–6451.
- (1993). Current-density-functional theory of the two-dimensional Wigner crystal in a strong magnetic field, *Physical Review B* **47**, 10105–10111.
- (1995). Sum rule for the linear density response of a driven electronic system, *Physics Letters A* **209**, 206–210.
- Vignale, G., Skudlarski, P., and Rasolt, M. (1992). Current-density functional theory of surface properties of electron-hole droplets at high magnetic fields, *Physical Review B* **45**, 8494–8497.
- Vignale, G. and Kohn, W. (1996). Current dependent exchange-correlation potential for dynamical linear response theory, *Physical Review Letters* **77**, 2037–2040.
- (1998). Current-density functional theory of linear response to time-dependent electromagnetic fields, in *Electronic Density Functional Theory*, ed. by J. F. Dobson, G. Vignale, and M. P. Das (Plenum, 1998), p. 199–216.
- Vignale, G., Ullrich, C. A., and Conti, S. (1997). Time-dependent density functional theory beyond the adiabatic local density approximation, *Physical Review Letters* **79**, 4878–4881.
- Voit, J. (1994). One dimensional Fermi liquids, *Reports of Progress in Physics*, **58**, 977–1116.
- vom Felde, A., Sprösser-Prou, J., and Fink, J. (1989). Valence-electron excitations in the alkali metals, *Physical Review B* **40**, 10181–10193.

- von Barth, U. and Hedin, L. (1972). A local exchange-correlation potential for the spin polarized case. *Journal of Physics C: Solid State Physics* **5**, 1629–1642.
- von Klitzing, K., Dorda, G., and Pepper, M. (1980). New Method for High-Accuracy Determination of the Fine-Structure Constant Based on Quantized Hall Resistance, *Physical Review Letters* **45**, 494–497.
- Vosko, S. H., Perdew, J. P., and MacDonald, A. H. (1975). Ab initio calculation of the spin susceptibility for the alkali metals using the density-functional formalism, *Physical Review Letters* **35**, 1725–1728.
- Vosko, S. H., Wilk, L., and Nuisair, M. (1980). Accurate spin-dependent electron liquid correlation energies for local spin density calculations: a critical analysis, *Canadian Journal of Physics* **58**, 1200.
- Watabe, M. (1962). Transport coefficients of a quantum plasma, *Progress of Theoretical Physics* **28**, 265–282.
- Wegner, F. (1983). Exact density of states for lowest Landau level in white noise potential, *Zeitschrift für Physik B* **51**, 279–285.
- Weizsäcker, C. F. von (1935). Theory of nuclear masses *Zeitschrift für Physik* **96**, 431–458.
- Wen, X. G. (1990). Chiral Luttinger liquid and the edge excitations in the fractional quantum Hall states, *Physical Review B* **41**, 12838–12844.
- Wick, G. C. (1950). The Evaluation of the Collision Matrix, *Physical Review* **80**, 268–272.
- Wigner, E. P. (1934). On the Interaction of Electrons in Metals, *Physical Review* **46**, 1002–1011.
- (1938). Effects of the electron-electron interactions on the energy levels of electrons in metals, *Transactions of the Faraday Society* **34**, 678–685.
- Wigner, E. P. and Seitz, F. (1933). On the Constitution of Metallic Sodium, *Physical Review* **43**, 804–810.
- (1934). On the Constitution of Metallic Sodium. II, *Physical Review* **46**, 509–524.
- Willett, R. L., Ruel, R. R., West, K. W., and Pfeiffer, L. N. (1993a). Experimental demonstration of a Fermi surface at one-half filling of the lowest Landau level, *Physical Review Letters* **71**, 3846–3849.
- Willett, R. L., Ruel, R. R., Paalanen, M. A., West, K. W., and Pfeiffer, L. N. (1993b). Enhanced finite-wave-vector conductivity at multiple even-denominator filling factors in two-dimensional electron systems, *Physical Review B* **47**, 7344–7347.
- Willett, R. L. (1997). Experimental evidence for composite fermions *Advances in Physics* **46**, 447–544.
- Williams, P. F. and Bloch, A. (1974). Self-consistent dielectric response of a quasi-one-dimensional metal at high frequencies, *Physical Review B* **10**, 1097–1108.
- Williams, J. B., Sherwin, M. S., Maranowski, K. D., and Gossard, A. C. (2001). Dissipation of Intersubband Plasmons in Wide Quantum Wells, *Physical Review Letters* **87**, 037401.
- Wolfe, J. P. et al. (1975). Photograph of an electron-hole drop in Germanium, *Physical Review Letters* **34**, 1292–1293.
- Yarlagadda, S. and Giuliani, G. F. (1989). Spin susceptibility in a two-dimensional electron gas, *Physical Review B* **40**, 5432–5440.
- (1994a). Quasiparticle pseudo-Hamiltonian of an infinitesimally polarized Fermi liquid, *Physical Review B* **49**, 7887–7897.
- (1994b). Landau theory of Fermi liquids and the integration-over-the-coupling-constant algorithm, *Physical Review B* **49**, 14172–14178.

- (1994c). Many-body local fields and Fermi-liquid parameters in a quasi-two-dimensional electron liquid, *Physical Review B* **49**, 14188–14196.
- Yasuhara, H. and Kawazoe, Y. (1976). A note on the momentum distribution function for an electron gas, *Physica A* **85**, 416–424.
- Yasuhara, H. and Ousaka, Y. (1992). Effective mass, Landau interaction function and self-energy in an electron liquid, *International Journal of Modern Physics B* **6**, 3089–3145.
- Yoon, J., Li, C. C., Shahar, D., Tsui, D. C., and Shayegan, M. (1999). Wigner Crystallization and Metal-Insulator Transition of Two-Dimensional Holes in GaAs at $B = 40$, *Physical Review Letters* **82**, 1744–1747.
- Yosida, K. (1957). Magnetic Properties of Cu-Mn Alloys, *Physical Review* **106**, 893–898.
- Zangwill, A. and Soven, P. (1980). Resonant Photoemission in Barium and Cerium, *Physical Review Letters* **45**, 204–207.
- Zhang, S.-C. (1992). The Chern-Simons-Landau-Ginzburg theory of the fractional quantum Hall effect, *International Journal of Modern Physics B* **6**, 25–58.
- Zhao, Q., Morrison, R. C., and Parr, R. G. (1994). From electron densities to Kohn-Sham kinetic energies, orbital energies, exchange-correlation potentials, and exchange-correlation energies, *Physical Review A* **50**, 2138–2142.
- Zheng, L. and Das Sarma, S. (1996). Coulomb scattering lifetime of a two-dimensional electron gas, *Physical Review B* **53**, 9964–9967.
- Zhu, X. and Overhauser, A. W. (1984). Exact exchange and correlation corrections for large wave vectors, *Physical Review B* **30**, 3158–3163.
- (1986). Plasmon-pole and paramagnon-pole model of an electron liquid, *Physical Review* **33**, 925–936.
- Zhu, J., Stormer, H. L., Pfeiffer, L. N., Baldwin, K. W., and West, K. W. (2003). Spin susceptibility of ultra-low density two-dimensional electron system, *Physical Review Letters* **90**, 056805.
- Zong, F. H., Lin, C., and Ceperley, D. M. (2002). Spin polarization of the low-density three-dimensional electron gas, *Physical Review E* **66**, 036703.