

Index

- absorption spectrum, 126
- addition energy, 342
 - monotonic increase of, 342
- addition energy in metals, 717
- adiabatic phase factor, 605
- adiabatic spin susceptibility at $q = 0$, 695
- adiabatic switching-on, 119
 - physical meaning of, 125
- adiabatic transport, 605
- adiabatically switched-on and turned-off interaction, 278
- affinity energy, 342
- alkali metals, 7
 - Wigner–Seitz radius of, 7
- analytic continuation, 276, 321, 324
- Anderson model, 55
- angle-resolved photoemission experiments, 484
- angular momentum in a Landau level, 560
- anomalous Green’s functions, 317
- anticommutation relations for fermionic fields, 22–24, 522
- asymptotic series, 275

- band gap of semiconductors and insulators, 345
- band insulator and quantum Hall liquid, 562
- bandwidth of simple metals, 82, 83, 484
- BCS theory of super-conductivity, 3, 69, 71, 101–103
 - anomalous Green’s function, 318
 - BCS gap equation, 103
 - BCS hamiltonian, 101
 - BCS state, 102, 103
 - BCS wavefunction, 102
- Bechgaard salts, 12, 501
- Berry phase, 155
- Bessel function $K_0(z)$, 651
- Bethe–Salpeter equation, 309–310
 - in density and spin channel, 309
 - in direct electron–hole channel, 309
 - in electron–electron channel, 310
- Bijl–Feynman formula, 210
- bilayer system, 65
- Bloch transition, 2, 34, 583
 - Bloch transition at high magnetic field, 109
 - in tilted field experiments, 109
- Bogoliubov inequality, 133
- Bohr magneton μ_B , 61
- Bohr radius, 7, 17, 19
- Bose–Einstein distribution, 679
- boson coherent states, 728
 - overcompleteness of, 729
 - overlap integral, 729
- bosonization in 2D, 620
- bosons, 20, 627
 - ground-state wave function of, 47
 - partition function, 730
- broken symmetry, 32, 316
- bulk modulus, 60, 71, 265, 432, 616, 727
 - negative values of, 60
 - of an incompressible quantum Hall liquid, 617
 - relation to chemical potential, 60

- canonical kinetic energy, 364
- canonical momentum operator, 555
- capacitance and compressibility, 194
- carbon nanotubes, 13, 501
- cathode rays, 1
- Cauchy–Hadamard principal value distribution, 120
- causal response functions, 128
- center of mass hamiltonian, 589
- charge density waves, 56–58
 - experimental evidence, 58
 - in chromium, 58
 - in potassium, 57
- charge transfer instability, 11
- chemical potential, 59
- Chern–Simons theory, 625–631
 - Kohn’s theorem, 630
 - linear response of, 628, 629
 - mean field hamiltonian, 627
 - mean magnetic field, 627
 - physical discussion, 631
 - vector potential, 626

- chiral Luttinger liquid, 5, 59, 554, 645, 653
 - experiments on, 655
- classical one-component plasma, 596
- classical plasma analogy, 595, 602
- collective modes, 127
- collisional regime, 202
- collisionless regime, 203
- colon brackets, 674
- complex variable z , 555
- composite fermions, 4, 552, 598, 609, 631–641
 - at half filling, 637
 - effective mass of, 635
 - flavors of, 632
 - fractional quantum Hall effect of, 632
 - g -factor, 632
 - magnetic focusing experiments, 640
 - magnetoexcitons, 636
 - numerical results for energies and gaps, 634
 - observation of geometric resonances in $\sigma_{xx}(q)$ vs q , 641
 - reality of, 639
 - spin and magnetic moment, 632, 637
 - wave functions, 632, 633
- compressibility, 59–61, 600
 - many-body enhancement of, 61, 223
- compressibility sum rule, 140, 193, 273, 599
- conduction electron spin resonance (CESR), 423
- conduction electron spin resonance and g -factor, 417
- conductivity, 148, 155
- configuration interaction, 70
- conserving approximations, 312, 313
- continuity equation, 672–673
- contraction of operators, 280, 675–676
- contraction schemes, 283
- Cooper pairs, 3
- Corbino disk, 573
- correlation energy, 70
 - Feynman's definition of, 39
 - high density limit in 3D, 39
 - Macke's calculation, 213, 272
 - parametrization in 2D, 52
 - parametrization in 3D, 49
 - popular definition of, 39
 - spin-polarization dependence in 2D, 54
 - spin-polarization dependence in 3D, 49
 - Thomas–Fermi approximation for, 272
- correlation hole, 356
- coulomb drag, 11, 496
- coulomb gap, 77, 502
- coulomb hole, 467–468
- coulomb interaction
 - Fourier transform of, 17
 - in low-dimensional systems, 667
 - regularization, 14, 15
- coupling constant integration algorithm, 142
- creation and destruction operators, 22
 - with respect to a Fermi sea, 677
- “cross” electron-hole channel, 310
- Curie law, 164
- current operator, 671
- current response function, 145, 230
 - in a magnetic field, 590
 - longitudinal, 145
 - transverse, 230
- current–density functional theory in magnetic fields, 364–369
 - exchange–correlation potentials, 367
 - gauge transformations, 365
 - Hohenberg–Kohn theorem, 365
 - Kohn–Sham equations, 366
 - fractionally occupied orbitals, 649
 - magnetic screening effects, 367
 - the vorticity variable, 366
 - Thomas–Fermi approximation, 369
- Cusp conditions, 685
- cusp conditions for the pair correlation function, 685
- cyclotron frequency, 550
- cyclotron radius, 580
- dangerous diagrams, 296, 297, 307
- Davisson–Germer experiment, 1
- de Haas–van Alphen effect, 58
- decay of a quasiparticle, 432
- deformable jellium model, 57
- densities in search of hamiltonians, 331, 400
- density fluctuations in the lowest Landau level, 654
- density functional theory, 4, 5, 327–328
 - adiabatic connection, 336
 - band gap problem, 345
 - constrained search algorithm, 328, 329
 - correlation energy functional, 338
 - high-density limit, 340
 - second-order perturbation theory, 720
 - transformation under density scaling, 339
 - definition of functional derivative, 330
 - density scaling, 338
 - derivative discontinuities of energy functionals, 342–344
 - Kohn's formula for derivative discontinuity, 344, 402
 - ensemble V -representable densities, 331
 - exchange energy functional, 337
 - spin-scaling relation, 356, 402
 - transformation under density scaling, 339
 - exchange–correlation energy functional, 335–338
 - in terms of the exchange–correlation hole, 336
 - leading gradient correction to, 354
 - exchange–correlation potential, 334
 - behavior at large distance from nucleus, 351
 - in terms of the exchange–correlation hole, 337
 - finite temperature formulation, 721
 - Görling–Levy perturbation theory, 339, 719

- eigenvalues, 720
- wave functions, 720
- gapless vs gapful systems, 345
- generalized density functional theories, 346
- generalized gradient approximation, 355–360
- gradient expansion, 353–355
- gradient expansion for the correlation hole, 358, 359
- gradient expansion for the exchange hole, 357
- Hartree energy functional, 333
 - transformation under density scaling, 339
- highest occupied Kohn–Sham eigenvalue, 335
- Hohenberg–Kohn theorem, 332
- Hohenberg–Kohn theorem at finite temperature, 722
- Kohn–Sham equation, 333–335
 - extension to finite temperature, 722
 - Fermi surface, 335
 - fractionally occupied orbitals, 649
 - iterative solution of, 334
 - physical meaning of eigenfunctions and eigenvalues, 335
- local density approximation, 328, 340, 344, 345, 348, 349–353
 - exchange-correlation energy functional, 349
 - exchange-correlation potential, 350
 - separation of exchange and correlation, 352
- non-interacting kinetic energy functional, 333
 - leading gradient correction to, 354
 - transformation under density scaling, 338
- non-interacting V-representability hypothesis, 333
- non-uniqueness of the external potential, 347, 401
- non-universal energy functional, 347
- non-V-representable densities, 331, 400
- Thomas-Fermi energy functional, 348
- universal energy functional $F[n]$, 327, 330
 - existence of the functional derivative, 331
 - extension to fractional particle numbers, 343
 - leading gradient correction to, 354
- V-representability on a lattice, 331
- V-representable densities, 331
- van der Waals energy functional, 361–363
- variational principle for the density, 330
- virial theorem, 401
- wave functions with given density, 715
- zero-force theorem, 388, 403
- density of states, 65, 161
 - disorder corrections to, 487, 492
 - effect of transverse electromagnetic interactions on, 488
- density of states mass, 185
- density operator, 14
 - Fourier transform of, 15
 - matrix elements of density operator between Landau-gauge wavefunctions, 579
- density parameter r_s , 17, 19
- density structure factor, 138
- density–density response function, 221
 - acceleration sum rule, 403
 - diffusion pole, 176, 182
 - first-order Feynman diagrams for, 292
 - in a crystal, 693
 - in terms of two-particle scattering amplitude, 305
 - invertibility of, 332
 - non-invertibility of, 371
 - spin-resolved form, 151
- density–density response function in the presence of impurities, 175–177, 179–182
 - Mermin formula, 180
 - small q and ω limit in 2D, 180
- dephasing length and time, 493
- depletion region, 645
- depolarization shift, 381, 585, 587
- diamagnetic current density, 672
- diamagnetic sum rule, 146
- dielectric constant, 575
- dielectric function, 191–194
 - Feynman diagrams for, 296
 - in spatially periodic structures, 138
- diffusion constant, 175, 182
- diffusion equation, 175, 176
- diffusion pole, 176, 182
- diffusion pole in spin response function, 270
- dimple crystal of electrons on the surface of ^4He , 2
- dipole–dipole response function, 362
- disentanglement lemma, 522, 726
- disordered interacting electron liquid, 486–489
 - disorder effects, 487
 - Landau theory for disordered system
 - quasiparticle decay rate, 487–489
 - renormalization group analysis, 488
 - renormalization scenarios, 488
- dispersion relations, 128
- dispersion relations for self-energy, 300, 325, 452, 500
- displacement field, 265, 615, 620
 - bosonic representation of, 620
- dissipation, 115
- drift velocity, 551, 564
- Drude formula for electrical conductivity, 177
- Drude relaxation time, 179
- Drude theory of the classical Hall effect, 568
- Drude–Lorentz model of electrical conduction, 1
- dynamical mean field theory, 182
- dynamical structure factor, 125, 263
 - the peak-and-shoulder puzzle, 263
- Dyson equation, 299
- edge channels, 645–649
 - analytic solution for density profile and electrostatic potential, 646
 - incompressible strips, 647

- edge channels (*cont.*)
 - Kohn–Sham theory for, 649
 - width of depletion region, 646
- edge collective modes, 649–652
 - analytic solution, 651
 - charged mode, 652
 - eigenvalue problem for, 651
 - hydrodynamic equations for, 650
 - neutral modes, 652
 - orthonormality and completeness, 651
- edge modes and the chiral Luttinger model, 654
- edge density fluctuations, 657
- edge Luttinger liquid, 503
- edge of quantum Hall device, 571
- effective elasticity theory, 609
- effective elasticity theory at high magnetic field, 615
- effective interactions, 232–240
 - electron–electron interaction, 234
 - electron–test charge interaction, 233
 - inclusion of lattice screening, 239
 - ion–test charge interaction, 697
 - Kukkonen–Overhauser interaction, 234–237
 - multi-component systems, 237, 316
 - test charge–test charge interaction, 232
- effective interaction in gated devices, 12
- effective mass, 453
- effective mass approximation, 8
- effective mass enhancements, 481
- effective potential and linear response functions, 220
- effective Rydberg energy, 19
- Einstein relation, 182
- elastic mean free path, 493
- elasticity theory, 264–265
- electrical conductivity, 148
- electrochemical potential, 179
- electromagnetic potentials $\vec{A}$ and ϕ , 143
- electron, 1
 - Dirac’s relativistic treatment of, 1
 - discovery of, 1
- electron–electron channel, 310
- electron in slowly varying electric field and strong magnetic field, 565
- electron in uniform electric and magnetic fields, 563
 - eigenfunctions and eigenvalues, 564
- electron in a uniform electric field, 563
- Electron liquid at high magnetic field in 3D, 732
 - exchange energy, 734
 - non-interacting density–density response function, 733
 - non-interacting kinetic energy, 732
 - non-interacting structure factor, 734
 - one-electron states, 732
 - RPA correlation energy, 735
 - STLS correlation energy, 735
 - subband Fermi wave vectors, 732
- electron loitering, 487
- electron tunneling operator, 657, 658
- electron–hole continuum, 166
- electron–hole droplet, 2
- electron–hole liquid, 8, 229
- electron–hole pairs, 167
- electron–hole pair production, 432
- electron–hole propagator, 302, 308
- electron–impurity hamiltonian, 177
- electron–ion interaction, 239
- electron–phonon interaction, 421, 499
 - effect on the compressibility, 422
 - effect on the heat capacity, 412
 - effect on the spin response, 422
- electron–phonon vertex, 239
- electronic density, 17
- electrons in the lowest Landau level 591–594
- electrons on the surface of ^4He , 9
- elemental metals, 7
- elementary excitations, 3
- emerging property, 604
- equipotential lines of a random potential in 2D, 565, 566
- error function, 669
- error function of complex argument, 708
- Euler equation, 202, 650
- exact eigenstates representation, 120
- exchange energy, 32–36
 - definition, 33
 - interpretation in terms of exchange hole, 35
 - physical significance, 33
 - spin–polarized states, 34
 - spin–scaling relation for, 356
- exchange hole, 35, 356, 683
- exchange potential, 70, 74
- exchange–correlation energy, 64
- exchange–correlation hole, 683
 - coupling constant average of, 356
 - sum rule for, 350, 682
- exchange–correlation kernel, 246, 249, 260, 263, 264, 377, 386, 389
 - analytic properties of, 377
 - Glick and Long’s high-frequency limit, 251
 - Gross–Kohn interpolation formula in 3D, 704, 705
 - Holas–Singwi interpolation formula in 2D, 705
 - longitudinal part, 246, 377
 - Qian–Vignale interpolation formulas, 706
 - relation to Landau parameters, 249
 - transverse part, 247
- exchange–driven transitions in a magnetic field, 584
- excitonic shift, 585
- exotic phases, 56
- exponential integral function, 17, 668

- f-sum rule, 139
- Fano resonance, 380
- Fano–Ortolani interpolation formula, 665
- Faraday's law, 574
- Fermi energy, 29
 - r_s dependence, 30
 - spin polarized systems, 32
- Fermi golden rule, 433
- Fermi sea, 31
- Fermi surface, 29
- Fermi wave vector, 29
 - density dependence of, 30
 - spin polarized systems, 31
- Fermi–Dirac distribution, 679
- fermion sign problem, 48
- fermions, 20
 - anticommutation rules, 24
 - antisymmetric wave functions, 20
 - conventional ordering of single-particle states, 21
 - creation operators, 22
 - destruction operators, 23
 - non-interacting ground-state, 29
 - non-interacting ground-state energy, 31
 - spin-polarized states, 31
- Ferrell's inequality, 66
- Feynman diagrams, 284
 - connected and disjoint, 286
 - number of, 287, 324
 - proper and improper, 295
 - rules for finite temperatures, 324
 - rule for handling equal-time Green's functions, 287
 - rule on number of fermion loops, 287
 - rules for evaluation in momentum space, 290
 - rules for evaluation in real space-time, 286
 - rules for evaluation in space-frequency domain, 290
- Feynman's theory of ^4He , 610
- field operators, 24
- filling factor, 551
- fluctuation-dissipation theorem, 125, 126, 138
 - classical form of, 154, 599
- flux quantum, 553
- Fock states, 20
- Fock–Darwin levels, 560, 561
- force–force response function, 178
- forced harmonic oscillator, 125
- form factor, 668
- four-dimensional notation, 303
- Fourier transform of interaction potential, 15
- fractional charge, 575, 607
- fractional spin polarization, 31
- fractional quantum Hall effect, 4, 550
 - composite fermion theory of, 631
 - spin polarization scenarios, 632
 - thermodynamic gap, 607
 - transport gap, 634
- fractional statistics, 605
- fractionally charged quasiparticles, 554, 601, 603–604
- free particle energy, 37
- frequency summations, 713
- Friedel oscillations, 165, 224–226, 537
- Fröhlich electron–phonon interaction, 240, 499
- full Landau levels, 575–589
 - collective modes, 585
 - correlation energy, 581, 582
 - density matrix, 576
 - density–density response function, 578, 579, 580
 - exchange energies of electrons and holes, 578
 - exchange energy, 577
 - kinetic energy, 576
 - pair correlation function, 577
 - static dielectric function, 580
 - static structure factor, 579
- g -factor, 61
 - in solid-state environment, 416
 - in GaAs, 583
 - measurement from CESR, 423
 - measurement from Knight shift, 423
 - measurement from nuclear spin relaxation, 424
- Galilean invariance, 394
- gauge invariance, 364
- gauge transformation, 143, 555
- Gell-Mann and Brueckner's theory, 38
- GW approximation for the self-energy, 311–312, 461–462, 472–478
 - cure of the divergency, 480
 - diagrammatic derivation, 475–478
 - flavors of, 312
 - generalized GW self-energy, 475
 - physical discussion, 477
- generating functional for the self-energy, 301, 455
- Goudsmit–Uhlenbeck proposal of the spin, 1
- grand-canonical density matrix, 319, 679
- grand-canonical hamiltonian, 319, 341
- grand-canonical partition function, 319
- grand-canonical thermodynamic potential, 679, 721
- Grayson–Chang experiment, 657
- Green's function
 - non-interacting fermions, 281, 282
 - real space representation, 281
 - strength of quasiparticle pole, 308
- ground-state energy
 - calculation of, 142
 - derivative discontinuities of, 600
 - expression in terms of the self-energy, 710
 - expression in terms of the generating functional, 710

- ground-state energy (*cont.*)
 from the density–density response function, 142, 143
 in a 2D electron liquid at high magnetic field, 600
- ground-state energy theorem, 63
- guiding centers, 643
- Haldane pseudopotentials, 593, 594
- half-filled state, 637–641
 current response function, 638
 effective diffusion constant, 638
 overdamped mode, 638
 q -dependent conductivity, 639
- Hall crystal, 58
- Hall effect, 568
- harmonic potential theorem, 385, 387, 388, 403, 664
- Hartree potential, 74
- Hartree–Fock approximation, 69–70
 as factorization, 78–79
 broken symmetry states, 70
 compressibility and spin susceptibility, 85
 energy of an electron–hole pair, 76
 ground-state energy, 75
 heat capacity, 83
 impossibility of open shells, 77
 meaning of eigenvalues, 75
 plane wave state, 80
 real world systems, 109
 spin-polarized states, 84
 spiral spin density wave, 90–96
 eigenfunctions, 93
 eigenvalues, 92
 self-consistent equations for SSDW, 94
 solution with contact interaction, 95
- Hartree–Fock energy
 closed shell atoms, 108
 global and local stability of solutions, 86
 time-dependent form, 254
- Hausdorff expansion, 464
- heat bath, 125
- heavy fermion systems, 409
- Heisenberg picture of time evolution, 276
- Hellman–Feynman theorem, 64, 336, 709
- Hermite polynomials, 559
- hole liquid, 55
- Hubbard model, 55
- hydrodynamic regime, 202
- hydrodynamic sound velocity, 414
- hydrodynamics, 208, 265–288
- idempotency condition, 87
- imaginary time, 319
- imaginary time evolution, 320
- impurity effects on electronic motion, 175
- incompressible quantum liquid, 606
- independent boson model, 622–624, 740–741
 calculation of the spectral function, 740
 in lowest Landau level, 623
 polaron-shifted energy, 741
 solution by unitary transformation, 740
 transformation of fermion and boson operators, 740
- independent boson theorem, 526, 729
- indirect gap semiconductors, 383
- induced-torque method, 58
- innocent-looking switching-on factor, 115
- instantaneous structure factor, 127
- integral quantum Hall effect, 550
- interaction picture of time evolution, 279
- interlayer coherence, 11
- intersubband plasmon, 384, 385
- intra-Landau level exciton, 609
- inversion layer, 11, 229, 424–426, 481
- ionization potential, 335, 342
- ionic motion, 697
- irreducible diagrams
 “cross” electron-hole channel, 310
 direct electron-hole channel, 307
 electron-electron channel, 310
- irreducible electron-hole interaction, 308
- irreducible interactions, 302
- isothermal spin susceptibility, 695
- Jacobi coordinates, 590
- Jacobi elliptic theta-function, 725
- Jain sequence of fractional filling factor, 632
- jellium model, 3
 deformable, 7, 175
 rigid, 7
 second-quantized hamiltonian for, 28
- kinetic energy
 correlation part t_c , 63
 in terms of the exchange-correlation energy, 64
 interacting and non-interacting, 62
- Knight shift, 423
- Kohn’s theorem, 585, 589–590, 599, 616, 664
- Korringa relation, 424
- Kramers–Krönig dispersion relations
 see dispersion relations, 128
- Kubo formula, 148
- Kukkonen–Overhauser interaction
 see effective interactions, 234–237
- lagrangian for elasticity theory, 619
- Laguerre polynomials, 559
 first zero of, 644
- Lam–Girvin wave function, 641, 642
- Landau diamagnetism, 174
- Landau gauge, 555, 558

- Landau interaction function
 - for long-range interactions, 410
- Landau levels, 551, 556–558
- Landau parameters, 249, 409, 413, 414, 421, 483
- Landau theory of Fermi liquids, 3, 405–409
 - adiabatic switching-on of the interaction, 406
 - chemical potential, 411
 - classical hamiltonian for quasiparticles, 427
 - classical hamiltonian for quasiparticles including a vector potential, 429
 - collective modes, 429
 - definition of Landau parameters, 414
 - density of quasiparticle states, 411
 - discontinuity of the momentum occupation numbers, 449
 - effective g -factor, 417
 - effective mass of ^3He , 409
 - effects of electron–phonon coupling, 421
 - energy functional, 410
 - Galilean transformation, 419
 - heat capacity, 412
 - infinitesimally polarized electron liquid, 412
 - inhomogeneous systems, 486
 - kinetic equation for the quasiparticle distribution function, 427
 - Landau interaction function, 409, 410
 - lifetime of a plane wave state, 453
 - lifetime of a quasiparticle or a quasihole, 453
 - linearized kinetic equation, 428
 - linearized kinetic equation for quasiparticles including a vector potential, 429
 - local quasiparticle energy, 411
 - macroscopic current response function, 431
 - numerical determination of the renormalization constant, 450
 - plane wave spectral function, 445
 - proper compressibility, 415
 - quasiparticle effective mass, 409, 411, 418, 454
 - quasiparticle energy, 410
 - quasiparticle entropy, 412
 - occupation numbers $\mathcal{N}_{k\sigma}$ vs. momentum occupation numbers, 407
 - quasiparticle decay processes, 408
 - quasiparticles and quasiholes, 407
 - renormalization constant, 452, 482
 - renormalization constant as overlap, 446
 - shear modulus, 432
 - spectral function, 452
 - spin current of a quasiparticle, 421
 - spin mass of a quasiparticle, 421
 - spin susceptibility, 417
 - spin susceptibility and effective g -factor, 418
 - thermal distribution for quasiparticles, 413
 - thermodynamic potential, 412
- Landau-gauge wave functions, 558
- Laughlin's argument for integral quantum Hall effect, 573–575
 - verification for non-interacting electrons, 575
- Laughlin's argument for fractionally quantized Hall effect, 606
- Laughlin's fractionally charged quasi-hole, 602
 - density distribution of, 604
- Laughlin's wave function, 594
 - angular momentum of, 595
 - classical plasma analogy, 595
 - energy and comparison with Wigner crystal, 597
 - pair correlation function, 597
 - small- g form of the structure factor, 600
 - structure factor, 600
- Laughlin's wave function and the Luttinger model wave function, 594
- Lehmann representation, 120
- level crossings, 134
- Levesque, Weis and MacDonald interpolation formula, 600
- Levi–Civita tensor, 670
- levitation of extended states, 567
- Lieb–Oxford inequality, 340
- Lindhard function, 159–165, 580
 - analytical calculation of, 160
 - analytical expressions at finite temperature, 173
 - computationally useful expressions, 162
 - diagrammatic calculation, 291
 - dynamical long-wavelength limit, 171
 - finite temperature form, 171
 - for ellipsoidal bands, 185
 - Maldague's formula, 172, 186
 - modified form with exact occupation numbers, 241
 - plots of, 168–170
 - real space, 165, 166
 - singularity at small q and ω , 170–171
 - small- q expansion, 354
 - static limit, 162
- linear response functions, 111, 112, 122, 123, 154
 - discontinuity on the real axis, 121
 - equations of motion for, 154
 - extension to complex frequency, 121
 - general formula for non-interacting system, 158, 159
 - reciprocity relation, 122
 - separation of real and imaginary parts, 121
 - symmetry relations, 122
- linear response theory, 111–115
- linked cluster theorem, 712
- Liouville's theorem, 428
- local effective potential, 4, 216
- local exchange potential, 104, 105
- local field factors, 190–191, 216–220
 - behavior for $q \ll k_F$, $\omega \ll qv_F$, 240
 - behavior for $q \rightarrow 0$, $\omega \rightarrow \infty$, 250
 - behavior for $q \gg k_F$, finite ω , 241

- local field factors (*cont.*)
 - derivation from Slater's exchange potential, 218
 - high-frequency limit, 245
 - Hubbard approximation, 217, 218
 - Hubbard-like form, 702
 - imaginary frequency dependence, 258
 - interpolation formulas, 703, 704
 - Kramers–Krönig relations, 246
 - Monte Carlo calculation of, 703
 - reason for divergence in first-order calculation, 299
 - spin-antisymmetric local field G_- , 190, 220
 - spin-symmetric local field G_+ , 190, 220
 - stability conditions, 222
 - STLS approximation, 226, 227, 700–701
 - the $2k_F$ hump puzzle, 245
 - Vashishta–Singwi approximation, 273
- local spin density approximation (LSDA), 108
- locality vs local-density approximation, 217
- localization, 177
 - in 2D, 567
 - scaling theory of, 11
 - with electron–electron interactions, 489
- loop snapping factor, 304
- lower bound for the ground-state energy of the
 - jellium model, 690
- lowest Landau level, 551, 561–562
 - analyticity of the one-particle density matrix, 736
 - analyticity of wave functions, 561, 736, 738
 - coherent states, 562, 662
 - density of states, 569
 - Hartree–Fock potential, 663
 - linear relationship between coherent states, 562
 - particle-hole symmetry, 665
 - prescription for projecting into, 738
 - projected structure factor, 739
- Luttinger liquid, 4, 59, 409, 501–503, 545
- Luttinger liquid model, 503–509
 - anomalous commutators, 510
 - back-scattering, 507
 - back-scattering current, 539, 541
 - back-scattering current at finite temperature, 542
 - Bogoliubov rotation angle, 515
 - bosonic representation, 513
 - bosonization of density fluctuations, 512
 - bosonization of the fermions, 519
 - calculation of the back-scattering current, 540
 - commutator of density fluctuations, 512
 - compressibility, 517
 - conductance, 538
 - conductance in the presence of an impurity, 541
 - coupling constant, 518
 - coupling constants g_1 , g_2 , and g_4 , 508
 - current fluctuation operator, 519
 - decoupling spin and charge operators, 544
 - density–density response function, 517
 - density–density response function at $q = 2k_F$, 536
 - density field operator, 520, 524
 - density fluctuation operator, 506
 - density fluctuation operator at $q = 2k_F$, 525
 - electron back-scattering vs quasiparticle tunneling, 661
 - electron destruction operator, 506
 - equivalence of bosonic and fermionic representations, 513, 514, 724–725
 - exact diagonalization, 515
 - extended bosonic basis set, 724
 - failure of linear response theory, 537
 - forward scattering, 507, 535
 - global number-rising operators, 519, 521
 - Green's function, 528
 - ground-state wave function in coordinate representation, 516
 - hamiltonian (bosonic representation), 514
 - hamiltonian (fermionic representation), 508
 - heat capacity, 517
 - inclusion of spin, 542, 543
 - kinetic energy, 505, 524
 - long-range interaction, 546
 - Luttinger trap, 509
 - momentum occupation number, 534
 - non-interacting Green's function, 529
 - non-interacting partition function, 724
 - plane wave occupation number, 502
 - proof of completeness of the bosonic basis set, 725
 - proper density–density response function, 518
 - renormalization group treatment of spin, 545
 - renormalized Fermi velocity, 519
 - screening length, 530
 - second-quantized representation of the ground-state, 516
 - solution of single impurity problem, 535, 537
 - sound velocity, 515
 - spectral function, 502
 - spectral function at finite temperature, 533
 - spectral function at $k = k_F$ and $T = 0$, 532
 - spin-charge separation, 545
 - spin-flip processes, 509
 - stability conditions, 508, 515, 516
 - transport properties, 503
 - two-particle Green's function, 536
 - ultraviolet wave vector cutoff, 504, 522, 530
 - vacuum state, 504
- Luttinger's theorem, 406, 407, 442, 451, 454–457
- macroscopic dielectric constant of a crystal, 156, 694
- magnetic exciton, 585–589, 609
 - dispersion curves, 588
 - effective hamiltonian, 587
 - limit of large electron–hole separation, 588
 - RPA, 585

- magnetic excitons in the lowest Landau level, 609–619
 - dispersion from effective elasticity theory, 616
 - roton minimum, 614
 - single mode approximation, 609–615
- magnetic length, 556
- magnetic moment of the electron, 61
- magnetic translations, 558
 - generators of, 557
- massless dynamics, 551
- Matsubara frequencies, 321, 323, 324, 713
- Matsubara transform, 321, 323
- mean field theory of linear response, 182
- Meissner effect, 103, 147
- Mermin–Wagner theorem, 134
- metal oxides, 55
- metal–insulator transition, 177, 489
- metal–oxide–semiconductor device (MOS), 10
- metal–oxide–semiconductor field effect transistor (MOSFET), 12
- metallic density range, 7
- Migdal’s theorem, 485
- Misra functions, 43, 688
- mobility, 11
- mobility edge, 177
- momentum occupation number, 407, 442, 449–450, 534
 - analytical calculation, 449
 - discontinuity at k_F , 407
 - in Luttinger liquid, 534
 - large- k behavior, 450
 - numerical determination, 449
- momentum relaxation time, 176
- more is different*, 604
- mother of all response functions, 585
- motion of a fast top, 551
- multicomponent systems, 228–230, 237–239, 272
 - Kukkonen Overhauser scattering amplitudes, 237–238
- multiple electron–hole pairs, 432

- N -particle density matrix, 48
- Nambu–Gorkov Green’s function, 319
- Navier–Stokes equation, 266
- nested Fermi surface, 58
- Newton’s third law, 388, 394
- nodal regions, 47
- nodal surfaces, 47, 552
- non-Fermi liquid behavior, 501–503
- normal ordering, 674
- normal ordering with respect to a Fermi sea, 677
- normal-ordered operators, 505
- nuclear magnetic resonance (NMR), 423
- nuclear spin relaxation, 424

- observation box, 125
- occupation numbers, 20, 21

- one-particle density matrix, 74, 87
- one-particle operators, 25
 - second-quantized representation of, 26
- Onsager’s exchange integral, 38
- Onsager’s result for second order exchange, 213
- open orbits, 58
- open shells, 77
- optical band gap, 383
- optical spectrum of silicon, 382
- optimized effective potential, 104–106, 338, 400
 - Equation for, 106
 - KLI approximation, 108
- orbital magnetic susceptibility, 146, 174, 186
- orbital magnetic susceptibility of the homogeneous electron liquid, 369
- orbital magnetization density, 572
- orthogonality catastrophe, 502, 625
- Overhauser’s instability theorem, 90, 96–101
- Overhauser’s spin and charge density waves, 4
- overlap catastrophe, 660

- pair correlation function, 35, 682–685
 - expression for the potential energy, 35
 - second-quantized representation, 35
 - spin-resolved form, 684
 - value on contact, 684
- pair correlation function for non-interacting fermions, 683
- pair correlation function for single Slater determinants, 105, 110, 577
- pairing of operators, 283
- pairing potential, 101
- parabolic potential, 591
- paramagnetic current density, 364
- paramagnetic current density operator, 144, 672
- paramagnetic current–current response function $\chi_{jpa jpb}$, 144
- partially filled Landau levels
- past and future, 115
- Pauli blocking, 164, 407
- Pauli matrices, 670
- Pauli paramagnetism, 164
- Pauli spin susceptibility χ_P , 164
- Pauli’s exclusion principle, 2, 20, 22
- Pauli–Sommerfeld theory of electrons in metals, 2, 3
- Peierls instability, 165
- perfect screening, 645
- perfect screening sum rule, 600, 665
- periodic boundary conditions, 15
- periodic perturbations, 119
- perturbation theory, 275
 - cancellation of disconnected contraction schemes, 284
 - far from equilibrium phenomena, 276
 - fundamental assumptions, 275
 - strongly interacting systems, 275
 - zero-temperature vs finite temperature formalism, 276

- perturbative expansion of the ground-state energy, 36, 65
- perturbative series, 442
- phase diagram of the electron liquid
 - two dimensions, 54
 - three dimensions, 50
- phase space argument for quasiparticle decay rate, 408
- phonon frequencies, 698
- phonon propagator, 239
- pinning of the Fermi level between Landau levels, 570
- pinning of the Fermi level by impurity states, 569
- plasmon, 3, 203, 383
 - analytical solution for the dispersion in 2D, 205
 - critical wave vector, 205, 271
 - damping, 261
 - dispersion, 204, 261
 - failure of hydrodynamics, 208
 - linewidth, 261
 - negative dispersion, 261
 - oscillator strength, 205
- point splitting, 524
- poisson equation in 2D, 596
- polarization density functional theory, 396
- polarization density functional theory vs current density
 - functional theory, 396
- polyacetylene, electric polarizability of, 395
- potential energy
 - in terms of the density–density response function, 142
 - in terms of the exchange–correlation energy, 64
- pressure, 59, 600
 - negative values of, 60
 - proper, 60
- principle of detailed balance, 428, 453
- projected density–fluctuation operators (lowest Landau level), 612
- projected structure factor, 611
- projection of operators in the lowest Landau level, 610
- proper and improper diagrams, 295
- proper compressibility, 600
- proper conductivity, 181
- proper density–density response function, 192, 296
- proper stiffness, 141
- quantum dots, 364, 561
- quantum Hall bar, 567
- quantum Hall edges, 644
- quantum Hall effect, 550
 - break-down voltage, 571
 - Nobel prizes for, 550
- quantum Hall liquid, 5, 58, 364, 501
- quantum Hall measurement, 567
- quantum Hall plateaus, 568, 569
- quantum Monte Carlo, 4, 45–48
 - diffusion Monte Carlo, 45
 - imaginary time evolution, 46
 - Metropolis algorithm, 46
 - path integral, 45
 - variational, 45
- quantum of conductance $\frac{e^2}{h}$, 550
- quantum point contact, 503
- quantum statistical mechanics, 679
- quantum wells, 9, 384
- quasi-one-dimensional metals
 - (TMTSF)₂X and (TMTTF)₂X, 12
 - TTF-TCNQ, 12, 501
- quasi-electron wave function in the lowest Landau level, 603
- quasiparticle creation operators, 469, 470
- quasiparticle effective mass, 411, 422, 423–425, 453
 - measurement of, 423–425
 - on-shell approximation, 480
 - quantum Monte Carlo calculation, 480
- quasiparticle lifetime, 432–441
 - approximate expressions in 2D, 438
 - approximate formula in 3D, 437
 - calculation by Fermi golden rule, 433
 - exchange contribution to, 439, 441, 497
- quasiparticle pole, 308
- quasiparticles, 3
- quenching of the kinetic energy at high magnetic field, 550
- Raman scattering, 188
 - cross-polarized, 188
- random phase approximation (RPA), 196–216
 - bubble diagrams, 293
 - calculation of the correlation energy, 210
 - calculation of the correlation energy in the high-density limit, 211
 - calculation of the correlation energy in the low-density limit, 214
 - comparison with quantum Monte Carlo energy, 213
 - dielectric function, 198
 - electron–hole continuum, 209
 - plots of the correlation energy, 213
 - static structure factor, 209
- Rayleigh–Ritz variational principle, 328
- reducible diagrams in the electron–hole channel
- reductio ad absurdum, 332
- relative motion hamiltonian, 589
- renormalization, 441
- renormalization constant, 502
- renormalization group theory, 546
- renormalization principle, 591
- renormalized hamiltonian, 461–471
- restricted Hartree–Fock calculations, 70
- retarded Green’s function, 299, 322
 - dispersion relation for, 300, 325

- retarded linear response functions, 118
- Riemann ζ -function, 38
- rigidity of ground-states, 347
- RKKY interaction, 165
- Rydberg unit of energy, 18
- S-matrix, 280
- scalar dielectric function, 192
- scaling theory of localization, 487
- scattering amplitudes, 303
- scattering matrix, 280
- screened exchange, 468
- screened interaction, 233, 296
- screened-exchange self-energy, 468, 474
- second quantization, 19–29
 - representation of frequently used operators, 670
- self-averaging systems, 145
- self-energy, 78, 297
 - coulomb hole, 461, 474
 - generalized GW approximation, 475
 - generating functional for, 301
 - GW approximation, 472
 - G0W approximation, 474
 - Ng–Singwi theory, 475
 - on-shell approximation, 474
 - qualitative behavior in 2D and 3D, 480
 - skeleton diagram for, 306
- shear modulus, 265, 432, 616
- shear modulus of a quantum Hall liquid, 618
- Sheet density, 10, 384
- Sherman–Morrison formula, 379
- Shubnikov–de Haas effect, 425
- sine-integral function, 165
- single-mode approximation, 609
- skeleton diagrams, 300
- Slater determinant, 21, 69
- Slater exchange potential, 105
- solid angle in d -dimensions, 30
- Sommerfeld model for electrons in metals, 405
- sound waves, 202
- spectral function, 442, 443
 - experimental measurement of, 447
 - finite temperature expressions, 446
 - non-interacting system, 445
- spectral function and retarded Green's function, 446
- spectral function from Green's function, 531
- spectral function in the lowest Landau level, 621
 - experimental measurement, 625
 - independent-boson model calculation, 623–624
 - sum rule, 622
- spectral representation, 121
- spectral representation of temperature correlation functions, 713
- spin current, 248, 672–673
- spin density fluctuation spectrum, 264
- spin density waves, 56, 91–95
- spin diffusion, 269
- spin drag, 248
- spin flip electron energy loss spectroscopy, 188
- spin susceptibility, 61
 - many-body enhancement of, 223
 - measurement from Shubnikov–de Haas oscillations, 425
- spin waves, 3
- spin–charge separation, 542
- spin–density operator, 671
- spin–spin response function, 151, 222, 229
- stability of fermionic matter, 349
- stability of the ground-state, 192
- static structure factor, 127
 - expression in terms of $g(r)$, 686
 - for non-interacting fermions, 686
 - large- q behavior, 67, 686
 - spin-resolved form, 686
- statistics of particles, 20
- step function, 29
- stiffness, 112
- stiffness energy, 112, 189
- stiffness theorem, 131, 192, 353
- stimulated emission spectrum, 126
- STLS Ansatz, 700
- STLS approximation, 700
- STLS effective field, 701
- Stoner model, 52, 66
- Strěda formula, 571–573
- stress tensor, 393
- stripe phase, 58, 642
 - experimental evidence for, 643
 - physical discussion, 644
- stupidity energy, 39
- subbands in 2D, 10
- sum rules, 129
- superconductivity discovery of, 1
- superconductivity without phonons, 484
 - equation for T_c , 485
 - Kohn–Luttinger theory, 484
 - role of vertex corrections, 486
- superconductors, 148
- surface acoustic wave (SAW) propagation experiments, 554
- surface acoustic waves, 639
- surface states, 8
- symmetric gauge, 555, 559
 - one-electron wave functions, 559
- symmetric operators, 21
- symmetry-breaking potential, 317
- Teller's no-binding theorem, 349
- temperature correlation functions

- temperature correlation (*cont.*)
 - analytic properties, 321
 - exact eigenstates representation, 321
 - expression in terms of S -matrix, 323
 - periodicity properties, 320
- temperature correlation function, 320
 - connection with causal response function, 322
- temperature Green's function, 320
 - non-interacting fermions, 323
- test charge, 191
- test charge–test charge effective interaction in a magnetic field, 581
- test particle operators, 462
- thermal reservoir, 116
- thermodynamic gap (quantum Hall liquid), 607, 608
- thermodynamic limit, 13
- thermodynamic potential, 319, 345
- third moment sum rule, 139, 149
 - spin resolved form, 152
- Thomas–Fermi equation for atomic densities, 349
- Thomas–Fermi screening wave vector
 - three dimensions, 200
 - two dimensions, 201
- Thomas–Fermi theory, 348
- tilted magnetic field experiments, 425
- time evolution of creation/destruction operators in a
 - non-interacting electron gas, 158
- time ordering operator, 277
 - in imaginary time, 320
- time-dependent current–density functional theory, 390–398
 - exchange–correlation force density, 393
 - exchange–correlation vector potential, 391, 393
 - linewidth of collective excitations, 398
 - low-frequency limit, 393
 - nonlinear approximations for the exchange–correlation potential, 399
 - Vignale–Kohn formulation, 391
- time-dependent density functional theory, 370–390
 - action, 375
 - adiabatic local density approximation, 376, 385
 - atomic excitation energies, 381
 - singlet–triplet splitting, 382
 - calculation of excitation energies, 378
 - causality problem, 375
 - collective modes, 383
 - continuous excitation spectrum, 382
 - density–density response function, 378
 - exchange–correlation kernel
 - spatial range of, 386, 387
 - first-order shifts of excitation energies, 380
 - integral equation for excitation energies, 380
 - Kohn–Sham density–density response function, 377
 - Kohn–Sham equation, 374, 375
 - Kohn–Sham gap vs optical band gap, 383
 - Kohn–Sham potential, 375
 - linear response, 377
 - Maitra–Burke example, 371, 402
 - perturbation theory for excitation energies, 380
 - Runge–Gross theorem, 370, 371
 - ultra-nonlocality of exchange–correlation potentials, 383, 390
 - van Leeuwen theorem, 374
 - zero force theorem, 388
- time-evolution operator, 278
- time-ordered correlation function, 276
 - exact eigenstates representation, 277
 - formal expression in terms of the S -matrix, 280
 - time-ordered correlation functions and causal response functions, 277
- time-ordered product, 277
- Titchmarsh lemma, 127
- totalitarian societies, 501
- transport gap (quantum Hall liquid), 584, 608, 634
- transverse current response, 146, 173–174
 - for non-interacting electron gas, 174
- transverse spin response functions, 153
- transverse spin–spin response function, 153, 159, 186
- tunneling between dissimilar quantum wells, 449
- tunneling between identical quantum wells, 447
- tunneling density of states in GeAu alloys, 493
- tunneling experiments at high magnetic field, 554
- tunneling gap, 609
- two-body scattering amplitude, 302
 - direct and exchange diagrams, 304
 - expression in terms of Pauli matrices, 303
- two-electron bound-states in the lowest Landau level, 593
- two-particle operators, 26
 - second-quantized representation of, 27
- vacuum state, 22
- van der Waals interaction, 361
- van der Waals coefficient C_6 , 363
- vandermonde determinant, 547, 592
- vector potential, 143
- velocity and canonical momentum operators, 671
- velocity field, 393, 394
- velocity operator in a magnetic field, 555
- vertex function, 305
 - Bethe–Salpeter equation for, 311
 - in self-consistent equations, 312
 - spin resolved, 306
- virial theorem
 - for logarithmic interaction, 600
- virial theorem, 62, 273
 - proof, 65
- visco-elastic constants, 267, 393
- viscosity of an electron liquid, 268, 269

- Wannier functions, 562
- Ward–Pitaevskii identities, 308
- weak localization, 177, 487, 493
- Wick’s theorem, 32, 676
- Wick’s theorem at finite temperature, 679
- Wick’s theorem for averages in a Fermi sea, 678
- Wick’s theorem for operators, 675
- Wick’s theorem for vacuum averages, 677
- wide parabolic well, 8, 9, 65
- Wigner crystal, 2, 18, 40, 501
 - at high magnetic field, 364, 552, 642
 - classical electrostatic energy of, 40, 65
 - crystal structure, 42
 - energy calculation, 41, 42, 50, 688–689
 - Ewald summation, 688–689
 - harmonic approximation, 43
 - leading quantum mechanical corrections, 44
 - low energy excitations, 3
 - Overhauser’s argument for structure, 42
 - phonon frequencies, 44
 - quantum Monte Carlo energy, 50
 - shear modulus, 619
 - zero-point motion, 43
- Wigner crystal in one dimension, 546
- Wigner–Seitz radius, 7
- Yukawa interaction, 15
 - Fourier representation of, 667
 - Fourier transform of, 17
- zero sound, 3, 203
- zeroes of the Laughlin wave function, 552, 594